

Nelson Irrigation Corporation

TWIG V - Radio Module

FCC 15.247:2019
902 – 928 MHz Other Wideband DTS Transceiver

Report # NELS0008.1







NVLAP LAB CODE: 200630-0

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government. This Report shall not be reproduced, except in full without written approval of the laboratory.

EAR-Controlled Data - This document contains technical data whose export and reexport/retransfer is subject to control by the U.S. Department of Commerce under the Export Administration Act and the Export Administration Regulations. The Department of Commerce's prior written approval may be required for the export or reexport/retransfer of such technical data to any foreign person, foreign entity or foreign organization whether in the United States or abroad.

CERTIFICATE OF TEST



Last Date of Test: September 19, 2019
Nelson Irrigation Corporation
EUT: TWIG V - Radio Module

Radio Equipment Testing

Standards

Specification	Method
FCC 15.207:2019	ANSI C63.10:2013, KDB 558074
FCC 15.247:2019	ANSI C03. 10.2013, NDB 330074

Results

Method Clause	Test Description	Applied	Results	Comments
6.2	Powerline Conducted Emissions (Transmitter)	Yes	Pass	
6.5, 6.6, 11.12.1, 11.13.2	Spurious Radiated Emissions	Yes	Pass	
11.6	Duty Cycle	Yes	Pass	
7.8.2	Carrier Frequency Separation	No	N/A	Not required for DTS devices.
7.8.3	Number of Hopping Frequencies	No	N/A	Not required for DTS devices.
7.8.4	Dwell Time	No	N/A	Not required for DTS devices.
11.9.1.1	Output Power	Yes	Pass	
11.9.1.1	Equivalent Isotropic Radiated Power	Yes	Pass	
11.11	Band Edge Compliance	Yes	Pass	
7.8.6	Band Edge Compliance - Hopping Mode	No	N/A	Not required for DTS devices.
11.8.2	Occupied Bandwidth	Yes	Pass	
11.11	Spurious Conducted Emissions	Yes	Pass	
11.10.2	Power Spectral Density	Yes	Pass	

Deviations From Test Standards

None

Approved By:

Kyle Holgate, Operations Manager

Product compliance is the responsibility of the client; therefore, the tests and equipment modes of operation represented in this report were agreed upon by the client, prior to testing. The results of this test pertain only to the sample(s) tested. The specific description is noted in each of the individual sections of the test report supporting this certificate of test. This report reflects only those tests from the referenced standards shown in the certificate of test. It does not include inspection or verification of labels, identification, marking or user information. As indicated in the Statement of Work sent with the quotation, Element's standard process is to always use the latest published version of the test methods even when earlier versions are cited in the test specification. Issuance of a purchase order was de facto acceptance of this approach. Otherwise, the client would have advised Element in writing of the specific version of the test methods they wanted applied to the subject testing.

REVISION HISTORY



Revision Number	Description	Date (yyyy-mm-dd)	Page Number
00	None		

ACCREDITATIONS AND AUTHORIZATIONS



United States

FCC - Designated by the FCC as a Telecommunications Certification Body (TCB). Certification chambers, Open Area Test Sites, and conducted measurement facilities are listed with the FCC.

A2LA - Accredited by A2LA to ISO / IEC 17065 as a product certifier. This allows Element to certify transmitters to FCC and IC specifications.

NVLAP - Each laboratory is accredited by NVLAP to ISO 17025

Canada

ISED - Recognized by Innovation, Science and Economic Development Canada as a Certification Body (CB) and as a CAB for the acceptance of test data.

European Union

European Commission - Within Element, we have a EU Notified Body validated for the EMCD and RED Directives.

Australia/New Zealand

ACMA - Recognized by ACMA as a CAB for the acceptance of test data.

Korea

MSIT / RRA - Recognized by KCC's RRA as a CAB for the acceptance of test data.

Japan

VCCI - Associate Member of the VCCI. Conducted and radiated measurement facilities are registered.

Taiwan

BSMI - Recognized by BSMI as a CAB for the acceptance of test data.

NCC - Recognized by NCC as a CAB for the acceptance of test data.

Singapore

IDA – Recognized by IDA as a CAB for the acceptance of test data.

Israel

MOC - Recognized by MOC as a CAB for the acceptance of test data.

Hong Kong

OFCA – Recognized by OFCA as a CAB for the acceptance of test data.

Vietnam

MIC – Recognized by MIC as a CAB for the acceptance of test data.

SCOPE

For details on the Scopes of our Accreditations, please visit: https://www.nwemc.com/emc-testing-accreditations


FACILITIES







California	Minnesota	Oregon	Texas	Washington			
Labs OC01-17 41 Tesla Irvine, CA 92618	Labs MN01-10 9349 W Broadway Ave. Brooklyn Park, MN 55445	Labs EV01-12 6775 NE Evergreen Pkwy #400 Hillsboro, OR 97124	Labs TX01-09 3801 E Plano Pkwy Plano, TX 75074	Labs NC01-05 19201 120 th Ave NE Bothell, WA 98011			
(949) 861-8918	(612)-638-5136	(503) 844-4066	(469) 304-5255	(425)984-6600			
		NVLAP					
NVLAP Lab Code: 200676-0	NVLAP Lab Code: 200881-0	NVLAP Lab Code: 200630-0	NVLAP Lab Code:201049-0	NVLAP Lab Code: 200629-0			
	Innovation, Science and Economic Development Canada						
2834B-1, 2834B-3	2834E-1, 2834E-3	2834D-1	2834G-1	2834F-1			
BSMI							
SL2-IN-E-1154R	SL2-IN-E-1152R	SL2-IN-E-1017	SL2-IN-E-1158R	SL2-IN-E-1153R			
	VCCI						
A-0029	A-0109	A-0108	A-0201	A-0110			
Recognized Phase I CAB for ISED, ACMA, BSMI, IDA, KCC/RRA, MIC, MOC, NCC, OFCA							
US0158	US0175	US0017	US0191	US0157			



MEASUREMENT UNCERTAINTY



Measurement Uncertainty

When a measurement is made, the result will be different from the true or theoretically correct value. The difference is the result of tolerances in the measurement system that cannot be completely eliminated. To the extent that technology allows us, it has been our aim to minimize this error. Measurement uncertainty is a statistical expression of measurement error qualified by a probability distribution.

A measurement uncertainty estimation has been performed for each test per our internal quality document QM205.4.6. The estimation is used to compare the measured result with its "true" or theoretically correct value. The expanded measurement uncertainty (K=2) can be found included as part of the applicable test description page. Our measurement data meets or exceeds the measurement uncertainty requirements of the applicable specification; therefore, the test data can be compared directly to the specification limit to determine compliance. The calculations for estimating measurement uncertainty are based upon ETSI TR 100 028 (or CISPR 16-4-2 as applicable), and are available upon request.


The following table represents the Measurement Uncertainty (MU) budgets for each of the tests that may be contained in this report.

Test	+ MU	- MU
Frequency Accuracy	0.0007%	-0.0007%
Amplitude Accuracy (dB)	1.2 dB	-1.2 dB
Conducted Power (dB)	1.2 dB	-1.2 dB
Radiated Power via Substitution (dB)	0.7 dB	-0.7 dB
Temperature (degrees C)	0.7°C	-0.7°C
Humidity (% RH)	2.5% RH	-2.5% RH
Voltage (AC)	1.0%	-1.0%
Voltage (DC)	0.7%	-0.7%
Field Strength (dB)	5.2 dB	-5.2 dB
AC Powerline Conducted Emissions (dB)	2.4 dB	-2.4 dB


Test Setup Block Diagrams




Antenna Port Conducted Measurements



Near Field Test Fixture Measurements



Spurious Radiated Emissions



PRODUCT DESCRIPTION



Client and Equipment Under Test (EUT) Information

Company Name:	Nelson Irrigation Corporation
Address:	848 Airport Road
City, State, Zip:	Walla Walla, WA 99362-2271
Test Requested By:	Mark Bauman
EUT:	TWIG V – Radio Module
First Date of Test:	August 29, 2019
Last Date of Test:	September 19, 2019
Receipt Date of Samples:	August 28, 2019
Equipment Design Stage:	Production
Equipment Condition:	No Damage
Purchase Authorization:	Verified

Information Provided by the Party Requesting the Test

Functional Description of the EUT:

Irrigation Control Network: The End Node product is designed to drive latching solenoids or latching relays in response to LoRa radio packets and provides status information to the network using LoRa radio packets. It is a limited energy device and spends most of its life in a state of sleep. The Command Node product provides network timing information that is encoded into the LoRa packets that coordinates operation. It responds to LoRa packets by providing control data that is utilized by the End Nodes. It is continuously powered and spends most of its time waiting to respond to LoRa packets. The Echo Node product retransmits directed LoRa packets to extend the coverage of the network. It is continuously powered and spends most of its life waiting to receive LoRa packets.

Testing Objective:

Seeking to demonstrate compliance under FCC 15.247:2019 for operation in the 902 - 928 MHz Band.



Software/Firmware Running during test	
Description	Version
EMC Test Software	0xAE256A4

EUT			
Description	Manufacturer	Model/Part Number	Serial Number
LoRa Radio Module	Nelson Irrigation Corporation	TWIG V	256395-0059

Peripherals in test setup boundary						
Description	Manufacturer	Model/Part Number	Serial Number			
Omni Antenna	L-com	HG908UP-NF	HG908UP-NFPOLC10063101918			
DC Power Supply	TOPWARD	TPS2000	None			

Cables					
Cable Type	Shield	Length (m)	Ferrite	Connection 1	Connection 2
CA-195R	Yes	3.1 m	No	u.fl to SMA Patch Cable	Antenna
DC Power	No	0.1 m	No	LoRa Radio Module	DC Power
DC Power	No	2.0 m	No	DC Power	DC Power Supply
AC Power	No	1.8 m	No	AC Mains	DC Power Supply
u.fl to SMA Patch Cable	Yes	0.2 m	No	LoRa Radio Module	CA-195R



Software/Firmware Running during test	
Description	Version
EMC Test Software	0xAE256A4

EUT			
Description	Manufacturer	Model/Part Number	Serial Number
LoRa Radio Module	Nelson Irrigation Corporation	TWIG V	256395-0059

Peripherals in test setup boundary							
Description Manufacturer Model/Part Number Serial Number							
Yagi Antenna	L-com	HG912YE-NF	HG912YE-NFPO2022821839				
DC Power Supply	TOPWARD	TPS2000	None				

Cables							
Cable Type	Shield	Length (m)	Ferrite	Connection 1	Connection 2		
CA-195R	Yes	3.1 m	No	u.fl to SMA Patch Cable	Antenna		
DC Power	No	0.1 m	No	LoRa Radio Module	DC Power		
DC Power	No	2.0 m	No	DC Power	DC Power Supply		
AC Power	No	1.8 m	No	AC Mains	DC Power Supply		
u.fl to SMA Patch Cable	Yes	0.2 m	No	LoRa Radio Module	CA-195R		



Software/Firmware Running during test	
Description	Version
EMC Test Software	0xAE256A4

EUT			
Description	Manufacturer	Model/Part Number	Serial Number
LoRa Radio Module	Nelson Irrigation Corporation	TWIG V	256395-0059

Peripherals in test setup boundary					
Description	Manufacturer	Model/Part Number	Serial Number		
DC Power Supply	TOPWARD	TPS2000	None		

Cables					
Cable Type	Shield	Length (m)	Ferrite	Connection 1	Connection 2
DC Power	No	0.1 m	No	LoRa Radio Module	DC Power
DC Power	No	2.0 m	No	DC Power	DC Power Supply
AC Power	No	1.8 m	No	AC Mains	DC Power Supply



Software/Firmware Running during test	
Description	Version
EMC Test Software	0xAE256A4

EUT			
Description	Manufacturer	Model/Part Number	Serial Number
LoRa Radio Module	Nelson Irrigation Corporation	TWIG V	256395-0059

Peripherals in test setup boundary						
Description Manufacturer Model/Part Number Serial Number						
Remote Laptop	Panasonic	Toughbook CF30	000634			
DC Power Supply	TOPWARD	TPS2000	None			

Cables					
Cable Type	Shield	Length (m)	Ferrite	Connection 1	Connection 2
DC Power	No	0.1 m	No	LoRa Radio Module	DC Power
DC Power	No	2.0 m	No	DC Power	DC Power Supply
AC Power	No	1.8 m	No	AC Mains	DC Power Supply
Serial to USB	Yes	1.5 m	No	Remote Laptop	LoRa Radio Module

MODIFICATIONS



Equipment Modifications

Item	Date	Test	Modification	Note	Disposition of EUT
1	2019-08-29	Spurious Radiated Emissions	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
2	2019-09-05	Duty Cycle	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
3	2019-09-05	Output Power	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
4	2019-09-05	Equivalent Isotropic Radiated Power	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
5	2019-09-05	Band Edge Compliance	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
6	2019-09-05	Occupied Bandwidth	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
7	2019-09-05	Spurious Conducted Emissions	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
8	2019-09-05	Power Spectral Density	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
9	2019-09-06	Powerline Conducted Emissions (Transmitter)	Modified from delivered configuration.	Installed Fair-Rite brand ferrite (PN# 0431173951) on the u.fl to SMA adapter/patch cable near the u.fl connection for the external antenna. Modification authorized by Mark Bauman.	EUT remained at Element following the test.
10	2019-09-19	Spurious Radiated Emissions	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	Scheduled testing was completed.



TEST DESCRIPTION

Using the mode of operation and configuration noted within this report, conducted emissions tests were performed. The frequency range investigated (scanned), is also noted in this report. Conducted power line measurements are made, unless otherwise specified, over the frequency range from 150 kHz to 30 MHz to determine the line-to-ground radio-noise voltage that is conducted from the EUT power-input terminals that are directly (or indirectly via separate transformer or power supplies) connected to a public power network. Per the standard, an insulating material was also added to ground plane between the EUT's power and remote I/O cables. Equipment is tested with power cords that are normally used or that have electrical or shielding characteristics that are the same as those cords normally used. Typically those measurements are made using a LISN (Line Impedance Stabilization Network), the 50ohm measuring port is terminated by a 50ohm EMI meter or a 50ohm resistive load. All 50ohm measuring ports of the LISN are terminated by 50ohm. The test data represents the configuration / operating mode/ model that produced the highest emission levels as compared to the specification limit.

TEST EQUIPMENT

= 1.7					
Description	Manufacturer	Model	טו	Last Cal.	Cal. Due
Receiver	Rohde & Schwarz	ESCI	ARH	2019-05-02	2020-05-02
Cable - Conducted Cable Assembly	Northwest EMC	EVG, HHD, RKT	EVGA	2019-01-07	2020-01-07
LISN	Solar Electronics	9252-50-R-24-BNC	LIN	2018-12-27	2019-12-27

MEASUREMENT UNCERTAINTY

Description		
Expanded k=2	2.4 dB	-2.4 dB

CONFIGURATIONS INVESTIGATED

NELS0008-10 NELS0008-8

NELS0008-9

MODES INVESTIGATED

Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Mid Ch. = 915 MHz



EUT:	TWIG V - Radio Module	Work Order:	NELS0008
Serial Number:	256395-0059	Date:	2019-09-05
Customer:	Nelson Irrigation Corporation	Temperature:	23.7°C
Attendees:	None	Relative Humidity:	48.7%
Customer Project:	None	Bar. Pressure:	1015 mb
Tested By:	Jeff Alcoke	Job Site:	EV07
Power:	5.0 VDC via 110VAC/60Hz	Configuration:	NELS0008-10

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.207:2019	ANSI C63.10:2013

TEST PARAMETERS

Run #:	12	Line:	Neutral	Add. Ext. Attenuation (dB):	0

COMMENTS

Measuring AC mains of Linear Lab DC Power Supply.


EUT OPERATING MODES

Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Mid Ch. = 915 MHz


DEVIATIONS FROM TEST STANDARD

None

Quasi Peak Data - vs - Quasi Peak Limit



Average Data - vs - Average Limit





RESULTS - Run #12

Quasi Peak Data - vs - Quasi Peak Limit

Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)	
0.203	25.9	20.0	45.9	63.5	-17.6	
0.594	17.7	19.9	37.6	56.0	-18.4	
0.640	17.1	19.9	37.0	56.0	-19.0	
0.507	16.9	19.8	36.7	56.0	-19.3	
0.164	25.8	20.0	45.8	65.3	-19.5	
0.473	16.3	19.8	36.1	56.5	-20.4	

Average Data - vs - Average Limit					
Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
0.594	-2.6	19.9	17.3	46.0	-28.7
0.640	-2.7	19.9	17.2	46.0	-28.8
0.507	-2.7	19.8	17.1	46.0	-28.9
0.473	-2.9	19.8	16.9	46.5	-29.6
0.203	0.7	20.0	20.7	53.5	-32.8
0.164	0.6	20.0	20.6	55.3	-34.7

CONCLUSION

Pass

Tested By



EUT:	TWIG V - Radio Module	Work Order:	NELS0008
Serial Number:	256395-0059	Date:	2019-09-05
Customer:	Nelson Irrigation Corporation	Temperature:	23.7°C
Attendees:	None	Relative Humidity:	48.7%
Customer Project:	None	Bar. Pressure:	1015 mb
Tested By:	Jeff Alcoke	Job Site:	EV07
Power:	5.0 VDC via 110VAC/60Hz	Configuration:	NELS0008-10

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.207:2019	ANSI C63.10:2013

TEST PARAMETERS

_						
Run #:	13	Line:	High Line	Add. Ext. Attenuation (dB):	0

COMMENTS

Measuring AC mains of Linear Lab DC Power Supply.


EUT OPERATING MODES

Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Mid Ch. = 915 MHz


DEVIATIONS FROM TEST STANDARD

None

Quasi Peak Data - vs - Quasi Peak Limit



Average Data - vs - Average Limit





RESULTS - Run #13

Quasi Peak Data - vs - Quasi Peak Limit

	4,000.000.000.000.000.000.000.000.000.00						
Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)		
0.201	25.7	20.0	45.7	63.6	-17.9		
0.565	17.5	19.9	37.4	56.0	-18.6		
0.595	17.5	19.9	37.4	56.0	-18.6		
0.613	17.4	19.9	37.3	56.0	-18.7		
0.525	17.0	19.9	36.9	56.0	-19.1		
0.708	15.7	19.9	35.6	56.0	-20.4		

	Average Data - vs - Average Limit				
Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
0.613	-2.5	19.9	17.4	46.0	-28.6
0.525	-2.5	19.9	17.4	46.0	-28.6
0.565	-2.6	19.9	17.3	46.0	-28.7
0.595	-2.6	19.9	17.3	46.0	-28.7
0.708	-2.8	19.9	17.1	46.0	-28.9
0.201	0.3	20.0	20.3	53.6	-33.3

CONCLUSION

Pass

Tested By



EUT:	TWIG V - Radio Module	Work Order:	NELS0008
Serial Number:	256395-0059	Date:	2019-09-06
Customer:	Nelson Irrigation Corporation	Temperature:	23.2°C
Attendees:	None	Relative Humidity:	48.6%
Customer Project:	None	Bar. Pressure:	1021 mb
Tested By:	Jeff Alcoke	Job Site:	EV07
Power:	5.0 VDC via 110VAC/60Hz	Configuration:	NELS0008-9

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.207:2019	ANSI C63.10:2013

TEST PARAMETERS

Run #: 18	Line:	Neutral	Add. Ext. Attenuation (dB):	0
-----------	-------	---------	-----------------------------	---

COMMENTS

Measuring AC mains of Linear Lab DC Power Supply. Fair-Rite brand ferrite (PN#0431173951) installed on the u.fl to SMA patch cable at the u.fl end of the cable.


EUT OPERATING MODES

Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Mid Ch. = 915 MHz


DEVIATIONS FROM TEST STANDARD

None

Quasi Peak Data - vs - Quasi Peak Limit



Average Data - vs - Average Limit





RESULTS - Run #18

Quasi Peak Data - vs - Quasi Peak Limit

Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
0.185	27.6	20.0	47.6	64.3	-16.7
0.547	18.0	19.9	37.9	56.0	-18.1
0.598	18.0	19.9	37.9	56.0	-18.1
0.629	17.9	19.9	37.8	56.0	-18.2
0.650	17.5	19.9	37.4	56.0	-18.6
0.501	17.5	19.8	37.3	56.0	-18.7

	Average	Data - vs	<u>- Average</u>	Limit	
Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
0.598	-2.5	19.9	17.4	46.0	-28.6
0.501	-2.5	19.8	17.3	46.0	-28.7
0.547	-2.6	19.9	17.3	46.0	-28.7
0.629	-2.6	19.9	17.3	46.0	-28.7
0.650	-2.7	19.9	17.2	46.0	-28.8
0.185	2.1	20.0	22.1	54.3	-32.2

CONCLUSION

Pass

Tested By



EUT:	TWIG V - Radio Module	Work Order:	NELS0008
Serial Number:	256395-0059	Date:	2019-09-06
Customer:	Nelson Irrigation Corporation	Temperature:	23.2°C
Attendees:	None	Relative Humidity:	48.6%
Customer Project:	None	Bar. Pressure:	1021 mb
Tested By:	Jeff Alcoke	Job Site:	EV07
Power:	5.0 VDC via 110VAC/60Hz	Configuration:	NELS0008-9

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.207:2019	ANSI C63.10:2013

TEST PARAMETERS

Run #:	19	Line:	High Line	Add. Ext. Attenuation (dB):	0
--------	----	-------	-----------	-----------------------------	---

COMMENTS

Measuring AC mains of Linear Lab DC Power Supply. Fair-Rite brand ferrite (PN#0431173951) installed on the u.fl to SMA patch cable at the u.fl end of the cable.


EUT OPERATING MODES

Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Mid Ch. = 915 MHz


DEVIATIONS FROM TEST STANDARD

None

Quasi Peak Data - vs - Quasi Peak Limit



Average Data - vs - Average Limit





RESULTS - Run #19

Quasi Peak Data - vs - Quasi Peak Limit

Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
0.180	27.9	20.0	47.9	64.5	-16.6
0.157	28.0	20.1	48.1	65.6	-17.5
0.597	18.2	19.9	38.1	56.0	-17.9
0.577	18.0	19.9	37.9	56.0	-18.1
0.509	17.7	19.8	37.5	56.0	-18.5
0.540	17.6	19.9	37.5	56.0	-18.5

	Average	Data - vs	- Average	Limit	
Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
0.540	-2.4	19.9	17.5	46.0	-28.5
0.597	-2.5	19.9	17.4	46.0	-28.6
0.577	-2.6	19.9	17.3	46.0	-28.7
0.509	-2.6	19.8	17.2	46.0	-28.8
0.157	3.7	20.1	23.8	55.6	-31.8
0.180	2.5	20.0	22.5	54.5	-32.0

CONCLUSION

Pass

Tested By



EUT:	TWIG V - Radio Module	Work Order:	NELS0008
Serial Number:	256395-0059	Date:	2019-09-06
Customer:	Nelson Irrigation Corporation	Temperature:	23.2°C
Attendees:	None	Relative Humidity:	48.6%
Customer Project:	None	Bar. Pressure:	1021 mb
Tested By:	Jeff Alcoke	Job Site:	EV07
Power:	5.0 VDC via 110VAC/60Hz	Configuration:	NELS0008-8

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.207:2019	ANSI C63.10:2013

TEST PARAMETERS

Run #: 20 Line: High Line	Add. Ext. Attenuation (dB): 0	
---------------------------	-------------------------------	--

COMMENTS

Measuring AC mains of Linear Lab DC Power Supply. Fair-Rite brand ferrite (PN#0431173951) installed on the u.fl to SMA patch cable at the u.fl end of the cable.


EUT OPERATING MODES

Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Mid Ch. = 915 MHz


DEVIATIONS FROM TEST STANDARD

None

Quasi Peak Data - vs - Quasi Peak Limit



Average Data - vs - Average Limit





RESULTS - Run #20

Quasi Peak Data - vs - Quasi Peak Limit

Quadri dan Bata ve Quadri dan Emin								
Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)			
0.594	18.1	19.9	38.0	56.0	-18.0			
0.565	18.0	19.9	37.9	56.0	-18.1			
0.611	17.9	19.9	37.8	56.0	-18.2			
0.651	17.3	19.9	37.2	56.0	-18.8			
0.481	17.0	19.8	36.8	56.3	-19.5			
0.448	16.8	19.8	36.6	56.9	-20.3			

Average Data - vs - Average Limit										
Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)					
0.594	-2.4	19.9	17.5	46.0	-28.5					
0.611	-2.5	19.9	17.4	46.0	-28.6					
0.565	-2.5	19.9	17.4	46.0	-28.6					
0.651	-2.7	19.9	17.2	46.0	-28.8					
0.481	-2.6	19.8	17.2	46.3	-29.1					
0.448	-2.6	19.8	17.2	46.9	-29.7					

CONCLUSION

Pass

Tested By



EUT:	TWIG V - Radio Module	Work Order:	NELS0008
Serial Number:	256395-0059	Date:	2019-09-06
Customer:	Nelson Irrigation Corporation	Temperature:	23.2°C
Attendees:	None	Relative Humidity:	48.6%
Customer Project:	None	Bar. Pressure:	1021 mb
Tested By:	Jeff Alcoke	Job Site:	EV07
Power:	5.0 VDC via 110VAC/60Hz	Configuration:	NELS0008-8

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.207:2019	ANSI C63.10:2013

TEST PARAMETERS

Run #: 21	Line:	Neutral	Add. Ext. Attenuation (dB):	0
-----------	-------	---------	-----------------------------	---

COMMENTS

Measuring AC mains of Linear Lab DC Power Supply. Fair-Rite brand ferrite (PN#0431173951) installed on the u.fl to SMA patch cable at the u.fl end of the cable.


EUT OPERATING MODES

Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Mid Ch. = 915 MHz


DEVIATIONS FROM TEST STANDARD

None

Quasi Peak Data - vs - Quasi Peak Limit



Average Data - vs - Average Limit





RESULTS - Run #21

Quasi Peak Data - vs - Quasi Peak Limit

Quadri dan Bata ve Quadri dan Emin								
Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)			
12.452	26.8	20.4	47.2	60.0	-12.8			
0.173	27.8	20.0	47.8	64.8	-17.0			
0.204	26.0	20.0	46.0	63.5	-17.5			
0.577	18.0	19.9	37.9	56.0	-18.1			
0.620	17.9	19.9	37.8	56.0	-18.2			
0.529	17.8	19.9	37.7	56.0	-18.3			

Average Data - vs - Average Limit										
Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)					
12.452	26.5	20.4	46.9	50.0	-3.1					
0.620	-2.3	19.9	17.6	46.0	-28.4					
0.529	-2.5	19.9	17.4	46.0	-28.6					
0.577	-2.5	19.9	17.4	46.0	-28.6					
0.173	2.3	20.0	22.3	54.8	-32.5					
0.204	0.9	20.0	20.9	53.5	-32.6					

CONCLUSION

Pass

Tested By



PSA-ESCI 2019.05.10

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data. The test data represents the configuration / operating mode/ model that produced the highest emission levels as compared to the specification limit.

MODES OF OPERATION

Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Low Ch. = 902.5 MHz, Mid Ch. = 915 MHz, High Ch. = 927 MHz

POWER SETTINGS INVESTIGATED

5.0 VDC

CONFIGURATIONS INVESTIGATED

NELS0008 - 10

NELS0008 - 9

NELS0008 - 8

FREQUENCY RANGE INVESTIGATED

Chart Francisco Co Mile	Cton Francisco	40750 MILE
Start Frequency 30 MHz	Stop Frequency	[12750 MHZ

SAMPLE CALCULATIONS

Radiated Emissions: Field Strength = Measured Level + Antenna Factor + Cable Factor - Amplifier Gain + Distance Adjustment Factor + External Attenuation

TEST FQUIPMENT

ILSI LQUIFINILINI					
Description	Manufacturer	Model	ID	Last Cal.	Interval
Filter - Band Pass/Notch	K&L Microwave	3TNF-500/1000-N/N	HFT	5-Dec-2018	12 mo
Filter - Low Pass	Micro-Tronics	LPM50003	LFB	15-Feb-2019	12 mo
Attenuator	Coaxicom	3910-10	AWX	15-Feb-2019	12 mo
Attenuator	Coaxicom	3910-20	AXZ	15-Feb-2019	12 mo
Cable	None	Standard Gain Horns Cable	EVF	24-Nov-2018	12 mo
Cable	N/A	Double Ridge Horn Cables	EVB	24-Nov-2018	12 mo
Cable	N/A	Bilog Cables	EVA	24-Nov-2018	12 mo
Amplifier - Pre-Amplifier	Miteq	AMF-6F-12001800-30-10P	AVD	24-Nov-2018	12 mo
Amplifier - Pre-Amplifier	L-3 Narda-MITEQ	AMF-6F-08001200-30-10P	PAO	24-Nov-2018	12 mo
Amplifier - Pre-Amplifier	Miteq	AMF-3D-00100800-32-13P	PAG	24-Nov-2018	12 mo
Amplifier - Pre-Amplifier	Miteq	AM-1616-1000	AOL	24-Nov-2018	12 mo
Antenna - Standard Gain	ETS Lindgren	3160-08	AHV	NCR	0 mo
Antenna - Standard Gain	ETS Lindgren	3160-07	AHU	NCR	0 mo
Antenna - Double Ridge	ETS Lindgren	3115	AIZ	7-Feb-2018	24 mo
Antenna - Biconilog	Teseq	CBL 6141B	AXR	2-Oct-2018	24 mo
Analyzer - Spectrum Analyzer	Agilent	E4446A	AAQ	24-Mar-2019	12 mo

TEST DESCRIPTION

The highest gain antenna of each type to be used with the EUT was tested. The EUT was configured for the required transmit frequencies and the modes as showed in the data sheets.

For each configuration, the spectrum was scanned throughout the specified range as part of the exploratory investigation of the emissions. These "pre-scans" are not included in the report. Final measurements on individual emissions were then made and included in this test report.

The individual emissions from the EUT were maximized by rotating the EUT on a turntable, adjusting the position of the EUT and EUT antenna in three orthogonal axis if required, and adjusting the measurement antenna height and polarization (per ANSI C63.10). A preamp and high pass filter (and notch filter) were used for this test in order to provide sufficient measurement sensitivity.

Measurements were made with the required detectors and annotated on the data for each individual point using the following annotation:

QP = Quasi-Peak Detector

PK = Peak Detector

AV = RMS Detector

Measurements were made to satisfy the specific requirements of the test specification for out of band emissions as well as the restricted band requirements.

If there are no detectable emissions above the noise floor, the data included may show noise floor measurements for reference only.

Measurements at the edges of the allowable band may be presented in an alternative method as provided for in the ANSI C63.10 Marker-Delta method. This method involves performing an in-band fundamental measurement followed by a screen capture of the fundamental and out-of-band emission using reduced measurement instrumentation bandwidths. The amplitude delta measured on this screen capture is applied to the fundamental emission value to show the out-of-band emission level as applied to the limit.

Where the radio test software does not provide for a duty cycle at continuous transmit conditions (> 98%) and the RMS (power average) measurements were made across the on and off times of the EUT transmissions, a duty cycle correction is added to the measurements using the formula of 10*LOG(dc).

28/67




						EmiR5 2019.08.01	PSA-ESCI 2019.05.10
Work	Order:	NELS0008	Date:	29 August 20	019 —		M
	roject:	None	Temperature:	23.2 °C	1/	ML //	
	b Site:	EV01	Humidity:	46.5% RF		21/1/	12
Serial No		256395-0059	Barometric Pres.:	1013 mba	r Tes	sted by: Jeff Alcoke	
		TWIG V - Radio Mod	ule				
Configu							
		Nelson Irrigation Cor	poration				
	ndees:						
EUT	Power:	5.0 VDC					
Operating	Mode:	Transmitting LoRa, S	F8, 500 kHz BW, Softv	ware power settii	ng = 10. Low Ch. =	902.5 MHz and Mid C	h. = 915 MHz
Devi	ations:	None					
Com	ments:		of for Channel, EUT ories a DCCF of 0.3 dB was				
Test Specific	ations			Test	Method		
FCC 15.247:2					I C63.10:2013		
Run #	56	Test Distance (m)	3 Antenna	a Height(s)	1 to 4(m)	Results	Pass
itan n	- 00	root Diotanoo (m)	o ranconne	i rioigiit(o)	1 to 1(111)	Hoodito	1 400
70							
60 -							
50							
50							
50					**.		
50					***		
50 40 30 20							
50 40 30 20		100		1000 MHz	* * •	0000	100000 • AV • QP

Freq	Amplitude	Factor	Antenna Height	Azimuth	Duty Cycle Correction Factor	External Attenuation	Polarity/ Transducer Type	Detector	Distance Adjustment	Adjusted	Spec. Limit	Compared to Spec.	
(MHz)	(dBuV)	(dB)	(meters)	(degrees)	(dB)	(dB)			(dB)	(dBuV/m)	(dBuV/m)	(dB)	Comments
9148.450	42.8	-1.8	2.9	131.0	0.3	0.0	Horz	AV	0.0	41.3	54.0	-12.7	Mid Ch, EUT Vert, Ant Vert, Omni
9148.467	40.3	-1.8	2.3	277.0	0.3	0.0	Vert	AV	0.0	38.8	54.0	-15.2	Mid Ch, EUT on Side, Ant Vert, Omni
2745.017	41.0	-3.4	3.8	64.0	0.3	0.0	Horz	AV	0.0	37.9	54.0	-16.1	Mid Ch, EUT Vert, Ant Vert, Omni
2707.633	40.6	-3.4	4.0	129.0	0.3	0.0	Vert	AV	0.0	37.5	54.0	-16.5	Low Ch, EUT Horz, Ant Vert, Omni
3660.300	34.7	2.1	1.0	216.0	0.3	0.0	Horz	AV	0.0	37.1	54.0	-16.9	Mid Ch, EUT Vert, Ant Vert, Omni
9148.367	38.3	-1.8	2.5	144.0	0.3	0.0	Horz	AV	0.0	36.8	54.0	-17.2	Mid Ch, EUT on Side, Ant Horz, Omni
5414.283	29.7	6.0	2.6	119.0	0.3	0.0	Vert	AV	0.0	36.0	54.0	-18.0	Low Ch, EUT Horz, Ant Vert, Omni
9148.600	37.1	-1.8	2.3	314.0	0.3	0.0	Horz	AV	0.0	35.6	54.0	-18.4	Mid Ch, EUT on Side, Ant Vert, Omni
3660.217	33.2	2.1	2.2	136.0	0.3	0.0	Vert	AV	0.0	35.6	54.0	-18.4	Mid Ch, EUT Horz, Ant Vert, Omni
5414.467	29.3	6.0	1.5	169.0	0.3	0.0	Horz	AV	0.0	35.6	54.0	-18.4	Low Ch, EUT Vert, Ant Vert, Omni
9148.433	36.8	-1.8	2.2	79.0	0.3	0.0	Vert	AV	0.0	35.3	54.0	-18.7	Mid Ch, EUT on Side, Ant Horz, Omni
9148.650	36.6	-1.8	3.8	3.0	0.3	0.0	Horz	AV	0.0	35.1	54.0	-18.9	Mid Ch, EUT Horz, Ant Vert, Omni
9148.350	36.6	-1.8	2.1	286.0	0.3	0.0	Vert	AV	0.0	35.1	54.0	-18.9	Mid Ch, EUT Horz, Ant Horz, Omni
2707.683	37.9	-3.4	1.5	250.0	0.3	0.0	Horz	AV	0.0	34.8	54.0	-19.2	Low Ch, EUT Vert, Ant Vert, Omni
2745.167	37.6	-3.4	1.3	59.0	0.3	0.0	Vert	AV	0.0	34.5	54.0	-19.5	Mid Ch, EUT Horz, Ant Vert, Omni
4575.000	30.0	4.0	1.5	289.0	0.3	0.0	Horz	AV	0.0	34.3	54.0	-19.7	Mid Ch, EUT Vert, Ant Vert, Omni
4575.617	30.0	3.9	2.6	35.0	0.3	0.0	Vert	AV	0.0	34.2	54.0	-19.8	Mid Ch, EUT Horz, Ant Vert, Omni
9148.250	35.2	-1.8	1.5	71.0	0.3	0.0	Vert	AV	0.0	33.7	54.0	-20.3	Mid Ch, EUT Vert, Ant Vert, Omni
9024.183	35.4	-2.1	1.8	204.0	0.3	0.0	Horz	AV	0.0	33.6	54.0	-20.4	Low Ch, EUT Vert, Ant Vert, Omni
9148.500	35.0	-1.8	1.6	85.0	0.3	0.0	Vert	AV	0.0	33.5	54.0	-20.5	Mid Ch, EUT Vert, Ant Horz, Omni
9024.500	33.5	-2.1	2.8	121.0	0.3	0.0	Vert	AV	0.0	31.7	54.0	-22.3	Low Ch, EUT Horz, Ant Vert, Omni
9149.000	31.5	-1.8	2.6	196.0	0.3	0.0	Horz	AV	0.0	30.0	54.0	-24.0	Mid Ch, EUT Horz, Ant Horz, Omni
9147.567	50.2	-1.8	2.9	131.0	0.0	0.0	Horz	PK	0.0	48.4	74.0	-25.6	Mid Ch, EUT Vert, Ant Vert, Omni
5413.917	40.9	6.0	2.6	119.0	0.0	0.0	Vert	PK	0.0	46.9	74.0	-27.1	Low Ch, EUT Horz, Ant Vert, Omni
9148.433	48.4	-1.8	2.3	277.0	0.0	0.0	Vert	PK	0.0	46.6	74.0	-27.4	Mid Ch, EUT on Side, Ant Vert, Omni

Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Antenna Height (meters)	Azimuth (degrees)	Duty Cycle Correction Factor (dB)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Comments
5415.033	40.1	6.0	1.5	169.0	0.0	0.0	Horz	PK	0.0	46.1	74.0	-27.9	Low Ch, EUT Vert, Ant Vert, Omni
9148.050	46.7	-1.8	2.5	144.0	0.0	0.0	Horz	PK	0.0	44.9	74.0	-29.1	Mid Ch, EUT on Side, Ant Horz, Omni
3659.850	42.7	2.1	1.0	216.0	0.0	0.0	Horz	PK	0.0	44.8	74.0	-29.2	Mid Ch, EUT Vert, Ant Vert, Omni
9148.217	46.1	-1.8	2.3	314.0	0.0	0.0	Horz	PK	0.0	44.3	74.0	-29.7	Mid Ch, EUT on Side, Ant Vert, Omni
4574.983	40.0	3.9	2.6	35.0	0.0	0.0	Vert	PK	0.0	43.9	74.0	-30.1	Mid Ch, EUT Horz, Ant Vert, Omni
4574.367	39.9	3.9	1.5	289.0	0.0	0.0	Horz	PK	0.0	43.8	74.0	-30.2	Mid Ch, EUT Vert, Ant Vert, Omni
3659.233	41.7	2.1	2.2	136.0	0.0	0.0	Vert	PK	0.0	43.8	74.0	-30.2	Mid Ch, EUT Horz, Ant Vert, Omni
9149.400	45.6	-1.8	2.1	286.0	0.0	0.0	Vert	PK	0.0	43.8	74.0	-30.2	Mid Ch, EUT Horz, Ant Horz, Omni
9147.933	45.5	-1.8	2.2	79.0	0.0	0.0	Vert	PK	0.0	43.7	74.0	-30.3	Mid Ch, EUT on Side, Ant Horz, Omni
9148.717	45.5	-1.8	3.8	3.0	0.0	0.0	Horz	PK	0.0	43.7	74.0	-30.3	Mid Ch, EUT Horz, Ant Vert, Omni
2745.283	46.9	-3.4	3.8	64.0	0.0	0.0	Horz	PK	0.0	43.5	74.0	-30.5	Mid Ch, EUT Vert, Ant Vert, Omni
2707.967	46.9	-3.4	4.0	129.0	0.0	0.0	Vert	PK	0.0	43.5	74.0	-30.5	Low Ch, EUT Horz, Ant Vert, Omni
9027.183	45.2	-1.9	1.8	204.0	0.0	0.0	Horz	PK	0.0	43.3	74.0	-30.7	Low Ch, EUT Vert, Ant Vert, Omni
9148.433	44.5	-1.8	1.6	85.0	0.0	0.0	Vert	PK	0.0	42.7	74.0	-31.3	Mid Ch, EUT Vert, Ant Horz, Omni
9147.767	44.4	-1.8	1.5	71.0	0.0	0.0	Vert	PK	0.0	42.6	74.0	-31.4	Mid Ch, EUT Vert, Ant Vert, Omni
2707.583	45.5	-3.4	1.5	250.0	0.0	0.0	Horz	PK	0.0	42.1	74.0	-31.9	Low Ch, EUT Vert, Ant Vert, Omni
9023.850	43.8	-2.1	2.8	121.0	0.0	0.0	Vert	PK	0.0	41.7	74.0	-32.3	Low Ch, EUT Horz, Ant Vert, Omni
2744.383	45.0	-3.5	1.3	59.0	0.0	0.0	Vert	PK	0.0	41.5	74.0	-32.5	Mid Ch, EUT Horz, Ant Vert, Omni
9153.200	41.9	-1.9	2.6	196.0	0.0	0.0	Horz	PK	0.0	40.0	74.0	-34.0	Mid Ch, EUT Horz, Ant Horz, Omni



							EmiR5 2019.08.01		PSA-ESCI 2019.05.
Work Order:	NELS0008	Date:	19 Septen	ber 2019	_		//		4
Project:	None	Temperature:	21	°C	, ,	1			
Job Site:	EV01	Humidity:	49.79	RH			19/1	1	
Serial Number:	256395-0059	Barometric Pres.:	1021	mbar	1	ested by:	Jeff Alcoke		
EUT:	TWIG V - Radio Modu	ule							
Configuration:									
	Nelson Irrigation Corp	oration							
Attendees:									
EUT Power:	0.0 0								
Operating Mode:	Transmitting LoRa, Si High Ch. = 927 MHz	F8, 500 kHz BW, Softv	ware power	setting = 10.	Low Ch.	= 902.5 M	Hz, Mid Ch. =	915 M	Hz and
Deviations	None								
Comments	there was no degrada	ents were taken on the ution of emissions with , a DCCF of 0.3 dB wa	the addtion	of a ferrite to	o the u.fl t	o SMA pat	ch cable. Th	e EUT	transmits at
Test Specifications				Test Metho	d				
FCC 15.247:2019				ANSI C63.10	0:2013				
Run # 124	Test Distance (m)	3 Antenna	Height(s)	,	1 to 4(m)		Results	F	Pass
80									



Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Antenna Height (meters)	Azimuth (degrees)	Duty Cycle Correction Factor (dB)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	
(141112)	,	, ,	.,,	,,	(-)	(-)			(-)	, , , ,	, , , ,	(. ,	Comments
7415.283	28.9	14.3	1.0	191.0	0.3	0.0	Vert	AV	0.0	43.5	54.0	-10.5	High Ch, EUT Horz, Ant Vert, Omni
7416.925	28.5	14.3	1.0	151.0	0.3	0.0	Horz	AV	0.0	43.1	54.0	-10.9	High Ch, EUT Vert, Ant Vert, Omni
8341.733	43.2	-4.2	2.0	309.0	0.3	0.0	Horz	AV	0.0	39.3	54.0	-14.7	High Ch, EUT Vert, Ant Vert, Omni
2780.900	40.3	-3.2	1.0	218.0	0.3	0.0	Horz	AV	0.0	37.4	54.0	-16.6	High Ch, EUT Vert, Ant Vert, Omni
3708.108	34.8	2.2	1.0	255.0	0.3	0.0	Horz	AV	0.0	37.3	54.0	-16.7	High Ch, EUT Vert, Ant Vert, Omni
2780.775	39.3	-3.2	1.0	1.0	0.3	0.0	Vert	AV	0.0	36.4	54.0	-17.6	High Ch, EUT Horz, Ant Vert, Omni
8341.667	39.6	-4.2	1.0	354.0	0.3	0.0	Vert	AV	0.0	35.7	54.0	-18.3	High Ch, EUT Horz, Ant Vert, Omni
3610.033	32.8	1.7	3.9	243.0	0.3	0.0	Vert	AV	0.0	34.8	54.0	-19.2	Low Ch, EUT Horz, Ant Vert, Omni
3707.717	31.9	2.2	1.0	59.0	0.3	0.0	Vert	AV	0.0	34.4	54.0	-19.6	High Ch, EUT Horz, Ant Vert, Omni
3609.750	32.0	1.7	1.9	246.0	0.3	0.0	Horz	AV	0.0	34.0	54.0	-20.0	Low Ch, EUT Vert, Ant Vert, Omni
7416.883	38.9	14.3	1.0	191.0	0.0	0.0	Vert	PK	0.0	53.2	74.0	-20.8	High Ch, EUT Horz, Ant Vert, Omni
7417.167	38.1	14.3	1.0	151.0	0.0	0.0	Horz	PK	0.0	52.4	74.0	-21.6	High Ch, EUT Vert, Ant Vert, Omni
9150.650	34.2	-1.9	1.8	241.0	0.3	0.0	Horz	AV	0.0	32.6	54.0	-21.4	Mid Ch, EUT Vert, Ant Vert, Omni
9148.450	32.4	-1.8	3.5	326.0	0.3	0.0	Vert	AV	0.0	30.9	54.0	-23.1	Mid Ch, EUT Horz, Ant Vert, Omni
8341.150	50.6	-4.2	2.0	309.0	0.0	0.0	Horz	PK	0.0	46.4	74.0	-27.6	High Ch, EUT Vert, Ant Vert, Omni
3707.967	42.4	2.2	1.0	255.0	0.0	0.0	Horz	PK	0.0	44.6	74.0	-29.4	High Ch, EUT Vert, Ant Vert, Omni
8341.283	47.8	-4.2	1.0	354.0	0.0	0.0	Vert	PK	0.0	43.6	74.0	-30.4	High Ch, EUT Horz, Ant Vert, Omni
2781.717	46.2	-3.1	1.0	218.0	0.0	0.0	Horz	PK	0.0	43.1	74.0	-30.9	High Ch, EUT Vert, Ant Vert, Omni
3610.933	41.4	1.7	3.9	243.0	0.0	0.0	Vert	PK	0.0	43.1	74.0	-30.9	Low Ch, EUT Horz, Ant Vert, Omni
9149.317	44.8	-1.8	1.8	241.0	0.0	0.0	Horz	PK	0.0	43.0	74.0	-31.0	Mid Ch, EUT Vert, Ant Vert, Omni
3708.208	40.8	2.2	1.0	59.0	0.0	0.0	Vert	PK	0.0	43.0	74.0	-31.0	High Ch, EUT Horz, Ant Vert, Omni
2781.400	46.0	-3.1	1.0	1.0	0.0	0.0	Vert	PK	0.0	42.9	74.0	-31.1	High Ch, EUT Horz, Ant Vert, Omni
3609.850	40.2	1.7	1.9	246.0	0.0	0.0	Horz	PK	0.0	41.9	74.0	-32.1	Low Ch, EUT Vert, Ant Vert, Omni

Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Antenna Height (meters)	Azimuth (degrees)	Duty Cycle Correction Factor (dB)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Comments
9150.900	42.6	-1.9	3.5	326.0	0.0	0.0	Vert	PK	0.0	40.7	74.0	-33.3	Mid Ch, EUT Horz, Ant Vert, Omni



Work Order: NELS0008 Date: 29 August 2019 Project: None Temperature: 23.2 °C								element
Work Order: NELS0008 Date: 29 August 2019							EmiR5 2019.08.01	PSA-ESCI 2019.05.10
Project: None Temperature: 23.2 °C Job Site: EV01	Work Ord	ler: NELS0008	Date:	29 Augus	t 2019			A
Serial Number 256395-0059 Barometric Pres. 1013 mbar Tested by: Jeff Alcoke	Proje	ect: None	Temperature:	23.2	°C	1	1//	
Contiguon: 9 Customer: Nelson Irrigation Corporation Attendees: None EUT Power: 5.0 VDC Operating Mode: Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Low Ch. = 902.5 MHz, Mid Ch. = 915 MHz Deviations: None See comments below for Channel, EUT orientation, Antenna Orientation, and Antenna Type. The EUT transmits at a duty cycle of 93.3%, a DCCF of 0.3 dB was added to the RMS AVG measurements {0.3 dB = 10*Log (11.933)}. Test Specifications FCC 15.247:2019 Run # 66 Test Distance (m) 3 Antenna Height(s) 1 to 4(m) Results Pass	Job S	ite: EV01	Humidity:	46.5%	RH	OCA,	19/18	
Configuration: 9 Customer: Nelson Irrigation Corporation Attendees: None EUT Power: 5.0 VDC Operating Mode: Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Low Ch. = 902.5 MHz, Mid Ch. = 915 MHz Deviations: None See comments below for Channel, EUT orientation, Antenna Orientation, and Antenna Type. The EUT transmits at a duty cycle of 93.3%, a DCCF of 0.3 dB was added to the RMS AVG measurements (0.3 dB = 10*Log (1/.933) }. Test Specifications FCC 15.247:2019 Run # 66 Test Distance (m) 3 Antenna Height(s) 1 to 4(m) Results Pass	Serial Numb	er: 256395-0059	Barometric Pres.:	1013 r	nbar	Tested by	: Jeff Alcoke	
Customer: Nelson Irrigation Corporation Attendees: None EUT Power: 5.0 VDC Operating Mode: Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Low Ch. = 902.5 MHz, Mid Ch. = 915 MHz Deviations: None See comments below for Channel, EUT orientation, Antenna Orientation, and Antenna Type. The EUT transmits at a duty cycle of 93.3%, a DCCF of 0.3 dB was added to the RMS AVG measurements {0.3 dB = 10°Log (11.933) }. Test Specifications FCC 15.247:2019 Run # 66 Test Distance (m) 3	E	UT: TWIG V - Radio Mod	lule		-			
Attendees: None EUT Power: 5.0 VDC Operating Mode: Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Low Ch. = 902.5 MHz, Mid Ch. = 915 MHz Deviations: None See comments below for Channel, EUT orientation, Antenna Orientation, and Antenna Type. The EUT transmits at a duty cycle of 93.3%, a DCCF of 0.3 dB was added to the RMS AVG measurements {0.3 dB = 10*Log (1/.933) }. Test Specifications FCC 15.247:2019 Run # 66 Test Distance (m) 3	Configurati	on: 9						,
Attendees: None EUT Power: 5.0 VDC Operating Mode: Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Low Ch. = 902.5 MHz, Mid Ch. = 915 MHz Deviations: None See comments below for Channel, EUT orientation, Antenna Orientation, and Antenna Type. The EUT transmits at a duty cycle of 93.3%, a DCCF of 0.3 dB was added to the RMS AVG measurements {0.3 dB = 10*Log (1/.933) }. Test Specifications FCC 15.247:2019 Run # 66 Test Distance (m) 3	Custom	er: Nelson Irrigation Cor	poration					,
Transmitting LoRa, SF8, 500 kHz BW, Software power setting = 10. Low Ch. = 902.5 MHz, Mid Ch. = 915 MHz								
Deviations: None See comments below for Channel, EUT orientation, Antenna Orientation, and Antenna Type. The EUT transmits at a duty cycle of 93.3%, a DCCF of 0.3 dB was added to the RMS AVG measurements {0.3 dB = 10*Log (1/.933) }. Test Specifications Test Method ANSI C63.10:2013	EUT Pow	er: 5.0 VDC						
See comments below for Channel, EUT orientation, Antenna Orientation, and Antenna Type. The EUT transmits at a duty cycle of 93.3%, a DCCF of 0.3 dB was added to the RMS AVG measurements {0.3 dB = 10*Log (1/.933) }. Test Specifications FCC 15.247:2019 Run # 66 Test Distance (m) 3 Antenna Height(s) 1 to 4(m) Results Pass	Operating Mo	de: Transmitting LoRa, S	SF8, 500 kHz BW, Soft	ware power s	etting = 10.	Low Ch. = 902.5	MHz, Mid Ch. = 9	15 MHz
Comments: duty cycle of 93.3%, a DCCF of 0.3 dB was added to the RMS AVG measurements {0.3 dB = 10*Log (1/.933) }. Test Specifications Test Method	Deviatio	ns:						
Run # 66 Test Distance (m) 3 Antenna Height(s) 1 to 4(m) Results Pass	Commer							
Run # 66 Test Distance (m) 3 Antenna Height(s) 1 to 4(m) Results Pass	Test Specification	ns		1	est Method	d		
80 70 60	FCC 15.247:2019	•		F	NSI C63.10	0:2013		
80 70 60								
70 60	Run # 66	Test Distance (m)	3 Antenna	a Height(s)	1	1 to 4(m)	Results	Pass
60	80							
	70							
50	60							
40								

						MI	Hz						■ P	,	A (۸۱/	_	QP
10		10	0			10					10	000					100	0000
0																		
10					-												4	-
20																		
30									Ť									-
40								*	3									-
50															_			
60																		
70																		-
80																		

Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Antenna Height (meters)	Azimuth (degrees)	Duty Cycle Correction Factor (dB)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Comments
7320.867	29.2	13.1	1.5	103.0	0.3	0.0	Horz	AV	0.0	42.6	54.0	-11.4	Mid Ch, EUT Vert, Ant Vert, Yagi
7321.883	28.6	13.1	3.2	133.0	0.3	0.0	Vert	AV	0.0	42.0	54.0	-12.0	Mid Ch, EUT Horz, Ant Horz, Yagi
2745.050	41.1	-3.4	3.6	18.0	0.3	0.0	Vert	AV	0.0	38.0	54.0	-16.0	Mid Ch, EUT Horz, Ant Horz, Yagi
2707.650	40.3	-3.4	4.0	23.0	0.3	0.0	Vert	AV	0.0	37.2	54.0	-16.8	Low Ch, EUT Horz, Ant Horz, Yagi
2745.167	40.1	-3.4	1.7	11.0	0.3	0.0	Horz	AV	0.0	37.0	54.0	-17.0	Mid Ch, EUT Vert, Ant Vert, Yagi
3609.767	33.9	1.7	1.0	207.0	0.3	0.0	Horz	AV	0.0	35.9	54.0	-18.1	Low Ch, EUT Vert, Ant Vert, Yagi
3659.717	32.5	2.1	3.4	144.0	0.3	0.0	Horz	AV	0.0	34.9	54.0	-19.1	Mid Ch, EUT Vert, Ant Vert, Yagi
2707.617	37.7	-3.4	2.8	217.0	0.3	0.0	Horz	AV	0.0	34.6	54.0	-19.4	Low Ch, EUT Vert, Ant Vert, Yagi
9148.283	36.0	-1.8	2.3	192.0	0.3	0.0	Vert	AV	0.0	34.5	54.0	-19.5	Mid Ch, EUT Horz, Ant Horz, Yagi
3660.133	32.1	2.1	1.6	89.0	0.3	0.0	Vert	AV	0.0	34.5	54.0	-19.5	Mid Ch, EUT Horz, Ant Horz, Yagi
9148.583	35.1	-1.8	3.3	130.0	0.3	0.0	Horz	AV	0.0	33.6	54.0	-20.4	Mid Ch, EUT Vert, Ant Vert, Yagi
9148.700	35.1	-1.8	1.5	305.0	0.3	0.0	Vert	AV	0.0	33.6	54.0	-20.4	Mid Ch, EUT Horz, Ant Vert, Yagi
9148.417	35.0	-1.8	1.4	207.0	0.3	0.0	Vert	AV	0.0	33.5	54.0	-20.5	Mid Ch, EUT on Side, Ant Vert, Yagi
9148.750	34.9	-1.8	2.5	195.0	0.3	0.0	Vert	AV	0.0	33.4	54.0	-20.6	Mid Ch, EUT on Side, Ant Horz, Yagi
3609.617	31.4	1.7	2.1	71.0	0.3	0.0	Vert	AV	0.0	33.4	54.0	-20.6	Low Ch, EUT Horz, Ant Horz, Yagi
7320.150	39.9	13.1	1.5	103.0	0.0	0.0	Horz	PK	0.0	53.0	74.0	-21.0	Mid Ch, EUT Vert, Ant Vert, Yagi
4512.967	28.6	4.0	1.5	241.0	0.3	0.0	Horz	AV	0.0	32.9	54.0	-21.1	Low Ch, EUT Vert, Ant Vert, Yagi
4516.350	28.5	3.9	1.5	356.0	0.3	0.0	Vert	AV	0.0	32.7	54.0	-21.3	Low Ch, EUT Horz, Ant Horz, Yagi
9148.217	34.0	-1.8	1.4	80.0	0.3	0.0	Horz	AV	0.0	32.5	54.0	-21.5	Mid Ch, EUT Vert, Ant Horz, Yagi
9150.583	33.7	-1.9	3.0	191.0	0.3	0.0	Horz	AV	0.0	32.1	54.0	-21.9	Mid Ch, EUT on Side, Ant Vert, Yagi
7322.650	39.0	13.1	3.2	133.0	0.0	0.0	Vert	PK	0.0	52.1	74.0	-21.9	Mid Ch, EUT Horz, Ant Horz, Yagi
9148.433	33.5	-1.8	1.5	64.0	0.3	0.0	Vert	AV	0.0	32.0	54.0	-22.0	Mid Ch, EUT Vert, Ant Vert, Yagi
9025.033	33.6	-1.9	3.6	178.0	0.3	0.0	Vert	AV	0.0	32.0	54.0	-22.0	Low Ch, EUT Horz, Ant Horz, Yagi
9149.217	33.3	-1.8	1.5	68.0	0.3	0.0	Vert	AV	0.0	31.8	54.0	-22.2	Mid Ch, EUT Vert, Ant Horz, Yagi
9023.483	33.5	-2.1	1.5	14.0	0.3	0.0	Horz	AV	0.0	31.7	54.0	-22.3	Low Ch, EUT Vert, Ant Vert, Yagi

Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Antenna Height (meters)	Azimuth (degrees)	Duty Cycle Correction Factor (dB)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Comments
9148.900	33.1	-1.8	1.5	142.0	0.3	0.0	Horz	AV	0.0	31.6	54.0	-22.4	Mid Ch, EUT on Side, Ant Horz, Yagi
9148.367	32.9	-1.8	3.3	44.0	0.3	0.0	Horz	AV	0.0	31.4	54.0	-22.6	Mid Ch, EUT Horz, Ant Horz, Yagi
9148.567	32.1	-1.8	2.6	46.0	0.3	0.0	Horz	AV	0.0	30.6	54.0	-23.4	Mid Ch, EUT Horz, Ant Vert, Yagi
2744.200	47.1	-3.5	3.6	18.0	0.0	0.0	Vert	PK	0.0	43.6	74.0	-30.4	Mid Ch, EUT Horz, Ant Horz, Yagi
3661.167	41.4	2.1	1.6	89.0	0.0	0.0	Vert	PK	0.0	43.5	74.0	-30.5	Mid Ch, EUT Horz, Ant Horz, Yagi
3609.483	41.8	1.7	1.0	207.0	0.0	0.0	Horz	PK	0.0	43.5	74.0	-30.5	Low Ch, EUT Vert, Ant Vert, Yagi
9149.000	45.2	-1.8	2.3	192.0	0.0	0.0	Vert	PK	0.0	43.4	74.0	-30.6	Mid Ch, EUT Horz, Ant Horz, Yagi
2707.267	46.8	-3.4	4.0	23.0	0.0	0.0	Vert	PK	0.0	43.4	74.0	-30.6	Low Ch, EUT Horz, Ant Horz, Yagi
4510.033	39.2	4.0	1.5	241.0	0.0	0.0	Horz	PK	0.0	43.2	74.0	-30.8	Low Ch, EUT Vert, Ant Vert, Yagi
9152.317	45.0	-1.9	3.3	130.0	0.0	0.0	Horz	PK	0.0	43.1	74.0	-30.9	Mid Ch, EUT Vert, Ant Vert, Yagi
4512.767	39.1	4.0	1.5	356.0	0.0	0.0	Vert	PK	0.0	43.1	74.0	-30.9	Low Ch, EUT Horz, Ant Horz, Yagi
3659.767	40.9	2.1	3.4	144.0	0.0	0.0	Horz	PK	0.0	43.0	74.0	-31.0	Mid Ch, EUT Vert, Ant Vert, Yagi
9148.100	44.7	-1.8	3.0	191.0	0.0	0.0	Horz	PK	0.0	42.9	74.0	-31.1	Mid Ch, EUT on Side, Ant Vert, Yagi
9151.550	44.8	-1.9	1.5	305.0	0.0	0.0	Vert	PK	0.0	42.9	74.0	-31.1	Mid Ch, EUT Horz, Ant Vert, Yagi
3609.167	41.2	1.7	2.1	71.0	0.0	0.0	Vert	PK	0.0	42.9	74.0	-31.1	Low Ch, EUT Horz, Ant Horz, Yagi
2745.267	46.2	-3.4	1.7	11.0	0.0	0.0	Horz	PK	0.0	42.8	74.0	-31.2	Mid Ch, EUT Vert, Ant Vert, Yagi
9147.867	44.6	-1.8	1.4	207.0	0.0	0.0	Vert	PK	0.0	42.8	74.0	-31.2	Mid Ch, EUT on Side, Ant Vert, Yagi
9148.333	44.5	-1.8	2.5	195.0	0.0	0.0	Vert	PK	0.0	42.7	74.0	-31.3	Mid Ch, EUT on Side, Ant Horz, Yagi
9147.750	43.6	-1.8	1.5	64.0	0.0	0.0	Vert	PK	0.0	41.8	74.0	-32.2	Mid Ch, EUT Vert, Ant Vert, Yagi
9149.000	43.6	-1.8	1.4	80.0	0.0	0.0	Horz	PK	0.0	41.8	74.0	-32.2	Mid Ch, EUT Vert, Ant Horz, Yagi
9148.300	43.6	-1.8	1.5	142.0	0.0	0.0	Horz	PK	0.0	41.8	74.0	-32.2	Mid Ch, EUT on Side, Ant Horz, Yagi
2706.917	45.2	-3.4	2.8	217.0	0.0	0.0	Horz	PK	0.0	41.8	74.0	-32.2	Low Ch, EUT Vert, Ant Vert, Yagi
9025.283	43.7	-1.9	1.5	14.0	0.0	0.0	Horz	PK	0.0	41.8	74.0	-32.2	Low Ch, EUT Vert, Ant Vert, Yagi
9147.517	43.5	-1.8	2.6	46.0	0.0	0.0	Horz	PK	0.0	41.7	74.0	-32.3	Mid Ch, EUT Horz, Ant Vert, Yagi
9149.950	43.4	-1.8	3.3	44.0	0.0	0.0	Horz	PK	0.0	41.6	74.0	-32.4	Mid Ch, EUT Horz, Ant Horz, Yagi
9148.017	43.1	-1.8	1.5	68.0	0.0	0.0	Vert	PK	0.0	41.3	74.0	-32.7	Mid Ch, EUT Vert, Ant Horz, Yagi
9023.533	43.4	-2.1	3.6	178.0	0.0	0.0	Vert	PK	0.0	41.3	74.0	-32.7	Low Ch, EUT Horz, Ant Horz, Yagi



				EmiR5 2019.08.01 PSA-ESCI 2019.05.10									
Work Order:	NELS0008	Date:	19 September 2019	// //									
Project:	None	Temperature:	21.7 °C	111/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/									
Job Site:	EV01	Humidity:	48.9% RH	001/1/1/1									
Serial Number:	256395-0059	Barometric Pres.:	1022 mbar	Tested by: Jeff Alcoke									
EUT:	TWIG V - Radio Modu	ıle											
Configuration:	9												
Customer:	Nelson Irrigation Corp	oration											
Attendees:													
EUT Power:	5.0 VDC												
Operating Mode:	Transmitting LoRa, SICh. = 927 MHz	F8, 500 kHz BW, Softv	ware power setting = 10	0. Low Ch. = 902.5 MHz, Mid Ch. = 915 MHz, High									
Deviations:	None												
Comments:	Additional measurements were taken on the highest harmonic/emission for the low and mid channels to demonstrate there was no degradation of emissions with the addition of a ferrite to the u.fl to SMA patch cable. The EUT transmits at a duty cycle of 93.3%, a DCCF of 0.3 dB was added to the RMS AVG measurements {0.3 dB = 10*Log (1/.933) }.												

Test Specifications FCC 15.247:2019

Test Method ANSI C63.10:2013

Run#	127	Test Distance (m) 3	Antenna Height(s)	1 to 4(m)	Results	Pass
80						
70						
60						
50						
40						
30				•		
20						
10						
0 10		100	1000 MHz	10000		100000

Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Antenna Height (meters)	Azimuth (degrees)	Duty Cycle Correction Factor (dB)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Comments
7414.600	29.0	14.3	1.0	181.0	0.3	0.0	Vert	AV	0.0	43.6	54.0	-10.4	High Ch, EUT Horz, Ant Horz, Yaqi
7414.817	28.9	14.3	1.0	15.0	0.3	0.0	Horz	AV	0.0	43.5	54.0	-10.5	High Ch, EUT Vert, Ant Vert, Yagi
7319.167	29.5	13.1	3.3	289.0	0.3	0.0	Horz	AV	0.0	42.9	54.0	-11.1	Mid Ch. EUT Vert. Ant Vert. Yaqi
7319.117	28.8	13.1	2.6	257.0	0.3	0.0	Vert	AV	0.0	42.2	54.0	-11.8	Mid Ch, EUT Horz, Ant Horz, Yagi
2780.967	39.2	-3.2	1.0	352.0	0.3	0.0	Horz	AV	0.0	36.3	54.0	-17.7	High Ch, EUT Vert, Ant Vert, Yagi
2707.550	39.3	-3.4	2.5	87.0	0.3	0.0	Horz	AV	0.0	36.2	54.0	-17.8	Low Ch, EUT Vert, Ant Vert, Yaqi
8341.567	40.1	-4.2	1.0	338.0	0.3	0.0	Vert	AV	0.0	36.2	54.0	-17.8	High Ch, EUT Horz, Ant Horz, Yagi
8341.767	39.8	-4.2	2.2	219.0	0.3	0.0	Horz	AV	0.0	35.9	54.0	-18.1	High Ch, EUT Vert, Ant Vert, Yagi
3707.967	33.1	2.2	1.0	257.0	0.3	0.0	Horz	AV	0.0	35.6	54.0	-18.4	High Ch, EUT Vert, Ant Vert, Yagi
2780.950	38.5	-3.2	1.1	16.0	0.3	0.0	Vert	AV	0.0	35.6	54.0	-18.4	High Ch, EUT Horz, Ant Horz, Yagi
2707.567	38.2	-3.4	3.9	353.0	0.3	0.0	Vert	AV	0.0	35.1	54.0	-18.9	Low Ch, EUT Horz, Ant Horz, Yaqi
3707.967	31.7	2.2	3.2	65.0	0.3	0.0	Vert	AV	0.0	34.2	54.0	-19.8	High Ch, EUT Horz, Ant Horz, Yagi
4635.117	29.3	4.0	1.0	218.0	0.3	0.0	Horz	AV	0.0	33.6	54.0	-20.4	High Ch, EUT Vert, Ant Vert, Yagi
7415.367	39.2	14.3	1.0	181.0	0.0	0.0	Vert	PK	0.0	53.5	74.0	-20.5	High Ch, EUT Horz, Ant Horz, Yagi
7420.500	39.2	14.2	1.0	15.0	0.0	0.0	Horz	PK	0.0	53.4	74.0	-20.6	High Ch, EUT Vert, Ant Vert, Yagi
7316.833	40.0	13.2	3.3	289.0	0.0	0.0	Horz	PK	0.0	53.2	74.0	-20.8	Mid Ch, EUT Vert, Ant Vert, Yagi
4634.233	28.8	4.0	1.0	301.0	0.3	0.0	Vert	AV	0.0	33.1	54.0	-20.9	High Ch, EUT Horz, Ant Horz, Yagi
7322.050	38.8	13.1	2.6	257.0	0.0	0.0	Vert	PK	0.0	51.9	74.0	-22.1	Mid Ch, EUT Horz, Ant Horz, Yagi
8342.817	48.2	-4.2	1.0	338.0	0.0	0.0	Vert	PK	0.0	44.0	74.0	-30.0	High Ch, EUT Horz, Ant Horz, Yagi
3707.900	41.7	2.2	1.0	257.0	0.0	0.0	Horz	PK	0.0	43.9	74.0	-30.1	High Ch, EUT Vert, Ant Vert, Yagi
8343.367	48.0	-4.2	2.2	219.0	0.0	0.0	Horz	PK	0.0	43.8	74.0	-30.2	High Ch, EUT Vert, Ant Vert, Yagi
4638.200	39.0	4.1	1.0	301.0	0.0	0.0	Vert	PK	0.0	43.1	74.0	-30.9	High Ch, EUT Horz, Ant Horz, Yagi
4636.083	39.0	4.0	1.0	218.0	0.0	0.0	Horz	PK	0.0	43.0	74.0	-31.0	High Ch, EUT Vert, Ant Vert, Yagi

Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Antenna Height (meters)	Azimuth (degrees)	Duty Cycle Correction Factor (dB)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Comments
2780.517	46.0	-3.2	1.0	352.0	0.0	0.0	Horz	PK	0.0	42.8	74.0	-31.2	High Ch, EUT Vert, Ant Vert, Yagi
2707.733	46.2	-3.4	2.5	87.0	0.0	0.0	Horz	PK	0.0	42.8	74.0	-31.2	Low Ch, EUT Vert, Ant Vert, Yagi
2707.867	45.9	-3.4	3.9	353.0	0.0	0.0	Vert	PK	0.0	42.5	74.0	-31.5	Low Ch, EUT Horz, Ant Horz, Yagi
3709.483	39.9	2.2	3.2	65.0	0.0	0.0	Vert	PK	0.0	42.1	74.0	-31.9	High Ch, EUT Horz, Ant Horz, Yagi
2780.183	45.1	-3.2	1.1	16.0	0.0	0.0	Vert	PK	0.0	41.9	74.0	-32.1	High Ch, EUT Horz, Ant Horz, Yagi

SPURIOUS RADIATED EMISSIONS



Work Order:	NELS0008	Date:	29 August 2019	-		11/2
Project:	None	Temperature:	23.2 °C	(/2	4/1	
Job Site:	EV01	Humidity:	46.5% RH		1 1910	
Serial Number:	256395-0059	Barometric Pres.:	1013 mbar	Tested by	y: Jeff Alcoke	
	TWIG V - Radio Mod	ule				
Configuration:						
	Nelson Irrigation Cor	poration				
Attendees:						
EUT Power:		F0 F00 I I I DW 0 ()		0 1 01 000 5	MII MI I OI O	45 8411 1121
Operating Mode:	Transmitting LoRa, S Ch. = 927 MHz	F8, 500 kHz BW, Softwa	ire power setting = 1	0. Low Ch. = 902.5	MHZ, MId Ch. = 9	15 MHZ, HIG
Deviations:	None					
Comments:		of for Channel, EUT orien added to the RMS AVG				cle of 93.3%
t Specifications			Test Meth	nod		
C 15.247:2019			ANSI C63			
Run # 72	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
Run # 72	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
Run # 72	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
70	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
70	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
70	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
70	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
70	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80 70 60 50 40	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80 70 60 50 40	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80 70 60 50 40	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80	Test Distance (m)	3 Antenna I	Height(s)	1 to 4(m)	Results	Pass
80	Test Distance (m)	3 Antenna	Height(s)	1 to 4(m)	Results	Pass

Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Antenna Height (meters)	Azimuth (degrees)	Duty Cycle Correction Factor (dB)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Comments
9026.517	50.5	-1.9	1.0	58.0	0.3	0.0	Horz	AV	0.0	48.9	54.0	-5.1	Low ch, EUT Vert, Dipole
9026.483	47.2	-1.9	3.4	59.0	0.3	0.0	Vert	AV	0.0	45.6	54.0	-8.4	Low ch, EUT Horz, Dipole
7318.733	30.2	13.2	1.6	126.0	0.3	0.0	Vert	AV	0.0	43.7	54.0	-10.3	Mid ch, EUT Vert, Dipole
7416.433	28.9	14.3	1.1	107.0	0.3	0.0	Vert	AV	0.0	43.5	54.0	-10.5	High Ch, EUT Vert, Dipole
7414.500	28.5	14.3	3.1	166.0	0.3	0.0	Horz	AV	0.0	43.1	54.0	-10.9	High Ch, EUT Horz, Dipole
3609.800	41.0	1.7	2.7	33.0	0.3	0.0	Horz	AV	0.0	43.0	54.0	-11.0	Low ch, EUT Horz, Dipole
7319.383	29.4	13.1	1.5	360.0	0.3	0.0	Horz	AV	0.0	42.8	54.0	-11.2	Mid ch, EUT Horz, Dipole
3609.983	40.5	1.7	2.5	118.0	0.3	0.0	Horz	AV	0.0	42.5	54.0	-11.5	Low ch, EUT On Side, Dipole
2707.483	45.2	-3.4	2.6	135.0	0.3	0.0	Horz	AV	0.0	42.1	54.0	-11.9	Low ch, EUT Horz, Dipole
3609.817	39.1	1.7	1.7	207.0	0.3	0.0	Horz	AV	0.0	41.1	54.0	-12.9	Low ch, EUT Vert, Dipole
9151.633	42.5	-1.9	2.2	39.0	0.3	0.0	Vert	AV	0.0	40.9	54.0	-13.1	Mid ch, EUT Horz, Dipole
9026.600	42.4	-1.9	3.6	123.0	0.3	0.0	Horz	AV	0.0	40.8	54.0	-13.2	Low ch, EUT Horz, Dipole
2707.417	43.4	-3.4	1.0	270.0	0.3	0.0	Vert	AV	0.0	40.3	54.0	-13.7	Low ch, EUT Vert, Dipole
3610.283	38.1	1.7	3.5	269.0	0.3	0.0	Vert	AV	0.0	40.1	54.0	-13.9	Low ch, EUT Vert, Dipole
9026.567	40.8	-1.9	1.5	166.0	0.3	0.0	Vert	AV	0.0	39.2	54.0	-14.8	Low ch, EUT Vert, Dipole
3610.117	37.2	1.7	1.5	355.0	0.3	0.0	Vert	AV	0.0	39.2	54.0	-14.8	Low ch, EUT On Side, Dipole
2745.000	42.2	-3.4	2.6	137.0	0.3	0.0	Horz	AV	0.0	39.1	54.0	-14.9	Mid ch, EUT Horz, Dipole
2745.083	42.0	-3.4	3.0	217.0	0.3	0.0	Vert	AV	0.0	38.9	54.0	-15.1	Mid ch, EUT Vert, Dipole
3609.800	36.3	1.7	3.9	148.0	0.3	0.0	Vert	AV	0.0	38.3	54.0	-15.7	Low ch, EUT Horz, Dipole
3660.117	35.8	2.1	1.9	260.0	0.3	0.0	Horz	AV	0.0	38.2	54.0	-15.8	Mid ch, EUT Horz, Dipole

Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Antenna Height (meters)	Azimuth (degrees)	Duty Cycle Correction Factor (dB)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Comments
3660.217	35.2	2.1	3.8	292.0	0.3	0.0	Vert	AV	0.0	37.6	54.0	-16.4	Mid ch, EUT Vert, Dipole
2781.150	40.0	-3.2	1.0	338.0	0.3	0.0	Vert	AV	0.0	37.1	54.0	-16.9	High Ch, EUT Vert, Dipole
2780.900	39.5	-3.2	1.0	328.0	0.3	0.0	Horz	AV	0.0	36.6	54.0	-17.4	High Ch, EUT Horz, Dipole
3708.067	32.2	2.2	3.7	326.0	0.3	0.0	Horz	AV	0.0	34.7	54.0	-19.3	High Ch, EUT Horz, Dipole
9027.100	56.5	-1.9	1.0	58.0	0.0	0.0	Horz	PK	0.0	54.6	74.0	-19.4	Low ch, EUT Vert, Dipole
7414.567	39.3	14.3	3.1	166.0	0.0	0.0	Horz	PK	0.0	53.6	74.0	-20.4	High Ch, EUT Horz, Dipole
4635.367	29.1	4.0	2.6	20.0	0.3	0.0	Horz	AV	0.0	33.4	54.0	-20.6	High Ch, EUT Horz, Dipole
4635.667	29.1	4.0	1.0	338.0	0.3	0.0	Vert	AV	0.0	33.4	54.0	-20.6	High Ch, EUT Vert, Dipole
7321.517	40.0	13.1	1.6	126.0	0.0	0.0	Vert	PK	0.0	53.1	74.0	-20.9	Mid ch, EUT Vert, Dipole
7418.183	38.8	14.3	1.1	107.0	0.0	0.0	Vert	PK	0.0	53.1	74.0	-20.9	High Ch, EUT Vert, Dipole
4513.167	28.6	4.0	1.5	261.0	0.3	0.0	Vert	AV	0.0	32.9	54.0	-21.1	Low ch, EUT Vert, Dipole
3707.633	30.4	2.2	1.0	110.0	0.3	0.0	Vert	AV	0.0	32.9	54.0	-21.1	High Ch, EUT Vert, Dipole
4512.133	28.5	4.0	1.7	153.0	0.3	0.0	Horz	AV	0.0	32.8	54.0	-21.2	Low ch, EUT Horz, Dipole
7323.267	39.6	13.1	1.5	360.0	0.0	0.0	Horz	PK	0.0	52.7	74.0	-21.3	Mid ch, EUT Horz, Dipole
9027.433	53.7	-1.9	3.4	59.0	0.0	0.0	Vert	PK	0.0	51.8	74.0	-22.2	Low ch, EUT Horz, Dipole
9151.883	50.3	-1.9	2.2	39.0	0.0	0.0	Vert	PK	0.0	48.4	74.0	-25.6	Mid ch, EUT Horz, Dipole
3610.650	46.4	1.7	2.7	33.0	0.0	0.0	Horz	PK	0.0	48.1	74.0	-25.9	Low ch, EUT Horz, Dipole
9027.450	49.7	-1.9	3.6	123.0	0.0	0.0	Horz	PK	0.0	47.8	74.0	-26.2	Low ch, EUT Horz, Dipole
3609.883	45.9	1.7	2.5	118.0	0.0	0.0	Horz	PK	0.0	47.6	74.0	-26.4	Low ch, EUT On Side, Dipole
3610.300	45.1	1.7	1.7	207.0	0.0	0.0	Horz	PK	0.0	46.8	74.0	-27.2	Low ch, EUT Vert, Dipole
9026.883	48.7	-1.9	1.5	166.0	0.0	0.0	Vert	PK	0.0	46.8	74.0	-27.2	Low ch, EUT Vert, Dipole
3609.933	44.5	1.7	3.5	269.0	0.0	0.0	Vert	PK	0.0	46.2	74.0	-27.8	Low ch, EUT Vert, Dipole
2708.067	49.6	-3.4	2.6	135.0	0.0	0.0	Horz	PK	0.0	46.2	74.0	-27.8	Low ch, EUT Horz, Dipole
3609.833	43.7	1.7	1.5	355.0	0.0	0.0	Vert	PK	0.0	45.4	74.0	-28.6	Low ch, EUT On Side, Dipole
2707.717	48.6	-3.4	1.0	270.0	0.0	0.0	Vert	PK	0.0	45.2	74.0	-28.8	Low ch, EUT Vert, Dipole
3660.133	42.8	2.1	1.9	260.0	0.0	0.0	Horz	PK	0.0	44.9	74.0	-29.1	Mid ch, EUT Horz, Dipole
3610.283	43.2	1.7	3.9	148.0	0.0	0.0	Vert	PK	0.0	44.9	74.0	-29.1	Low ch, EUT Horz, Dipole
3659.583	42.7	2.1	3.8	292.0	0.0	0.0	Vert	PK	0.0	44.8	74.0	-29.2	Mid ch, EUT Vert, Dipole
2744.783	47.6	-3.4	3.0	217.0	0.0	0.0	Vert	PK	0.0	44.2	74.0	-29.8	Mid ch, EUT Vert, Dipole
2744.283	47.4	-3.5	2.6	137.0	0.0	0.0	Horz	PK	0.0	43.9	74.0	-30.1	Mid ch, EUT Horz, Dipole
2781.300	46.9	-3.1	1.0	328.0	0.0	0.0	Horz	PK	0.0	43.8	74.0	-30.2	High Ch, EUT Horz, Dipole
3708.133	41.2	2.2	3.7	326.0	0.0	0.0	Horz	PK	0.0	43.4	74.0	-30.6	High Ch, EUT Horz, Dipole
4513.683	39.1	4.0	1.5	261.0	0.0	0.0	Vert	PK	0.0	43.1	74.0	-30.9	Low ch, EUT Vert, Dipole
4508.350	39.0	4.0	1.7	153.0	0.0	0.0	Horz	PK	0.0	43.0	74.0	-31.0	Low ch, EUT Horz, Dipole
4633.100	38.9	4.0	2.6	20.0	0.0	0.0	Horz	PK	0.0	42.9	74.0	-31.1	High Ch, EUT Horz, Dipole
4634.517	38.9	4.0	1.0	338.0	0.0	0.0	Vert	PK	0.0	42.9	74.0	-31.1	High Ch, EUT Vert, Dipole
2780.633	45.9	-3.2	1.0	338.0	0.0	0.0	Vert	PK	0.0	42.7	74.0	-31.3	High Ch, EUT Vert, Dipole
3708.350	40.5	2.2	1.0	110.0	0.0	0.0	Vert	PK	0.0	42.7	74.0	-31.3	High Ch, EUT Vert, Dipole



XMit 2019 06 1

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	28-Mar-19	28-Mar-20
Attenuator	Fairview Microwave	18B5W-26	RFZ	23-Jul-19	23-Jul-20
Block - DC	Fairview Microwave	SD3379	AMX	29-Mar-19	29-Mar-20
Generator - Signal	Keysight	N5182B	TFU	5-Nov-18	5-Nov-21
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFI	7-Jun-19	7-Jun-20

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The Duty Cycle (x) of the single channel operation of the radio as controlled by the provided test software was measured for each of the EUT operating modes.

There is no compliance requirement to be met by this test, so therefore no Pass / Fail criteria.

The measurements were made using a zero span on the spectrum analyzer to see the pulses in the time domain. The transmit power was set to its default maximum.

The duty cycle was calculated by dividing the transmission pulse duration (T) by the total period of a single on and total off time.

If the transmit duty cycle < 98 percent, burst gating may have been used during some of the other tests in this report to only take the measurement during the burst duration.



EUT: TWIG V - Radio Module

Serial Number: 256395-0059

Customer: Nelson Irrigation Corporation

Attendees: None

Project: None

Tested by: Jeff Alcoke

TEST SPECIFICATIONS Work Order: NELS0008
Date: 5-Sep-19
Temperature: 23.1 °C Humidity: 48.6% RH
Barometric Pres.: 1018 mbar Power: 5.0 VDC
Test Method Job Site: EV06 FCC 15.247:2019 COMMENTS Reference level offset of 28.1 dB includes: DC Block, 26 dB attenuator, measurement cable, and manufactureres patch cable (0.2 dB stated loss). Software power setting = 10. DEVIATIONS FROM TEST STANDARD Configuration # 11 Signature Number of Pulses Value (%) Limit (%) Pulse Width Results Period LoRa, Spreading Factor = 8 93.3 N/A 93.3 N/A 93.3 N/A N/A N/A N/A N/A Low Channel, 902.5 MHz Low Channel, 902.5 MHz Mid Channel, 915 MHz 41.981 ms N/A 41.981 ms 39.147 ms N/A N/A N/A N/A N/A 39.147 ms N/A 39.174 ms N/A 39.157 ms Mid Channel, 915 MHz N/A 41.982 ms N/A High Channel, 927 MHz High Channel, 927 MHz N/A N/A




 LoRa, Spreading Factor = 8, Low Channel, 902.5 MHz


 Number of Value Limit

 Pulse Width
 Period
 Pulses
 (%)
 (%)
 Results

 39.147 ms
 41.981 ms
 1
 93.3
 N/A
 N/A




	L	oRa, Spreading F	actor = 8, Low C	hannel, 902.5 MF	łz	
			Number of	Value	Limit	
_	Pulse Width	Period	Pulses	(%)	(%)	Results
l	N/A	N/A	5	N/A	N/A	N/A






TbtTx 2019.08.02 XMit 2019.06.11

	LoRa, Spreading	Factor = 8, Mid C	Channel, 915 MHz	2	
		Number of	Value	Limit	
Pulse Width	Period	Pulses	(%)	(%)	Results
39.174 ms	41.981 ms	1	93.3	N/A	N/A




		LoRa, Spreading	Factor = 8, Mid C	Channel, 915 MHz	<u>z</u>	
			Number of	Value	Limit	
	Pulse Width	Period	Pulses	(%)	(%)	Results
	N/A	N/A	5	N/A	N/A	N/A






TbtTx 2019.08.02 XMit 2019.06.11

	L	oRa, Spreading	Factor = 8, High	Channel, 927 MH	Z		
			Number of	Value	Limit		
	Pulse Width	Period	Pulses	(%)	(%)	Results	
	39.157 ms	41.982 ms	1	93.3	N/A	N/A	



	L	oRa, Spreading	Factor = 8, High	Channel, 927 MH	Z	
			Number of	Value	Limit	
_	Pulse Width	Period	Pulses	(%)	(%)	Results
l	N/A	N/A	5	N/A	N/A	N/A





XMit 2019 06 11

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	28-Mar-19	28-Mar-20
Attenuator	Fairview Microwave	18B5W-26	RFZ	23-Jul-19	23-Jul-20
Block - DC	Fairview Microwave	SD3379	AMX	29-Mar-19	29-Mar-20
Generator - Signal	Keysight	N5182B	TFU	5-Nov-18	5-Nov-21
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFI	7-Jun-19	7-Jun-20

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The fundamental emission output power (maximum average conducted output power) was measured using the channels and modes as called out on the following data sheets. The transmit power was set to its default maximum.

Prior to measuring output power; the emission bandwidth (B) and the transmission pulse duration (T) were measured. Both are required to determine the method of measuring Maximum Conducted Output Power. The transmission pulse duration (T) was measured using a zero span on the spectrum analyzer to see the pulses in the time domain.

The method AVGSA-2 in section 11.9.2.2.4 of ANSI C63.10:2013 was used to make the measurement. This method uses trace averaging across ON and OFF times of the EUT using an RMS detector. Following the measurement a duty cycle correction was applied by adding [10 log (1 / D)], where D is the duty cycle, to the measured power to compute the average power during the actual transmission times.



EUT: TWIG V - Radio Module

Serial Number: 256395-0059

Customer: Nelson Irrigation Corporation

Attendees: None

Project: None

Tested by: Jeff Alcoke

TEST SPECIFICATIONS Work Order: NELS0008
Date: 5-Sep-19
Temperature: 23.1 °C Humidity: 48.6% RH
Barometric Pres.: 1018 mbar Power: 5.0 VDC
Test Method Job Site: EV06 FCC 15.247:2019 ANSI C63.10:2013 COMMENTS Reference level offset of 28.1 dB includes: DC Block, 26 dB attenuator, measurement cable, and manufactureres patch cable (0.2 dB stated loss). Software power setting = 10. Maximum antenna assembly gain (Antenna Gain + Cable loss) = 11 dBi. Conducted output power limit adjusted accordingly as per 15.247(b)(4) DEVIATIONS FROM TEST STANDARD Configuration # 11 Signature Avg Cond Pwr (dBm) Value (dBm) Duty Cycle Factor (dB) Limit (dBm) Results LoRa, Spreading Factor = 8 Low Channel, 902.5 MHz Mid Channel, 915 MHz 24.2 24.1 24.0 ≤ 25 ≤ 25 ≤ 25 Pass Pass 23.882 23.779 23.740 0.3 High Channel, 927 MHz Pass




46/67

 LoRa, Spreading Factor = 8, Low Channel, 902.5 MHz


 Avg Cond
 Duty Cycle
 Value
 Limit

 Pwr (dBm)
 Factor (dB)
 (dBm)
 (dBm)
 Results

 23.882
 0.3
 24.2
 ≤ 25
 Pass




		LoRa, Spreading	Factor = 8, Mid C	Channel, 915 MHz	2	
	Avg Cond	Duty Cycle		Value	Limit	
	 Pwr (dBm)	Factor (dB)		(dBm)	(dBm)	Results
ĺ	23.779	0.3		24.1	≤ 25	Pass





ThrTx 2019 08 02 XMit 2019 06 11

	LoRa, Spreading	Factor = 8, High Channel, 927 MH:	Z	
Avg Cond	Duty Cycle	Value	Limit	
Pwr (dBm)	Factor (dB)	(dBm)	(dBm)	Results
23.740	0.3	24.0	≤ 25	Pass





XMit 2019.06.11

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	28-Mar-19	28-Mar-20
Attenuator	Fairview Microwave	18B5W-26	RFZ	23-Jul-19	23-Jul-20
Block - DC	Fairview Microwave	SD3379	AMX	29-Mar-19	29-Mar-20
Generator - Signal	Keysight	N5182B	TFU	5-Nov-18	5-Nov-21
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFI	7-Jun-19	7-Jun-20

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The fundamental emission output power (maximum average conducted output power) was measured using the channels and modes as called out on the following data sheets. The transmit power was set to its default maximum.

Prior to measuring output power; the emission bandwidth (B) and the transmission pulse duration (T) were measured. Both are required to determine the method of measuring Maximum Conducted Output Power. The transmission pulse duration (T) was measured using a zero span on the spectrum analyzer to see the pulses in the time domain.


The method AVGSA-2 in section 11.9.2.2.4 of ANSI C63.10:2013 was used to make the measurement. This method uses trace averaging across ON and OFF times of the EUT using an RMS detector. Following the measurement a duty cycle correction was applied by adding [10 log (1 / D)], where D is the duty cycle, to the measured power to compute the average power during the actual transmission times.

The antenna gain/s of the EUT was then added to the conducted output power to derive the EIRP Values




EUT: TWIG V - Radio Module
Serial Number: 256395-0059
Customer: Nelson Irrigation Corporation Work Order: NELS0008
Date: 5-Sep-19
Temperature: 23.1 °C Humidity: 48.6% RH Barometric Pres.: 1018 mbar Project: None
Tested by: Jeff Alcoke
TEST SPECIFICATIONS Power: 5.0 VDC
Test Method Job Site: EV06 FCC 15.247:2019 COMMENTS Reference level offset of 28.1 dB includes: DC Block, 26 dB attenuator, measurement cable, and manufacturers patch cable (0.2 dB stated loss). Software power setting = 10. Cable loss value was determined from the data sheet for CA-195R cable. The cable loss @ 900 MHz = 0.365 dB/m. The specified cable length used is 3.1 m giving a calculated cable loss of 0.365 dB/m * 3.1 m = 1.1 DEVIATIONS FROM TEST STANDARD Configuration # 11 Signature Avg Cond Pwr (dBm) Duty Cycle Factor (dB) Value (dBm) Limit (dBm) Results LoRa, Spreading Factor = 8 Low Channel, 902.5 MHz 23.882 0.3 24.2 Mid Channel, 915 MHz 0.3 High Channel, 927 MHz 23.740 0.3 24.0 Value Cable Antenna Corrected I imit (dBm) Loss (dB) Gain (dBi) Value (dBm) (dBm) Results LoRa, Spreading Factor = 8 Internal Dipole Low Channel, 902.5 MHz Mid Channel, 915 MHz 24.2 24.1 0.0 26.2 26.1 ≤ 36 ≤ 36 Pass Pass High Channel, 927 MHz 24 0 0.0 26.0 < 36 Pass LoRa, Spreading Factor = 8 External Yagi Antenna Low Channel, 902.5 MHz 24.2 Pass 12 35.1 ≤ 36 Mid Channel, 915 MHz High Channel, 927 MHz 24.1 24.0 35.0 34.9 ≤ 36 ≤ 36 Pass Pass 12 12 LoRa, Spreading Factor = 8 External Omnidirectional Antenna 24.2 24.1 24.0 1.1 1.1 1.1 Low Channel, 902.5 MHz Mid Channel, 915 MHz 31.1 31.0 ≤ 36 ≤ 36 Pass Pass High Channel, 927 MHz 30.9 < 36 Pass





		LoRa, Spreading	Factor = 8, Mid C	Channel, 915 MHz	2	
	Avg Cond	Duty Cycle		Value	Limit	
_	Pwr (dBm)	Factor (dB)		(dBm)	(dBm)	Results
	23.779	0.3		24.1	-	-






LoRa, Spreading Factor = 8, High Channel, 927 MHz

Avg Cond Duty Cycle Value Limit

Pwr (dBm) Factor (dB) (dBm) (dBm) Results

23.740 0.3 24.0 - -



BAND EDGE COMPLIANCE



XMit 2019.06.11

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Generator - Signal	Keysight	N5182B	TFU	5-Nov-18	5-Nov-21
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	28-Mar-19	28-Mar-20
Attenuator	Fairview Microwave	18B5W-26	RFZ	23-Jul-19	23-Jul-20
Block - DC	Fairview Microwave	SD3379	AMX	29-Mar-19	29-Mar-20
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFI	7-Jun-19	7-Jun-20

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The spurious RF conducted emissions at the edges of the authorized bands were measured with the EUT set to low and high transmit frequencies in each available band. The channels closest to the band edges were selected. The EUT was transmitting at the data rate(s) listed in the datasheet.

The spectrum was scanned below the lower band edge and above the higher band edge.

BAND EDGE COMPLIANCE



EUT: TWIG V - Radio Module

Serial Number: 256395-0059

Customer: Nelson Irrigation Corporation

Attendees: None

Project: None

Tested by: Jeff Alcoke


TEST SPECIFICATIONS Work Order: NELS0008
Date: 5-Sep-19
Temperature: 23.1 °C Humidity: 48.5% RH
Barometric Pres.: 1017 mbar Power: 5.0 VDC
Test Method Job Site: EV06 FCC 15.247:2019 COMMENTS Reference level offset of 28.1 dB includes: DC Block, 26 dB attenuator, measurement cable, and manufactureres patch cable (0.2 dB stated loss). DEVIATIONS FROM TEST STANDARD Configuration # 11 Signature Limit ≤ (dBc) Value (dBc) Result LoRa, Spreading Factor = 8 Low Channel, 902.5 MHz High Channel, 927 MHz -30.47 -46.63 -30 -30 Pass Pass

BAND EDGE COMPLIANCE





		l	LoRa, Spreading I	Factor = 8, High	Channel, 927 MH	Z	
	Value Limit						
_					(dBc)	≤ (dBc)	Result
1					-46.63	-30	Pass





XMit 2019.06.11

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	28-Mar-19	28-Mar-20
Attenuator	Fairview Microwave	18B5W-26	RFZ	23-Jul-19	23-Jul-20
Block - DC	Fairview Microwave	SD3379	AMX	29-Mar-19	29-Mar-20
Generator - Signal	Keysight	N5182B	TFU	5-Nov-18	5-Nov-21
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFI	7-Jun-19	7-Jun-20

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The EUT was set to the channels and modes listed in the datasheet.

The 6dB occupied bandwidth was measured using 100 kHz resolution bandwidth and 300 kHz video bandwidth. The 99.0% occupied bandwidth was also measured at the same time which can be needed during Output Power depending on the applicable method.



						TbtTx 2019.08.02	XMit 2019.06.
EUT: T	WIG V - Radio Module				Work Order:	NELS0008	
Serial Number: 25	56395-0059					5-Sep-19	
Customer: N	lelson Irrigation Corpora	ation			Temperature:	23.1 °C	
Attendees: N	lone				Humidity:	48.4% RH	
Project: N	lone				Barometric Pres.:	1018 mbar	
Tested by: Je	eff Alcoke		Power	5.0 VDC	Job Site:	EV06	
TEST SPECIFICATION	NS			Test Method			
FCC 15.247:2019				ANSI C63.10:2013			
		_					
COMMENTS							
DEVIATIONS FROM T			,		ted loss). Software power setting = 10.		
None							
Configuration #	11	Signature	leff.				
	-	-				Limit	
					Value	(≥)	Result
LoRa, Spreading Facto	or = 8						
Lo	ow Channel, 902.5 MHz				627.218 kHz	500 kHz	Pass
M	fid Channel, 915 MHz				631.819 kHz	500 kHz	Pass
Н	ligh Channel, 927 MHz				632.018 kHz	500 kHz	Pass





LoRa, Spreading Factor = 8, Low Channel, 902.5 MHz


Limit

Value
(2) Result

627.218 kHz 500 kHz Pass










LoRa, Spreading Factor = 8, High Channel, 927 MHz

Limit

Value
(2) Result

632.018 kHz 500 kHz Pass





XMit 2019 06 1

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	28-Mar-19	28-Mar-20
Attenuator	Fairview Microwave	18B5W-26	RFZ	23-Jul-19	23-Jul-20
Block - DC	Fairview Microwave	SD3379	AMX	29-Mar-19	29-Mar-20
Generator - Signal	Keysight	N5182B	TFU	5-Nov-18	5-Nov-21
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFI	7-Jun-19	7-Jun-20

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The spurious RF conducted emissions were measured with the EUT set to low, medium and high transmit frequencies. The EUT was transmitting at the data rate(s) listed in the datasheet. For each transmit frequency, the spectrum was scanned throughout the specified frequency range.




EUT: TWIG V - Radio Module
Serial Number: 256395-0059
Customer: Nelson Irrigation Corporation
Attendess: None
Project: None Work Order: NELS0008
Date: 5-Sep-19
Temperature: 23.1 °C Humidity: 48.6% RH
Barometric Pres.: 1018 mbar Project: None
Tested by: Jeff Alcoke
TEST SPECIFICATIONS Power: 5.0 VDC
Test Method Job Site: EV06 FCC 15.247:2019 COMMENTS Reference level offset of 28.1 dB includes: DC Block, 26 dB attenuator, measurement cable, and manufactureres patch cable (0.2 dB stated loss). Software power setting = 10. DEVIATIONS FROM TEST STANDARD Configuration # 11 Signature Measured Freq (MHz) Limit ≤ (dBc) (dBc) Result Range N/A Pass N/A Pass N/A Pass Low Channel, 902.5 MHz Low Channel, 902.5 MHz Mid Channel, 915 MHz Fundamental 30 MHz - 12 GHz 902.28 900.97 914.77 1830.4 N/A N/A -30 N/A -30 N/A -30 -49.77 Fundamental N/A Mid Channel, 915 MHz 30 MHz - 12 GHz -60.06 High Channel, 927 MHz High Channel, 927 MHz 927.08 930.2 Fundamental N/A 30 MHz - 12 GHz -52.84





	LoRa, Spreading Factor = 8, Low Channel, 902.5 MHz					
	Frequency Measured Max Value Limit					
	Range	Freq (MHz)	(dBc)	≤ (dBc)	Result	
1	30 MHz - 12 GHz	900.97	-49.77	-30	Pass	





 LoRa, Spreading Factor = 8, Mid Channel, 915 MHz


 Frequency
 Measured
 Max Value
 Limit

 Range
 Freq (MHz)
 (dBc)
 ≤ (dBc)
 Result

 Fundamental
 914.77
 N/A
 N/A
 N/A



LoRa, Spreading Factor = 8, Mid Channel, 915 MHz					
Frequency Measured Max Value Limit					
Range	Freq (MHz)	(dBc)	≤ (dBc)	Result	
30 MHz - 12 GHz	1830.4	-60.06	-30	Pass	





 LoRa, Spreading Factor = 8, High Channel, 927 MHz


 Frequency
 Measured
 Max Value
 Limit

 Range
 Freq (MHz)
 (dBc)
 ≤ (dBc)
 Result

 Fundamental
 927.08
 N/A
 N/A
 N/A



	LoRa, Spreading Factor = 8, High Channel, 927 MHz					
	Frequency Measured Max Value Limit					
	Range	Freq (MHz)	(dBc)	≤ (dBc)	Result	
ĺ	30 MHz - 12 GHz	930.2	-52.84	-30	Pass	





XMit 2019.06.1

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	28-Mar-19	28-Mar-20
Attenuator	Fairview Microwave	18B5W-26	RFZ	23-Jul-19	23-Jul-20
Block - DC	Fairview Microwave	SD3379	AMX	29-Mar-19	29-Mar-20
Generator - Signal	Keysight	N5182B	TFU	5-Nov-18	5-Nov-21
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFI	7-Jun-19	7-Jun-20

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The power spectral density was measured using the channels and modes as called out on the following data sheets. The transmit power was set to its default maximum.

The method AVGPSD-2 in section 11.10.5 of ANSI C63.10:2013 was used to make the measurement. This method uses trace averaging and RMS detection across the on and off times of the transmission, followed by a duty cycle correction. This method is allowed as the same method has been used to determine the conducted output power.



EUT: TWIG V - Radio Module

Serial Number: 256395-0059

Customer: Nelson Irrigation Corporation

Attendees: None

Project: None

Tested by: Jeff Alcoke

TEST SPECIFICATIONS Work Order: NELS0008
Date: 5-Sep-19
Temperature: 23.1 °C Humidity: 48.6% RH
Barometric Pres.: 1018 mbar Power: 5.0 VDC
Test Method Job Site: EV06 FCC 15.247:2019 COMMENTS Reference level offset of 28.1 dB includes: DC Block, 26 dB attenuator, measurement cable, and manufactureres patch cable (0.2 dB stated loss). Software power setting = 10. DEVIATIONS FROM TEST STANDARD Configuration # 11 Signature Limit ≤ dBm/3kHz Value dBm/3kHz DCCF (dB) Corrected Value dBm/3kHz Results LoRa, Spreading Factor = 8 Low Channel, 902.5 MHz Mid Channel, 915 MHz 0.3 0.3 0.3 Pass Pass Pass 7.552 7.852 7.008 6.561 7.308 High Channel, 927 MHz 6.861




LoRa, Spreading Factor = 8, Low Channel, 902.5 MHz


Value DCCF Corrected Value Limit

dBm/3kHz (dB) dBm/3kHz ≤ dBm/3kHz Results

7.552 0.3 7.852 8 Pass



LoRa, Spreading Factor = 8, Mid Channel, 915 MHz						
		Value	DCCF	Corrected Value	Limit	
		dBm/3kHz	(dB)	dBm/3kHz	≤ dBm/3kHz	Results
		7.008	0.3	7.308	8	Pass





Th/Ty 2019 08 02 YMir 2019 06 1

LoRa, Spreading Factor = 8, High Channel, 927 MHz							
			Value	DCCF	Corrected Value	Limit	
			dBm/3kHz	(dB)	dBm/3kHz	≤ dBm/3kHz	Results
			6.561	0.3	6.861	8	Pass

