SHENZHEN JUMPER TECHNOLOGY CO., LTD

FCC Software Configuration Control Declaration

Date: March 20, 2025

Federal Communications Commission 7435 Oakland Mills Road Columbia, MD 21046 USA

Attn: OET Dept.

Product/ Model: Tablet / JPK07, EZpad V12 Pro

Regarding FCC Country Code Selection guidelines identified in KDB 594280.

"All applications for equipment authorization for transmitters that can have radio parameters, or other technical parameters, reported to the Commission set by software must have an attestation indicating that no third party will have software, or configuration control, to program the device out of compliance of the technical rules under which it has been certified."

We declare that no third party will have software, or configuration control, to program the device out of compliance of the technical rules under which it has been certified.

	e following fea ove:	atures and	I technica	ıl capabili	ties are d	eclared fo	or the pro	duct show	wn
(1) DFS Device:			Master	☐ Client with Radar detection ☐ Client without radar detection,					
(2) Service capability listing									
	Frequency Active Scanning		passive scanning		Ad Hoc Mode		Access point		
	Band (MHz)	(the device can		(where the		capability		capability	
		transmit a probe		device is can					
	(beacon		con))	listen o	nly with				
			no probes)						
	2412-2462	☐ Yes	☑ No	☑ Yes	□ No	☐ Yes	☑ No	☐ Yes	☑ No
	5745-5825	☐ Yes	☑ No	☑ Yes	□No	☐ Yes	☑ No	☐ Yes	☑ No
	5755-5795	☐ Yes	☑ No	☑ Yes	□ No	☐ Yes	☑ No	☐ Yes	☑ No
	5775-5775	☐ Yes	☑ No	☑ Yes	□No	☐ Yes	☑ No	☐ Yes	☑ No
	5180-5240	☐ Yes	☑ No	☑ Yes	□No	☐ Yes	☑ No	☐ Yes	☑No
	5190-5230	☐ Yes	☑ No	☑ Yes	□ No	☐ Yes	☑ No	☐ Yes	☑ No
	5210-5210	☐ Yes	☑ No	☑ Yes	□ No	☐ Yes	☑ No	☐ Yes	☑ No
	5260-5320	☐ Yes	□ No	☐ Yes	□ No	☐ Yes	□ No	☐ Yes	□ No
	5270-5310	☐ Yes	□ No	☐ Yes	□ No	☐ Yes	□ No	☐ Yes	□ No
	5290-5290	☐ Yes	□ No	☐ Yes	□ No	☐ Yes	□ No	☐ Yes	□ No
	5500-5700	☐ Yes	□ No	☐ Yes	□ No	☐ Yes	□ No	☐ Yes	□ No
	5510-5670	☐ Yes	□ No	☐ Yes	□ No	☐ Yes	□ No	☐ Yes	□ No
	5530-5610	☐ Yes	□ No	☐ Yes	□ No	☐ Yes	□ No	☐ Yes	□ No
 (3) Meet 15.202 requirement ☐ Yes ☑ No A master device is defined as a device operating in a mode in which it has the capability to transmit without receiving an enabling signal. In this mode it is able to select a channel and initiate a network by sending enabling signals to other devices A client device is defined as a device operating in a mode in which the transmissions of the device are under control of the master. A device in client mode is not able to initiate a network. 									
(4) Statement of Conformity for the Client in Non-Associated mode									
The client software and associated drivers will not initiate any transmission on DFS frequencies without initiation by a master. This includes restriction on transmissions for beacons and support for ad-hoc peer-to- peer modes.									
☐ Apply ☑ Does not apply (If apply, pls help to provide explanation on it was implement, and how software was controlled)									

Thijun Jiang

Name: zhijun Jiang Date: 2025/03/20

Title: CEO

Signature of applicant