CONSTRUCTION PHOTOS OF EUT

Model: R7000P



Reset
4
3
2
1
Internet
USB 2.0
Power
On-Off
Power
NETGEAR® Nighthawk
AC2300 Smart WiFi Router
Model: R7000P
Designed by NETGEAR in California
ROUTER LOGIN
http://www.routerlogin.net
user name: admin
password: password
FCC ID: PY316200351
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
Power
Internet
2.4 GHz
5 GHz
USB 3.0 (Front)
USB 2.0 (Rear)
LAN
1 2 3 4
WHITE = 1 Gbps
AMBER = 10/100 Mbps
BLINK = ACTIVITY
WiFi On/Off
WPS
12V⎓3.5A
Made in Vietnam
272-12734-01
WiFi Network Name (SSID)
NETGEAR33
Network Key (Password)
tinyonion819
SERIAL
BTA1687EA00D1
MAC
10DA43AA8BC9
ReadyShare Access on Windows: Start → Run → \\readyshare

Reset
4
3
2
1
Internet
USB 2.0
On
Off
Power
On-Off
Power

NETGEAR

Model: R6900P



Reset
4
3
2
1
Internet
Power
On-Off
Power
NETGEAR® Nighthawk
AC2300 Smart WiFi Router
Model: R6900P
Designed by NETGEAR in California
ROUTER LOGIN
http://www.routerlogin.net
user name: admin
password: password
FCC ID: PY316200351
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
Power
Internet
2.4GHz
5GHz
USB 3.0 (Front)
LAN
1 2 3 4
WHITE = 1 Gbps
AMBER = 10/100 Mbps
BLINK = ACTIVITY
WiFi On/Off
WPS
12V⎓3.5A
Made in Vietnam
272-12734-01
WiFi Network Name (SSID)
NETGEAR33
Network Key (Password)
tinyonion819
SERIAL
BTA1687EA00D1
MAC
10DA43AA8BC9
ReadyShare Access on Windows: Start → Run → \\readyshare

Reset
4
3
2
1
Internet
Power
On-Off
Power

NETGEAR


ETL
TYPE CM STATUS
24AWG 75°C (UL) E212964

Adapter 1 (Model: MU42-3120350-A1)

NETGEAR
I.T.E. POWER SUPPLY
P/N: 332-10762-01
MODEL No.: MU42-3120350-A1
INPUT: 100-240V ~ 50/60Hz 1.5A
OUTPUT: 12V ⎓ 3.5A
Efficiency Level: VI
UL Japan
ネットギアジャパン(同)
入力: AC 100-240V 50/60Hz 82-113VA 1.5A
出力: DC 12V 3.5A
CERTIFIED
SAFETY US-CA
E138754
Energy Verified
Rendement
Énergétique Vérifié
This device complies with part 15 of the FCC rules.
Operation is subjected to the following two conditions:
(1) This device may not cause harmful interference and
(2) This device must accept any interference received including interference that may cause undesired operation.
LEI F4
MADE IN CHINA

Adapter 2 (Model: 2ABN042F NA)

NETGEAR®
AC ADAPTER
P/N: 332-10761-01
MODEL : 2ABN042F NA
INPUT : 100-240V~ 50/60 Hz 1.3A
OUTPUT : 12.0V 3.5A
LISTED
E161451
I.T.E. POWER SUPPLY
Factory ID: G
TÜV RT
INPUT : 100-240V ~
50/60Hz
OUTPUT : 12VDC 3.5A
ネットギアジャパン(有)
LPS
Energy
Verified
ITE
CWT CM MADE IN CHINA