


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5448.50	55.04	44.84	10.20	74.00	-18.96	102	210 Peak	Horizontal	
2	5460.50	54.23	43.99	10.24	68.20	-13.97	102	210 Peak	Horizontal	
3 *	5700.00	102.79	92.55	10.24	68.20	34.59	102	210 Peak	Horizontal	
4	6781.00	57.21	46.27	10.94	68.20	-10.99	102	210 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5421.50	54.63	44.25	10.38	74.00	-19.37	116	206 Peak	Vertical	
2	5466.50	53.81	43.53	10.28	68.20	-14.39	116	206 Peak	Vertical	
3 *	5700.00	100.57	90.33	10.24	68.20	32.37	116	206 Peak	Vertical	
4	6864.50	56.66	45.74	10.92	68.20	-11.54	116	206 Peak	Vertical	

802.11a

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5395.50	42.60	32.10	10.50	54.00	-11.40	102	210	Average	Horizontal
2 *	5700.00	93.26	83.02	10.24	54.00	39.26	102	210	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5386.00	42.16	31.73	10.43	54.00	-11.84	116	206	Average	Vertical
2 *	5700.00	91.47	81.23	10.24	54.00	37.47	116	206	Average	Vertical


802.11ax HE20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5353.00	55.05	44.86	10.19	74.00	-18.95	140	197 Peak	Horizontal	
2	5465.50	55.74	45.47	10.27	68.20	-12.46	140	197 Peak	Horizontal	
3 *	5500.00	106.99	96.55	10.44	68.20	38.79	140	197 Peak	Horizontal	
4	6566.50	57.64	46.55	11.09	68.20	-10.56	140	197 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5350.50	55.66	45.43	10.23	74.00	-18.34	100	206 Peak	Vertical	
2	5466.00	55.53	45.25	10.28	68.20	-12.67	100	206 Peak	Vertical	
3 *	5500.00	107.08	96.64	10.44	68.20	38.88	100	206 Peak	Vertical	
4	6974.50	57.90	46.94	10.96	68.20	-10.30	100	206 Peak	Vertical	

802.11ax HE20

CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5397.00	43.08	32.56	10.52	54.00	-10.92	140	197	Average	Horizontal	
2 *	5500.00	96.15	85.71	10.44	54.00	42.15	140	197	Average	Horizontal	

CH 100 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5398.50	42.93	32.41	10.52	54.00	-11.07	180	206	Average	Vertical	
2 *	5500.00	95.23	84.79	10.44	54.00	41.23	180	206	Average	Vertical	


802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5405.50	55.56	45.07	10.49	74.00	-18.44	135	198 Peak	Horizontal	
2	5468.00	54.97	44.69	10.28	68.20	-13.23	135	198 Peak	Horizontal	
3 *	5588.00	107.92	97.60	10.32	68.20	39.72	135	198 Peak	Horizontal	
4	6938.00	57.43	46.51	10.92	68.20	-10.77	135	198 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5442.50	55.69	45.45	10.24	74.00	-18.31	100	207 Peak	Vertical	
2	5468.00	54.93	44.69	10.24	74.00	-19.07	100	207 Peak	Vertical	
3 *	5588.00	106.26	95.94	10.32	68.20	38.06	100	207 Peak	Vertical	
4	6500.50	57.08	45.98	11.10	68.20	-11.12	100	207 Peak	Vertical	

802.11ax HE20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5403.00	42.93	32.43	10.50	54.00	-11.07	135	198	Average	Horizontal	
2 *	5500.00	95.39	85.07	10.32	54.00	41.39	135	198	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5403.00	43.09	32.57	10.52	54.00	-10.91	100	207	Average	Vertical	
2 *	5500.00	94.92	84.60	10.32	54.00	40.92	100	207	Average	Vertical	


802.11ax HE20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5393.50	55.22	44.74	10.48	74.00	-10.78	133	196 Peak	Horizontal	
2	5469.50	54.18	43.94	10.24	68.20	-14.02	133	196 Peak	Horizontal	
3 *	5708.00	106.68	96.44	10.24	68.20	38.48	133	196 Peak	Horizontal	
4	6946.50	56.13	47.22	10.91	68.20	-10.07	133	196 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5377.00	55.17	44.80	10.37	74.00	-18.83	100	205 Peak	Vertical	
2	5467.00	54.48	44.20	10.28	68.20	-13.72	100	205 Peak	Vertical	
3 *	5708.00	107.14	96.90	10.24	68.20	38.94	100	205 Peak	Vertical	
4	6335.50	57.19	46.17	11.02	68.20	-11.01	100	205 Peak	Vertical	

802.11ax HE20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5398.58	43.00	32.48	10.52	54.00	-11.00	133	196	Average	Horizontal	
2 *	5700.00	94.54	84.39	10.24	54.00	40.54	133	196	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5399.00	43.11	32.59	10.52	54.00	-10.89	100	205	Average	Vertical	
2 *	5700.00	94.04	84.60	10.24	54.00	40.64	100	205	Average	Vertical	


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5418.00	56.49	46.08	10.41	74.00	-17.51	133	194 Peak	Horizontal	
2	5463.00	55.35	45.10	10.25	68.20	-12.85	133	194 Peak	Horizontal	
3 *	5518.00	105.07	94.63	10.44	68.20	36.87	133	194 Peak	Horizontal	
4	6004.50	57.31	46.35	10.96	68.20	-10.89	133	194 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5381.00	54.91	44.52	10.39	74.00	-19.09	100	206 Peak	Vertical	
2	5469.00	54.47	44.19	10.28	68.20	-13.73	100	206 Peak	Vertical	
3 *	5518.00	103.48	93.04	10.44	68.20	35.28	100	206 Peak	Vertical	
4	6971.50	57.03	46.08	10.95	68.20	-11.17	100	206 Peak	Vertical	

802.11ax HE40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5395.00	43.32	32.82	10.50	54.00	-10.68	133	194	Average	Horizontal	
2 *	5510.00	92.96	82.52	10.44	54.00	38.96	133	194	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5404.50	42.53	32.04	10.49	54.00	-11.47	100	206	Average	Vertical	
2 *	5510.00	90.55	80.11	10.44	54.00	36.55	100	206	Average	Vertical	


802.11ax HE40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5443.50	55.71	45.47	10.24	74.00	-18.29	133	196 Peak	Horizontal	
2	5466.50	55.19	44.91	10.28	68.20	-13.01	133	196 Peak	Horizontal	
3 *	5558.00	104.74	94.29	10.45	68.20	36.54	133	196 Peak	Horizontal	
4	6033.50	57.87	46.85	11.02	68.20	-10.33	133	196 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5354.00	54.76	44.56	10.20	74.00	-19.24	100	205 Peak	Vertical	
2	5466.50	53.42	43.14	10.28	68.20	-14.78	100	205 Peak	Vertical	
3 *	5558.00	101.75	91.30	10.45	68.20	33.55	100	205 Peak	Vertical	
4	6963.50	57.56	46.62	10.94	68.20	-10.64	100	205 Peak	Vertical	


802.11ax HE40

CH 110 (Horizontal) Average

CH 110 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5417.00	43.09	32.68	10.41	54.00	-10.91	133	196	Average	Horizontal	
2 *	5558.00	92.15	81.70	10.45	54.00	38.15	133	196	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5406.00	42.52	32.03	10.49	54.00	-11.48	100	205	Average	Vertical	
2 *	5558.00	89.17	78.72	10.45	54.00	35.17	100	205	Average	Vertical	


802.11ax HE40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5366.50	56.20	45.91	10.29	74.00	-17.80	100	228	Peak	Horizontal
2	5465.00	55.38	45.11	10.27	68.20	-12.82	100	228	Peak	Horizontal
3 *	5678.00	103.36	93.05	10.31	68.20	35.16	100	228	Peak	Horizontal
4	6212.50	57.71	46.50	11.21	68.20	-10.49	100	228	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5486.00	54.98	44.49	10.49	74.00	-19.02	100	202	Peak	Vertical
2	5460.50	53.66	43.42	10.24	68.20	-14.54	100	202	Peak	Vertical
3 *	5678.00	102.18	91.87	10.31	68.20	33.98	100	202	Peak	Vertical
4	6920.50	57.18	46.27	10.91	68.20	-11.02	100	202	Peak	Vertical

802.11ax HE40

CH 134 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5383.58	43.18	32.68	10.42	54.00	-10.90	100	228	Average	Horizontal	
2 *	5678.00	90.76	80.45	10.31	54.00	36.76	100	228	Average	Horizontal	

CH 134 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5413.00	42.47	32.03	10.44	54.00	-11.53	100	202	Average	Vertical	
2 *	5678.00	89.90	79.59	10.31	54.00	35.90	100	202	Average	Vertical	


802.11ax HE80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5419.00	55.75	45.34	10.41	74.00	-18.25	132	194 Peak	Horizontal	
2	5462.50	55.30	45.05	10.25	68.20	-12.00	132	194 Peak	Horizontal	
3 *	5530.00	101.93	91.49	10.44	68.20	33.73	132	194 Peak	Horizontal	
4	6639.00	57.20	46.33	10.87	68.20	-11.00	132	194 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5447.00	54.15	43.94	10.21	74.00	-19.85	100	203 Peak	Vertical	
2	5469.00	53.75	43.47	10.28	68.20	-14.45	100	203 Peak	Vertical	
3 *	5530.00	98.35	87.91	10.44	68.20	30.15	100	203 Peak	Vertical	
4	6933.00	57.03	46.12	10.91	68.20	-11.17	100	203 Peak	Vertical	

802.11ax HE80

CH 106 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5437.50	44.43	34.15	10.28	54.00	-9.57	132	194 Average	Horizontal	
2 *	5538.00	90.88	80.44	10.44	54.00	36.88	132	194 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5411.50	43.29	32.84	10.45	54.00	-10.71	100	203 Average	Vertical	
2 *	5538.00	87.47	77.03	10.44	54.00	33.47	100	203 Average	Vertical	


802.11ax HE80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5366.50	55.72	45.43	10.29	74.00	-18.28	141	210	Peak	Horizontal
2	5463.50	54.51	44.26	10.25	68.20	-13.69	141	210	Peak	Horizontal
3 *	5610.00	100.05	89.78	10.27	68.20	31.85	141	210	Peak	Horizontal
4	6327.50	57.98	46.96	11.02	68.20	-10.22	141	210	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5446.00	54.37	44.16	10.21	74.00	-19.63	100	203	Peak	Vertical
2	5466.50	54.36	44.08	10.28	68.20	-13.84	100	203	Peak	Vertical
3 *	5610.00	98.74	88.47	10.27	68.20	30.54	100	203	Peak	Vertical
4	6916.00	57.69	46.77	10.92	68.20	-10.51	100	203	Peak	Vertical

802.11ax HE80

CH 122 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5412.00	44.30	33.85	10.45	54.00	-9.70	141	210	Average	Horizontal	
2 *	5610.00	89.10	78.63	10.27	54.00	35.10	141	210	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5393.00	43.74	33.27	10.47	54.00	-10.26	100	203	Average	Vertical	
2 *	5610.00	87.75	77.48	10.27	54.00	33.75	100	203	Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5642.00	55.70	45.37	10.33	68.20	-12.50	139	194 Peak	Horizontal	
2	5678.50	55.11	44.82	10.29	89.33	-34.22	139	194 Peak	Horizontal	
3	5711.00	55.34	45.61	10.33	108.28	-52.94	139	194 Peak	Horizontal	
4	5720.50	54.88	44.48	10.40	113.22	-58.34	139	194 Peak	Horizontal	
5	5745.00	103.39	92.79	10.60	135.00	-31.61	139	194 Peak	Horizontal	
6	5851.00	54.40	43.85	10.55	130.16	-75.76	139	194 Peak	Horizontal	
7	5873.00	55.84	45.20	10.64	105.76	-49.92	139	194 Peak	Horizontal	
8	5884.00	56.26	45.57	10.69	98.52	-42.26	139	194 Peak	Horizontal	
9	5926.50	56.16	45.36	10.80	68.20	-12.04	139	194 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5517.50	55.49	45.04	10.45	68.20	-12.71	182	200 Peak	Vertical	
2	5673.50	54.46	44.17	10.29	85.63	-31.17	182	200 Peak	Vertical	
3	5702.50	54.72	44.45	10.27	105.90	-51.18	182	200 Peak	Vertical	
4	5723.00	55.37	44.95	10.42	125.32	-69.95	182	200 Peak	Vertical	
5	5745.00	101.67	91.27	10.60	135.00	-33.13	182	200 Peak	Vertical	
6	5853.50	54.37	43.81	10.56	118.00	-63.69	182	200 Peak	Vertical	
7	5865.00	55.07	44.46	10.61	100.00	-52.93	182	200 Peak	Vertical	
8	5915.50	55.75	44.97	10.78	75.21	-19.46	182	200 Peak	Vertical	
9	5984.50	56.77	45.85	10.92	68.20	-11.43	182	200 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5560.50	56.40	45.99	10.41	68.20	-11.80	131	228 Peak	Horizontal	
2	5676.50	56.06	45.76	10.30	87.85	-31.79	131	228 Peak	Horizontal	
3	5783.50	55.81	45.53	10.28	106.18	-50.37	131	228 Peak	Horizontal	
4	5724.50	56.27	45.82	10.45	132.58	-76.31	131	228 Peak	Horizontal	
5	5785.00	102.51	91.93	10.58	135.00	-32.49	131	228 Peak	Horizontal	
6	5853.50	56.39	45.83	10.56	118.06	-61.67	131	228 Peak	Horizontal	
7	5860.00	57.26	46.67	10.59	109.40	-52.14	131	228 Peak	Horizontal	
8	5924.50	56.78	45.98	10.80	68.57	-11.79	131	228 Peak	Horizontal	
9	5952.00	57.62	46.77	10.85	68.20	-10.58	131	228 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5483.50	54.92	44.56	10.36	68.20	-13.28	103	200 Peak	Vertical	
2	5681.50	55.22	44.93	10.29	91.55	-36.33	103	200 Peak	Vertical	
3	5713.00	54.58	44.23	10.35	108.84	-54.26	103	200 Peak	Vertical	
4	5723.50	54.54	44.11	10.43	127.74	-73.20	103	200 Peak	Vertical	
5	5785.00	101.26	90.68	10.58	135.00	-33.74	103	200 Peak	Vertical	
6	5852.00	55.50	44.95	10.55	125.32	-69.82	103	200 Peak	Vertical	
7	5865.00	55.54	44.91	10.63	106.80	-51.34	103	200 Peak	Vertical	
8	5907.50	55.56	44.80	10.76	81.11	-25.55	103	200 Peak	Vertical	
9	5986.00	56.02	45.10	10.92	68.20	-12.18	103	200 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5555.50	54.98	44.56	10.42	68.20	-13.22	100	227 Peak	Horizontal	
2	5680.00	54.42	44.13	10.29	90.44	-36.02	100	227 Peak	Horizontal	
3	5728.00	55.75	45.34	10.41	110.80	-55.05	100	227 Peak	Horizontal	
4	5728.00	55.75	45.34	10.41	110.80	-55.05	100	227 Peak	Horizontal	
5	5825.00	102.79	92.24	10.55	135.00	-32.21	100	227 Peak	Horizontal	
6	5851.00	54.22	43.67	10.55	130.16	-75.94	100	227 Peak	Horizontal	
7	5875.00	54.77	44.12	10.65	105.29	-50.43	100	227 Peak	Horizontal	
8	5916.50	55.70	44.92	10.78	74.47	-18.77	100	227 Peak	Horizontal	
9	5993.00	55.69	44.75	10.94	68.20	-12.51	100	227 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5563.00	55.33	44.93	10.40	68.20	-12.87	101	203 Peak	Vertical	
2	5661.50	54.97	44.65	10.32	76.74	-21.77	101	203 Peak	Vertical	
3	5709.00	54.77	44.46	10.31	107.72	-52.95	101	203 Peak	Vertical	
4	5725.00	54.63	44.18	10.45	135.00	-80.37	101	203 Peak	Vertical	
5	5825.00	101.82	91.27	10.55	135.00	-33.18	101	203 Peak	Vertical	
6	5850.00	55.33	44.78	10.55	135.00	-79.67	101	203 Peak	Vertical	
7	5867.00	55.82	45.29	10.62	107.44	-51.62	101	203 Peak	Vertical	
8	5887.00	56.30	45.61	10.69	96.29	-39.99	101	203 Peak	Vertical	
9	5999.00	57.27	46.32	10.95	68.20	-10.93	101	203 Peak	Vertical	

802.11ax HE20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5633.50	55.84	45.52	10.32	68.20	-12.36	107	228 Peak	Horizontal	
2	5676.50	55.87	45.57	10.30	87.85	-31.98	107	228 Peak	Horizontal	
3	5712.50	55.26	44.91	10.35	108.70	-53.44	107	228 Peak	Horizontal	
4	5722.50	55.06	44.64	10.42	122.90	-67.84	107	228 Peak	Horizontal	
5	5745.00	105.47	94.87	10.60	135.00	-29.53	107	228 Peak	Horizontal	
6	5855.00	56.11	45.54	10.57	110.00	-54.09	107	228 Peak	Horizontal	
7	5862.50	56.36	45.76	10.60	106.79	-52.34	107	228 Peak	Horizontal	
8	5893.50	56.51	45.79	10.72	91.47	-34.96	107	228 Peak	Horizontal	
9	5986.50	56.82	45.90	10.92	68.20	-11.38	107	228 Peak	Horizontal	

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5572.50	55.54	45.18	10.36	68.20	-12.66	100	198 Peak	Vertical	
2	5691.00	55.58	45.31	10.27	98.56	-42.98	100	198 Peak	Vertical	
3	5720.00	56.60	46.19	10.41	110.00	-54.20	100	198 Peak	Vertical	
4	5720.00	56.60	46.19	10.41	110.00	-54.20	100	198 Peak	Vertical	
5	5745.00	104.74	94.14	10.60	135.00	-30.26	100	198 Peak	Vertical	
6	5852.50	56.37	45.82	10.55	122.90	-66.53	100	198 Peak	Vertical	
7	5869.00	56.27	45.64	10.63	106.88	-50.61	100	198 Peak	Vertical	
8	5879.50	56.60	45.93	10.67	101.86	-45.26	100	198 Peak	Vertical	
9	5934.00	56.83	46.01	10.82	68.20	-11.37	100	198 Peak	Vertical	

802.11ax HE20
CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5556.50	55.24	44.83	10.41	68.20	-12.96	134	217	Peak	Horizontal	
2	5688.00	55.54	45.28	10.26	96.35	-40.81	134	217	Peak	Horizontal	
3	5704.00	55.10	44.82	10.28	106.32	-51.22	134	217	Peak	Horizontal	
4	5721.00	54.78	44.37	10.41	115.64	-60.86	134	217	Peak	Horizontal	
5	5785.00	104.49	93.91	10.58	135.00	-30.51	134	217	Peak	Horizontal	
6	5852.50	55.70	45.15	10.55	122.90	-67.20	134	217	Peak	Horizontal	
7	5864.50	55.24	44.64	10.60	108.14	-52.90	134	217	Peak	Horizontal	
8	5919.00	55.52	44.73	10.79	72.62	-17.10	134	217	Peak	Horizontal	
9	5995.50	56.48	45.54	10.94	68.20	-11.72	134	217	Peak	Horizontal	

CH 157 (Vertical) Peak


TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5562.00	55.79	45.39	10.40	68.20	-12.41	101	203	Peak	Vertical	
2	5678.00	55.19	44.90	10.29	88.96	-33.77	101	203	Peak	Vertical	
3	5702.00	56.10	45.83	10.27	105.76	-49.66	101	203	Peak	Vertical	
4	5721.50	55.33	44.92	10.41	118.06	-62.73	101	203	Peak	Vertical	
5	5785.00	104.70	94.12	10.58	135.00	-30.30	101	203	Peak	Vertical	
6	5854.00	55.79	45.22	10.57	115.64	-59.85	101	203	Peak	Vertical	
7	5867.00	56.04	45.42	10.62	107.44	-51.40	101	203	Peak	Vertical	
8	5900.50	56.77	46.02	10.75	86.29	-29.52	101	203	Peak	Vertical	
9	5959.00	56.75	45.88	10.87	68.20	-11.45	101	203	Peak	Vertical	

802.11ax HE20

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5543.00	55.28	44.84	10.44	68.20	-12.92	133	219	Peak	Horizontal	
2	5684.00	55.16	44.88	10.28	93.40	-38.24	133	219	Peak	Horizontal	
3	5710.50	54.71	44.39	10.32	108.14	-53.43	133	219	Peak	Horizontal	
4	5724.00	54.74	44.30	10.44	130.16	-75.42	133	219	Peak	Horizontal	
5	5825.00	105.82	95.27	10.55	135.00	-29.18	133	219	Peak	Horizontal	
6	5853.00	55.42	44.86	10.56	120.48	-65.06	133	219	Peak	Horizontal	
7	5872.50	55.52	45.28	10.64	105.50	-49.98	133	219	Peak	Horizontal	
8	5879.50	56.68	46.01	10.67	101.86	-45.18	133	219	Peak	Horizontal	
9	5987.50	56.20	45.28	10.92	68.20	-12.00	133	219	Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5474.50	55.91	45.60	10.31	68.20	-12.29	102	206	Peak	Vertical	
2	5652.50	54.81	44.47	10.34	70.06	-15.25	102	206	Peak	Vertical	
3	5719.00	54.63	44.23	10.40	110.52	-55.89	102	206	Peak	Vertical	
4	5722.00	54.56	44.14	10.42	120.48	-65.92	102	206	Peak	Vertical	
5	5825.00	105.42	94.87	10.55	135.00	-29.58	102	206	Peak	Vertical	
6	5851.00	55.30	44.75	10.55	130.16	-74.86	102	206	Peak	Vertical	
7	5859.50	55.77	45.18	10.59	109.54	-53.77	102	206	Peak	Vertical	
8	5910.50	56.40	45.63	10.77	78.90	-22.50	102	206	Peak	Vertical	
9	5942.00	56.08	45.25	10.83	68.20	-12.12	102	206	Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5488.00	55.78	45.40	10.38	68.20	-12.42	100	228	Peak	Horizontal
2	5674.00	55.55	45.26	10.29	86.00	-30.45	100	228	Peak	Horizontal
3	5711.00	55.94	45.61	10.33	108.28	-52.34	100	228	Peak	Horizontal
4	5723.50	55.93	45.50	10.43	127.74	-71.81	100	228	Peak	Horizontal
5	5755.00	102.27	91.63	10.64	135.00	-32.73	100	228	Peak	Horizontal
6	5850.00	55.34	44.79	10.55	135.00	-79.66	100	228	Peak	Horizontal
7	5871.50	56.36	45.72	10.64	106.18	-49.82	100	228	Peak	Horizontal
8	5892.50	56.11	45.39	10.72	92.21	-36.10	100	228	Peak	Horizontal
9	5975.00	56.70	45.80	10.90	68.20	-11.50	100	228	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5628.00	54.61	44.31	10.30	68.20	-13.59	100	202	Peak	Vertical
2	5684.00	54.48	44.20	10.28	93.40	-38.92	100	202	Peak	Vertical
3	5708.00	54.49	44.18	10.31	107.44	-52.95	100	202	Peak	Vertical
4	5723.50	55.73	45.30	10.43	127.74	-72.01	100	202	Peak	Vertical
5	5755.00	101.74	91.10	10.64	135.00	-33.26	100	202	Peak	Vertical
6	5851.00	55.24	44.69	10.55	130.16	-74.92	100	202	Peak	Vertical
7	5860.00	54.75	44.16	10.59	109.40	-54.65	100	202	Peak	Vertical
8	5901.00	56.46	45.71	10.75	85.92	-29.46	100	202	Peak	Vertical
9	5927.50	56.33	45.53	10.80	68.20	-11.87	100	202	Peak	Vertical


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5501.00	55.45	45.00	10.45	68.20	-12.75	100	228 Peak	Horizontal	
2	5658.00	55.16	44.83	10.33	74.14	-18.98	100	228 Peak	Horizontal	
3	5713.50	54.56	44.20	10.36	108.98	-54.42	100	228 Peak	Horizontal	
4	5723.00	54.67	44.25	10.42	125.32	-70.65	100	228 Peak	Horizontal	
5	5795.00	102.66	92.10	10.56	135.00	-32.34	100	228 Peak	Horizontal	
6	5851.00	55.81	45.26	10.55	130.16	-74.35	100	228 Peak	Horizontal	
7	5858.50	55.83	45.25	10.58	109.82	-53.99	100	228 Peak	Horizontal	
8	5919.50	56.75	45.96	10.79	72.25	-15.50	100	228 Peak	Horizontal	
9	5972.00	57.15	46.26	10.89	68.20	-11.05	100	228 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5514.00	54.92	44.47	10.45	68.20	-13.28	100	204 Peak	Vertical	
2	5687.00	54.96	44.69	10.27	95.61	-40.65	100	204 Peak	Vertical	
3	5707.50	54.57	44.26	10.31	107.30	-52.73	100	204 Peak	Vertical	
4	5722.00	54.69	44.27	10.42	120.48	-65.79	100	204 Peak	Vertical	
5	5795.00	101.70	91.14	10.56	135.00	-33.30	100	204 Peak	Vertical	
6	5851.00	54.96	44.41	10.55	130.16	-75.20	100	204 Peak	Vertical	
7	5858.50	55.00	44.48	10.58	109.82	-54.76	100	204 Peak	Vertical	
8	5895.00	55.67	44.94	10.73	90.36	-34.69	100	204 Peak	Vertical	
9	5900.00	56.88	45.97	10.91	68.20	-11.32	100	204 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5638.00	55.98	45.66	10.32	68.20	-12.22	100	229 Peak	Horizontal	
2	5659.50	55.41	45.07	10.34	68.57	-13.16	100	229 Peak	Horizontal	
3	5718.50	55.77	45.37	10.40	110.38	-54.61	100	229 Peak	Horizontal	
4	5720.00	55.67	45.26	10.41	110.80	-55.13	100	229 Peak	Horizontal	
5	5775.00	99.38	88.78	10.60	135.00	-35.62	100	229 Peak	Horizontal	
6	5854.00	55.46	44.89	10.57	115.64	-60.18	100	229 Peak	Horizontal	
7	5872.00	55.89	45.25	10.64	106.04	-50.15	100	229 Peak	Horizontal	
8	5882.50	56.66	45.98	10.68	99.63	-42.97	100	229 Peak	Horizontal	
9	5995.00	57.44	46.50	10.94	68.20	-10.76	100	229 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5614.50	54.35	44.08	10.27	68.20	-13.85	100	235 Peak	Vertical	
2	5685.50	54.78	44.51	10.27	94.50	-39.72	100	235 Peak	Vertical	
3	5709.00	55.26	44.95	10.31	107.72	-52.46	100	235 Peak	Vertical	
4	5723.00	54.54	44.12	10.42	125.32	-70.78	100	235 Peak	Vertical	
5	5775.00	95.02	84.42	10.60	135.00	-39.98	100	235 Peak	Vertical	
6	5858.50	55.02	44.47	10.55	132.58	-77.56	100	235 Peak	Vertical	
7	5859.00	55.78	45.19	10.59	109.68	-53.90	100	235 Peak	Vertical	
8	5876.50	55.53	44.87	10.66	104.09	-48.56	100	235 Peak	Vertical	
9	5926.50	56.20	45.40	10.80	68.20	-12.00	100	235 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-1


802.11ax HE20

CH 36(Open) (9kHz ~ 150kHz)

CH 36 (Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.03	59.64	40.09	19.55	119.13	-59.49	100	359	Peak	Open	
2	0.05	44.18	24.73	19.45	113.11	-68.93	100	189	Peak	Open	
3	0.06	42.45	23.16	19.29	111.84	-69.39	100	202	Peak	Open	
4	0.08	33.41	14.51	18.90	109.42	-76.01	100	184	Peak	Open	
5	0.09	32.41	13.76	18.65	108.16	-75.75	100	182	Peak	Open	
6	0.12	30.18	11.60	18.58	105.81	-75.63	100	153	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.75	49.48	30.35	19.05	70.14	-20.74	100	188	Peak	Open	
2	1.49	42.60	23.60	19.00	64.12	-21.52	100	188	Peak	Open	
3	4.42	38.91	19.56	19.35	69.50	-30.59	100	361	Peak	Open	
4	10.45	34.21	13.16	21.05	69.50	-35.29	100	65	Peak	Open	
5	18.48	35.88	13.86	22.02	69.50	-33.62	100	360	Peak	Open	
6	24.18	36.34	14.01	22.33	69.50	-33.16	100	358	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	83.35	26.89	39.74	-12.85	40.00	-13.11	300	211	Peak	Horizontal	
2	149.31	31.16	38.27	-7.11	43.50	-12.34	300	82	Peak	Horizontal	
3	207.51	34.99	44.73	-9.74	43.50	-8.51	100	325	Peak	Horizontal	
4	277.35	28.80	35.65	-6.85	46.00	-17.20	100	280	Peak	Horizontal	
5	623.64	29.72	29.17	0.55	46.00	-16.28	300	343	Peak	Horizontal	
6	845.77	34.28	30.05	4.23	46.00	-11.72	300	74	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	34.85	28.94	37.40	-8.46	40.00	-11.06	100	250	Peak	Vertical	
2	124.09	34.58	44.30	-9.72	43.50	-8.92	100	133	Peak	Vertical	
3	288.02	28.71	35.14	-6.43	46.00	-17.29	100	195	Peak	Vertical	
4	406.36	25.82	29.73	-3.91	46.00	-20.18	100	155	Peak	Vertical	
5	564.47	29.85	30.32	-0.47	46.00	-16.15	100	201	Peak	Vertical	
6	847.71	34.78	30.50	4.28	46.00	-11.22	200	196	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	50.18	38.82	11.36	68.20	-18.02	300	216 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	54.83	43.47	11.36	68.20	-13.37	301	358 Peak	Vertical	


802.11a

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	49.44	37.99	11.45	68.20	-18.76	100	36	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	55.98	44.53	11.45	68.20	-12.22	302	360	Peak	Vertical		


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	49.58	38.22	11.36	68.20	-18.62	100	106 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	52.99	41.63	11.36	68.20	-15.21	100	21 Peak	Vertical	


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10400.00	51.74	40.37	11.37	68.20	-16.46	100	119	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10400.00	54.15	42.78	11.37	68.20	-14.05	272	0	Peak	Vertical		


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	52.43	40.98	11.45	68.20	-15.77	100	317	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	54.55	43.10	11.45	68.20	-13.65	286	360	Peak	Vertical		


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	46.11	34.75	11.36	68.20	-22.09	300	175 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	46.15	34.79	11.36	68.20	-22.05	180	61 Peak	Vertical	


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10460.00	46.49	35.07	11.42	68.20	-21.71	100	11 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10460.00	46.02	34.60	11.42	68.20	-22.18	148	360 Peak	Vertical	


802.11ax HE80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10420.00	49.42	38.03	11.39	68.20	-18.78	100	51 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10420.00	49.77	38.38	11.39	68.20	-18.43	100	80 Peak	Vertical	

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	52.65	41.21	11.44	68.20	-15.55	100	221 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	54.93	43.49	11.44	68.20	-13.27	400	360 Peak	Vertical	


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	39.39	28.05	11.34	54.00	-14.61	100	217	Average	Horizontal	
2	10600.00	53.86	42.52	11.34	74.00	-20.14	100	217	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	41.39	30.05	11.34	54.00	-12.61	321	360	Average	Vertical	
2	10600.00	55.15	43.81	11.34	74.00	-18.65	321	360	Peak	Vertical	