



Tx. Spurious NVNT 3-DH1 2480MHz Ref



Tx. Spurious NVNT 3-DH1 2480MHz Emission




Number of Hopping Channel


Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH1	79	15	Pass
NVNT	2-DH1	79	15	Pass
NVNT	3-DH1	79	15	Pass


Test Graphs

Hopping No. NVNT 1-DH1 2441MHz




Hopping No. NVNT 2-DH1 2441MHz











Dwell Time



Condition	Mode	Frequency (MHz)	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	0.38	118.18	311	31600	400	Pass
NVNT	1-DH3	2441	1.64	285.36	174	31600	400	Pass
NVNT	1-DH5	2441	2.89	286.11	99	31600	400	Pass
NVNT	2-DH1	2441	0.39	122.07	313	31600	400	Pass
NVNT	2-DH3	2441	1.64	264.04	161	31600	400	Pass
NVNT	2-DH5	2441	2.89	286.11	99	31600	400	Pass
NVNT	3-DH1	2441	0.39	124.41	319	31600	400	Pass
NVNT	3-DH3	2441	1.64	270.60	165	31600	400	Pass
NVNT	3-DH5	2441	2.89	286.11	99	31600	400	Pass



























Appendix B: Photographs of Test Setup


Product: Q-Rejuvalight Pro Facewear

Model: P19-0023/MJ-03

Radiated Emission



Conducted Emission




Appendix C: Photographs of EUT

Product: Q-Rejuvalight Pro Facewear

Model: P19-0023/MJ-03

External Photos











Product: Q-Rejuvalight Pro Facewear
Model: P19-0023/MJ-03
Internal Photos














*******END OF REPORT*******