

For your safety

Please read the following safety and compliance information before using your radio.

Radio frequency exposure information

For your own safety and to ensure you comply with the Federal Communication Commission's (FCC) radio frequency (RF) exposure guidelines, please read the following information before using this radio.

Using this radio

You should use this radio only for work-related purposes (it is not authorized for any other use) and if you are fully aware of, and can exercise control over, your exposure to RF energy. To prevent exceeding FCC RF exposure limits, you must control the amount and duration of RF that you and other people are exposed to

It is also important that you:

- Do not remove the RF Exposure label from the radio.
- Ensure this RF exposure information accompanies the radio when it is transferred to other users.
- Do not use the radio if you do not adhere to the guidelines on controlling your exposure to RF.

Controlling your exposure to RF energy

This radio emits radio frequency (RF) energy or radio waves primarily when calls are made. RF is a form of electromagnetic energy (as is sunlight), and there are recommended levels of maximum RF exposure.

To control your exposure to RF and comply with the maximum exposure limits for occupational/controlled environments, follow these guidelines:

Do not talk (transmit) on the radio more than the rated transmit duty cycle. This is important because the radio radiates more energy when it is transmitting than when it is receiving.

- When listening and talking on the radio, hold it upright in front of your face so that it is at least one inch (2.5 cm) away from any part of your face. Keeping the radio at the recommended distance is important because exposure to RF decreases rapidly the further away the antenna is from your body.
- Keep the antenna at least one inch (2.5 cm) from vour face at all times.
- If you wear your radio, you must always put it in a carrying accessory that has been specifically approved by Tait for this radio. Using non-approved body-worn accessories may mean you expose yourself to higher levels of RF than recommended by the FCC's occupational/controlled environment RF exposure limits.
- Ensure you only use Tait-approved antennas, batteries, and accessories.

For more information on what RF energy is and how to control your exposure to it, visit the FCC website at http://www.fcc.gov/oet/rfsafety/rf-fags.html.

Compliance with RF energy exposure standards

This two-way radio complies with these RF energy exposure standards and guidelines:

- United States Federal Communications Commission, Code of Federal Regulations; 47 CFR §§ 1.1307, 1.1310, and 2.1093.
- American National Standards Institute (ANSI) / Institute of Electrical and Electronic Engineers (IEEE) C95.1-1992
- Institute of Electrical and Electronic Engineers (IEEE) C95 1-1999 Edition

This radio complies with the IEEE (FCC) and ICNIRP exposure limits for occupational/controlled RF exposure environments at operating duty factors of up to 50% transmitting (even though the approved batteries for this radio are rated for a 5-5-90 duty factor (5% talk-5% listen-90% standby)).

Radio frequency emissions limits in the USA

Part 15 of the FCC Rules imposes RF emission limits on electronic equipment to prevent interference to reception of broadcast services.

This radio complies with Part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference.

Unapproved modifications or changes to radio

The radio is designed to satisfy the applicable compliance regulations. Do not make modifications or changes to the radio that are not expressly approved by Tait Electronics Ltd. Failure to do so could invalidate compliance requirements and void the user's authority to operate the radio.

Interference to radio communications

This radio complies with Part 15 of the FCC Rules which specifies the limits for a Class B digital device.

This radio generates, uses, and can radiate RF energy. This energy may cause harmful interference to radio communications if the radio is not installed and used according to the instructions in the user guide. If this radio does cause harmful interference, you should contact your radio provider for assistance.

Frequency band reserved for distress beacons

Frequency band 406 to 406.1 MHz is reserved for use by distress beacons. Transmissions should not be made within this frequency band.

Safe radio operation

Switch off the radio:

- at petrol filling stations or near flammable liquids or gases
- in the vicinity of explosive devices and blasting zones
- before boarding an aircraft. Using your radio while in the air is not permitted.

Using a handheld microphone or a radio while driving a vehicle may violate the laws and legislation that apply in your country or state. Please check the vehicle regulations in your area.

Interference with electronic devices

Some electronic devices may be prone to malfunction due to the lack of protection from RF energy that is present when your radio is transmitting.

Examples of electronic devices that may be affected by RF energy are:

- vehicular electronic systems such as fuel injection, anti-skid brakes, and cruise control
- medical devices such as hearing aids and pacemakers
- medical equipment in hospitals or health care facilities.

Consult the manufacturer (or its representative) of the equipment to determine whether these electronic circuits will perform normally when the radio is transmitting.

Contents

	For your safety	
	Radio frequency exposure information	i
	Using this radio	
	Controlling your exposure to RF energy	i
	Compliance with RF energy exposure standards	
	Radio frequency emissions limits in the USA	
	Unapproved modifications or changes to radio	
	Interference to radio communications	
	Frequency band reserved for distress beacons	
	Safe radio operation	
	Interference with electronic devices	
1	About this guide	1
•	Document conventions	
	Safety symbols used in this guide	
	Feedback about this manual	
	Copyright information	
	Copyright information	
	Disclaimer	2
	Disclaimer	2
.		
2	Charging the battery before first use	
	Charging the battery before first use	3
2		3
	Charging the battery before first use	3
	Charging the battery before first use About your radio	3 5
	Charging the battery before first use About your radio	3 5 6
	Charging the battery before first use About your radio	3 5 6 6
	Charging the battery before first use About your radio	5 6 6 6 7
	Charging the battery before first use About your radio	5 6 6 6 7
	Charging the battery before first use About your radio	5 6 6 6 7 7
	Charging the battery before first use About your radio	5 6 7 7 7
	Charging the battery before first use About your radio	5 6 7 7 7 7
	Charging the battery before first use About your radio	5 6 7 7 7 7
	Charging the battery before first use About your radio	5 6 7 7 7 7
	Charging the battery before first use About your radio	5 6 6 7 7 7 7
	Charging the battery before first use About your radio	5 6 7 7 7 7 9 9
	Charging the battery before first use About your radio	5 6 7 7 7 7 9 9 9

Selection keys	11
Scroll keys	11
Accessing menus	11
Accessing frequently used menus	12
Using the scroll key Quick Access menu	12
Using the left selection key Quick Access menu	12
Understanding the radio indicators	14
Alert tones	14
Status indicators	15

About this guide

This user's guide provides information about the TP9155 and TP9160 portable radios.

Document conventions

The following conventions are used in this guide:

Convention	Explanation	
Bold text	Indicates text that appears on the radio display.	
Note:	Indicates additional information that you may find useful to know.	
Tip:	Provides a helpful hint.	

Safety symbols used in this guide

Within this guide, the following symbols are used to alert you to important safety information:



Warning: There is a potential risk of death or serious injury.



Caution: There is the risk of minor or moderate injury to people.



Important: There is a risk of equipment damage or malfunction.

Feedback about this manual

Any enquiries regarding this manual as well as any comments, suggestions and notifications of errors, should be addressed to support@taitworld.com or to the Support Group Manager, Tait Electronics Limited, PO Box 1645, Christchurch, New Zealand.

Copyright information

All information contained in this manual is the property of Tait Electronics Limited. All rights are reserved. These manuals may not, in whole or in part, be copied, photocopied, reproduced, translated, stored, or reduced to any electronic medium or machine-readable form, without prior written permission from Tait Electronics Limited. All trade names referenced are the service mark, trademark, or registered trademark of the respective manufacturers.

Disclaimer

In the interests of improving the performance, reliability or servicing of the equipment, Tait Electronics Ltd reserves the right to update both the equipment or this user's guide, without prior notice.

2 Charging the battery before first use

Once you have unpacked your battery, you'll need to charge it for the first time. This first charge is important because it prepares the battery for use. You should allow 12 hours for this first charge.

- Put the battery in the charger.
- Leave the battery to charge. Allow 12 hours.
- **3** When the battery is fully charged (as indicated by the charger's LED), remove it from the charger.

About your radio 3

This section describes all the various buttons and keys on your radio.

This section covers:

- About your digital radio
- Basic operation
- Using keys to access commonly used features
- Understanding the radio display
- Using the menus to access settings
- Understanding the radio indicators

About your digital radio

You may notice some differences in the way digital and analog radios perform: the lack of static in low signal areas and consequently where you notice that coverage is poor.

Lack of static noise

You may notice the lack of static noise on digital channels. This lack of static is because your digital radio removes the "noise" from the transmission so that you hear only clear voice.

Coverage

With analog radios, a transmission gets progressively worse when you are in fringe areas or even slightly outside normal coverage areas. In these circumstances, you are probably able to still understand the transmission despite the amount of static because the human brain can interpret speech even when it is not perfectly clear.

With digital radios, the signal remains clear and then drops off quite quickly at the border of a transmission area. The reason for this is that a digital transmission is either received or it isn't.

Because of this difference you may notice that digital radios have different coverage patterns to analog radios. However, the actual coverage area between an analog and a digital voice system is very similar.

Basic operation

The radio controls are the PTT key, power/volume control, channel selector, three-way selector control. scroll keys, selection keys, and function keys. Some keys have functions assigned to both short and long key presses:

- a short key press is less than one second, and
- a long key press is more than one second

The radio controls and their functions are described in the following sections.

Turning your radio on/off

Turn the power/volume control switch clockwise to turn on the radio. Turn the switch counterclockwise to turn the radio off



Note: Your radio will automatically power-down if there is insufficient charge in the battery.

Adjusting the volume

Rotate the power/volume control clockwise to increase the speaker volume and counterclockwise to decrease the volume



Note: The volume control also changes the volume level of the radio's audible indicators

About the channel selector

The channel selector allows you to select and change channels. When the radio is first switched on, the channel that is acquired is the one indicated by the current position of the channel selector switch.

Making calls

Select the required channel, scan group, zone or preset call.

2 Hold the radio so that the microphone is about 2.5 cm (1 inch) from your mouth and press the PTT key to transmit.



Note: If the channel is busy, you will not be able to transmit. Wait until the red status LED has stopped flashing, and then try again.

3 Speak clearly into the microphone and release the PTT key when you have finished talking.

Using keys to access commonly used features

The function keys and three-way selector control provide quick access to the features you will use most often. The action that they perform (when pressed or turned) will depend on how your radio has been programmed.

Three-way selector control

You may be able to change zones using the three-way selector control (if your radio has been programmed in this way).

Emergency key

You may be able to activate emergency mode by pressing the emergency key (if your radio has been programmed in this way).

Viewing your function key settings

You can easily check which functions are assigned to the function keys, if you have forgotten.

- 1 Press Menu, scroll to Radio Information and press Select
- 2 Scroll to **Key Settings** and press **Select**.
- **3** In the menu list, scroll to a function key and press **Select** to view the function assigned to it.

Understanding the radio display

The messages and symbols you see on your radio display depends on the mode in which your radio is operating and the way it has been programmed.

Display symbols

These are the various symbols you may see on your radio display.

Symbol	Meaning
ألند	RSSI (received signal strength indicator): the more bars, the stronger the signal being received by your radio
Ψ	Network available: your radio has access to a digital network
55	Transmit: your radio is transmitting
3	Low-power transmit: your radio is transmitting on low power
3	Zone symbol: your radio is operating in this zone (the example shown is zone 3)
\$	Scanning: your radio is monitoring a group of channels for activity
□	Monitor or squelch override: monitor or squelch override is active
\$	Scrolling: you can use the scroll keys are to move through a list

Using the menus to access settings

You can access settings and features for your radio using the menu. The menus available will depend on the way your radio has been programmed.

The selection and scroll keys enable you to select and move around the menus.

Selection keys

There are two selection keys beneath the display screen. How these keys work depends on the word that appears above them on the screen.

Scroll keys

The up and down scroll keys allow you to:

- access the quick access menu
- scroll up and down through a list, and select items.




Tip: If you press and hold the scroll keys, the scroll speed increases.


display the previous or next part of a message that is too long to be displayed on the screen.

Accessing menus

1 To access the main menu, press the right selection key whenever **Menu** appears above it.



2 Use the scroll keys to move through the list of menus



3 When the menu you want is highlighted, press **Select** to enter the menu you have chosen.

Accessing frequently used menus

Depending on how your radio has been programmed, you may have two different 'quick access' menus. One quick access menu is displayed when you press a scroll key, and the other when you press the left selection key. These give you easy access to the menus you use most often.

Using the scroll key Quick Access menu


To use this Ouick Access menu:

■ Press a scroll key or or, and the Quick Access menu appears.

In this example, the Channels menu is the Quick Access menu. You can press a scroll key or to go directly to the Channels menu.



The Channels menu, with a list of your available channels and scan groups, is now displayed.




Using the left selection key Quick Access menu

The text above the left selection key corresponds to the Quick Access menu, for example, Channels.

To use this Quick Access menu:

■ Press your left selection key , and the associated menu appears.



Understanding the radio indicators

The status LFD indicator and the radio's audible tones together with the radio display—all combine to give you information about the state of your radio.

The most common operation of the indicators are described in the following sections.

Alert tones



Note: If guiet or silent mode has been turned on, you will not hear any alert tones.

Tone	Meaning
Two short beeps	Radio turned on: the radio is powered on and ready to use
One short beep	Radio turned off: the radio is powered off, or
	Valid keypress: the action you have attempted is permitted
One long, low-	Invalid keypress: the action you have attempted is not permitted, or
pitched beep	Transmission inhibited: you have attempted to transmit but for some reason transmission is not permitted at this time

Status indicators



Note: The way these indicators behave may be affected by the way your radio is programmed.

Colour	Meaning
Red (transmit)	Glowing: your radio is transmitting
	Flashing: your transmit timer is about to expire, or your radio is stunned.
Green (receive)	Glowing: you are receiving
	Flashing: you have received a call
Amber (scanning)	Glowing: your radio is scanning a group of channels for activity
	Flashing: your radio has detected activity on a channel, and has halted on this channel