

FCC RF EXPOSURE REPORT

FCC ID: 2AEUPBHACP011

Project No. : 1705007
Equipment : Ring
Model : Chime Pro
Series Model : N/A
Applicant : Bot Home Automation, Inc.
Address : 1523 26th St, Santa Monica, CA 90404,USA

According: : FCC Guidelines for Human Exposure IEEE
C95.1

Technical Manager

:



(Herbert Liu)

B T L I N C .

B1, No. 37, Lane 365, Yang-Guang St.,
Nei-Hu District, Taipei City 114, Taiwan.
TEL: +886-2-2657-3299 FAX: +886-2-2657-3331

MPE CALCULATION METHOD:

Calculation Method of RF Safety Distance:

$$S = \frac{PG}{4\pi r^2} = \frac{EIRP}{4\pi r^2}$$

where:

S = power density

P = power input to the antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

Table for Filed Antenna

Ant.	Brand	Model Name	Antenna Type	Connector	Gain (dBi)	Note
1	LSR	001-0024	Dipole	IPEX	2	NA
2	LSR	001-0024	Dipole	IPEX	2	NA

Operating Mode TX Mode	1TX	2TX
802.11b	V (ANT 1)	-
802.11g	V (ANT 1)	-
802.11n(20MHz)	-	V (ANT 1+ANT 2)

TEST RESULTS

Test Mode :	TX B Mode /CH01, CH06, CH11
-------------	-----------------------------

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
2.00	1.5849	18.54	71.4496	0.02253982	1	Complies
2.00	1.5849	18.65	73.2825	0.02311801	1	Complies
2.00	1.5849	18.77	75.3356	0.02376569	1	Complies

Test Mode :	TX G Mode /CH01, CH06, CH11
-------------	-----------------------------

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
2.00	1.5849	18.48	70.4693	0.02223056	1	Complies
2.00	1.5849	21.13	129.7179	0.04092139	1	Complies
2.00	1.5849	20.13	103.0386	0.03250501	1	Complies

Test Mode :	TX N-20M Mode_ Total /CH01, CH06, CH11
-------------	--

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
2.00	1.5849	20.37	108.8930	0.03435187	1	Complies
2.00	1.5849	23.17	207.4914	0.06545614	1	Complies
2.00	1.5849	20.56	113.7627	0.03588809	1	Complies