


Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel	2412
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	39.26	41.76	54.00	12.24	Pass	Vertical
2	2415.5006	32.28	13.37	-43.11	86.94	89.48	54.00	-35.48	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Cha	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2457.3717	32.34	13.50	-43.11	97.89	100.62	74.00	-26.62	Pass	Horizontal
2	2483.5000	32.38	13.38	-43.11	49.96	52.61	74.00	21.39	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Chann	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2458.6783	32.34	13.49	-43.11	97.92	100.64	74.00	-26.64	Pass	Vertical
2	2483.5000	32.38	13.38	-43.11	49.58	52.23	74.00	21.77	Pass	Vertical
3	2487.1339	32.38	13.36	-43.10	54.09	56.73	74.00	17.27	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2457.7347	32.34	13.49	-43.10	87.34	90.07	54.00	-36.07	Pass	Horizontal
2	2483.5000	32.38	13.38	-43.11	41.18	43.83	54.00	10.17	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channe	2462
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2457.8073	32.34	13.49	-43.10	87.49	90.22	54.00	-36.22	Pass	Vertical
2	2483.5000	32.38	13.38	-43.11	41.03	43.68	54.00	10.32	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	49.95	52.45	74.00	21.55	Pass	Horizontal
2	2415.8323	32.28	13.37	-43.11	93.60	96.14	74.00	-22.14	Pass	Horizontal

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	50.31	52.81	74.00	21.19	Pass	Vertical
2	2425.8198	32.30	13.42	-43.12	93.09	95.69	74.00	-21.69	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	39.27	41.77	54.00	12.23	Pass	Horizontal
2	2419.5119	32.29	13.39	-43.12	75.31	77.87	54.00	-23.87	Pass	Horizontal

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	39.07	41.57	54.00	12.43	Pass	Vertical
2	2419.3367	32.29	13.39	-43.12	76.03	78.59	54.00	-24.59	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2452
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2449.0426	32.33	13.53	-43.12	93.25	95.99	74.00	-21.99	Pass	Horizontal
2	2483.5000	32.38	13.38	-43.11	49.73	52.38	74.00	21.62	Pass	Horizontal

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2452
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2447.4468	32.33	13.52	-43.12	94.47	97.20	74.00	-23.20	Pass	Vertical
2	2483.5000	32.38	13.38	-43.11	49.97	52.62	74.00	21.38	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2452
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2449.8936	32.33	13.53	-43.11	77.73	80.48	54.00	-26.48	Pass	Horizontal
2	2483.5000	32.38	13.38	-43.11	38.68	41.33	54.00	12.67	Pass	Horizontal

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2452
Remark:	AV		

Test Graph




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2449.3617	32.33	13.53	-43.11	78.78	81.53	54.00	-27.53	Pass	Vertical
2	2483.5000	32.38	13.38	-43.11	38.68	41.33	54.00	12.67	Pass	Vertical

ANT2:

Mode:	802.11 b(1Mbps) Transmitting	Channel:	2412
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	49.71	52.21	74.00	21.79	Pass	Horizontal
2	2413.9174	32.28	13.36	-43.11	91.77	94.30	74.00	-20.30	Pass	Horizontal

Mode:	802.11 b(1Mbps) Transmitting	Channel:	2412
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	50.08	52.58	74.00	21.42	Pass	Vertical
2	2409.3116	32.27	13.34	-43.11	94.70	97.20	74.00	-23.20	Pass	Vertical

Mode:	802.11 b(1Mbps) Transmitting	Channel:	2412
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	39.27	41.77	54.00	12.23	Pass	Horizontal
2	2414.2053	32.28	13.37	-43.12	91.11	93.64	54.00	-39.64	Pass	Horizontal

Mode:	802.11 b(1Mbps) Transmitting	Channel:	2412
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	38.87	41.37	54.00	12.63	Pass	Vertical
2	2414.3492	32.28	13.37	-43.12	90.62	93.15	54.00	-39.15	Pass	Vertical

Mode:	802.11 b(1Mbps) Transmitting	Channel:	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2460.5657	32.34	13.48	-43.10	98.78	101.50	74.00	-27.50	Pass	Horizontal
2	2483.5000	32.38	13.38	-43.11	53.18	55.83	74.00	18.17	Pass	Horizontal

Mode:	802.11 b(1Mbps) Transmitting	Channel:	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2460.5657	32.34	13.48	-43.10	100.98	103.70	74.00	-29.70	Pass	Vertical
2	2483.5000	32.38	13.38	-43.11	53.74	56.39	74.00	17.61	Pass	Vertical

Mode:	802.11 b(1Mbps) Transmitting	Channel:	2462
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2461.0738	32.35	13.48	-43.11	96.84	99.56	54.00	-45.56	Pass	Horizontal
2	2483.5000	32.38	13.38	-43.11	46.66	49.31	54.00	4.69	Pass	Horizontal

Mode:	802.11 b(1Mbps) Transmitting	Channel:	2462
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2460.9287	32.35	13.48	-43.11	99.11	101.83	54.00	-47.83	Pass	Vertical
2	2483.5000	32.38	13.38	-43.11	48.22	50.87	54.00	3.13	Pass	Vertical

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2412
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	51.26	53.76	74.00	20.24	Pass	Horizontal
2	2415.0688	32.28	13.37	-43.12	99.21	101.74	74.00	-27.74	Pass	Horizontal

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2412
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	49.68	52.18	74.00	21.82	Pass	Vertical
2	2415.5006	32.28	13.37	-43.11	98.56	101.10	74.00	-27.10	Pass	Vertical

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2412
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	39.10	41.60	54.00	12.40	Pass	Horizontal
2	2415.5006	32.28	13.37	-43.11	85.94	88.48	54.00	-34.48	Pass	Horizontal

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2412
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	39.44	41.94	54.00	12.06	Pass	Vertical
2	2415.9324	32.28	13.37	-43.11	86.93	89.47	54.00	-35.47	Pass	Vertical

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2461.0738	32.35	13.48	-43.11	98.36	101.08	74.00	-27.08	Pass	Horizontal
2	2483.5000	32.38	13.38	-43.11	50.15	52.80	74.00	21.20	Pass	Horizontal

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2458.6058	32.34	13.49	-43.11	99.51	102.23	74.00	-28.23	Pass	Vertical
2	2483.5000	32.38	13.38	-43.11	50.45	53.10	74.00	20.90	Pass	Vertical
3	2484.1577	32.38	13.37	-43.10	52.77	55.42	74.00	18.58	Pass	Vertical

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2462
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2458.1702	32.34	13.49	-43.10	86.26	88.99	54.00	-34.99	Pass	Horizontal
2	2483.5000	32.38	13.38	-43.11	40.97	43.62	54.00	10.38	Pass	Horizontal

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2462
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2458.3880	32.34	13.49	-43.11	88.57	91.29	54.00	-37.29	Pass	Vertical
2	2483.5000	32.38	13.38	-43.11	41.29	43.94	54.00	10.06	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	49.63	52.13	74.00	21.87	Pass	Horizontal
2	2416.0763	32.28	13.37	-43.11	94.94	97.48	74.00	-23.48	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	50.07	52.57	74.00	21.43	Pass	Vertical
2	2416.6521	32.28	13.38	-43.12	96.33	98.87	74.00	-24.87	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	38.91	41.41	54.00	12.59	Pass	Horizontal
2	2415.6446	32.28	13.37	-43.11	84.59	87.13	54.00	-33.13	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	39.09	41.59	54.00	12.41	Pass	Vertical
2	2415.7885	32.28	13.37	-43.11	85.61	88.15	54.00	-34.15	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2458.0976	32.34	13.49	-43.10	95.58	98.31	74.00	-24.31	Pass	Horizontal
2	2483.5000	32.38	13.38	-43.11	49.82	52.47	74.00	21.53	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2459.1139	32.34	13.49	-43.11	98.00	100.72	74.00	-26.72	Pass	Vertical
2	2483.5000	32.38	13.38	-43.11	50.14	52.79	74.00	21.21	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2459.8398	32.34	13.48	-43.10	84.86	87.58	54.00	-33.58	Pass	Horizontal
2	2483.5000	32.38	13.38	-43.11	40.89	43.54	54.00	10.46	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2458.3880	32.34	13.49	-43.11	87.26	89.98	54.00	-35.98	Pass	Vertical
2	2483.5000	32.38	13.38	-43.11	40.97	43.62	54.00	10.38	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	50.39	52.89	74.00	21.11	Pass	Horizontal
2	2428.9737	32.30	13.43	-43.11	92.12	94.74	74.00	-20.74	Pass	Horizontal

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	50.08	52.58	74.00	21.42	Pass	Vertical
2	2424.0676	32.29	13.41	-43.11	93.40	95.99	74.00	-21.99	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	38.63	41.13	54.00	12.87	Pass	Horizontal
2	2430.0250	32.30	13.44	-43.11	76.26	78.89	54.00	-24.89	Pass	Horizontal

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-43.12	38.67	41.17	54.00	12.83	Pass	Vertical
2	2430.7259	32.30	13.44	-43.11	77.22	79.85	54.00	-25.85	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2452
Remark:	PK		

Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2449.1489	32.33	13.53	-43.12	91.18	93.92	74.00	-19.92	Pass	Horizontal
2	2483.5000	32.38	13.38	-43.11	49.01	51.66	74.00	22.34	Pass	Horizontal