

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

| | OF | | | | |
|----------------------------|---|--|--|--|--|
| Product Name: | Smart Phone | | | | |
| Brand Name: | SHARP | | | | |
| Model No.: | HR00204 | | | | |
| Model Difference: | N/A | | | | |
| FCC ID: | APYHRO00204 | | | | |
| Report No.: | ER/2014/50096 | | | | |
| Issue Date: | Jun. 27, 2014 | | | | |
| FCC Rule Part: | §15.247, Cat: DTS | | | | |
| | SHARP CORPORATION | | | | |
| Prepared for: | 22-22, Nagaike-cho, Abeno-ku, CS & Env. Pro- motion Div. Quality Compliance Dept. Osaka 545-8522, Japan | | | | |
| | SGS Taiwan Ltd. Electronics & Communication Laboratory | | | | |
| Prepared by: | No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 | | | | |
| Testing Laboratory 0513 | <i>Note:</i> This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This docu- ment may be altered or revised by SGS Taiwan Ltd. person- nel only, and shall be noted in the revision section of the document. | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-participant discussed the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



VERIFICATION OF COMPLIANCE

| | SHARP CORPORATION |
|-----------------------|---|
| Applicant: | 22-22, Nagaike-cho, Abeno-ku, CS & Env. Promotion Div. Quality Com- |
| | pliance Dept. Osaka 545-8522, Japan |
| Product Name: | Smart Phone |
| Brand Name: | SHARP |
| Model No.: | HR00204 |
| Model Difference: | N/A |
| File Number: | ER/2014/50096 |
| FCC ID: | APYHRO00204 |
| Date of test: | Jun. 05, 2014 ~ Jun. 25, 2014 |
| Date of EUT Received: | Jun. 05, 2014 |

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.4:2009 the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rules Part 15.247.

The test results of this report relate only to the tested sample identified in this report.

| Test By: | Marcus | Tseng | Date | Jun. 27, 2014 | |
|--------------|------------------------|-------------------|------|---------------|--|
| Prepared By: | Marcus Tseng Tiffan | r/Engineer Kao | Date | Jun. 27, 2014 | |
| Approved By: | Tiffany Ka | o/Clerk Ch ang | Date | Jun. 27, 2014 | |

Jim Chang / Supervisor

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Version

| Version No. | Date | Description |
|-------------|---------------|------------------------------|
| 00 | Jun. 27, 2014 | Initial creation of document |
| | | |
| | | |



FCC ID: APYHRO00204

Table of Contents

| 1 | GEN | ERAL INFORMATION | 6 |
|---|------|--|----|
| | 1.1 | Product description | 6 |
| | 1.2 | Related Submittal(s) / Grant (s) | 9 |
| | 1.3 | Test Methodology | 9 |
| | 1.4 | Test Facility | 9 |
| | 1.5 | Special Accessories | 9 |
| | 1.6 | Equipment Modifications | 9 |
| 2 | SYS' | TEM TEST CONFIGURATION | |
| | 2.1 | EUT Configuration | 10 |
| | 2.2 | EUT Exercise | 10 |
| | 2.3 | Test Procedure | 10 |
| | 2.4 | Configuration of Tested System | 11 |
| 3 | SUM | IMARY OF TEST RESULTS | 12 |
| 4 | DES | CRIPTION OF TEST MODES | |
| 5 | MEA | ASUREMENT UNCERTAINTY | 14 |
| 6 | CON | DUCTED EMISSION TEST | |
| | 6.1 | Standard Applicable: | 15 |
| | 6.2 | Measurement Equipment Used: | 15 |
| | 6.3 | EUT Setup: | 15 |
| | 6.4 | Test SET-UP (Block Diagram of Configuration) | 16 |
| | 6.5 | Measurement Procedure: | 16 |
| | 6.6 | Measurement Result: | 16 |
| 7 | PEA | K OUTPUT POWER MEASUREMENT | |
| | 7.1 | Standard Applicable: | 19 |
| | 7.2 | Measurement Equipment Used: | 19 |
| | 7.3 | Test Set-up: | 20 |
| | 7.4 | Measurement Procedure: | 21 |
| | 7.5 | Measurement Result: | 24 |
| 8 | 6dB | BANDWIDTH | |
| | 8.1 | Standard Applicable: | 26 |
| | 8.2 | Measurement Equipment Used: | |
| | 8.3 | Test Set-up: | 26 |
| | 8.4 | Measurement Procedure: | |
| | | | |



FCC ID: APYHRO00204

| | 8.5 | Measurement Result: | 27 |
|----|-------|--|----|
| 9 | BANI | DEDGES MEASUREMENT | |
| | 9.1 | Standard Applicable: | |
| | 9.2 | Measurement Equipment Used: | |
| | 9.3 | Test SET-UP: | |
| | 9.4 | Measurement Procedure: | 35 |
| | 9.5 | Field Strength Calculation: | |
| | 9.6 | Measurement Result: | |
| 10 | SPUR | IOUS EMISSION TEST | |
| | 10.1 | Standard Applicable | 46 |
| | 10.2 | Measurement Equipment Used: | 46 |
| | 10.3 | Test SET-UP: | 46 |
| | 10.4 | Measurement Procedure: | 47 |
| | 10.5 | Field Strength Calculation | 48 |
| | 10.6 | Measurement Result: | 48 |
| 11 | PEAF | X POWER SPECTRAL DENSITY | |
| | 11.1 | Standard Applicable: | 76 |
| | 11.2 | Measurement Equipment Used: | 76 |
| | 11.3 | Test Set-up: | 76 |
| | 11.4 | Measurement Procedure (following the measurement procedure 10.2 of KDB558074): | 76 |
| | 11.5 | Measurement Result: | 77 |
| 12 | ANTI | ENNA REQUIREMENT | |
| | 12.1 | Standard Applicable: | |
| | 12.2 | Antenna Connected Construction: | |
| ME | EASUR | EMENT PLOT OF RADIATED SPURIOUS EMISSION | |



GENERAL INFORMATION 1

Product description 1.1

General:

| Product Name: | Smart Phone | | | | | | |
|-------------------|---|--------------------------------------|--|--|--|--|--|
| Brand Name: | SHARP | SHARP | | | | | |
| Model No.: | HR00204 | HR00204 | | | | | |
| Model difference: | N/A | N/A | | | | | |
| Hardware Version: | N/A | | | | | | |
| Software Version: | N/A | | | | | | |
| Data Cable (USB): | Model: QCN | WGA044AFZZ, Supplier: LUXSAHRE | | | | | |
| | 3.8Vdc Rechargeable Li-ion Battery or 5Vdc from AC/DC Adapter | | | | | | |
| Power Supply: | Battery: Model: UBATIA246AFN1, Supplier: SONY | | | | | | |
| | Adapter: | Model No.: XN-2QC25, Supplier: Salom | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



WLAN 2.4GHz:

| Wi-Fi | Frequency Range | Channels | Rated Power (Peak) | Modulation Technology | | |
|-----------------|--------------------|----------|--|--------------------------|--|--|
| 11b/g | 2412-2462 | 11 | b: 16.96dBm g: 21.97dBm | DSSS OFDM | | |
| 11n (2.4GHz) | HT20 2412-2462 | 11 | n: 20.09dBm | OFDM | | |
| Antenna | Designation: | | Integrated Antenna, -2.5dBi | | | |
| Modulat | ion type | | CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM | | | |
| Transitio | on Rate: | | 802.11 b: 1/2/5.5/11 Mbps; 802.11 g: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 65Mbps | | | |

This report applies for WLAN, and complies with FCC rule part 15C.



IEEE 802.11n Spec:

| MCS | | | | NBPSC | NG | MCDDC | | NIDDDG | | Datarate(Mbps) | | | |
|---|-----|------------|-----|-------|-------|-------|-------|--------|---------|----------------|---------|-------|--|
| Index | Nss | Modulation | R | | NCBPS | | NDBPS | | 800nsGI | | 400nsGI | | |
| - 1000 | | | | | 20MHz | 40MHz | 20MHz | 40MHz | 20MHz | 40MHz | 20MHz | 40MHz | |
| 0 | 1 | BPSK | 1/2 | 1 | 52 | 108 | 26 | 54 | 6.5 | 13.5 | 7.200 | 15 | |
| 1 | 1 | QPSK | 1/2 | 2 | 104 | 216 | 52 | 108 | 13.0 | 27.0 | 14.400 | 30 | |
| 2 | 1 | QPSK | 3/4 | 2 | 104 | 216 | 78 | 162 | 19.5 | 40.5 | 21.700 | 45 | |
| 3 | 1 | 16-QAM | 1/2 | 4 | 208 | 432 | 104 | 216 | 26.0 | 54.0 | 28.900 | 60 | |
| 4 | 1 | 16-QAM | 3/4 | 4 | 208 | 432 | 156 | 324 | 39.0 | 81.0 | 43.300 | 90 | |
| 5 | 1 | 64-QAM | 2/3 | 6 | 312 | 648 | 208 | 432 | 52.0 | 108.0 | 57.800 | 120 | |
| 6 | 1 | 64-QAM | 3/4 | 6 | 312 | 648 | 234 | 486 | 58.5 | 121.5 | 65.000 | 135 | |
| 7 | 1 | 64-QAM | 5/6 | 6 | 312 | 648 | 260 | 540 | 65.0 | 135.0 | 72.200 | 150 | |

| Symbol | Explanation | | | | | |
|--------|---|--|--|--|--|--|
| NSS | Number of spatial streams | | | | | |
| R | Code rate | | | | | |
| NBPSC | Number of coded bite per single carrier | | | | | |
| NCBPS | Number of coded bite per symbol | | | | | |
| NDBPS | Number of data bite per symbol | | | | | |
| GI | Guard interval | | | | | |

802.11n HT20 MCS8 -15

| MCG | Modulation | R | N _{BPSCS} (i _{SS}) | | | N _{CBPS} | N _{DBPS} | Data rate (Mb/s) | |
|--------------|--------------------|--------|---------------------------------------|-----------------|-----------------|-------------------|-------------------|------------------|-------------------------|
| MCS Index | | | | N _{SD} | N _{SP} | | | 800 ns GI | 400 ns GI (see NOTE) |
| 8 | BPSK | 1/2 | 1 | 52 | 4 | 104 | 52 | 13.0 | 14.4 |
| 9 | QPSK | 1/2 | 2 | 52 | 4 | 208 | 104 | 26.0 | 28.9 |
| 10 | QPSK | 3/4 | 2 | 52 | 4 | 208 | 156 | 39.0 | 43.3 |
| 11 | 16-QAM | 1/2 | 4 | 52 | 4 | 416 | 208 | 52.0 | 57.8 |
| 12 | 16-QAM | 3/4 | 4 | 52 | 4 | 416 | 312 | 78.0 | 86.7 |
| 13 | 64-QAM | 2/3 | 6 | 52 | 4 | 624 | 416 | 104.0 | 115.6 |
| 14 | 64-QAM | 3/4 | 6 | 52 | 4 | 624 | 468 | 117.0 | 130.0 |
| 15 | 64-QAM | 5/6 | 6 | 52 | 4 | 624 | 520 | 130.0 | 144.4 |
| NOTE-T | The 400 ns GI rate | values | are rounded to 1 | decima | l place. | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



1.2 Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for **FCC ID:** <u>APYHRO00204</u> filing to comply with Section 15.247 of the FCC Part 15, Subpart C Rules. The composite system (digital device) is compliance with Subpart B under the DoC procedure.

1.3 Test Methodology

Both conducted and radiated testing was performed according to the procedures in ANSI C63.4:2009. Radiated testing was performed at an antenna to EUT distance 3 meters.

Tested in accordance with Apr 2013 KDB558074 D01 V03 for compliance to FCC 47CFR 15.247 requirements.

1.4 Test Facility

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4:2009. FCC Registration Number is: 990257. Canada Registration Number: 4620A-4.

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan Township, Taoyuan County, Taiwan, which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. SGS Site No. 1(3 &10 meters) and FCC Registration Number: 455997.

1.5 Special Accessories

There are no special accessories used while test was conducted.

1.6 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2 SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. According to the general criterion in Section 7.1 of ANSI C63.4:2009.Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz, and the measurement procedure 7.3 in ANSI 63.4:2009 is followed to carry out the test. The CISPR Quasi-Peak and Average detector mode is employed according to §15.107

2.3.2 Radiated Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna. according to the requirements in Section 8 and 13 and of ANSI C63.4:2009,

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.4 **Configuration of Tested System**

Fig. 2-1 Radiated Emission & Conducted (Antenna Port) Configuration




Fig. 2-2 AC Power Line Conducted Emission



Table 2-1 Equipment Used in Tested System

| Item | Equipment | Mfr/Brand | Model/Type No. | Series No. | Data Cable | Power Cord |
|------|-----------------------|-----------|----------------|------------|------------|------------|
| 1. | Notebook | Lenovo | L420 | LR-7HXZA | shielded | unshielded |
| 2. | WLAN Test Software | N/A | N/A | N/A | N/A | N/A |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



SUMMARY OF TEST RESULTS 3

| FCC | Description Of Test | Result |
|----------------|--|-----------|
| §15.207(a) | AC Power Line Conducted Emission | Compliant |
| §15.247(b) (3) | Peak Output Power | Compliant |
| §15.247(a)(2) | 6dB Bandwidth | Compliant |
| §15.247(d) | 100 KHz Bandwidth Of Frequency Band Edges | Compliant |
| §15.247(d) | Spurious Emission | Compliant |
| §15.247(e) | Peak Power Density | Compliant |
| §15.203 | Antenna Requirement | Compliant |



4 DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition.

Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.

802.11 b mode: Channel low (2412MHz), mid (2437MHz) and high (2462MHz) with 1Mbps lowest data rate are chosen for full testing.

802.11 g mode: Channel low (2412MHz), mid (2437MHz) and high (2462MHz) with 6Mbps lowest data rate are chosen for full testing.

802.11 n_20MHz mode: Channel low (2412MHz), mid (2437MHz) and high (2462MHz) with 6.5Mbps lowest data rate are chosen for full testing.

The worst case is determined by the output power that generates the highest emission. As examined in the section of output power measurement, the section 7.5, the lowest data rate at b/g/n resulted the highest level of fundamental emission, and therefore, the lowest data rate is chosen as the worst-case to conduct the remaining of other mandatory test cases.

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case H position was tested as resulted in pre-scanned measurement with respect to 2.4GHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



5 **MEASUREMENT UNCERTAINTY**

| Test Items | Uncertainty | | | |
|--|--|--|--|--|
| AC Power Line Conducted Emission | +/- 2.586 dB | | | |
| Peak Output Power | +/- 1.55dB (for Spectrum) +/- 1.42 dB (for Power Meter) | | | |
| 6dB Bandwidth | +/- 123.36 Hz | | | |
| 100 KHz Bandwidth Of Frequency Band Edges | +/- 1.55 dB | | | |
| Peak Power Density | +/- 1.55 dB | | | |
| Temperature | +/- 0.8 °C | | | |
| Humidity | +/- 4.7 % | | | |
| DC / AC Power Source | DC=+/-1%, AC=+/-0.2% | | | |

Radiated Spurious Emission:

| Measurement uncertainty (Polarization : Vertical) | 30MHz - 180MHz: +/- 3.37dB |
|--|----------------------------|
| | 180MHz -417MHz: +/- 3.19dB |
| | 0.417GHz-1GHz: +/- 3.19dB |
| | 1GHz - 18GHz: +/- 4.04dB |
| | 18GHz - 40GHz: +/- 4.04dB |

| Measurement uncertainty (Polarization : Horizontal) | 30MHz - 167MHz: +/- 4.22dB |
|--|----------------------------|
| | 167MHz -500MHz: +/- 3.44dB |
| | 0.5GHz-1GHz: +/- 3.39dB |
| | 1GHz - 18GHz: +/- 4.08dB |
| | 18GHz - 40GHz: +/- 4.08dB |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's environment of the provention of the provention of the company's findings at the time of the intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



6 **CONDUCTED EMISSION TEST**

6.1 **Standard Applicable:**

According to §15.207, frequency range within 150KHz to 30MHz shall not exceed the Limit table as below.

| Frequency range | Limits dB(uV) | | | | | | |
|--|--------------------|----------|--|--|--|--|--|
| MHz | Quasi-peak Average | | | | | | |
| 0.15 to 0.50 | 66 to 56 | 56 to 46 | | | | | |
| 0.50 to 5 | 56 | 46 | | | | | |
| 5 to 30 | 60 | 50 | | | | | |
| Note | | | | | | | |
| 1. The lower limit shall apply at the transition frequencies | | | | | | | |

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

Measurement Equipment Used: 6.2

| Conducted Emission Test Site | | | | | | | | | | |
|------------------------------|------------|-------------------------|--------|------------|------------|--|--|--|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | | | | |
| ТҮРЕ | | NUMBER | NUMBER | CAL. | | | | | | |
| EMI Test Receiver | R&S | ESCI7 | 100760 | 05/26/2014 | 05/25/2015 | | | | | |
| LISN | Rolf-Heine | NNB-2/16Z | 99012 | 03/26/2014 | 03/25/2015 | | | | | |
| LISN | FCC | FCC-LISN-50/250-25-2-01 | 04034 | 03/19/2014 | 03/18/2015 | | | | | |
| Coaxial Cables | N/A | WK CE Cable | N/A | 11/26/2013 | 11/25/2014 | | | | | |

6.3 **EUT Setup:**


- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.4:2009.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Since States in the instance in the instanc tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



6.4 Test SET-UP (Block Diagram of Configuration)



6.5 **Measurement Procedure:**

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed


Measurement Result: 6.6

Note: Refer to next page for measurement data and plots. Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



AC POWER LINE CONDUCTED EMISSION TEST DATA




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



FCC ID: APYHRO00204





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



7 PEAK OUTPUT POWER MEASUREMENT

7.1 Standard Applicable:

According to §15.247 (b)

(3) For systems using digital modulation in the 902-928 MHz, 2400-2483.5 MHz, and 5725-5850 MHz bands: 1 Watt. As an alternative to a peak power measurement, compliance with the one Watt limit can be based on a measurement of the maximum conducted output power. Maximum Conducted Output Power is defined as the total transmit power delivered to all antennas and antenna elements averaged across all symbols in the signaling alphabet when the transmitter is operating at its maximum power control level. Power must be summed across all antennas and antenna elements. The average must not include any time intervals during which the transmitter is off or is transmitting at a reduced power level. If multiple modes of operation are possible (e.g., alternative modulation methods), the maximum conducted output power is the highest total transmit power occurring in any mode.

(4) The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

| Conducted Emission Test Site | | | | | | | | | | |
|------------------------------|---------------|--------------------|------------|------------|------------|--|--|--|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | | | | |
| ТҮРЕ | | NUMBER | NUMBER | CAL. | | | | | | |
| Power Meter | Anritsu | ML2495A | 1005007 | 01/13/2014 | 01/12/2015 | | | | | |
| Power Sensor | Anritsu | MA2411B | 917032 | 01/13/2014 | 01/12/2015 | | | | | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 05/19/2014 | 05/18/2015 | | | | | |
| Spectrum Analyzer | Agilent | E4440A | MY45304525 | 03/08/2014 | 03/07/2015 | | | | | |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 02/27/2014 | 02/26/2015 | | | | | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA | N/A | 01/03/2014 | 01/02/2015 | | | | | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 02/27/2014 | 02/26/2015 | | | | | |
| Splitter | Agilent | 11636B | N/A | 02/27/2014 | 02/26/2015 | | | | | |

7.2 Measurement Equipment Used:

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



7.3 **Test Set-up:**

Spectrum:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



7.4 Measurement Procedure:

1. Place the EUT on the table and set it in transmitting mode.

2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter or spectrum. (**Peak power setting on Spectrum:** Channel power function, RBW = 1MHz, VBW = 3MHz, Span: 30/60MHz, Detector =peak, Sweep = Auto. Setting on spectrum is adjusted based on the mandatory procedure in 9.1.2 of the KDB558074). Power Meter is used as the auxiliary test equipment to conduct the output power measurement. 9.1.3 in KDB558074 is followed.

(Avg. power setting on Spectrum: Channel power function, RBW = 1MHz, VBW = 3MHz, Span: 30/60MHz, Detector =Avg., Trace avg =100, Sweep = Auto, Setting on spectrum is adjusted based on the mandatory procedure in 9.2.2.4 of the KDB558074). Power Meter is used as the auxiliary test equipment to conduct the output power measurement. 9.2.3, option 3 in KDB558074 is followed.

3. Record the max. Reading as observed from Spectrum or Power Meter.

4. Repeat above procedures until all frequency of interest measured was complete.

Formula:

Duty Cycle = *Ton* / (*Ton*+*Toff*)

Test Procedure:

Set span = 0, RBW = 8MHz, VBW = 8MHz, Detector = Peak Duty Cycle:

| | Duty Cycle | Duty Factor (dBm) |
|----------------------|------------|----------------------|
| 802.11b | 1.000 | 0.000 |
| 802.11g | 0.986 | 0.063 |
| 802.11n_20 (2.4G) | 0.985 | 0.068 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Duty Factor:





802.11 g




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.



802.11 n 20 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.



7.5 **Measurement Result:**

802.11b

| | | Peak Power Output (dBm) | | | | | | | | |
|----|-----------|-------------------------|-----------|-------|-------|------------------|--|--|--|--|
| СП | Frequency | | Data Rate | | | | | | | |
| СН | (MHz) | | | 5.5 | 11 | - Required Limit | | | | |
| 1 | 2412 | 16.21 | 16.21 | 16.21 | 16.18 | 1 Watt = 30 dBm | | | | |
| 6 | 2437 | 16.96 | 16.93 | 16.89 | 16.88 | 1 Watt = 30 dBm | | | | |
| 11 | 2462 | 16.10 | 16.05 | 16.03 | 15.98 | 1 Watt = 30 dBm | | | | |

| | | Average Power Output (dBm) | | | | | | | | |
|----|-----------|----------------------------|-------|----------------|-------|-----------------|--|--|--|--|
| СП | Frequency | | | Deguined Limit | | | | | | |
| СН | (MHz) | | | Required Limit | | | | | | |
| 1 | 2412 | 13.42 | 13.34 | 13.31 | 13.29 | 1 Watt = 30 dBm | | | | |
| 6 | 2437 | 14.11 | 14.01 | 13.95 | 13.90 | 1 Watt = 30 dBm | | | | |
| 11 | 2462 | 13.33 | 13.26 | 13.22 | 13.21 | 1 Watt = 30 dBm | | | | |

802.11g

| | | | Peak Power Output(dBm) | | | | | | | | |
|----|-----------|-----------|------------------------|-------|-------|-------|-------|-------|----------------|-----------------------|--|
| СН | Frequency | Data Rate | | | | | | | Dequined Limit | | |
| Сп | (MHz) | 6 | 9 | 12 | 18 | 24 | 36 | 48 | 54 | Required Limit | |
| 1 | 2412 | 21.43 | 21.35 | 21.28 | 21.25 | 21.20 | 21.19 | 21.16 | 21.12 | 1 Watt = 30 dBm | |
| 6 | 2437 | 21.97 | 21.91 | 21.82 | 21.80 | 21.79 | 21.69 | 21.65 | 21.61 | 1 Watt = 30 dBm | |
| 11 | 2462 | 21.76 | 21.67 | 21.58 | 21.50 | 21.46 | 21.38 | 21.33 | 21.26 | 1 Watt = 30 dBm | |

| | | | Average Power Output(dBm) | | | | | | | | |
|------------------------|------|-------|---------------------------|-------|-------|-------|-------|-------------------|-------|-----------------------|--|
| CH Frequency Data Rate | | | | | | | | Degrafie d Lineit | | | |
| CH (MHz) | | 6 | 9 | 12 | 18 | 24 | 36 | 48 | 54 | Required Limit | |
| 1 | 2412 | 13.45 | 13.39 | 13.36 | 13.35 | 13.25 | 13.19 | 13.10 | 13.08 | 1 Watt = 30 dBm | |
| 6 | 2437 | 13.83 | 13.79 | 13.71 | 13.61 | 13.58 | 13.49 | 13.48 | 13.40 | 1 Watt = 30 dBm | |
| 11 | 2462 | 13.42 | 13.34 | 13.30 | 13.23 | 13.19 | 13.09 | 13.08 | 13.01 | 1 Watt = 30 dBm | |



802.11n 20M

| | | | Peak Power Output(dBm) | | | | | | | |
|----|-----------|-----------|------------------------|-------|-------|-------|-------|-------|----------|--------------------|
| СН | Frequency | Data Rate | | | | | | | Required | |
| Сп | (MHz) | MCS0 | MCS1 | MCS2 | MCS3 | MCS4 | MCS5 | MCS6 | MCS7 | Limit |
| 1 | 2412 | 19.45 | 19.42 | 19.36 | 19.33 | 19.23 | 19.22 | 19.18 | 19.12 | 1 Watt = 30 dBm |
| 6 | 2437 | 19.70 | 19.62 | 19.59 | 19.55 | 19.51 | 19.44 | 19.40 | 19.34 | 1 Watt = 30 dBm |
| 11 | 2462 | 20.09 | 20.03 | 19.95 | 19.86 | 19.81 | 19.74 | 19.67 | 19.65 | 1 Watt = 30 dBm |

| | | | Average Power Output(dBm) | | | | | | | |
|----|-----------|--------------------|---------------------------|-------|-------|-------|-------|-------|----------|--------------------|
| | Frequency | requency Data Rate | | | | | | | Required | |
| СН | (MHz) | MCS0 | MCS1 | MCS2 | MCS3 | MCS4 | MCS5 | MCS6 | MCS7 | Limit |
| 1 | 2412 | 10.33 | 10.31 | 10.26 | 10.18 | 10.11 | 10.10 | 10.02 | 9.98 | 1 Watt = 30 dBm |
| 6 | 2437 | 10.34 | 10.29 | 10.22 | 10.18 | 10.18 | 10.12 | 10.07 | 10.06 | 1 Watt = 30 dBm |
| 11 | 2462 | 10.47 | 10.43 | 10.40 | 10.36 | 10.35 | 10.33 | 10.32 | 10.26 | 1 Watt = 30 dBm |

* Note: The duty cycle factor is compensated back to obtain the maximum value of the measurement in average.

* Note: Offset 10.5dB for 2.4G 802.11b/g/n_20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's environment of the provention of the provention of the company's findings at the time of the intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



8 6dB BANDWIDTH

8.1 Standard Applicable:

According to §15.247(a)(2), Systems using digital modulation techniques may operate in the 902 - 928 MHz,2400 - 2483.5 MHz, and 5725 - 5850 MHz bands. The minimum 6 dB bandwidth shall be at least 500kHz.

8.2 Measurement Equipment Used:

| | Conducted Emission Test Site | | | | | | | |
|-------------------|------------------------------|--------------------|------------|------------|------------|--|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | | |
| ТҮРЕ | | NUMBER | NUMBER | CAL. | | | | |
| Power Meter | Anritsu | ML2495A | 1005007 | 01/13/2014 | 01/12/2015 | | | |
| Power Sensor | Anritsu | MA2411B | 917032 | 01/13/2014 | 01/12/2015 | | | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 05/19/2014 | 05/18/2015 | | | |
| Spectrum Analyzer | Agilent | E4440A | MY45304525 | 03/08/2014 | 03/07/2015 | | | |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 02/27/2014 | 02/26/2015 | | | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA | N/A | 01/03/2014 | 01/02/2015 | | | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 02/27/2014 | 02/26/2015 | | | |
| Splitter | Agilent | 11636B | N/A | 02/27/2014 | 02/26/2015 | | | |

8.3 Test Set-up:

| EUT | Attenuator | SPA |
|-----|------------|-----|

8.4 Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=Peak, Sweep=auto, the setting on spectrum is adjusted based on the procedure as guide in 8.1 option 1 of KDB558074.
- 4. Mark the peak frequency and –6dB (upper and lower) frequency.
- 5. Repeat above procedures until all frequency of interest measured was complete.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



8.5 **Measurement Result:**

802.11b

| Frequency Bandwidth | | Limit | Result |
|---------------------|-------|-------|--------|
| (MHz) | (kHz) | (kHz) | |
| 2412 | 8129 | > 500 | PASS |
| 2437 | 8080 | > 500 | PASS |
| 2462 | 8094 | > 500 | PASS |

802.11g

| Frequency | Bandwidth | Limit | Result |
|-----------|-----------|-------|--------|
| (MHz) | (kHz) | (kHz) | |
| 2412 | 16400 | > 500 | PASS |
| 2437 | 16404 | > 500 | PASS |
| 2462 | 16418 | > 500 | PASS |

802.11n_20M

| Frequency | Bandwidth | Limit | Result |
|-----------|-----------|-------|--------|
| (MHz) | (kHz) | (kHz) | |
| 2412 | 17401 | > 500 | PASS |
| 2437 | 17646 | > 500 | PASS |
| 2462 | 17619 | > 500 | PASS |

* Note: Offset 10.5dB for 2.4G 802.11b/g/n_20, and the diamond reveals X decibel level *Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-participant discussed the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



802.11b 6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




6dB Band Width Test Data CH-High



802.11g

6dB Band Width Test Data CH-Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



6dB Band Width Test Data CH-Mid




6dB Band Width Test Data CH-High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



802.11n 20M 6dB Band Width Test Data CH-Low




6dB Band Width Test Data CH-Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document document documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



9 **BAND EDGES MEASUREMENT**

Standard Applicable: 9.1

According to §15.247(d), in any 100 kHz bandwidth outside the frequency bands in which the spread spectrum intentional radiator in operating, the radio frequency power that is produced by the intentional radiator shall be at least 20dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in15.209(a).

9.2 **Measurement Equipment Used:**

9.2.1 Conducted Emission at antenna port:

Refer to section 7.2 for details.

Radiated emission: 9.2.2

| 966 Chamber | | | | | | |
|------------------------|--------------------------|-------------|------------|------------|------------|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | |
| ТҮРЕ | | NUMBER | NUMBER | CAL. | | |
| EMI Test Receiver | R&S | ESCI7 | 100760 | 05/26/2014 | 05/25/2015 | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 05/19/2014 | 05/18/2015 | |
| EXA Spectrum Analyzer | Agilent | N9010A | MY50420195 | 01/20/2014 | 01/19/2015 | |
| Spectrum Analyzer | R&S | FSV-30 | 101398 | 10/22/2013 | 10/21/2014 | |
| Loop Antenna | ETS.LINDGREN | 6502 | 00148045 | 07/05/2013 | 07/04/2014 | |
| Bilog Antenna | SCHWAZBECK | VULB9168 | 378 | 01/02/2014 | 01/01/2015 | |
| Horn antenna | ETS.LINDGREN | 3117 | 123995 | 05/19/2014 | 05/18/2015 | |
| Horn Antenna | Schwarzbeck | BBHA9170 | 184 | 01/23/2014 | 01/22/2015 | |
| Pre-Amplifier | Agilent | 8447D | 2944A07676 | 01/03/2014 | 01/02/2015 | |
| Pre-Amplifier | Agilent | 8449B | 3008A00578 | 01/03/2014 | 01/02/2015 | |
| Pre-Amplifier | EMC Instruments Corp. | EMC184045 | 980135 | 01/24/2014 | 01/23/2015 | |
| Filter 2400-2483.5 MHz | EWT | EWT-14-0166 | M2 | 02/27/2014 | 02/26/2015 | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 004 | 02/27/2014 | 02/26/2015 | |
| Turn Table | HD | DT420 | N/A | N.C.R | N.C.R | |
| Antenna Tower | HD | MA240-N | 240/657 | N.C.R | N.C.R | |
| Controller | HD | HD100 | N/A | N.C.R | N.C.R | |
| Low Loss Cable | Huber Suhner | 966_Rx | 9 | 01/03/2014 | 01/02/2015 | |
| 3m Site NSA | SGS | 966 chamber | N/A | 07/15/2013 | 07/14/2014 | |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




9.3 **Test SET-UP:**

9.3.1 **Conducted Emission at antenna port:**




9.3.2 Radiated emission:

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



(B) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FCC ID: APYHRO00204

9.4 Measurement Procedure:

Unwanted Emissions into Non-Restricted Frequency Bands, Measurement Procedure followed by 11.1 of KDB558074 D01

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 4. Set the spectrum analyzer as RBW, VBW=300KHz, Detector = Peak, Sweep = auto
- 5. Mark the highest reading of the emission as the reference level measurement.
- 6. Set DL as the limit = reading on marker 1 20dBm
- 7. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 KHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- 8. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Unwanted Emission falling into Restricted Frequency Bands, Measurement Procedure followed by 12.1 of KDB558074 D01

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 3.EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 4. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 5. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 6. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 7.On spectrum, following 8.1.2, and RBW = 1MHz, VBW = 3MHz, & Marker 2390MHz, and 2483.5MHz (Peak Measurement). Average Measurement: following 8.2 with the modification span to 1MHz, &RBW = 1MHz, VBW = 3MHz and peak marker function to obtain the highest reading on 2390, and 2483.5MHz.
- 8. Repeat above procedures until all default test channel (low, middle, and high) was complete

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Field Strength Calculation: 9.5

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

| Where | FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) |
|-------|------------------------|--|
| | RA = Reading Amplitude | AG = Amplifier Gain |
| | AF = Antenna Factor | |


Measurement Result: 9.6

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_ed-coument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law











Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 38 of 135

Radiated Emission:

(Unwanted Emissions into Restricted Frequency Bands): 802.11 b mode

| Operation Band | :802.11 b | Test Date | :2014-06-10 |
|-----------------------|----------------|--------------------------|-------------------|
| Fundamental Frequency | :2412 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :Band Edge LOW | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :VERTICAL |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | Е | Average | 30.48 | 2.48 | 32.96 | 54.00 | -21.04 |
| 2390.00 | Е | Peak | 43.65 | 2.48 | 46.13 | 74.00 | -27.87 |

| Operation Band | :802.11 b | Test Date | :2014-06-10 |
|-----------------------|----------------|--------------------------|-------------------|
| Fundamental Frequency | :2412 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :Band Edge LOW | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | Е | Average | 31.23 | 2.48 | 33.71 | 54.00 | -20.29 |
| 2390.00 | Е | Peak | 43.38 | 2.48 | 45.86 | 74.00 | -28.14 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 39 of 135

| Operation Band | :802.11 b | Test Date | :2014-06-10 |
|-----------------------|-----------------|--------------------------|-------------------|
| Fundamental Frequency | :2462 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :Band Edge HIGH | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :VERTICAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note : "F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | Е | Average | 31.28 | 2.84 | 34.12 | 54.00 | -19.88 |
| 2483.50 | Е | Peak | 44.53 | 2.84 | 47.37 | 74.00 | -26.63 |

| Operation Band | :802.11 b | Test Date | :2014-06-10 |
|-----------------------|-----------------|--------------------------|-------------------|
| Fundamental Frequency | :2462 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :Band Edge HIGH | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note : "F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.


| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | E | Average | 33.26 | 2.84 | 36.10 | 54.00 | -17.90 |
| 2483.50 | E | Peak | 45.94 | 2.84 | 48.78 | 74.00 | -25.22 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Fine Solution in the Solution in the Solution in the Solution of Solution Solution (Solution Solution) (Solution) (Sol tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law











Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 41 of 135

Radiated Emission:

(Unwanted Emissions into Restricted Frequency Bands): 802.11 g mode

| Operation Band | :802.11 g | Test Date | :2014-06-10 |
|-----------------------|----------------|--------------------------|-------------------|
| Fundamental Frequency | :2412 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :Band Edge LOW | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :VERTICAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note : "F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | Е | Average | 35.03 | 2.48 | 37.51 | 54.00 | -16.49 |
| 2390.00 | Е | Peak | 57.28 | 2.48 | 59.76 | 74.00 | -14.24 |

| Operation Band | :802.11 g | Test Date | :2014-06-10 |
|-----------------------|----------------|--------------------------|-------------------|
| Fundamental Frequency | :2412 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :Band Edge LOW | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | Е | Average | 38.85 | 2.48 | 41.33 | 54.00 | -12.67 |
| 2390.00 | E | Peak | 62.29 | 2.48 | 64.77 | 74.00 | -9.23 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 42 of 135

| Operation Band | :802.11 g | Test Date | :2014-06-10 |
|-----------------------|-----------------|--------------------------|-------------------|
| Fundamental Frequency | :2462 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :Band Edge HIGH | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :VERTICAL |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note : "F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | Е | Average | 41.33 | 2.84 | 44.17 | 54.00 | -9.83 |
| 2483.50 | Е | Peak | 66.07 | 2.84 | 68.91 | 74.00 | -5.09 |

| Operation Band | :802.11 g | Test Date | :2014-06-10 |
|-----------------------|-----------------|--------------------------|-------------------|
| Fundamental Frequency | :2462 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :Band Edge HIGH | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note : "F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.


"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.


The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | Е | Average | 44.13 | 2.84 | 46.97 | 54.00 | -7.03 |
| 2483.50 | Е | Peak | 67.85 | 2.84 | 70.69 | 74.00 | -3.31 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Fine Solution in the Solution in the Solution in the Solution of Solution Solution (Solution Solution) (Solution) (Sol tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law









Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 44 of 135

Radiated Emission:

(Unwanted Emissions into Restricted Frequency Bands): 802.11 n 20M mode

| :802.11 n20M | Test Date | :2014-06-10 |
|----------------|-----------------------------|--|
| :2412 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| :Band Edge LOW | Engineer | :Curry |
| :H Plane | Measurement Antenna Pol. | :VERTICAL |
| | :2412 MHz :Band Edge LOW | :2412 MHz Temp./Humi. :Band Edge LOW Engineer |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | E | Average | 32.97 | 2.48 | 35.45 | 54.00 | -18.55 |
| 2390.00 | Е | Peak | 53.46 | 2.48 | 55.94 | 74.00 | -18.06 |

| Operation Band | :802.11 n20M | Test Date | :2014-06-10 |
|-----------------------|----------------|--------------------------|-------------------|
| Fundamental Frequency | :2412 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :Band Edge LOW | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | Е | Average | 34.53 | 2.48 | 37.01 | 54.00 | -16.99 |
| 2390.00 | Е | Peak | 57.35 | 2.48 | 59.83 | 74.00 | -14.17 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 45 of 135

| Operation Band | :802.11 n20M | Test Date | :2014-06-10 |
|-----------------------|-----------------|--------------------------|-------------------|
| Fundamental Frequency | :2462 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :Band Edge HIGH | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :VERTICAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note : "F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | Е | Average | 33.27 | 2.84 | 36.11 | 54.00 | -17.89 |
| 2483.50 | Е | Peak | 55.02 | 2.84 | 57.86 | 74.00 | -16.14 |

| Operation Band | :802.11 n20M | Test Date | :2014-06-10 |
|-----------------------|-----------------|--------------------------|-------------------|
| Fundamental Frequency | :2462 MHz | Temp./Humi. | :20.3deg C /58 RH |
| Operation Mode | :Band Edge HIGH | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note : "F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | Е | Average | 38.10 | 2.84 | 40.94 | 54.00 | -13.06 |
| 2483.50 | Е | Peak | 62.78 | 2.84 | 65.62 | 74.00 | -8.38 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Fine Solution in the Solution in the Solution in the Solution of Solution Solution (Solution Solution) (Solution) (Sol tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



10 SPURIOUS EMISSION TEST 10.1 Standard Applicable

According to §15.247(d),

Emission at antenna port:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB.

Radiated Spurious Emission

Attenuation below the general limits specified in § 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

10.2 Measurement Equipment Used:

10.2.1 Conducted Emission at antenna port:

Refer to section 7.2 for details.

10.2.2 Radiated emission:

Refer to section 9.2.2 for details.

10.3 Test SET-UP:

10.3.1 Conducted Emission at antenna port:

Refer to section 7.3 for details.

10.3.2 Radiated emission:

Refer to section 9.3.2 for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



10.4 Measurement Procedure:

Radiated Emission:

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 3. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 4. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 5. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 6. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 7. Repeat above procedures until all default test channel measured were complete.

Conducted Emission:

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. Set RBW = 100K & VBW = 300K on Spectrum.
- Sweep the frequency to determine spurious emission as seen on spectrum from span of 30 to 3G, 3G to 8G, 8G to 13G, 13G to 18G and 18G to 26.5GHz, 18G to 40GHz (applicable if operation mode is 5GHz)
- 4. Via Software, combine 5 spans of frequency range into one plot
- 5. Repeat above procedures until all default test channel measured were complete.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

| Where | FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) |
|-------|------------------------|--|
| | RA = Reading Amplitude | AG = Amplifier Gain |
| | AF = Antenna Factor | |

10.6 Measurement Result:

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and state the four result of the state of th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Conducted Spurious Emission Measurement Result (802.11b) Ch Low 30MHz - 3GHz



Ch Low 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


WeifS of all weights and the results and state the four result of the state of th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Ch Mid 30MHz – 3GHz



Ch Mid 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Ch High 30MHz – 3GHz



Ch High 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Conducted Spurious Emission Measurement Result (802.11g) Ch Low 30MHz – 3GHz



Ch Low 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


WeifS of all weights and the results and state the four result of the state of th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Ch Mid 30MHz – 3GHz



Ch Mid 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Ch High 30MHz – 3GHz



Ch High 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Conducted Spurious Emission Measurement Result (802.11n_20M) Ch Low 30MHz – 3GHz



Ch Low 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


WeifS of all weights and the results and state the four result of the state of th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Ch Mid 30MHz – 3GHz



Ch Mid 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Ch High 30MHz – 3GHz



Ch High 3GHz – 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Radiated Spurious Emission Measurement Result (802.11b)

| 1 b Test Date | :2014-06-10 |
|-------------------|--------------------------------|
| MHz Temp./Humi. | :20.3deg_C /58 RH |
| OW Engineer | :Curry |
| me Measurement An | ntenna Pol. :VERTICAL |
| | MHz Temp./Humi. OW Engineer |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

24120.00

Η

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 72.68 | S | Peak | 52.42 | -15.74 | 36.68 | 40.00 | -3.32 |
| 260.86 | S | Peak | 43.01 | -12.61 | 30.40 | 46.00 | -15.60 |
| 292.87 | S | Peak | 44.62 | -11.35 | 33.27 | 46.00 | -12.73 |
| 358.83 | S | Peak | 39.30 | -9.94 | 29.36 | 46.00 | -16.64 |
| 390.84 | S | Peak | 38.08 | -9.28 | 28.80 | 46.00 | -17.20 |
| 663.41 | S | Peak | 34.15 | -4.26 | 29.89 | 46.00 | -16.11 |
| 4824.00 | Н | Average | 25.05 | 6.85 | 31.90 | 54.00 | -22.10 |
| 4824.00 | Н | Peak | 37.41 | 6.85 | 44.26 | 74.00 | -29.74 |
| 7236.00 | Н | | | | | | |
| 9648.00 | Н | | | | | | |
| 12060.00 | Н | | | | | | |
| 14472.00 | Н | | | | | | |
| 16884.00 | Н | | | | | | |
| 19296.00 | Н | | | | | | |
| 21708.00 | Н | | | | | | |



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 59 of 135

| Operation Band | :802.11 b | Test Date | :2014-06-10 |
|-----------------------|-----------|--------------------------|-------------------|
| Fundamental Frequency | :2412 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX LOW | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

"---": denotes Noise Floor.

| Freq. | Note | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|----------|-----------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| IVIIIZ | 17/11/L/S | | ασμν | цD | ασμν/ ΠΙ | ασμνγιιι | ųD |
| 71.71 | S | Peak | 51.62 | -15.54 | 36.08 | 40.00 | -3.92 |
| 144.46 | S | Peak | 44.28 | -12.95 | 31.33 | 43.50 | -12.17 |
| 325.85 | S | Peak | 43.85 | -10.81 | 33.04 | 46.00 | -12.96 |
| 331.67 | S | Peak | 42.79 | -10.71 | 32.08 | 46.00 | -13.92 |
| 357.86 | S | Peak | 43.68 | -9.96 | 33.72 | 46.00 | -12.28 |
| 389.87 | S | Peak | 39.59 | -9.29 | 30.30 | 46.00 | -15.70 |
| 4824.00 | Н | Average | 25.28 | 6.85 | 32.13 | 54.00 | -21.87 |
| 4824.00 | Н | Peak | 37.35 | 6.85 | 44.20 | 74.00 | -29.80 |
| 7236.00 | Н | | | | | | |
| 9648.00 | Н | | | | | | |
| 12060.00 | Н | | | | | | |
| 14472.00 | Н | | | | | | |
| 16884.00 | Н | | | | | | |
| 19296.00 | Н | | | | | | |
| 21708.00 | Н | | | | | | |
| 24120.00 | Н | | | | | | |



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 60 of 135

| Operation Band | :802.11 b | Test Date | :2014-06-10 |
|-----------------------|-----------|--------------------------|-------------------|
| Fundamental Frequency | :2437 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX MID | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :VERTICAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

"---": denotes Noise Floor.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 71.71 | S | Peak | 51.59 | -15.54 | 36.05 | 40.00 | -3.95 |
| 259.89 | S | Peak | 43.45 | -12.66 | 30.79 | 46.00 | -15.21 |
| 292.87 | S | Peak | 44.52 | -11.35 | 33.17 | 46.00 | -12.83 |
| 357.86 | S | Peak | 39.33 | -9.96 | 29.37 | 46.00 | -16.63 |
| 389.87 | S | Peak | 37.36 | -9.29 | 28.07 | 46.00 | -17.93 |
| 664.38 | S | Peak | 32.60 | -4.23 | 28.37 | 46.00 | -17.63 |
| 4874.00 | Н | Average | 25.17 | 6.93 | 32.10 | 54.00 | -21.90 |
| 4874.00 | Н | Peak | 37.06 | 6.93 | 43.99 | 74.00 | -30.01 |
| 7311.00 | Н | | | | | | |
| 9748.00 | Н | | | | | | |
| 12185.00 | Н | | | | | | |
| 14622.00 | Н | | | | | | |
| 17059.00 | Н | | | | | | |
| 19496.00 | Н | | | | | | |
| 21933.00 | Н | | | | | | |
| 24370.00 | Н | | | | | | |



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 61 of 135

| Operation Band | :802.11 b | Test Date | :2014-06-10 |
|-----------------------|-----------|--------------------------|-------------------|
| Fundamental Frequency | :2437 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX MID | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

"---": denotes Noise Floor.

24370.00

Η

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|-----------------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 71.71 | S | Peak | 50.81 | -15.54 | 35.27 | 40.00 | -4.73 |
| 144.46 | S | Peak | 43.50 | -12.95 | 30.55 | 43.50 | -12.95 |
| 156.10 | S | Peak | 42.29 | -12.48 | 29.81 | 43.50 | -13.69 |
| 325.85 | S | Peak | 43.41 | -10.81 | 32.60 | 46.00 | -13.40 |
| 357.86 | S | Peak | 43.57 | -9.96 | 33.61 | 46.00 | -12.39 |
| 390.84 | S | Peak | 40.83 | -9.28 | 31.55 | 46.00 | -14.45 |
| 4874.00 | Н | Average | 25.25 | 6.93 | 32.18 | 54.00 | -21.82 |
| 4874.00 | Н | Peak | 37.35 | 6.93 | 44.28 | 74.00 | -29.72 |
| 7311.00 | Н | | | | | | |
| 9748.00 | Н | | | | | | |
| 12185.00 | Н | | | | | | |
| 14622.00 | Н | | | | | | |
| 17059.00 | Н | | | | | | |
| 19496.00 | Н | | | | | | |
| 21933.00 | Н | | | | | | |
| • • • • • • • • | | | | | | | |



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 62 of 135

| Operation Band | :802.11 b | Test Date | :2014-06-10 |
|-----------------------|-----------|--------------------------|-------------------|
| Fundamental Frequency | :2462 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX HIGH | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :VERTICAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

"---": denotes Noise Floor.

| Freq. | Note | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|----------|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | · | | • | • | |
| 69.77 | S | Peak | 51.55 | -15.17 | 36.38 | 40.00 | -3.62 |
| 259.89 | S | Peak | 42.84 | -12.66 | 30.18 | 46.00 | -15.82 |
| 292.87 | S | Peak | 44.31 | -11.35 | 32.96 | 46.00 | -13.04 |
| 357.86 | S | Peak | 39.49 | -9.96 | 29.53 | 46.00 | -16.47 |
| 390.84 | S | Peak | 37.45 | -9.28 | 28.17 | 46.00 | -17.83 |
| 461.65 | S | Peak | 34.35 | -7.89 | 26.46 | 46.00 | -19.54 |
| 4924.00 | Н | Average | 24.45 | 6.99 | 31.44 | 54.00 | -22.56 |
| 4924.00 | Н | Peak | 37.36 | 6.99 | 44.35 | 74.00 | -29.65 |
| 7386.00 | Н | | | | | | |
| 9848.00 | Н | | | | | | |
| 12310.00 | Н | | | | | | |
| 14772.00 | Н | | | | | | |
| 17234.00 | Н | | | | | | |
| 19696.00 | Н | | | | | | |
| 22158.00 | Н | | | | | | |
| 24620.00 | Н | | | | | | |



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 63 of 135

| Operation Band | :802.11 b | Test Date | :2014-06-10 |
|-----------------------|-----------|--------------------------|-------------------|
| Fundamental Frequency | :2462 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX HIGH | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

"---": denotes Noise Floor.

24620.00

Η

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV∕m | dBµV/m | dB |
| | | | | | | | |
| 69.77 | S | Peak | 51.22 | -15.17 | 36.05 | 40.00 | -3.95 |
| 143.49 | S | Peak | 44.32 | -12.99 | 31.33 | 43.50 | -12.17 |
| 292.87 | S | Peak | 42.86 | -11.35 | 31.51 | 46.00 | -14.49 |
| 324.88 | S | Peak | 43.81 | -10.82 | 32.99 | 46.00 | -13.01 |
| 357.86 | S | Peak | 43.91 | -9.96 | 33.95 | 46.00 | -12.05 |
| 390.84 | S | Peak | 40.00 | -9.28 | 30.72 | 46.00 | -15.28 |
| 4924.00 | Н | Average | 26.39 | 6.99 | 33.38 | 54.00 | -20.62 |
| 4924.00 | Н | Peak | 37.34 | 6.99 | 44.33 | 74.00 | -29.67 |
| 7386.00 | Н | | | | | | |
| 9848.00 | Н | | | | | | |
| 12310.00 | Н | | | | | | |
| 14772.00 | Н | | | | | | |
| 17234.00 | Н | | | | | | |
| 19696.00 | Н | | | | | | |
| 22158.00 | Н | | | | | | |
| | | | | | | | |



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 64 of 135

Radiated Spurious Emission Measurement Result (802.11g)

| :802.11 g |
|-----------|
| :2412 MHz |
| :TX LOW |
| :H Plane |
| |

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg C/58 RH :Curry :VERTICAL

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

"---" : denotes Noise Floor.

Η

24120.00

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 69.77 | S | Peak | 51.34 | -15.17 | 36.17 | 40.00 | -3.83 |
| 259.89 | S | Peak | 43.45 | -12.66 | 30.79 | 46.00 | -15.21 |
| 292.87 | S | Peak | 43.27 | -11.35 | 31.92 | 46.00 | -14.08 |
| 357.86 | S | Peak | 38.77 | -9.96 | 28.81 | 46.00 | -17.19 |
| 389.87 | S | Peak | 37.66 | -9.29 | 28.37 | 46.00 | -17.63 |
| 670.20 | S | Peak | 32.84 | -4.05 | 28.79 | 46.00 | -17.21 |
| 4824.00 | Н | Average | 25.39 | 6.85 | 32.24 | 54.00 | -21.76 |
| 4824.00 | Н | Peak | 38.52 | 6.85 | 45.37 | 74.00 | -28.63 |
| 7236.00 | Н | | | | | | |
| 9648.00 | Н | | | | | | |
| 12060.00 | Н | | | | | | |
| 14472.00 | Н | | | | | | |
| 16884.00 | Н | | | | | | |
| 19296.00 | Н | | | | | | |
| 21708.00 | Н | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 65 of 135

| Operation Band | :802.11 g | Test Date | :2014-06-10 |
|-----------------------|-----------|--------------------------|-------------------|
| Fundamental Frequency | :2412 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX LOW | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note : "F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

24120.00

Η

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 72.68 | S | Peak | 51.06 | -15.74 | 35.32 | 40.00 | -4.68 |
| 144.46 | S | Peak | 43.72 | -12.95 | 30.77 | 43.50 | -12.73 |
| 324.88 | S | Peak | 43.54 | -10.82 | 32.72 | 46.00 | -13.28 |
| 357.86 | S | Peak | 43.13 | -9.96 | 33.17 | 46.00 | -12.83 |
| 390.84 | S | Peak | 40.80 | -9.28 | 31.52 | 46.00 | -14.48 |
| 422.85 | S | Peak | 36.65 | -8.79 | 27.86 | 46.00 | -18.14 |
| 4824.00 | Н | Average | 25.50 | 6.85 | 32.35 | 54.00 | -21.65 |
| 4824.00 | Н | Peak | 38.75 | 6.85 | 45.60 | 74.00 | -28.40 |
| 7236.00 | Н | | | | | | |
| 9648.00 | Н | | | | | | |
| 12060.00 | Н | | | | | | |
| 14472.00 | Н | | | | | | |
| 16884.00 | Н | | | | | | |
| 19296.00 | Н | | | | | | |
| 21708.00 | Н | | | | | | |



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 66 of 135

| Operation Band Fundamental Frequency | :802.11 g :2437 MHz | Test Date Temp./Humi. | :2014-06-10 :20.3deg C/58 RH |
|---|------------------------|--------------------------|---------------------------------|
| Operation Mode | :TX MID | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :VERTICAL |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---" : denotes Noise Floor.

24370.00

Η

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 71.71 | S | Peak | 52.26 | -15.54 | 36.72 | 40.00 | -3.28 |
| 259.89 | S | Peak | 42.99 | -12.66 | 30.33 | 46.00 | -15.67 |
| 292.87 | S | Peak | 43.03 | -11.35 | 31.68 | 46.00 | -14.32 |
| 357.86 | S | Peak | 39.14 | -9.96 | 29.18 | 46.00 | -16.82 |
| 390.84 | S | Peak | 37.05 | -9.28 | 27.77 | 46.00 | -18.23 |
| 662.44 | S | Peak | 33.73 | -4.30 | 29.43 | 46.00 | -16.57 |
| 4874.00 | Н | Average | 25.04 | 6.93 | 31.97 | 54.00 | -22.03 |
| 4874.00 | Н | Peak | 38.50 | 6.93 | 45.43 | 74.00 | -28.57 |
| 7311.00 | Н | | | | | | |
| 9748.00 | Н | | | | | | |
| 12185.00 | Н | | | | | | |
| 14622.00 | Н | | | | | | |
| 17059.00 | Н | | | | | | |
| 19496.00 | Н | | | | | | |
| 21933.00 | Н | | | | | | |



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 67 of 135

| Operation Band Fundamental Frequency | :802.11 g :2437 MHz | Test Date Temp./Humi. | :2014-06-10 :20.3deg C/58 RH |
|---|------------------------|--------------------------|---------------------------------|
| Operation Mode | :TX MID | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

24370.00

Η

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 71.71 | S | Peak | 51.36 | -15.54 | 35.82 | 40.00 | -4.18 |
| 144.46 | S | Peak | 44.77 | -12.95 | 31.82 | 43.50 | -11.68 |
| 292.87 | S | Peak | 41.06 | -11.35 | 29.71 | 46.00 | -16.29 |
| 325.85 | S | Peak | 43.46 | -10.81 | 32.65 | 46.00 | -13.35 |
| 357.86 | S | Peak | 43.17 | -9.96 | 33.21 | 46.00 | -12.79 |
| 389.87 | S | Peak | 40.90 | -9.29 | 31.61 | 46.00 | -14.39 |
| 4874.00 | Н | Average | 25.22 | 6.93 | 32.15 | 54.00 | -21.85 |
| 4874.00 | Н | Peak | 38.00 | 6.93 | 44.93 | 74.00 | -29.07 |
| 7311.00 | Н | | | | | | |
| 9748.00 | Н | | | | | | |
| 12185.00 | Н | | | | | | |
| 14622.00 | Н | | | | | | |
| 17059.00 | Н | | | | | | |
| 19496.00 | Н | | | | | | |
| 21933.00 | Н | | | | | | |



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 68 of 135

| Operation Band | :802.11 g | Test Date | :2014-06-10 |
|-----------------------|-----------|--------------------------|-------------------|
| Fundamental Frequency | :2462 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX HIGH | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :VERTICAL |
| | _ | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

24620.00

Η

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 71.71 | S | Peak | 52.45 | -15.54 | 36.91 | 40.00 | -3.09 |
| 259.89 | S | Peak | 42.94 | -12.66 | 30.28 | 46.00 | -15.72 |
| 292.87 | S | Peak | 43.30 | -11.35 | 31.95 | 46.00 | -14.05 |
| 357.86 | S | Peak | 39.09 | -9.96 | 29.13 | 46.00 | -16.87 |
| 390.84 | S | Peak | 37.28 | -9.28 | 28.00 | 46.00 | -18.00 |
| 462.62 | S | Peak | 34.46 | -7.86 | 26.60 | 46.00 | -19.40 |
| 4924.00 | Н | Average | 24.32 | 6.99 | 31.31 | 54.00 | -22.69 |
| 4924.00 | Н | Peak | 37.93 | 6.99 | 44.92 | 74.00 | -29.08 |
| 7386.00 | Н | | | | | | |
| 9848.00 | Н | | | | | | |
| 12310.00 | Н | | | | | | |
| 14772.00 | Н | | | | | | |
| 17234.00 | Н | | | | | | |
| 19696.00 | Н | | | | | | |
| 22158.00 | Н | | | | | | |



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 69 of 135

| Operation Band | :802.11 g | Test Date | :2014-06-10 |
|-----------------------|-----------|--------------------------|-------------------|
| Fundamental Frequency | :2462 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX HIGH | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---" : denotes Noise Floor.

24620.00

Η

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 70.74 | S | Peak | 52.26 | -15.35 | 36.91 | 40.00 | -3.09 |
| 143.49 | S | Peak | 43.95 | -12.99 | 30.96 | 43.50 | -12.54 |
| 325.85 | S | Peak | 43.48 | -10.81 | 32.67 | 46.00 | -13.33 |
| 357.86 | S | Peak | 42.52 | -9.96 | 32.56 | 46.00 | -13.44 |
| 390.84 | S | Peak | 41.68 | -9.28 | 32.40 | 46.00 | -13.60 |
| 431.58 | S | Peak | 37.75 | -8.82 | 28.93 | 46.00 | -17.07 |
| 4924.00 | Н | Average | 26.36 | 6.99 | 33.35 | 54.00 | -20.65 |
| 4924.00 | Н | Peak | 38.96 | 6.99 | 45.95 | 74.00 | -28.05 |
| 7386.00 | Н | | | | | | |
| 9848.00 | Н | | | | | | |
| 12310.00 | Н | | | | | | |
| 14772.00 | Н | | | | | | |
| 17234.00 | Н | | | | | | |
| 19696.00 | Н | | | | | | |
| 22158.00 | Н | | | | | | |
| | | | | | | | |



Radiated Spurious Emission Measurement Result (802.11n_20M)

| Operation Band | :802.11 n20M | Test Date | :2014-06-10 |
|-----------------------|--------------|--------------------------|-------------------|
| Fundamental Frequency | :2412 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX LOW | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :VERTICAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

"---" : denotes Noise Floor.

24120.00

Η

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 69.77 | S | Peak | 52.09 | -15.17 | 36.92 | 40.00 | -3.08 |
| 259.89 | S | Peak | 46.77 | -12.66 | 34.11 | 46.00 | -11.89 |
| 292.87 | S | Peak | 44.91 | -11.35 | 33.56 | 46.00 | -12.44 |
| 357.86 | S | Peak | 39.07 | -9.96 | 29.11 | 46.00 | -16.89 |
| 389.87 | S | Peak | 37.33 | -9.29 | 28.04 | 46.00 | -17.96 |
| 683.78 | S | Peak | 33.18 | -3.63 | 29.55 | 46.00 | -16.45 |
| 4824.00 | Н | Average | 24.76 | 6.85 | 31.61 | 54.00 | -22.39 |
| 4824.00 | Н | Peak | 37.74 | 6.85 | 44.59 | 74.00 | -29.41 |
| 7236.00 | Н | | | | | | |
| 9648.00 | Н | | | | | | |
| 12060.00 | Н | | | | | | |
| 14472.00 | Н | | | | | | |
| 16884.00 | Н | | | | | | |
| 19296.00 | Н | | | | | | |
| 21708.00 | Н | | | | | | |
| | | | | | | | |



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 71 of 135

| Operation Band | :802.11 n20M | Test Date | :2014-06-10 |
|-----------------------|--------------|--------------------------|-------------------|
| Fundamental Frequency | :2412 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX LOW | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

"---": denotes Noise Floor.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 72.68 | S | Peak | 51.76 | -15.74 | 36.02 | 40.00 | -3.98 |
| 144.46 | S | Peak | 43.82 | -12.95 | 30.87 | 43.50 | -12.63 |
| 260.86 | S | Peak | 44.18 | -12.61 | 31.57 | 46.00 | -14.43 |
| 325.85 | S | Peak | 43.47 | -10.81 | 32.66 | 46.00 | -13.34 |
| 357.86 | S | Peak | 43.58 | -9.96 | 33.62 | 46.00 | -12.38 |
| 389.87 | S | Peak | 39.79 | -9.29 | 30.50 | 46.00 | -15.50 |
| 4824.00 | Н | Average | 24.95 | 6.85 | 31.80 | 54.00 | -22.20 |
| 4824.00 | Н | Peak | 37.43 | 6.85 | 44.28 | 74.00 | -29.72 |
| 7236.00 | Н | | | | | | |
| 9648.00 | Н | | | | | | |
| 12060.00 | Н | | | | | | |
| 14472.00 | Н | | | | | | |
| 16884.00 | Н | | | | | | |
| 19296.00 | Н | | | | | | |
| 21708.00 | Н | | | | | | |
| 24120.00 | Н | | | | | | |



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 72 of 135

| Operation Band | :802.11 n20M | Test Date | :2014-06-10 |
|-----------------------|--------------|--------------------------|-------------------|
| Fundamental Frequency | :2437 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX MID | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :VERTICAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

"---": denotes Noise Floor.

24370.00

Η

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 69.77 | S | Peak | 52.11 | -15.17 | 36.94 | 40.00 | -3.06 |
| 260.86 | S | Peak | 46.49 | -12.61 | 33.88 | 46.00 | -12.12 |
| 292.87 | S | Peak | 44.44 | -11.35 | 33.09 | 46.00 | -12.91 |
| 357.86 | S | Peak | 39.26 | -9.96 | 29.30 | 46.00 | -16.70 |
| 390.84 | S | Peak | 37.68 | -9.28 | 28.40 | 46.00 | -17.60 |
| 665.35 | S | Peak | 33.87 | -4.20 | 29.67 | 46.00 | -16.33 |
| 4874.00 | Н | Average | 24.96 | 6.93 | 31.89 | 54.00 | -22.11 |
| 4874.00 | Н | Peak | 38.00 | 6.93 | 44.93 | 74.00 | -29.07 |
| 7311.00 | Н | | | | | | |
| 9748.00 | Н | | | | | | |
| 12185.00 | Н | | | | | | |
| 14622.00 | Н | | | | | | |
| 17059.00 | Н | | | | | | |
| 19496.00 | Н | | | | | | |
| 21933.00 | Н | | | | | | |
| | | | | | | | |



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 73 of 135

| Operation Band | :802.11 n20M | Test Date | :2014-06-10 |
|-----------------------|--------------|--------------------------|-------------------|
| Fundamental Frequency | :2437 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX MID | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

"---": denotes Noise Floor.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 71.71 | S | Peak | 52.05 | -15.54 | 36.51 | 40.00 | -3.49 |
| 144.46 | S | Peak | 44.23 | -12.95 | 31.28 | 43.50 | -12.22 |
| 259.89 | S | Peak | 43.89 | -12.66 | 31.23 | 46.00 | -14.77 |
| 325.85 | S | Peak | 43.27 | -10.81 | 32.46 | 46.00 | -13.54 |
| 357.86 | S | Peak | 43.96 | -9.96 | 34.00 | 46.00 | -12.00 |
| 390.84 | S | Peak | 39.72 | -9.28 | 30.44 | 46.00 | -15.56 |
| 4874.00 | Н | Average | 25.11 | 6.93 | 32.04 | 54.00 | -21.96 |
| 4874.00 | Н | Peak | 38.30 | 6.93 | 45.23 | 74.00 | -28.77 |
| 7311.00 | Н | | | | | | |
| 9748.00 | Н | | | | | | |
| 12185.00 | Н | | | | | | |
| 14622.00 | Н | | | | | | |
| 17059.00 | Н | | | | | | |
| 19496.00 | Н | | | | | | |
| 21933.00 | Н | | | | | | |
| 24370.00 | Н | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's environment of the provention of the provention of the company's findings at the time of the intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 74 of 135

| Operation Band | :802.11 n20M | Test Date | :2014-06-10 |
|-----------------------|--------------|--------------------------|-------------------|
| Fundamental Frequency | :2462 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX HIGH | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :VERTICAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

"---": denotes Noise Floor.

24620.00

Η

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 69.77 | S | Peak | 51.67 | -15.17 | 36.50 | 40.00 | -3.50 |
| 259.89 | S | Peak | 46.30 | -12.66 | 33.64 | 46.00 | -12.36 |
| 292.87 | S | Peak | 44.65 | -11.35 | 33.30 | 46.00 | -12.70 |
| 357.86 | S | Peak | 38.93 | -9.96 | 28.97 | 46.00 | -17.03 |
| 390.84 | S | Peak | 37.15 | -9.28 | 27.87 | 46.00 | -18.13 |
| 667.29 | S | Peak | 32.50 | -4.13 | 28.37 | 46.00 | -17.63 |
| 4924.00 | Н | Average | 24.19 | 6.99 | 31.18 | 54.00 | -22.82 |
| 4924.00 | Н | Peak | 37.31 | 6.99 | 44.30 | 74.00 | -29.70 |
| 7386.00 | Н | | | | | | |
| 9848.00 | Н | | | | | | |
| 12310.00 | Н | | | | | | |
| 14772.00 | Н | | | | | | |
| 17234.00 | Н | | | | | | |
| 19696.00 | Н | | | | | | |
| 22158.00 | Н | | | | | | |
| | | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's environment of the provention of the provention of the company's findings at the time of the intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 75 of 135

| Operation Band | :802.11 n20M | Test Date | :2014-06-10 |
|-----------------------|--------------|--------------------------|-------------------|
| Fundamental Frequency | :2462 MHz | Temp./Humi. | :20.3deg_C /58 RH |
| Operation Mode | :TX HIGH | Engineer | :Curry |
| EUT Pol. | :H Plane | Measurement Antenna Pol. | :HORIZONTAL |
| | | | |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. Note :

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

"---": denotes Noise Floor.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| 70.74 | S | Peak | 51.99 | -15.35 | 36.64 | 40.00 | -3.36 |
| 144.46 | S | Peak | 43.75 | -12.95 | 30.80 | 43.50 | -12.70 |
| 292.87 | S | Peak | 42.48 | -11.35 | 31.13 | 46.00 | -14.87 |
| 324.88 | S | Peak | 43.52 | -10.82 | 32.70 | 46.00 | -13.30 |
| 358.83 | S | Peak | 43.68 | -9.94 | 33.74 | 46.00 | -12.26 |
| 389.87 | S | Peak | 41.29 | -9.29 | 32.00 | 46.00 | -14.00 |
| 4924.00 | Н | Average | 25.56 | 6.99 | 32.55 | 54.00 | -21.45 |
| 4924.00 | Н | Peak | 37.80 | 6.99 | 44.79 | 74.00 | -29.21 |
| 7386.00 | Н | | | | | | |
| 9848.00 | Н | | | | | | |
| 12310.00 | Н | | | | | | |
| 14772.00 | Н | | | | | | |
| 17234.00 | Н | | | | | | |
| 19696.00 | Н | | | | | | |
| 22158.00 | Н | | | | | | |
| 24620.00 | Н | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's environment of the provention of the provention of the company's findings at the time of the intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



11 PEAK POWER SPECTRAL DENSITY

11.1 Standard Applicable:

According to §15.247(e) For digitally modulated systems, the power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission. This power spectral density shall be determined in accordance with the provisions of paragraph (b) of this section. The same method of determining the conducted output power shall be used to determine the power spectral density.

11.2 Measurement Equipment Used:

Refer to section 7.2 for details.

11.3 Test Set-up:

Refer to section 7.3 for details. (Spectrum Option)

11.4 Measurement Procedure (following the measurement procedure 10.2 of KDB558074):

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. Set the span to 1.5 times the DTS channel bandwidth.
- 3. Set the RBW \geq 3 kHz.
- 4. Set the VBW \geq 3 x RBW.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.
- 10. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



11.5 Measurement Result:

802.11b

| Frequency | RF Power Density | Maximum Limit |
|-----------|-------------------------|---------------|
| MHz | Reading (dBm) | (dBm) |
| 2412 | -7.29 | 8 |
| 2437 | -8.19 | 8 |
| 2462 | -9.45 | 8 |

802.11g

| Frequency | RF Power Density | Maximum Limit |
|-----------|-------------------------|---------------|
| MHz | Reading (dBm) | (dBm) |
| 2412 | -10.71 | 8 |
| 2437 | -11.22 | 8 |
| 2462 | -12.11 | 8 |

802.11n 20M

| Frequency | RF Power Density | Maximum Limit |
|-----------|-------------------------|---------------|
| MHz | Reading (dBm) | (dBm) |
| 2412 | -15.42 | 8 |
| 2437 | -15.47 | 8 |
| 2462 | -14.97 | 8 |


* Note: Offset 10.5dB for 2.4G 802.11b/g/n_20


*Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised to the fullet extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11b






Power Spectral Density Test Plot (CH-Mid)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and state the four result of the state of th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Power Spectral Density Test Plot (CH-High)

802.11g


Power Spectral Density Test Plot (CH-Low)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


WeifS of all weights and the results and state the four result of the state of th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Power Spectral Density Test Plot (CH-Mid)

Power Spectral Density Test Plot (CH-High)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 81 of 135

802.11n 20M



Power Spectral Density Test Plot (CH-Low)






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and state the four result of the state of th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Power Spectral Density Test Plot (CH-High)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



12 ANTENNA REQUIREMENT

12.1 Standard Applicable:

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

12.2 Antenna Connected Construction:

The directional gains of antenna used for transmitting is -2.5dBi. In addition, the antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

時非另有説明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90.tto 為報告未經本公司書面許可,不可能份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 84 of 135

APPENDIX 1 MEASUREMENT PLOT OF RADIATED SPURIOUS EMISSION

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Band Edges Radiated Emission:


Note: The emission that surpasses the limit of peak represents the fundamental emission of the operation that does not account to be conformed to the limit of the interest.

802.11b

| Operation Band |
|-----------------------|
| Fundamental Frequency |
| Operation Mode |
| EUT Pol |

:802.11 b :2412 MHz :Band Edge LOW :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :Ver. / Hor.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.tw.sgs.com | |
|--------------|---------------------|---------------------|----------------|--|
| | | | | |





Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 86 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 b :2462 MHz :Band Edge HIGH :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :Ver. / Hor.





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 87 of 135

802.11g

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11 g :2412 MHz :Band Edge LOW :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :Ver. / Hor.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 88 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 g :2462 MHz :Band Edge HIGH :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :Ver. / Hor.





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 89 of 135

11n_20 (2.4GHz)

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11 n20M :2412 MHz :Band Edge LOW :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :Ver. / Hor.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contention is stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relative for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 90 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 n20M :2462 MHz :Band Edge HIGH :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :Ver. / Hor.





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 91 of 135


Radiated Spurious Emission Measurement photos Result (below 1GHz)


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 b :2412 MHz :TX LOW :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2014-06-10 :20.3deg_C /58 RH :Curry :Ver. / Hor.





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



:802.11 b

Operation Band

FCC ID: APYHRO00204

Test Date

Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 92 of 135

:2014-06-10

Fundamental Frequency :2437 MHz Temp./Humi. :20.3deg_C /58 RH **Operation Mode** :TX MID Engineer :Curry EUT Pol. :H Plan Measurement Antenna Pol. :Ver. / Hor. Level (dBuV/m) 97 90 80 70 60 FCC RSE-QP 50 40 3 30 20 10 0<mark>____</mark> 224 418. 612. 806. 1000 Frequency (MHz) Level (dBuV/m) 97 90 80 70 60 FCC RSE-QP 50 40 30 Murth 20

10 0<u>___</u> 30 418 1000 224. 612. 806. Frequency (MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 93 of 135

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11 b :2462 MHz :TX HIGH :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :Ver. / Hor.






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 94 of 135



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 95 of 135



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleart's environment of the provention of the provention of the company's findings at the time of the intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 96 of 135


Operation Band Fundamental Frequency Operation Mode EUT Pol.

> 20 10

> > 0<u>___</u> 30

:802.11 g :2462 MHz :TX HIGH :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :Ver. / Hor.



418

224

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Frequency (MHz)

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

612.

806.

1000





Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 97 of 135

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11 n20M :2412 MHz :TX LOW :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :Ver. / Hor.





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 98 of 135

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11 n20M :2437 MHz :TX MID :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :Ver. / Hor.





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 99 of 135

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11 n20M :2462 MHz :TX HIGH :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :Ver. / Hor.





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 100 of 135


Radiated Spurious Emission Measurement photos Result (above 1GHz)


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 b :2412 MHz :TX LOW :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2014-06-10 :20.3deg_C /58 RH :Curry :VERTICAL






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 101 of 135



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 102 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 b :2412 MHz :TX LOW :H Plane


Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :HORIZONTAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 103 of 135




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 104 of 135



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 106 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 b :2437 MHz :TX MID :H Plane


Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2014-06-10 :20.3deg_C /58 RH :Curry :HORIZONTAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 108 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11 b :2462 MHz :TX HIGH :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :VERTICAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 110 of 135



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 111 of 135



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 112 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11 g :2412 MHz :TX LOW :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :VERTICAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 114 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 g :2412 MHz :TX LOW : H Plane


Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2014-06-10 :20.3deg_C /58 RH :Curry :HORIZONTAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 116 of 135



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 118 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 g :2437 MHz :TX MID :H Plane


Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2014-06-10 :20.3deg_C /58 RH :Curry :HORIZONTAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 120 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11 g :2462 MHz :TX HIGH :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :VERTICAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 122 of 135



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 124 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11 n20M :2412 MHz :TX LOW :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :VERTICAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 126 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 n20M :2412 MHz :TX LOW :H Plane


Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2014-06-10 :20.3deg_C /58 RH :Curry :HORIZONTAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 128 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11 n20M :2437 MHz :TX MID :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg_C /58 RH :Curry :VERTICAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 130 of 135


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 n20M :2437 MHz :TX MID :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.


:2014-06-10 :20.3deg_C /58 RH :Curry :HORIZONTAL





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



20 10

0<mark>8000</mark>

FCC ID: APYHRO00204

Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 132 of 135


:2014-06-10

:VERTICAL

:Curry

:20.3deg C /58 RH

Operation Band :802.11 n20M Test Date Fundamental Frequency :2462 MHz Temp./Humi. **Operation Mode** :TX HIGH Engineer EUT Pol. :H Plane Measurement Antenna Pol. 97



12000.

10000.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Frequency (MHz)


S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

14000.

16000.

18000





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/50096 Issue Date: Jun. 27, 2014 Page: 134 of 135

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11 n20M :2462 MHz :TX HIGH :H Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2014-06-10 :20.3deg C /58 RH :Curry :HORIZONTAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號