









Mode	22																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																											
ANT	1																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7000.30</td><td>55.15</td><td>68.20</td><td>-13.05</td><td>70.60</td><td>35.54</td><td>12.54</td><td>63.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>52.35</td><td>37.60</td><td>15.49</td><td>62.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7000.30	55.15	68.20	-13.05	70.60	35.54	12.54	63.53	0.00	--	--	PEAK	2	10620.00	43.40	74.00	-30.60	52.35	37.60	15.49	62.04	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	7000.30	55.15	68.20	-13.05	70.60	35.54	12.54	63.53	0.00	--	--	PEAK																																																																
2	10620.00	43.40	74.00	-30.60	52.35	37.60	15.49	62.04	0.00	--	--	PEAK																																																																
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7000.30</td><td>53.38</td><td>68.20</td><td>-14.82</td><td>68.83</td><td>35.54</td><td>12.54</td><td>63.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>43.75</td><td>74.00</td><td>-30.25</td><td>52.70</td><td>37.60</td><td>15.49</td><td>62.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7000.30	53.38	68.20	-14.82	68.83	35.54	12.54	63.53	0.00	--	--	PEAK	2	10620.00	43.75	74.00	-30.25	52.70	37.60	15.49	62.04	0.00	--	--	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	7000.30	53.38	68.20	-14.82	68.83	35.54	12.54	63.53	0.00	--	--	PEAK																																																																
2	10620.00	43.75	74.00	-30.25	52.70	37.60	15.49	62.04	0.00	--	--	PEAK																																																																







Mode	23																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.68</td><td>59.05</td><td>74.00</td><td>-14.95</td><td>50.81</td><td>34.54</td><td>10.96</td><td>37.26</td><td>0.00</td><td>100</td><td>24 PEAK</td></tr><tr><td>2</td><td>5467.92</td><td>64.80</td><td>68.20</td><td>-3.40</td><td>56.55</td><td>34.53</td><td>10.98</td><td>37.26</td><td>0.00</td><td>100</td><td>24 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	59.05	74.00	-14.95	50.81	34.54	10.96	37.26	0.00	100	24 PEAK	2	5467.92	64.80	68.20	-3.40	56.55	34.53	10.98	37.26	0.00	100	24 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>101.92</td><td>-----</td><td>-----</td><td>93.65</td><td>34.50</td><td>11.02</td><td>37.25</td><td>0.00</td><td>100</td><td>24 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	101.92	-----	-----	93.65	34.50	11.02	37.25	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5457.68	59.05	74.00	-14.95	50.81	34.54	10.96	37.26	0.00	100	24 PEAK																																																																																																		
2	5467.92	64.80	68.20	-3.40	56.55	34.53	10.98	37.26	0.00	100	24 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	101.92	-----	-----	93.65	34.50	11.02	37.25	0.00	100	24 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>48.66</td><td>54.00</td><td>-5.34</td><td>40.41</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>100</td><td>24 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	48.66	54.00	-5.34	40.41	34.54	10.97	37.26	0.00	100	24 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>93.32</td><td>-----</td><td>-----</td><td>85.05</td><td>34.49</td><td>11.03</td><td>37.25</td><td>0.00</td><td>100</td><td>24 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.32	-----	-----	85.05	34.49	11.03	37.25	0.00	100	24 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.92	48.66	54.00	-5.34	40.41	34.54	10.97	37.26	0.00	100	24 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	93.32	-----	-----	85.05	34.49	11.03	37.25	0.00	100	24 AVERAGE																																																																																																		



Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) 5G U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.88</td><td>49.19</td><td>68.20</td><td>-19.01</td><td>40.45</td><td>34.62</td><td>11.38</td><td>37.26</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.88	49.19	68.20	-19.01	40.45	34.62	11.38	37.26	0.00	100	24	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5757.88	49.19	68.20	-19.01	40.45	34.62	11.38	37.26	0.00	100	24	PEAK																																												





Mode	23																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>61.79</td><td>74.00</td><td>-12.21</td><td>53.54</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>175</td><td>316</td><td>PEAK</td></tr><tr><td>2</td><td>5467.76</td><td>65.61</td><td>68.20</td><td>-2.59</td><td>57.36</td><td>34.53</td><td>10.98</td><td>37.26</td><td>0.00</td><td>175</td><td>316</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	61.79	74.00	-12.21	53.54	34.54	10.97	37.26	0.00	175	316	PEAK	2	5467.76	65.61	68.20	-2.59	57.36	34.53	10.98	37.26	0.00	175	316	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>102.45</td><td>-----</td><td>-----</td><td>94.18</td><td>34.49</td><td>11.03</td><td>37.25</td><td>0.00</td><td>175</td><td>316</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.45	-----	-----	94.18	34.49	11.03	37.25	0.00	175	316
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.92	61.79	74.00	-12.21	53.54	34.54	10.97	37.26	0.00	175	316	PEAK																																																																																																				
2	5467.76	65.61	68.20	-2.59	57.36	34.53	10.98	37.26	0.00	175	316	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	102.45	-----	-----	94.18	34.49	11.03	37.25	0.00	175	316	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>48.39</td><td>54.00</td><td>-5.61</td><td>40.14</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>175</td><td>316</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	48.39	54.00	-5.61	40.14	34.54	10.97	37.26	0.00	175	316	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>93.29</td><td>-----</td><td>-----</td><td>85.02</td><td>34.49</td><td>11.03</td><td>37.25</td><td>0.00</td><td>175</td><td>316</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.29	-----	-----	85.02	34.49	11.03	37.25	0.00	175	316	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.76	48.39	54.00	-5.61	40.14	34.54	10.97	37.26	0.00	175	316	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	93.29	-----	-----	85.02	34.49	11.03	37.25	0.00	175	316	AVERAGE																																																																																																				





Mode	23	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) <	







Mode	23																																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																																																																																																														
ANT	1																																																																																																																																																																																																														
Pol.	Horizontal								Vertical																																																																																																																																																																																																						
Peak Avg																																																																																																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3" rowspan="4"></th></tr><tr><td>1</td><td>7346.48</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>68.34</td><td>35.60</td><td>12.83</td><td>63.69</td><td>0.00</td><td>100</td><td>296</td><td>PEAK</td><td colspan="2"></td></tr><tr><td>2</td><td>7346.48</td><td>51.61</td><td>54.00</td><td>-2.39</td><td>66.87</td><td>35.60</td><td>12.83</td><td>63.69</td><td>0.00</td><td>100</td><td>296</td><td>AVERAGE</td><td colspan="2"></td></tr><tr><td>3</td><td>11020.00</td><td>43.45</td><td>74.00</td><td>-30.55</td><td>51.62</td><td>37.92</td><td>15.77</td><td>61.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td colspan="2"></td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg				1	7346.48	53.08	74.00	-20.92	68.34	35.60	12.83	63.69	0.00	100	296	PEAK			2	7346.48	51.61	54.00	-2.39	66.87	35.60	12.83	63.69	0.00	100	296	AVERAGE			3	11020.00	43.45	74.00	-30.55	51.62	37.92	15.77	61.86	0.00	--	--	PEAK			<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3" rowspan="4"></th></tr><tr><td>1</td><td>7346.48</td><td>50.73</td><td>74.00</td><td>-23.27</td><td>65.99</td><td>35.60</td><td>12.83</td><td>63.69</td><td>0.00</td><td>394</td><td>126</td><td>PEAK</td><td colspan="2"></td></tr><tr><td>2</td><td>7346.48</td><td>48.45</td><td>54.00</td><td>-5.55</td><td>63.71</td><td>35.60</td><td>12.83</td><td>63.69</td><td>0.00</td><td>394</td><td>126</td><td>AVERAGE</td><td colspan="2"></td></tr><tr><td>3</td><td>11020.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>52.54</td><td>37.92</td><td>15.77</td><td>61.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td colspan="2"></td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg				1	7346.48	50.73	74.00	-23.27	65.99	35.60	12.83	63.69	0.00	394	126	PEAK			2	7346.48	48.45	54.00	-5.55	63.71	35.60	12.83	63.69	0.00	394	126	AVERAGE			3	11020.00	44.37	74.00	-29.63	52.54	37.92	15.77	61.86	0.00	--	--	PEAK	
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	7346.48	53.08	74.00	-20.92	68.34	35.60	12.83	63.69	0.00	100	296	PEAK																																																																																																																																																																																																			
2	7346.48	51.61	54.00	-2.39	66.87	35.60	12.83	63.69	0.00	100	296	AVERAGE																																																																																																																																																																																																			
3	11020.00	43.45	74.00	-30.55	51.62	37.92	15.77	61.86	0.00	--	--	PEAK																																																																																																																																																																																																			
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	7346.48	50.73	74.00	-23.27	65.99	35.60	12.83	63.69	0.00	394	126	PEAK																																																																																																																																																																																																			
2	7346.48	48.45	54.00	-5.55	63.71	35.60	12.83	63.69	0.00	394	126	AVERAGE																																																																																																																																																																																																			
3	11020.00	44.37	74.00	-29.63	52.54	37.92	15.77	61.86	0.00	--	--	PEAK																																																																																																																																																																																																			




Mode	24																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7399.82</td><td>52.89</td><td>74.00</td><td>-21.11</td><td>68.12</td><td>35.60</td><td>12.90</td><td>63.73</td><td>0.00</td><td>100</td><td>297</td><td>PEAK</td></tr><tr><td>2</td><td>7399.82</td><td>51.53</td><td>54.00</td><td>-2.47</td><td>66.76</td><td>35.60</td><td>12.90</td><td>63.73</td><td>0.00</td><td>100</td><td>297</td><td>AVERAGE</td></tr><tr><td>3</td><td>11100.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>52.60</td><td>37.98</td><td>15.83</td><td>61.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7399.82	52.89	74.00	-21.11	68.12	35.60	12.90	63.73	0.00	100	297	PEAK	2	7399.82	51.53	54.00	-2.47	66.76	35.60	12.90	63.73	0.00	100	297	AVERAGE	3	11100.00	44.58	74.00	-29.42	52.60	37.98	15.83	61.83	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	7399.82	52.89	74.00	-21.11	68.12	35.60	12.90	63.73	0.00	100	297	PEAK																																																																						
2	7399.82	51.53	54.00	-2.47	66.76	35.60	12.90	63.73	0.00	100	297	AVERAGE																																																																						
3	11100.00	44.58	74.00	-29.42	52.60	37.98	15.83	61.83	0.00	--	--	PEAK																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7399.82</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>60.55</td><td>35.60</td><td>12.90</td><td>63.73</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>52.18</td><td>37.98</td><td>15.83</td><td>61.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7399.82	45.32	74.00	-28.68	60.55	35.60	12.90	63.73	0.00	--	--	PEAK	2	11100.00	44.16	74.00	-29.84	52.18	37.98	15.83	61.83	0.00	--	--	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	7399.82	45.32	74.00	-28.68	60.55	35.60	12.90	63.73	0.00	--	--	PEAK																																																																						
2	11100.00	44.16	74.00	-29.84	52.18	37.98	15.83	61.83	0.00	--	--	PEAK																																																																						







Mode	25																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.44</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>39.00</td><td>34.50</td><td>10.84</td><td>37.29</td><td>0.00</td><td>100</td><td>20</td><td>PEAK</td></tr><tr><td>2</td><td>5465.84</td><td>46.37</td><td>68.20</td><td>-21.83</td><td>38.12</td><td>34.53</td><td>10.98</td><td>37.26</td><td>0.00</td><td>100</td><td>20</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.44	47.05	74.00	-26.95	39.00	34.50	10.84	37.29	0.00	100	20	PEAK	2	5465.84	46.37	68.20	-21.83	38.12	34.53	10.98	37.26	0.00	100	20	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>100.78</td><td>-----</td><td>-----</td><td>92.27</td><td>34.48</td><td>11.26</td><td>37.23</td><td>0.00</td><td>100</td><td>20</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.78	-----	-----	92.27	34.48	11.26	37.23	0.00	100	20	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5351.44	47.05	74.00	-26.95	39.00	34.50	10.84	37.29	0.00	100	20	PEAK																																																																																																					
2	5465.84	46.37	68.20	-21.83	38.12	34.53	10.98	37.26	0.00	100	20	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	100.78	-----	-----	92.27	34.48	11.26	37.23	0.00	100	20	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.28</td><td>37.70</td><td>54.00</td><td>-16.30</td><td>29.46</td><td>34.54</td><td>10.96</td><td>37.26</td><td>0.00</td><td>100</td><td>20</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.28	37.70	54.00	-16.30	29.46	34.54	10.96	37.26	0.00	100	20	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>91.50</td><td>-----</td><td>-----</td><td>83.01</td><td>34.47</td><td>11.25</td><td>37.23</td><td>0.00</td><td>100</td><td>20</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	91.50	-----	-----	83.01	34.47	11.25	37.23	0.00	100	20	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.28	37.70	54.00	-16.30	29.46	34.54	10.96	37.26	0.00	100	20	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	91.50	-----	-----	83.01	34.47	11.25	37.23	0.00	100	20	AVERAGE																																																																																																					



Mode	25																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																			
ANT	1																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.32</td><td>56.40</td><td>68.20</td><td>-11.80</td><td>47.77</td><td>34.55</td><td>11.33</td><td>37.25</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>20</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5727.32	56.40	68.20	-11.80	47.77	34.55	11.33	37.25	0.00									100	20	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																											
1	5727.32	56.40	68.20	-11.80	47.77	34.55	11.33	37.25	0.00																																											
								100	20																																											




Mode	25																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5360.24</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>39.36</td><td>34.52</td><td>10.85</td><td>37.29</td><td>0.00</td><td>106</td><td>267</td><td>PEAK</td></tr><tr><td>2</td><td>5462.16</td><td>46.35</td><td>68.20</td><td>-21.85</td><td>38.10</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>106</td><td>267</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.24	47.44	74.00	-26.56	39.36	34.52	10.85	37.29	0.00	106	267	PEAK	2	5462.16	46.35	68.20	-21.85	38.10	34.54	10.97	37.26	0.00	106	267	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>100.32</td><td>-----</td><td>-----</td><td>91.83</td><td>34.47</td><td>11.25</td><td>37.23</td><td>0.00</td><td>106</td><td>267</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.32	-----	-----	91.83	34.47	11.25	37.23	0.00	106	267
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5360.24	47.44	74.00	-26.56	39.36	34.52	10.85	37.29	0.00	106	267	PEAK																																																																																																				
2	5462.16	46.35	68.20	-21.85	38.10	34.54	10.97	37.26	0.00	106	267	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	100.32	-----	-----	91.83	34.47	11.25	37.23	0.00	106	267	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.20</td><td>37.40</td><td>54.00</td><td>-16.60</td><td>29.16</td><td>34.54</td><td>10.96</td><td>37.26</td><td>0.00</td><td>106</td><td>267</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	37.40	54.00	-16.60	29.16	34.54	10.96	37.26	0.00	106	267	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>91.28</td><td>-----</td><td>-----</td><td>82.79</td><td>34.47</td><td>11.25</td><td>37.23</td><td>0.00</td><td>106</td><td>267</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	91.28	-----	-----	82.79	34.47	11.25	37.23	0.00	106	267	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.20	37.40	54.00	-16.60	29.16	34.54	10.96	37.26	0.00	106	267	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	91.28	-----	-----	82.79	34.47	11.25	37.23	0.00	106	267	AVERAGE																																																																																																				







Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.40</td><td>57.64</td><td>68.20</td><td>-10.56</td><td>49.01</td><td>34.55</td><td>11.33</td><td>37.25</td><td>0.00</td><td>106</td><td>267</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5725.40	57.64	68.20	-10.56	49.01	34.55	11.33	37.25	0.00	106	267	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																														
1	5725.40	57.64	68.20	-10.56	49.01	34.55	11.33	37.25	0.00	106	267	PEAK																																												





Mode	25																																																																																		
	Harmonic																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal											Vertical																																																																							
Peak Avg																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.81</td><td>53.32</td><td>74.00</td><td>-20.68</td><td>68.31</td><td>35.70</td><td>13.02</td><td>63.71</td><td>0.00</td><td>100</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>7559.81</td><td>52.13</td><td>54.00</td><td>-1.87</td><td>67.12</td><td>35.70</td><td>13.02</td><td>63.71</td><td>0.00</td><td>100</td><td>296</td><td>AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>51.83</td><td>38.17</td><td>16.01</td><td>61.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7559.81	53.32	74.00	-20.68	68.31	35.70	13.02	63.71	0.00	100	296	PEAK	2	7559.81	52.13	54.00	-1.87	67.12	35.70	13.02	63.71	0.00	100	296	AVERAGE	3	11340.00	44.29	74.00	-29.71	51.83	38.17	16.01	61.72	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	7559.81	53.32	74.00	-20.68	68.31	35.70	13.02	63.71	0.00	100	296	PEAK																																																																							
2	7559.81	52.13	54.00	-1.87	67.12	35.70	13.02	63.71	0.00	100	296	AVERAGE																																																																							
3	11340.00	44.29	74.00	-29.71	51.83	38.17	16.01	61.72	0.00	--	--	PEAK																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.81</td><td>42.57</td><td>74.00</td><td>-31.43</td><td>57.56</td><td>35.70</td><td>13.02</td><td>63.71</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>43.64</td><td>74.00</td><td>-30.36</td><td>51.18</td><td>38.17</td><td>16.01</td><td>61.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7559.81	42.57	74.00	-31.43	57.56	35.70	13.02	63.71	0.00	--	--	PEAK	2	11340.00	43.64	74.00	-30.36	51.18	38.17	16.01	61.72	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	7559.81	42.57	74.00	-31.43	57.56	35.70	13.02	63.71	0.00	--	--	PEAK																																																																							
2	11340.00	43.64	74.00	-30.36	51.18	38.17	16.01	61.72	0.00	--	--	PEAK																																																																							







Mode	26																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.04</td><td>64.97</td><td>74.00</td><td>-9.03</td><td>57.61</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>100</td><td>16</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.04	64.97	74.00	-9.03	57.61	34.05	10.65	37.34	0.00	100	16
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.04	64.97	74.00	-9.03	57.61	34.05	10.65	37.34	0.00	100	16	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>90.38</td><td>-----</td><td>-----</td><td>90.73</td><td>34.23</td><td>10.74</td><td>37.32</td><td>0.00</td><td>100</td><td>16</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.38	-----	-----	90.73	34.23	10.74	37.32	0.00	100	16
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	90.38	-----	-----	90.73	34.23	10.74	37.32	0.00	100	16	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.52</td><td>51.80</td><td>54.00</td><td>-2.20</td><td>44.44</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>100</td><td>16</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.52	51.80	54.00	-2.20	44.44	34.05	10.65	37.34	0.00	100	16
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.52	51.80	54.00	-2.20	44.44	34.05	10.65	37.34	0.00	100	16	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>90.40</td><td>-----</td><td>-----</td><td>82.75</td><td>34.23</td><td>10.74</td><td>37.32</td><td>0.00</td><td>100</td><td>16</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.40	-----	-----	82.75	34.23	10.74	37.32	0.00	100	16
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	90.40	-----	-----	82.75	34.23	10.74	37.32	0.00	100	16	AVERAGE																																											





Mode	26																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5368.14</td><td>48.23</td><td>74.00</td><td>-25.77</td><td>40.12</td><td>34.54</td><td>10.86</td><td>37.29</td><td>0.00</td><td>100</td><td>16</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5368.14	48.23	74.00	-25.77	40.12	34.54	10.86	37.29	0.00	100	16	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5368.14	48.23	74.00	-25.77	40.12	34.54	10.86	37.29	0.00	100	16	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.50</td><td>39.88</td><td>54.00</td><td>-14.12</td><td>31.83</td><td>34.50</td><td>10.84</td><td>37.29</td><td>0.00</td><td>100</td><td>16</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.50	39.88	54.00	-14.12	31.83	34.50	10.84	37.29	0.00	100	16	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.50	39.88	54.00	-14.12	31.83	34.50	10.84	37.29	0.00	100	16	AVERAGE																																												





Mode	26																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5131.20</td><td>64.21</td><td>74.00</td><td>-9.79</td><td>56.89</td><td>34.03</td><td>10.63</td><td>37.34</td><td>0.00</td><td>100</td><td>318</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5131.20	64.21	74.00	-9.79	56.89	34.03	10.63	37.34	0.00	100	318	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>98.52</td><td>-----</td><td>-----</td><td>90.84</td><td>34.24</td><td>10.75</td><td>37.31</td><td>0.00</td><td>100</td><td>318</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.52	-----	-----	90.84	34.24	10.75	37.31	0.00	100	318
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5131.20	64.21	74.00	-9.79	56.89	34.03	10.63	37.34	0.00	100	318	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	98.52	-----	-----	90.84	34.24	10.75	37.31	0.00	100	318	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.20</td><td>52.02</td><td>54.00</td><td>-1.98</td><td>44.66</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>100</td><td>318</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.20	52.02	54.00	-1.98	44.66	34.05	10.65	37.34	0.00	100	318	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>90.71</td><td>-----</td><td>-----</td><td>83.06</td><td>34.23</td><td>10.74</td><td>37.32</td><td>0.00</td><td>100</td><td>318</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.71	-----	-----	83.06	34.23	10.74	37.32	0.00	100	318
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5147.20	52.02	54.00	-1.98	44.66	34.05	10.65	37.34	0.00	100	318	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	90.71	-----	-----	83.06	34.23	10.74	37.32	0.00	100	318	AVERAGE																																																																																							







Mode	26																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.54</td><td>48.88</td><td>74.00</td><td>-25.12</td><td>40.81</td><td>34.51</td><td>10.85</td><td>37.29</td><td>0.00</td><td>100</td><td>318</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.54	48.88	74.00	-25.12	40.81	34.51	10.85	37.29	0.00	100	318	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5355.54	48.88	74.00	-25.12	40.81	34.51	10.85	37.29	0.00	100	318	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.10</td><td>39.60</td><td>54.00</td><td>-14.40</td><td>31.54</td><td>34.51</td><td>10.84</td><td>37.29</td><td>0.00</td><td>100</td><td>318</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.10	39.60	54.00	-14.40	31.54	34.51	10.84	37.29	0.00	100	318	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5354.10	39.60	54.00	-14.40	31.54	34.51	10.84	37.29	0.00	100	318	AVERAGE																																												



Mode	26																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>43.96</td><td>68.20</td><td>-24.24</td><td>53.31</td><td>37.44</td><td>15.34</td><td>62.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	43.96	68.20	-24.24	53.31	37.44	15.34	62.13	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>43.66</td><td>68.20</td><td>-24.54</td><td>53.02</td><td>37.43</td><td>15.34</td><td>62.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	43.66	68.20	-24.54	53.02	37.43	15.34	62.13	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	10420.00	43.96	68.20	-24.24	53.31	37.44	15.34	62.13	0.00	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	10420.00	43.66	68.20	-24.54	53.02	37.43	15.34	62.13	0.00	--	PEAK																																																																																					







Mode	27																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>49.48</td><td>74.00</td><td>-24.52</td><td>42.12</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>100</td><td>17</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	49.48	74.00	-24.52	42.12	34.05	10.65	37.34	0.00	100	17	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>97.69</td><td>-----</td><td>-----</td><td>89.76</td><td>34.43</td><td>10.80</td><td>37.30</td><td>0.00</td><td>100</td><td>17</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.69	-----	-----	89.76	34.43	10.80	37.30	0.00	100	17
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.92	49.48	74.00	-24.52	42.12	34.05	10.65	37.34	0.00	100	17	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	97.69	-----	-----	89.76	34.43	10.80	37.30	0.00	100	17	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5122.08</td><td>39.48</td><td>54.00</td><td>-14.52</td><td>32.18</td><td>34.02</td><td>10.62</td><td>37.34</td><td>0.00</td><td>100</td><td>17</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.08	39.48	54.00	-14.52	32.18	34.02	10.62	37.34	0.00	100	17	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>89.24</td><td>-----</td><td>-----</td><td>81.32</td><td>34.42</td><td>10.80</td><td>37.30</td><td>0.00</td><td>100</td><td>17</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.24	-----	-----	81.32	34.42	10.80	37.30	0.00	100	17
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5122.08	39.48	54.00	-14.52	32.18	34.02	10.62	37.34	0.00	100	17	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	89.24	-----	-----	81.32	34.42	10.80	37.30	0.00	100	17	AVERAGE																																																																																																			





Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5384.20</td><td>63.83</td><td>74.00</td><td>-10.17</td><td>55.67</td><td>34.57</td><td>10.87</td><td>37.28</td><td>0.00</td><td>100</td><td>17</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5384.20	63.83	74.00	-10.17	55.67	34.57	10.87	37.28	0.00	100	17	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5384.20	63.83	74.00	-10.17	55.67	34.57	10.87	37.28	0.00	100	17	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.90</td><td>51.02</td><td>54.00</td><td>-2.98</td><td>42.96</td><td>34.51</td><td>10.84</td><td>37.29</td><td>0.00</td><td>100</td><td>17</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.90	51.02	54.00	-2.98	42.96	34.51	10.84	37.29	0.00	100	17	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.90	51.02	54.00	-2.98	42.96	34.51	10.84	37.29	0.00	100	17	AVERAGE																																												





Mode	27																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5124.64</td><td>49.49</td><td>74.00</td><td>-24.51</td><td>42.18</td><td>34.02</td><td>10.63</td><td>37.34</td><td>0.00</td><td>119</td><td>314</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.64	49.49	74.00	-24.51	42.18	34.02	10.63	37.34	0.00	119	314	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>99.81</td><td>-----</td><td>-----</td><td>91.68</td><td>34.43</td><td>10.80</td><td>37.30</td><td>0.00</td><td>119</td><td>314</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.81	-----	-----	91.68	34.43	10.80	37.30	0.00	119	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5124.64	49.49	74.00	-24.51	42.18	34.02	10.63	37.34	0.00	119	314	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	99.81	-----	-----	91.68	34.43	10.80	37.30	0.00	119	314	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5124.16</td><td>39.55</td><td>54.00</td><td>-14.45</td><td>32.24</td><td>34.02</td><td>10.63</td><td>37.34</td><td>0.00</td><td>119</td><td>314</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.16	39.55	54.00	-14.45	32.24	34.02	10.63	37.34	0.00	119	314	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.71</td><td>-----</td><td>-----</td><td>82.74</td><td>34.45</td><td>10.82</td><td>37.30</td><td>0.00</td><td>119</td><td>314</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.71	-----	-----	82.74	34.45	10.82	37.30	0.00	119	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5124.16	39.55	54.00	-14.45	32.24	34.02	10.63	37.34	0.00	119	314	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	90.71	-----	-----	82.74	34.45	10.82	37.30	0.00	119	314	AVERAGE																																																																																							







Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.20</td><td>66.95</td><td>74.00</td><td>-7.05</td><td>58.89</td><td>34.51</td><td>10.84</td><td>37.29</td><td>0.00</td><td>119</td><td>314</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.20	66.95	74.00	-7.05	58.89	34.51	10.84	37.29	0.00	119	314	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.20	66.95	74.00	-7.05	58.89	34.51	10.84	37.29	0.00	119	314	PEAK																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.60</td><td>52.02</td><td>54.00</td><td>-1.98</td><td>43.96</td><td>34.51</td><td>10.84</td><td>37.29</td><td>0.00</td><td>119</td><td>314</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.60	52.02	54.00	-1.98	43.96	34.51	10.84	37.29	0.00	119	314	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.60	52.02	54.00	-1.98	43.96	34.51	10.84	37.29	0.00	119	314	AVERAGE																																												




Mode	27																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7053.16</td><td>56.39</td><td>68.20</td><td>-11.81</td><td>71.79</td><td>35.59</td><td>12.52</td><td>63.51</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>43.33</td><td>68.20</td><td>-24.87</td><td>52.34</td><td>37.57</td><td>15.47</td><td>62.05</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.16	56.39	68.20	-11.81	71.79	35.59	12.52	63.51	0.00	--	PEAK	2	10580.00	43.33	68.20	-24.87	52.34	37.57	15.47	62.05	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7053.16</td><td>54.06</td><td>68.20</td><td>-14.14</td><td>69.46</td><td>35.59</td><td>12.52</td><td>63.51</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>43.25</td><td>74.00</td><td>-30.75</td><td>52.22</td><td>37.59</td><td>15.48</td><td>62.04</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.16	54.06	68.20	-14.14	69.46	35.59	12.52	63.51	0.00	--	PEAK	2	10580.00	43.25	74.00	-30.75	52.22	37.59	15.48	62.04	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7053.16	56.39	68.20	-11.81	71.79	35.59	12.52	63.51	0.00	--	PEAK																																																																																																															
2	10580.00	43.33	68.20	-24.87	52.34	37.57	15.47	62.05	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7053.16	54.06	68.20	-14.14	69.46	35.59	12.52	63.51	0.00	--	PEAK																																																																																																															
2	10580.00	43.25	74.00	-30.75	52.22	37.59	15.48	62.04	0.00	--	PEAK																																																																																																															







Mode	28																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5435.92</td><td>62.20</td><td>74.00</td><td>-11.80</td><td>53.97</td><td>34.56</td><td>10.94</td><td>37.27</td><td>0.00</td><td>101</td><td>26</td><td>PEAK</td></tr><tr><td>2</td><td>5469.36</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>55.65</td><td>34.53</td><td>10.98</td><td>37.26</td><td>0.00</td><td>101</td><td>26</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.92	62.20	74.00	-11.80	53.97	34.56	10.94	37.27	0.00	101	26	PEAK	2	5469.36	63.90	68.20	-4.30	55.65	34.53	10.98	37.26	0.00	101	26	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>97.37</td><td>-----</td><td>-----</td><td>89.09</td><td>34.49</td><td>11.04</td><td>37.25</td><td>0.00</td><td>101</td><td>26</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.37	-----	-----	89.09	34.49	11.04	37.25	0.00	101	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5435.92	62.20	74.00	-11.80	53.97	34.56	10.94	37.27	0.00	101	26	PEAK																																																																																																				
2	5469.36	63.90	68.20	-4.30	55.65	34.53	10.98	37.26	0.00	101	26	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	97.37	-----	-----	89.09	34.49	11.04	37.25	0.00	101	26	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>50.64</td><td>54.00</td><td>-3.36</td><td>42.39</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>101</td><td>26</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	50.64	54.00	-3.36	42.39	34.54	10.97	37.26	0.00	101	26	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>88.56</td><td>-----</td><td>-----</td><td>80.28</td><td>34.46</td><td>11.07</td><td>37.25</td><td>0.00</td><td>101</td><td>26</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	88.56	-----	-----	80.28	34.46	11.07	37.25	0.00	101	26	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.60	50.64	54.00	-3.36	42.39	34.54	10.97	37.26	0.00	101	26	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	88.56	-----	-----	80.28	34.46	11.07	37.25	0.00	101	26	AVERAGE																																																																																																				




Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>48.91</td><td>68.20</td><td>-19.29</td><td>40.18</td><td>34.61</td><td>11.38</td><td>37.26</td><td>0.00</td><td>101</td><td>26</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	48.91	68.20	-19.29	40.18	34.61	11.38	37.26	0.00	101	26	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5755.00	48.91	68.20	-19.29	40.18	34.61	11.38	37.26	0.00	101	26	PEAK																																												





Mode	28																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.56</td><td>60.87</td><td>74.00</td><td>-13.13</td><td>52.63</td><td>34.54</td><td>10.96</td><td>37.26</td><td>0.00</td><td>133</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>5465.68</td><td>61.19</td><td>68.20</td><td>-7.01</td><td>52.94</td><td>34.53</td><td>10.98</td><td>37.26</td><td>0.00</td><td>133</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.56	60.87	74.00	-13.13	52.63	34.54	10.96	37.26	0.00	133	303	PEAK	2	5465.68	61.19	68.20	-7.01	52.94	34.53	10.98	37.26	0.00	133	303	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>97.55</td><td>-----</td><td>-----</td><td>89.28</td><td>34.50</td><td>11.02</td><td>37.25</td><td>0.00</td><td>133</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.55	-----	-----	89.28	34.50	11.02	37.25	0.00	133	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.56	60.87	74.00	-13.13	52.63	34.54	10.96	37.26	0.00	133	303	PEAK																																																																																																				
2	5465.68	61.19	68.20	-7.01	52.94	34.53	10.98	37.26	0.00	133	303	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	97.55	-----	-----	89.28	34.50	11.02	37.25	0.00	133	303	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>49.62</td><td>54.00</td><td>-4.38</td><td>41.37</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>133</td><td>303</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	49.62	54.00	-4.38	41.37	34.54	10.97	37.26	0.00	133	303	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>88.78</td><td>-----</td><td>-----</td><td>80.51</td><td>34.50</td><td>11.02</td><td>37.25</td><td>0.00</td><td>133</td><td>303</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	88.78	-----	-----	80.51	34.50	11.02	37.25	0.00	133	303	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.00	49.62	54.00	-4.38	41.37	34.54	10.97	37.26	0.00	133	303	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	88.78	-----	-----	80.51	34.50	11.02	37.25	0.00	133	303	AVERAGE																																																																																																				





Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5763.24</td><td>49.10</td><td>68.20</td><td>-19.10</td><td>40.35</td><td>34.63</td><td>11.39</td><td>37.27</td><td>0.00</td><td>133</td><td>303</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5763.24	49.10	68.20	-19.10	40.35	34.63	11.39	37.27	0.00	133	303	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5763.24	49.10	68.20	-19.10	40.35	34.63	11.39	37.27	0.00	133	303	PEAK																																												



Mode	28																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7373.15</td><td>52.32</td><td>74.00</td><td>-21.68</td><td>67.57</td><td>35.60</td><td>12.86</td><td>63.71</td><td>0.00</td><td>106</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>7373.15</td><td>52.10</td><td>54.00</td><td>-1.90</td><td>67.35</td><td>35.60</td><td>12.86</td><td>63.71</td><td>0.00</td><td>106</td><td>296</td><td>AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>43.64</td><td>74.00</td><td>-30.36</td><td>51.73</td><td>37.95</td><td>15.80</td><td>61.84</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7373.15	52.32	74.00	-21.68	67.57	35.60	12.86	63.71	0.00	106	296	PEAK	2	7373.15	52.10	54.00	-1.90	67.35	35.60	12.86	63.71	0.00	106	296	AVERAGE	3	11060.00	43.64	74.00	-30.36	51.73	37.95	15.80	61.84	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7373.15</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>61.02</td><td>35.60</td><td>12.86</td><td>63.71</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>43.58</td><td>74.00</td><td>-30.42</td><td>51.67</td><td>37.95</td><td>15.80</td><td>61.84</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7373.15	45.77	74.00	-28.23	61.02	35.60	12.86	63.71	0.00	--	--	PEAK	2	11060.00	43.58	74.00	-30.42	51.67	37.95	15.80	61.84	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	7373.15	52.32	74.00	-21.68	67.57	35.60	12.86	63.71	0.00	106	296	PEAK																																																																																																																															
2	7373.15	52.10	54.00	-1.90	67.35	35.60	12.86	63.71	0.00	106	296	AVERAGE																																																																																																																															
3	11060.00	43.64	74.00	-30.36	51.73	37.95	15.80	61.84	0.00	--	--	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	7373.15	45.77	74.00	-28.23	61.02	35.60	12.86	63.71	0.00	--	--	PEAK																																																																																																																															
2	11060.00	43.58	74.00	-30.42	51.67	37.95	15.80	61.84	0.00	--	--	PEAK																																																																																																																															






Mode	18																																																																																																																																																															
	LF																																																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																																																																															
ANT	1																																																																																																																																																															
Pol.	Horizontal								Vertical																																																																																																																																																							
QP																																																																																																																																																																
	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>36.79</td><td>20.62</td><td>-19.38</td><td>40.00</td><td>30.77</td><td>21.46</td><td>0.58 32.19 --- --- Peak</td></tr><tr><td>2</td><td>83.35</td><td>18.80</td><td>-21.20</td><td>40.00</td><td>35.83</td><td>13.80</td><td>1.23 32.06 --- --- Peak</td></tr><tr><td>3</td><td>174.53</td><td>20.12</td><td>-23.38</td><td>43.50</td><td>35.08</td><td>15.24</td><td>1.92 32.12 --- --- Peak</td></tr><tr><td>4</td><td>211.39</td><td>24.30</td><td>-19.20</td><td>43.50</td><td>39.25</td><td>15.09</td><td>2.12 32.16 --- --- Peak</td></tr><tr><td>5</td><td>628.49</td><td>26.97</td><td>-19.03</td><td>46.00</td><td>29.12</td><td>26.50</td><td>3.66 32.31 --- --- Peak</td></tr><tr><td>6 p</td><td>883.60</td><td>30.69</td><td>-15.31</td><td>46.00</td><td>28.79</td><td>28.94</td><td>4.33 31.37 --- --- Peak</td></tr></table>									Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB		1	36.79	20.62	-19.38	40.00	30.77	21.46	0.58 32.19 --- --- Peak	2	83.35	18.80	-21.20	40.00	35.83	13.80	1.23 32.06 --- --- Peak	3	174.53	20.12	-23.38	43.50	35.08	15.24	1.92 32.12 --- --- Peak	4	211.39	24.30	-19.20	43.50	39.25	15.09	2.12 32.16 --- --- Peak	5	628.49	26.97	-19.03	46.00	29.12	26.50	3.66 32.31 --- --- Peak	6 p	883.60	30.69	-15.31	46.00	28.79	28.94	4.33 31.37 --- --- Peak	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1 p</td><td>47.46</td><td>30.47</td><td>-9.53</td><td>40.00</td><td>45.90</td><td>15.93</td><td>0.74 32.10 --- --- Peak</td></tr><tr><td>2</td><td>77.53</td><td>21.64</td><td>-18.36</td><td>40.00</td><td>39.41</td><td>13.16</td><td>1.14 32.07 --- --- Peak</td></tr><tr><td>3</td><td>173.56</td><td>26.46</td><td>-17.04</td><td>43.50</td><td>41.38</td><td>15.29</td><td>1.91 32.12 --- --- Peak</td></tr><tr><td>4</td><td>210.42</td><td>26.01</td><td>-17.49</td><td>43.50</td><td>40.91</td><td>15.14</td><td>2.12 32.16 --- --- Peak</td></tr><tr><td>5</td><td>622.67</td><td>26.66</td><td>-19.34</td><td>46.00</td><td>29.20</td><td>26.15</td><td>3.64 32.33 --- --- Peak</td></tr><tr><td>6</td><td>936.95</td><td>31.52</td><td>-14.48</td><td>46.00</td><td>27.75</td><td>30.36</td><td>4.45 31.04 --- --- Peak</td></tr></table>									Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB		1 p	47.46	30.47	-9.53	40.00	45.90	15.93	0.74 32.10 --- --- Peak	2	77.53	21.64	-18.36	40.00	39.41	13.16	1.14 32.07 --- --- Peak	3	173.56	26.46	-17.04	43.50	41.38	15.29	1.91 32.12 --- --- Peak	4	210.42	26.01	-17.49	43.50	40.91	15.14	2.12 32.16 --- --- Peak	5	622.67	26.66	-19.34	46.00	29.20	26.15	3.64 32.33 --- --- Peak	6	936.95	31.52	-14.48	46.00	27.75	30.36	4.45 31.04 --- --- Peak
		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos																																																																																																																																																									
	Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																																																																																																									
	1	36.79	20.62	-19.38	40.00	30.77	21.46	0.58 32.19 --- --- Peak																																																																																																																																																								
	2	83.35	18.80	-21.20	40.00	35.83	13.80	1.23 32.06 --- --- Peak																																																																																																																																																								
	3	174.53	20.12	-23.38	43.50	35.08	15.24	1.92 32.12 --- --- Peak																																																																																																																																																								
	4	211.39	24.30	-19.20	43.50	39.25	15.09	2.12 32.16 --- --- Peak																																																																																																																																																								
	5	628.49	26.97	-19.03	46.00	29.12	26.50	3.66 32.31 --- --- Peak																																																																																																																																																								
6 p	883.60	30.69	-15.31	46.00	28.79	28.94	4.33 31.37 --- --- Peak																																																																																																																																																									
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos																																																																																																																																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark																																																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																																																																																																										
1 p	47.46	30.47	-9.53	40.00	45.90	15.93	0.74 32.10 --- --- Peak																																																																																																																																																									
2	77.53	21.64	-18.36	40.00	39.41	13.16	1.14 32.07 --- --- Peak																																																																																																																																																									
3	173.56	26.46	-17.04	43.50	41.38	15.29	1.91 32.12 --- --- Peak																																																																																																																																																									
4	210.42	26.01	-17.49	43.50	40.91	15.14	2.12 32.16 --- --- Peak																																																																																																																																																									
5	622.67	26.66	-19.34	46.00	29.20	26.15	3.64 32.33 --- --- Peak																																																																																																																																																									
6	936.95	31.52	-14.48	46.00	27.75	30.36	4.45 31.04 --- --- Peak																																																																																																																																																									






Mode	18	
	18-40G	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	The plot shows Level (dBuV/m) on the y-axis (0 to 120) versus Frequency (MHz) on the x-axis (18000 to 40000). A red solid line represents the peak level, showing a stepped profile with values around 75 dBuV/m. A red dashed line represents the average level, around 55 dBuV/m. A blue line represents the noise floor, fluctuating between 30 and 45 dBuV/m. Labels 'U-NII-1-U-NII-2A-U-NII-2C' and 'U-NII-1-U-NII-2A-U-NII-2C(AVG)' are present.	The plot shows Level (dBuV/m) on the y-axis (0 to 120) versus Frequency (MHz) on the x-axis (18000 to 40000). A red solid line represents the peak level, showing a stepped profile with values around 75 dBuV/m. A red dashed line represents the average level, around 55 dBuV/m. A blue line represents the noise floor, fluctuating between 30 and 45 dBuV/m. Labels 'U-NII-1-U-NII-2A-U-NII-2C' and 'U-NII-1-U-NII-2A-U-NII-2C(AVG)' are present.





Mode	29																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.00</td><td>49.21</td><td>68.20</td><td>-18.99</td><td>40.78</td><td>34.44</td><td>11.21</td><td>37.22</td><td>0.00</td><td>165</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>47.05</td><td>68.80</td><td>-21.75</td><td>38.60</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>165</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>61.73</td><td>106.31</td><td>-44.58</td><td>53.16</td><td>34.51</td><td>11.30</td><td>37.24</td><td>0.00</td><td>165</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5724.00</td><td>70.13</td><td>120.02</td><td>-49.89</td><td>61.50</td><td>34.55</td><td>11.33</td><td>37.25</td><td>0.00</td><td>165</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.00	49.21	68.20	-18.99	40.78	34.44	11.21	37.22	0.00	165	0	PEAK	2	5650.80	47.05	68.80	-21.75	38.60	34.45	11.22	37.22	0.00	165	0	PEAK	3	5703.60	61.73	106.31	-44.58	53.16	34.51	11.30	37.24	0.00	165	0	PEAK	4	5724.00	70.13	120.02	-49.89	61.50	34.55	11.33	37.25	0.00	165	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.94</td><td>-----</td><td>-----</td><td>98.27</td><td>34.58</td><td>11.35</td><td>37.26</td><td>0.00</td><td>165</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.94	-----	-----	98.27	34.58	11.35	37.26	0.00	165	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5644.00	49.21	68.20	-18.99	40.78	34.44	11.21	37.22	0.00	165	0	PEAK																																																																																																																														
2	5650.80	47.05	68.80	-21.75	38.60	34.45	11.22	37.22	0.00	165	0	PEAK																																																																																																																														
3	5703.60	61.73	106.31	-44.58	53.16	34.51	11.30	37.24	0.00	165	0	PEAK																																																																																																																														
4	5724.00	70.13	120.02	-49.89	61.50	34.55	11.33	37.25	0.00	165	0	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	106.94	-----	-----	98.27	34.58	11.35	37.26	0.00	165	0	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.49</td><td>-----</td><td>-----</td><td>88.00</td><td>34.59</td><td>11.36</td><td>37.26</td><td>0.00</td><td>165</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.49	-----	-----	88.00	34.59	11.36	37.26	0.00	165	0	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	97.49	-----	-----	88.00	34.59	11.36	37.26	0.00	165	0	AVERAGE																																																																																																																														





Mode	29																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.00</td><td>48.40</td><td>68.20</td><td>-19.80</td><td>40.02</td><td>34.42</td><td>11.18</td><td>37.22</td><td>0.00</td><td>100</td><td>263</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>47.39</td><td>69.09</td><td>-21.70</td><td>38.94</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>100</td><td>263</td><td>PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>60.37</td><td>106.42</td><td>-46.05</td><td>51.80</td><td>34.51</td><td>11.30</td><td>37.24</td><td>0.00</td><td>100</td><td>263</td><td>PEAK</td></tr><tr><td>4</td><td>5728.80</td><td>62.44</td><td>112.72</td><td>-50.28</td><td>53.83</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>100</td><td>263</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.00	48.40	68.20	-19.80	40.02	34.42	11.18	37.22	0.00	100	263	PEAK	2	5651.20	47.39	69.09	-21.70	38.94	34.45	11.22	37.22	0.00	100	263	PEAK	3	5704.00	60.37	106.42	-46.05	51.80	34.51	11.30	37.24	0.00	100	263	PEAK	4	5728.80	62.44	112.72	-50.28	53.83	34.54	11.32	37.25	0.00	100	263	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.06</td><td>-----</td><td>-----</td><td>97.37</td><td>34.59</td><td>11.36</td><td>37.26</td><td>0.00</td><td>100</td><td>263</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.06	-----	-----	97.37	34.59	11.36	37.26	0.00	100	263	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5622.00	48.40	68.20	-19.80	40.02	34.42	11.18	37.22	0.00	100	263	PEAK																																																																																																																															
2	5651.20	47.39	69.09	-21.70	38.94	34.45	11.22	37.22	0.00	100	263	PEAK																																																																																																																															
3	5704.00	60.37	106.42	-46.05	51.80	34.51	11.30	37.24	0.00	100	263	PEAK																																																																																																																															
4	5728.80	62.44	112.72	-50.28	53.83	34.54	11.32	37.25	0.00	100	263	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	106.06	-----	-----	97.37	34.59	11.36	37.26	0.00	100	263	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.53</td><td>-----</td><td>-----</td><td>87.86</td><td>34.58</td><td>11.35</td><td>37.26</td><td>0.00</td><td>100</td><td>263</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.53	-----	-----	87.86	34.58	11.35	37.26	0.00	100	263	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	96.53	-----	-----	87.86	34.58	11.35	37.26	0.00	100	263	AVERAGE																																																																																																																															






Mode	29																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Horizontal							Vertical																																																																																																																				
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7659.81</td><td>53.24</td><td>74.00</td><td>-20.76</td><td>67.94</td><td>35.76</td><td>13.11</td><td>63.57</td><td>0.00 100 294 PEAK</td></tr><tr><td>2</td><td>7659.81</td><td>50.87</td><td>54.00</td><td>-3.13</td><td>65.57</td><td>35.76</td><td>13.11</td><td>63.57</td><td>0.00 100 294 AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>52.38</td><td>38.29</td><td>16.12</td><td>61.65</td><td>0.00 -- -- PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7659.81	53.24	74.00	-20.76	67.94	35.76	13.11	63.57	0.00 100 294 PEAK	2	7659.81	50.87	54.00	-3.13	65.57	35.76	13.11	63.57	0.00 100 294 AVERAGE	3	11490.00	45.14	74.00	-28.86	52.38	38.29	16.12	61.65	0.00 -- -- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7659.81</td><td>44.03</td><td>74.00</td><td>-29.97</td><td>58.73</td><td>35.76</td><td>13.11</td><td>63.57</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>43.98</td><td>74.00</td><td>-30.02</td><td>51.22</td><td>38.29</td><td>16.12</td><td>61.65</td><td>0.00 -- -- PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7659.81	44.03	74.00	-29.97	58.73	35.76	13.11	63.57	0.00 -- -- PEAK	2	11490.00	43.98	74.00	-30.02	51.22	38.29	16.12	61.65	0.00 -- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																				
1	7659.81	53.24	74.00	-20.76	67.94	35.76	13.11	63.57	0.00 100 294 PEAK																																																																																																																			
2	7659.81	50.87	54.00	-3.13	65.57	35.76	13.11	63.57	0.00 100 294 AVERAGE																																																																																																																			
3	11490.00	45.14	74.00	-28.86	52.38	38.29	16.12	61.65	0.00 -- -- PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																				
1	7659.81	44.03	74.00	-29.97	58.73	35.76	13.11	63.57	0.00 -- -- PEAK																																																																																																																			
2	11490.00	43.98	74.00	-30.02	51.22	38.29	16.12	61.65	0.00 -- -- PEAK																																																																																																																			






Mode	30																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>52.12</td><td>74.00</td><td>-21.88</td><td>66.65</td><td>35.80</td><td>13.16</td><td>63.49</td><td>0.00</td><td>228</td><td>319</td><td>PEAK</td></tr><tr><td>2</td><td>7713.14</td><td>50.14</td><td>54.00</td><td>-3.86</td><td>64.67</td><td>35.80</td><td>13.16</td><td>63.49</td><td>0.00</td><td>228</td><td>319</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>44.04</td><td>74.00</td><td>-29.96</td><td>51.03</td><td>38.36</td><td>16.18</td><td>61.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	52.12	74.00	-21.88	66.65	35.80	13.16	63.49	0.00	228	319	PEAK	2	7713.14	50.14	54.00	-3.86	64.67	35.80	13.16	63.49	0.00	228	319	AVERAGE	3	11570.00	44.04	74.00	-29.96	51.03	38.36	16.18	61.53	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	7713.14	52.12	74.00	-21.88	66.65	35.80	13.16	63.49	0.00	228	319	PEAK																																																																						
2	7713.14	50.14	54.00	-3.86	64.67	35.80	13.16	63.49	0.00	228	319	AVERAGE																																																																						
3	11570.00	44.04	74.00	-29.96	51.03	38.36	16.18	61.53	0.00	--	--	PEAK																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>58.22</td><td>35.80</td><td>13.16</td><td>63.49</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.99</td><td>74.00</td><td>-30.01</td><td>50.98</td><td>38.36</td><td>16.18</td><td>61.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	43.69	74.00	-30.31	58.22	35.80	13.16	63.49	0.00	--	--	PEAK	2	11570.00	43.99	74.00	-30.01	50.98	38.36	16.18	61.53	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	7713.14	43.69	74.00	-30.31	58.22	35.80	13.16	63.49	0.00	--	--	PEAK																																																																						
2	11570.00	43.99	74.00	-30.01	50.98	38.36	16.18	61.53	0.00	--	--	PEAK																																																																						





Mode	31																																																																																																																																						
	Band Edge																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																						
ANT	1																																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																																
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>63.83</td><td>111.36</td><td>-47.53</td><td>54.72</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>59.37</td><td>110.62</td><td>-51.25</td><td>50.26</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>49.46</td><td>68.64</td><td>-19.18</td><td>40.02</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>4</td><td>5972.40</td><td>51.60</td><td>68.20</td><td>-16.60</td><td>41.95</td><td>35.32</td><td>11.59</td><td>37.26</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	63.83	111.36	-47.53	54.72	34.92	11.49	37.30	0.00	100	2 PEAK	2	5856.00	59.37	110.62	-51.25	50.26	34.92	11.49	37.30	0.00	100	2 PEAK	3	5924.40	49.46	68.64	-19.18	40.02	35.17	11.55	37.28	0.00	100	2 PEAK	4	5972.40	51.60	68.20	-16.60	41.95	35.32	11.59	37.26	0.00	100	2 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.54</td><td>-----</td><td>-----</td><td>96.54</td><td>34.82</td><td>11.47</td><td>37.29</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.54	-----	-----	96.54	34.82	11.47	37.29	0.00	100	2 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5854.00	63.83	111.36	-47.53	54.72	34.92	11.49	37.30	0.00	100	2 PEAK																																																																																																																												
2	5856.00	59.37	110.62	-51.25	50.26	34.92	11.49	37.30	0.00	100	2 PEAK																																																																																																																												
3	5924.40	49.46	68.64	-19.18	40.02	35.17	11.55	37.28	0.00	100	2 PEAK																																																																																																																												
4	5972.40	51.60	68.20	-16.60	41.95	35.32	11.59	37.26	0.00	100	2 PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5825.00	105.54	-----	-----	96.54	34.82	11.47	37.29	0.00	100	2 PEAK																																																																																																																												
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.91</td><td>-----</td><td>-----</td><td>87.91</td><td>34.82</td><td>11.47</td><td>37.29</td><td>0.00</td><td>100</td><td>2 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.91	-----	-----	87.91	34.82	11.47	37.29	0.00	100	2 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5825.00	96.91	-----	-----	87.91	34.82	11.47	37.29	0.00	100	2 AVERAGE																																																																																																																												






Mode	31																																																																																																																																											
	Band Edge																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>63.18</td><td>111.36</td><td>-48.18</td><td>54.07</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>260</td><td>PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>61.75</td><td>110.73</td><td>-48.98</td><td>52.64</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>260</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>48.48</td><td>68.35</td><td>-19.87</td><td>39.04</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>100</td><td>260</td><td>PEAK</td></tr><tr><td>4</td><td>5948.00</td><td>50.19</td><td>68.20</td><td>-18.01</td><td>40.65</td><td>35.24</td><td>11.57</td><td>37.27</td><td>0.00</td><td>100</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	63.18	111.36	-48.18	54.07	34.92	11.49	37.30	0.00	100	260	PEAK	2	5855.60	61.75	110.73	-48.98	52.64	34.92	11.49	37.30	0.00	100	260	PEAK	3	5924.00	48.48	68.35	-19.87	39.04	35.17	11.55	37.28	0.00	100	260	PEAK	4	5948.00	50.19	68.20	-18.01	40.65	35.24	11.57	37.27	0.00	100	260	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.18</td><td>-----</td><td>-----</td><td>97.24</td><td>34.77</td><td>11.46</td><td>37.29</td><td>0.00</td><td>100</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.18	-----	-----	97.24	34.77	11.46	37.29	0.00	100	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5854.00	63.18	111.36	-48.18	54.07	34.92	11.49	37.30	0.00	100	260	PEAK																																																																																																																																
2	5855.60	61.75	110.73	-48.98	52.64	34.92	11.49	37.30	0.00	100	260	PEAK																																																																																																																																
3	5924.00	48.48	68.35	-19.87	39.04	35.17	11.55	37.28	0.00	100	260	PEAK																																																																																																																																
4	5948.00	50.19	68.20	-18.01	40.65	35.24	11.57	37.27	0.00	100	260	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5825.00	106.18	-----	-----	97.24	34.77	11.46	37.29	0.00	100	260	PEAK																																																																																																																																
Avg	Blank																																																																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.58</td><td>-----</td><td>-----</td><td>87.64</td><td>34.77</td><td>11.46</td><td>37.29</td><td>0.00</td><td>100</td><td>260</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.58	-----	-----	87.64	34.77	11.46	37.29	0.00	100	260	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5825.00	96.58	-----	-----	87.64	34.77	11.46	37.29	0.00	100	260	AVERAGE																																																																																																																																






Mode	31																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>49.66</td><td>68.20</td><td>-18.54</td><td>64.07</td><td>35.00</td><td>13.21</td><td>63.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>52.00</td><td>38.42</td><td>16.23</td><td>61.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.47	49.66	68.20	-18.54	64.07	35.00	13.21	63.42	0.00	--	--	PEAK	2	11650.00	45.25	74.00	-28.75	52.00	38.42	16.23	61.40	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>44.37</td><td>68.20</td><td>-23.83</td><td>58.78</td><td>35.00</td><td>13.21</td><td>63.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>52.82</td><td>38.42</td><td>16.23</td><td>61.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.47	44.37	68.20	-23.83	58.78	35.00	13.21	63.42	0.00	--	--	PEAK	2	11650.00	46.07	74.00	-27.93	52.82	38.42	16.23	61.40	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7766.47	49.66	68.20	-18.54	64.07	35.00	13.21	63.42	0.00	--	--	PEAK																																																																																																																				
2	11650.00	45.25	74.00	-28.75	52.00	38.42	16.23	61.40	0.00	--	--	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7766.47	44.37	68.20	-23.83	58.78	35.00	13.21	63.42	0.00	--	--	PEAK																																																																																																																				
2	11650.00	46.07	74.00	-27.93	52.82	38.42	16.23	61.40	0.00	--	--	PEAK																																																																																																																				





Mode	32																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5612.40</td><td>49.20</td><td>68.20</td><td>-19.00</td><td>40.85</td><td>34.41</td><td>11.17</td><td>37.23</td><td>0.00</td><td>166</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>47.97</td><td>69.09</td><td>-21.12</td><td>39.52</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>166</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>72.23</td><td>110.34</td><td>-38.11</td><td>63.62</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>166</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>65.49</td><td>111.81</td><td>-46.32</td><td>56.88</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>166</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5612.40	49.20	68.20	-19.00	40.85	34.41	11.17	37.23	0.00	166	0	PEAK	2	5651.20	47.97	69.09	-21.12	39.52	34.45	11.22	37.22	0.00	166	0	PEAK	3	5718.00	72.23	110.34	-38.11	63.62	34.54	11.32	37.25	0.00	166	0	PEAK	4	5720.40	65.49	111.81	-46.32	56.88	34.54	11.32	37.25	0.00	166	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.20</td><td>-----</td><td>-----</td><td>97.49</td><td>34.60</td><td>11.37</td><td>37.26</td><td>0.00</td><td>166</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.20	-----	-----	97.49	34.60	11.37	37.26	0.00	166	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5612.40	49.20	68.20	-19.00	40.85	34.41	11.17	37.23	0.00	166	0	PEAK																																																																																																																															
2	5651.20	47.97	69.09	-21.12	39.52	34.45	11.22	37.22	0.00	166	0	PEAK																																																																																																																															
3	5718.00	72.23	110.34	-38.11	63.62	34.54	11.32	37.25	0.00	166	0	PEAK																																																																																																																															
4	5720.40	65.49	111.81	-46.32	56.88	34.54	11.32	37.25	0.00	166	0	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	106.20	-----	-----	97.49	34.60	11.37	37.26	0.00	166	0	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.11</td><td>-----</td><td>-----</td><td>88.42</td><td>34.59</td><td>11.36</td><td>37.26</td><td>0.00</td><td>166</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.11	-----	-----	88.42	34.59	11.36	37.26	0.00	166	0	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	97.11	-----	-----	88.42	34.59	11.36	37.26	0.00	166	0	AVERAGE																																																																																																																															



Mode	32																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5600.80</td><td>49.03</td><td>68.20</td><td>-19.17</td><td>40.71</td><td>34.40</td><td>11.15</td><td>37.23</td><td>0.00</td><td>109</td><td>270</td><td>PEAK</td></tr><tr><td>2</td><td>5654.40</td><td>49.21</td><td>71.48</td><td>-22.27</td><td>40.76</td><td>34.45</td><td>11.23</td><td>37.23</td><td>0.00</td><td>109</td><td>270</td><td>PEAK</td></tr><tr><td>3</td><td>5714.40</td><td>65.92</td><td>109.33</td><td>-43.41</td><td>57.33</td><td>34.53</td><td>11.31</td><td>37.25</td><td>0.00</td><td>109</td><td>270</td><td>PEAK</td></tr><tr><td>4</td><td>5728.40</td><td>64.50</td><td>111.81</td><td>-47.31</td><td>55.89</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>109</td><td>270</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5600.80	49.03	68.20	-19.17	40.71	34.40	11.15	37.23	0.00	109	270	PEAK	2	5654.40	49.21	71.48	-22.27	40.76	34.45	11.23	37.23	0.00	109	270	PEAK	3	5714.40	65.92	109.33	-43.41	57.33	34.53	11.31	37.25	0.00	109	270	PEAK	4	5728.40	64.50	111.81	-47.31	55.89	34.54	11.32	37.25	0.00	109	270	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.46</td><td>-----</td><td>-----</td><td>97.77</td><td>34.59</td><td>11.36</td><td>37.26</td><td>0.00</td><td>109</td><td>270</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.46	-----	-----	97.77	34.59	11.36	37.26	0.00	109	270
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5600.80	49.03	68.20	-19.17	40.71	34.40	11.15	37.23	0.00	109	270	PEAK																																																																																																																														
2	5654.40	49.21	71.48	-22.27	40.76	34.45	11.23	37.23	0.00	109	270	PEAK																																																																																																																														
3	5714.40	65.92	109.33	-43.41	57.33	34.53	11.31	37.25	0.00	109	270	PEAK																																																																																																																														
4	5728.40	64.50	111.81	-47.31	55.89	34.54	11.32	37.25	0.00	109	270	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	106.46	-----	-----	97.77	34.59	11.36	37.26	0.00	109	270	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.89</td><td>-----</td><td>-----</td><td>88.20</td><td>34.59</td><td>11.36</td><td>37.26</td><td>0.00</td><td>109</td><td>270</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.89	-----	-----	88.20	34.59	11.36	37.26	0.00	109	270	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	96.89	-----	-----	88.20	34.59	11.36	37.26	0.00	109	270	AVERAGE																																																																																																																														






Mode	32																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>52.64</td><td>74.00</td><td>-21.36</td><td>67.34</td><td>35.76</td><td>13.11</td><td>63.57</td><td>0.00</td><td>100</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>7659.81</td><td>50.83</td><td>54.00</td><td>-3.17</td><td>65.53</td><td>35.76</td><td>13.11</td><td>63.57</td><td>0.00</td><td>100</td><td>294</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>51.80</td><td>38.29</td><td>16.12</td><td>61.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7659.81	52.64	74.00	-21.36	67.34	35.76	13.11	63.57	0.00	100	294	PEAK	2	7659.81	50.83	54.00	-3.17	65.53	35.76	13.11	63.57	0.00	100	294	AVERAGE	3	11490.00	44.56	74.00	-29.44	51.80	38.29	16.12	61.65	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>47.14</td><td>74.00</td><td>-26.86</td><td>61.84</td><td>35.76</td><td>13.11</td><td>63.57</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>51.16</td><td>38.29</td><td>16.12</td><td>61.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7659.81	47.14	74.00	-26.86	61.84	35.76	13.11	63.57	0.00	--	--	PEAK	2	11490.00	43.92	74.00	-30.08	51.16	38.29	16.12	61.65	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	7659.81	52.64	74.00	-21.36	67.34	35.76	13.11	63.57	0.00	100	294	PEAK																																																																																																																															
2	7659.81	50.83	54.00	-3.17	65.53	35.76	13.11	63.57	0.00	100	294	AVERAGE																																																																																																																															
3	11490.00	44.56	74.00	-29.44	51.80	38.29	16.12	61.65	0.00	--	--	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	7659.81	47.14	74.00	-26.86	61.84	35.76	13.11	63.57	0.00	--	--	PEAK																																																																																																																															
2	11490.00	43.92	74.00	-30.08	51.16	38.29	16.12	61.65	0.00	--	--	PEAK																																																																																																																															






		33																																																																															
Mode		Harmonic																																																																															
		U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																															
ANT		1																																																																															
Pol.		Horizontal						Vertical																																																																									
Peak Avg																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7713.90</td><td>47.71</td><td>74.00</td><td>-26.29</td><td>62.24</td><td>35.00</td><td>13.16</td><td>63.49</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>44.23</td><td>74.00</td><td>-29.77</td><td>51.22</td><td>38.36</td><td>16.18</td><td>61.53</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.90	47.71	74.00	-26.29	62.24	35.00	13.16	63.49	0.00	--	PEAK	2	11570.00	44.23	74.00	-29.77	51.22	38.36	16.18	61.53	0.00	--	PEAK														
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	7713.90	47.71	74.00	-26.29	62.24	35.00	13.16	63.49	0.00	--	PEAK																																																																						
2	11570.00	44.23	74.00	-29.77	51.22	38.36	16.18	61.53	0.00	--	PEAK																																																																						
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7713.14</td><td>52.44</td><td>74.00</td><td>-21.56</td><td>66.97</td><td>35.00</td><td>13.16</td><td>63.49</td><td>0.00</td><td>114</td><td>263</td><td>PEAK</td></tr><tr><td>2</td><td>7713.14</td><td>49.79</td><td>54.00</td><td>-4.21</td><td>64.32</td><td>35.00</td><td>13.16</td><td>63.49</td><td>0.00</td><td>114</td><td>263</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>44.47</td><td>74.00</td><td>-29.53</td><td>51.46</td><td>38.36</td><td>16.18</td><td>61.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	52.44	74.00	-21.56	66.97	35.00	13.16	63.49	0.00	114	263	PEAK	2	7713.14	49.79	54.00	-4.21	64.32	35.00	13.16	63.49	0.00	114	263	AVERAGE	3	11570.00	44.47	74.00	-29.53	51.46	38.36	16.18	61.53	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	7713.14	52.44	74.00	-21.56	66.97	35.00	13.16	63.49	0.00	114	263	PEAK																																																																					
2	7713.14	49.79	54.00	-4.21	64.32	35.00	13.16	63.49	0.00	114	263	AVERAGE																																																																					
3	11570.00	44.47	74.00	-29.53	51.46	38.36	16.18	61.53	0.00	--	--	PEAK																																																																					





Mode	34																																																																																																																																					
	Band Edge																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>67.03</td><td>113.18</td><td>-46.15</td><td>57.92</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>3 PEAK</td></tr><tr><td>2</td><td>5856.80</td><td>63.80</td><td>110.40</td><td>-46.60</td><td>54.67</td><td>34.93</td><td>11.50</td><td>37.30</td><td>0.00</td><td>100</td><td>3 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>47.81</td><td>68.64</td><td>-20.83</td><td>38.37</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>100</td><td>3 PEAK</td></tr><tr><td>4</td><td>5948.00</td><td>49.69</td><td>68.20</td><td>-18.51</td><td>40.18</td><td>35.22</td><td>11.56</td><td>37.27</td><td>0.00</td><td>100</td><td>3 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	67.03	113.18	-46.15	57.92	34.92	11.49	37.30	0.00	100	3 PEAK	2	5856.80	63.80	110.40	-46.60	54.67	34.93	11.50	37.30	0.00	100	3 PEAK	3	5924.40	47.81	68.64	-20.83	38.37	35.17	11.55	37.28	0.00	100	3 PEAK	4	5948.00	49.69	68.20	-18.51	40.18	35.22	11.56	37.27	0.00	100	3 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.80</td><td>-----</td><td>-----</td><td>97.80</td><td>34.82</td><td>11.47</td><td>37.29</td><td>0.00</td><td>100</td><td>3 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.80	-----	-----	97.80	34.82	11.47	37.29	0.00	100	3 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5854.00	67.03	113.18	-46.15	57.92	34.92	11.49	37.30	0.00	100	3 PEAK																																																																																																																											
2	5856.80	63.80	110.40	-46.60	54.67	34.93	11.50	37.30	0.00	100	3 PEAK																																																																																																																											
3	5924.40	47.81	68.64	-20.83	38.37	35.17	11.55	37.28	0.00	100	3 PEAK																																																																																																																											
4	5948.00	49.69	68.20	-18.51	40.18	35.22	11.56	37.27	0.00	100	3 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5825.00	106.80	-----	-----	97.80	34.82	11.47	37.29	0.00	100	3 PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.11</td><td>-----</td><td>-----</td><td>88.13</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>100</td><td>3 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.11	-----	-----	88.13	34.80	11.47	37.29	0.00	100	3 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5825.00	97.11	-----	-----	88.13	34.80	11.47	37.29	0.00	100	3 AVERAGE																																																																																																																											






Mode	34																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>62.20</td><td>111.36</td><td>-49.16</td><td>53.09</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>259</td><td>PEAK</td></tr><tr><td>2</td><td>5855.20</td><td>61.85</td><td>110.84</td><td>-48.99</td><td>52.74</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>259</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.24</td><td>68.94</td><td>-21.70</td><td>37.80</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>100</td><td>259</td><td>PEAK</td></tr><tr><td>4</td><td>5956.40</td><td>49.91</td><td>68.20</td><td>-18.29</td><td>40.33</td><td>35.27</td><td>11.58</td><td>37.27</td><td>0.00</td><td>100</td><td>259</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	62.20	111.36	-49.16	53.09	34.92	11.49	37.30	0.00	100	259	PEAK	2	5855.20	61.85	110.84	-48.99	52.74	34.92	11.49	37.30	0.00	100	259	PEAK	3	5924.00	47.24	68.94	-21.70	37.80	35.17	11.55	37.28	0.00	100	259	PEAK	4	5956.40	49.91	68.20	-18.29	40.33	35.27	11.58	37.27	0.00	100	259	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.97</td><td>-----</td><td>-----</td><td>97.03</td><td>34.77</td><td>11.46</td><td>37.29</td><td>0.00</td><td>100</td><td>259</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.97	-----	-----	97.03	34.77	11.46	37.29	0.00	100	259	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5854.00	62.20	111.36	-49.16	53.09	34.92	11.49	37.30	0.00	100	259	PEAK																																																																																																																																			
2	5855.20	61.85	110.84	-48.99	52.74	34.92	11.49	37.30	0.00	100	259	PEAK																																																																																																																																			
3	5924.00	47.24	68.94	-21.70	37.80	35.17	11.55	37.28	0.00	100	259	PEAK																																																																																																																																			
4	5956.40	49.91	68.20	-18.29	40.33	35.27	11.58	37.27	0.00	100	259	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	105.97	-----	-----	97.03	34.77	11.46	37.29	0.00	100	259	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.47</td><td>-----</td><td>-----</td><td>87.53</td><td>34.77</td><td>11.46</td><td>37.29</td><td>0.00</td><td>100</td><td>259</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	96.47	-----	-----	87.53	34.77	11.46	37.29	0.00	100	259	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	96.47	-----	-----	87.53	34.77	11.46	37.29	0.00	100	259	AVERAGE																																																																																																																																			




Mode	34																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>43.96</td><td>68.20</td><td>-24.24</td><td>58.37</td><td>35.80</td><td>13.21</td><td>63.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>52.00</td><td>38.42</td><td>16.23</td><td>61.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.47	43.96	68.20	-24.24	58.37	35.80	13.21	63.42	0.00	--	PEAK	2	11650.00	45.25	74.00	-28.75	52.00	38.42	16.23	61.40	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>45.73</td><td>68.20</td><td>-22.47</td><td>60.14</td><td>35.80</td><td>13.21</td><td>63.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>51.72</td><td>38.42</td><td>16.23</td><td>61.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.47	45.73	68.20	-22.47	60.14	35.80	13.21	63.42	0.00	--	PEAK	2	11650.00	44.97	74.00	-29.03	51.72	38.42	16.23	61.40	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7766.47	43.96	68.20	-24.24	58.37	35.80	13.21	63.42	0.00	--	PEAK																																																																																																															
2	11650.00	45.25	74.00	-28.75	52.00	38.42	16.23	61.40	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7766.47	45.73	68.20	-22.47	60.14	35.80	13.21	63.42	0.00	--	PEAK																																																																																																															
2	11650.00	44.97	74.00	-29.03	51.72	38.42	16.23	61.40	0.00	--	PEAK																																																																																																															






Mode	35																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.81</td><td>48.80</td><td>68.20</td><td>-19.40</td><td>40.38</td><td>34.44</td><td>11.20</td><td>37.22</td><td>0.00</td><td>167</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>48.01</td><td>68.94</td><td>-20.93</td><td>39.56</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>167</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5708.04</td><td>62.25</td><td>107.55</td><td>-45.30</td><td>53.68</td><td>34.52</td><td>11.30</td><td>37.25</td><td>0.00</td><td>167</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5728.59</td><td>64.98</td><td>112.25</td><td>-47.27</td><td>56.37</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>167</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.81	48.80	68.20	-19.40	40.38	34.44	11.20	37.22	0.00	167	0	PEAK	2	5651.00	48.01	68.94	-20.93	39.56	34.45	11.22	37.22	0.00	167	0	PEAK	3	5708.04	62.25	107.55	-45.30	53.68	34.52	11.30	37.25	0.00	167	0	PEAK	4	5728.59	64.98	112.25	-47.27	56.37	34.54	11.32	37.25	0.00	167	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.39</td><td>-----</td><td>-----</td><td>92.72</td><td>34.58</td><td>11.35</td><td>37.26</td><td>0.00</td><td>167</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.39	-----	-----	92.72	34.58	11.35	37.26	0.00	167	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5635.81	48.80	68.20	-19.40	40.38	34.44	11.20	37.22	0.00	167	0	PEAK																																																																																																																															
2	5651.00	48.01	68.94	-20.93	39.56	34.45	11.22	37.22	0.00	167	0	PEAK																																																																																																																															
3	5708.04	62.25	107.55	-45.30	53.68	34.52	11.30	37.25	0.00	167	0	PEAK																																																																																																																															
4	5728.59	64.98	112.25	-47.27	56.37	34.54	11.32	37.25	0.00	167	0	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	101.39	-----	-----	92.72	34.58	11.35	37.26	0.00	167	0	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>91.92</td><td>-----</td><td>-----</td><td>83.21</td><td>34.60</td><td>11.37</td><td>37.26</td><td>0.00</td><td>167</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	91.92	-----	-----	83.21	34.60	11.37	37.26	0.00	167	0	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	91.92	-----	-----	83.21	34.60	11.37	37.26	0.00	167	0	AVERAGE																																																																																																																															




Mode	35																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>46.99</td><td>111.26</td><td>-64.27</td><td>37.88</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>167</td><td>0 PEAK</td></tr><tr><td>2</td><td>5869.86</td><td>48.12</td><td>106.74</td><td>-58.62</td><td>38.93</td><td>34.98</td><td>11.51</td><td>37.30</td><td>0.00</td><td>167</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>46.72</td><td>68.46</td><td>-21.74</td><td>37.28</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>167</td><td>0 PEAK</td></tr><tr><td>4</td><td>5941.81</td><td>50.11</td><td>68.20</td><td>-18.09</td><td>40.59</td><td>35.23</td><td>11.56</td><td>37.27</td><td>0.00</td><td>167</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	46.99	111.26	-64.27	37.88	34.92	11.49	37.30	0.00	167	0 PEAK	2	5869.86	48.12	106.74	-58.62	38.93	34.98	11.51	37.30	0.00	167	0 PEAK	3	5924.65	46.72	68.46	-21.74	37.28	35.17	11.55	37.28	0.00	167	0 PEAK	4	5941.81	50.11	68.20	-18.09	40.59	35.23	11.56	37.27	0.00	167	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5854.84	46.99	111.26	-64.27	37.88	34.92	11.49	37.30	0.00	167	0 PEAK																																																																						
2	5869.86	48.12	106.74	-58.62	38.93	34.98	11.51	37.30	0.00	167	0 PEAK																																																																						
3	5924.65	46.72	68.46	-21.74	37.28	35.17	11.55	37.28	0.00	167	0 PEAK																																																																						
4	5941.81	50.11	68.20	-18.09	40.59	35.23	11.56	37.27	0.00	167	0 PEAK																																																																						





Mode	35																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5755 MHz. The plot shows a red limit line and a blue signal line. Peaks are labeled 1, 2, 3, and 4. The signal is identified as 5G U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.98</td><td>49.16</td><td>68.20</td><td>-19.04</td><td>40.71</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>110</td><td>271</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>47.35</td><td>68.48</td><td>-21.13</td><td>38.90</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>110</td><td>271</td><td>PEAK</td></tr><tr><td>3</td><td>5718.89</td><td>67.39</td><td>110.59</td><td>-43.20</td><td>58.78</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>110</td><td>271</td><td>PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>64.60</td><td>111.89</td><td>-47.29</td><td>55.99</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>110</td><td>271</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.98	49.16	68.20	-19.04	40.71	34.45	11.22	37.22	0.00	110	271	PEAK	2	5650.38	47.35	68.48	-21.13	38.90	34.45	11.22	37.22	0.00	110	271	PEAK	3	5718.89	67.39	110.59	-43.20	58.78	34.54	11.32	37.25	0.00	110	271	PEAK	4	5720.44	64.60	111.89	-47.29	55.99	34.54	11.32	37.25	0.00	110	271	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. A peak is labeled 1. The signal is identified as 5G U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>101.22</td><td>-----</td><td>-----</td><td>92.51</td><td>34.60</td><td>11.37</td><td>37.26</td><td>0.00</td><td>110</td><td>271</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.22	-----	-----	92.51	34.60	11.37	37.26	0.00	110	271	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5648.98	49.16	68.20	-19.04	40.71	34.45	11.22	37.22	0.00	110	271	PEAK																																																																																																																															
2	5650.38	47.35	68.48	-21.13	38.90	34.45	11.22	37.22	0.00	110	271	PEAK																																																																																																																															
3	5718.89	67.39	110.59	-43.20	58.78	34.54	11.32	37.25	0.00	110	271	PEAK																																																																																																																															
4	5720.44	64.60	111.89	-47.29	55.99	34.54	11.32	37.25	0.00	110	271	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	101.22	-----	-----	92.51	34.60	11.37	37.26	0.00	110	271	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. A peak is labeled 1. The signal is identified as 5G U-NII-3(AVG). <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>91.82</td><td>-----</td><td>-----</td><td>83.11</td><td>34.60</td><td>11.37</td><td>37.26</td><td>0.00</td><td>110</td><td>271</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	91.82	-----	-----	83.11	34.60	11.37	37.26	0.00	110	271	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	91.82	-----	-----	83.11	34.60	11.37	37.26	0.00	110	271	AVERAGE																																																																																																																															






Mode	35																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>47.29</td><td>111.26</td><td>-63.97</td><td>38.18</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>110</td><td>271</td><td>PEAK</td></tr><tr><td>2</td><td>5873.76</td><td>47.48</td><td>105.65</td><td>-58.17</td><td>38.26</td><td>35.00</td><td>11.51</td><td>37.29</td><td>0.00</td><td>110</td><td>271</td><td>PEAK</td></tr><tr><td>3</td><td>5923.29</td><td>48.94</td><td>69.47</td><td>-20.53</td><td>39.50</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>110</td><td>271</td><td>PEAK</td></tr><tr><td>4</td><td>5928.36</td><td>49.35</td><td>68.20</td><td>-18.85</td><td>39.89</td><td>35.19</td><td>11.55</td><td>37.28</td><td>0.00</td><td>110</td><td>271</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	47.29	111.26	-63.97	38.18	34.92	11.49	37.30	0.00	110	271	PEAK	2	5873.76	47.48	105.65	-58.17	38.26	35.00	11.51	37.29	0.00	110	271	PEAK	3	5923.29	48.94	69.47	-20.53	39.50	35.17	11.55	37.28	0.00	110	271	PEAK	4	5928.36	49.35	68.20	-18.85	39.89	35.19	11.55	37.28	0.00	110	271	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.84	47.29	111.26	-63.97	38.18	34.92	11.49	37.30	0.00	110	271	PEAK																																																																																		
2	5873.76	47.48	105.65	-58.17	38.26	35.00	11.51	37.29	0.00	110	271	PEAK																																																																																		
3	5923.29	48.94	69.47	-20.53	39.50	35.17	11.55	37.28	0.00	110	271	PEAK																																																																																		
4	5928.36	49.35	68.20	-18.85	39.89	35.19	11.55	37.28	0.00	110	271	PEAK																																																																																		




Mode	35																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																	
Peak Avg																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.14</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>59.29</td><td>35.77</td><td>13.12</td><td>63.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>43.81</td><td>74.00</td><td>-30.19</td><td>51.00</td><td>38.31</td><td>16.13</td><td>61.63</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7673.14	44.63	74.00	-29.37	59.29	35.77	13.12	63.55	0.00	--	PEAK	2	11510.00	43.81	74.00	-30.19	51.00	38.31	16.13	61.63	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.14</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>67.37</td><td>35.77</td><td>13.12</td><td>63.55</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>7673.14</td><td>50.84</td><td>54.00</td><td>-3.16</td><td>65.50</td><td>35.77</td><td>13.12</td><td>63.55</td><td>0.00</td><td>100</td><td>242</td><td>AVERAGE</td></tr><tr><td>3</td><td>11510.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>51.35</td><td>38.31</td><td>16.13</td><td>61.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7673.14	52.71	74.00	-21.29	67.37	35.77	13.12	63.55	0.00	100	242	PEAK	2	7673.14	50.84	54.00	-3.16	65.50	35.77	13.12	63.55	0.00	100	242	AVERAGE	3	11510.00	44.16	74.00	-29.84	51.35	38.31	16.13	61.63	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	7673.14	44.63	74.00	-29.37	59.29	35.77	13.12	63.55	0.00	--	PEAK																																																																																																																													
2	11510.00	43.81	74.00	-30.19	51.00	38.31	16.13	61.63	0.00	--	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	7673.14	52.71	74.00	-21.29	67.37	35.77	13.12	63.55	0.00	100	242	PEAK																																																																																																																												
2	7673.14	50.84	54.00	-3.16	65.50	35.77	13.12	63.55	0.00	100	242	AVERAGE																																																																																																																												
3	11510.00	44.16	74.00	-29.84	51.35	38.31	16.13	61.63	0.00	--	--	PEAK																																																																																																																												






Mode	36																																																																																																																																																				
	Band Edge - L																																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																																				
ANT	1																																																																																																																																																				
Pol.	Horizontal																																																																																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) 5G U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.40</td><td>48.37</td><td>68.20</td><td>-19.83</td><td>39.99</td><td>34.42</td><td>11.18</td><td>37.22</td><td>0.00</td><td>100</td><td>2</td><td>PEAK</td></tr><tr><td>2</td><td>5653.20</td><td>49.24</td><td>70.58</td><td>-21.34</td><td>40.79</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>100</td><td>2</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>49.75</td><td>105.41</td><td>-55.66</td><td>41.20</td><td>34.50</td><td>11.29</td><td>37.24</td><td>0.00</td><td>100</td><td>2</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.10</td><td>110.90</td><td>-58.80</td><td>43.49</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>100</td><td>2</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.40	48.37	68.20	-19.83	39.99	34.42	11.18	37.22	0.00	100	2	PEAK	2	5653.20	49.24	70.58	-21.34	40.79	34.45	11.22	37.22	0.00	100	2	PEAK	3	5700.40	49.75	105.41	-55.66	41.20	34.50	11.29	37.24	0.00	100	2	PEAK	4	5720.00	52.10	110.90	-58.80	43.49	34.54	11.32	37.25	0.00	100	2	PEAK	 Level (dBuV/m) Frequency (MHz) 5G U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.19</td><td>-----</td><td>-----</td><td>92.34</td><td>34.69</td><td>11.44</td><td>37.28</td><td>0.00</td><td>100</td><td>2</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.19	-----	-----	92.34	34.69	11.44	37.28	0.00	100	2	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5622.40	48.37	68.20	-19.83	39.99	34.42	11.18	37.22	0.00	100	2	PEAK																																																																																																																																									
2	5653.20	49.24	70.58	-21.34	40.79	34.45	11.22	37.22	0.00	100	2	PEAK																																																																																																																																									
3	5700.40	49.75	105.41	-55.66	41.20	34.50	11.29	37.24	0.00	100	2	PEAK																																																																																																																																									
4	5720.00	52.10	110.90	-58.80	43.49	34.54	11.32	37.25	0.00	100	2	PEAK																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5795.00	101.19	-----	-----	92.34	34.69	11.44	37.28	0.00	100	2	PEAK																																																																																																																																									
Avg	Blank											 Level (dBuV/m) Frequency (MHz) 5G U-NII-3(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>91.78</td><td>-----</td><td>-----</td><td>82.95</td><td>34.68</td><td>11.43</td><td>37.28</td><td>0.00</td><td>100</td><td>2</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	91.78	-----	-----	82.95	34.68	11.43	37.28	0.00	100	2	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5795.00	91.78	-----	-----	82.95	34.68	11.43	37.28	0.00	100	2	AVERAGE																																																																																																																																									




Mode	36																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.11</td><td>113.18</td><td>-58.07</td><td>46.00</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>2</td><td>5855.20</td><td>56.26</td><td>110.84</td><td>-54.58</td><td>47.15</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>48.24</td><td>69.53</td><td>-21.29</td><td>38.80</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>4</td><td>5938.40</td><td>49.60</td><td>68.20</td><td>-18.60</td><td>40.14</td><td>35.19</td><td>11.55</td><td>37.28</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.11	113.18	-58.07	46.00	34.92	11.49	37.30	0.00	100	2 PEAK	2	5855.20	56.26	110.84	-54.58	47.15	34.92	11.49	37.30	0.00	100	2 PEAK	3	5923.20	48.24	69.53	-21.29	38.80	35.17	11.55	37.28	0.00	100	2 PEAK	4	5938.40	49.60	68.20	-18.60	40.14	35.19	11.55	37.28	0.00	100	2 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.00	55.11	113.18	-58.07	46.00	34.92	11.49	37.30	0.00	100	2 PEAK																																																																						
2	5855.20	56.26	110.84	-54.58	47.15	34.92	11.49	37.30	0.00	100	2 PEAK																																																																						
3	5923.20	48.24	69.53	-21.29	38.80	35.17	11.55	37.28	0.00	100	2 PEAK																																																																						
4	5938.40	49.60	68.20	-18.60	40.14	35.19	11.55	37.28	0.00	100	2 PEAK																																																																						



Mode	36																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.60</td><td>48.66</td><td>68.20</td><td>-19.54</td><td>40.23</td><td>34.44</td><td>11.21</td><td>37.22</td><td>0.00</td><td>106</td><td>270</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.01</td><td>68.20</td><td>-22.19</td><td>37.56</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>106</td><td>270</td><td>PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>49.80</td><td>106.42</td><td>-56.62</td><td>41.23</td><td>34.51</td><td>11.30</td><td>37.24</td><td>0.00</td><td>106</td><td>270</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>53.67</td><td>114.55</td><td>-60.88</td><td>45.06</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>106</td><td>270</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5643.60	48.66	68.20	-19.54	40.23	34.44	11.21	37.22	0.00	106	270	PEAK	2	5650.00	46.01	68.20	-22.19	37.56	34.45	11.22	37.22	0.00	106	270	PEAK	3	5704.00	49.80	106.42	-56.62	41.23	34.51	11.30	37.24	0.00	106	270	PEAK	4	5721.60	53.67	114.55	-60.88	45.06	34.54	11.32	37.25	0.00	106	270	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>100.62</td><td>-----</td><td>-----</td><td>91.75</td><td>34.70</td><td>11.45</td><td>37.28</td><td>0.00</td><td>106</td><td>270</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	100.62	-----	-----	91.75	34.70	11.45	37.28	0.00	106	270
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5643.60	48.66	68.20	-19.54	40.23	34.44	11.21	37.22	0.00	106	270	PEAK																																																																																																																														
2	5650.00	46.01	68.20	-22.19	37.56	34.45	11.22	37.22	0.00	106	270	PEAK																																																																																																																														
3	5704.00	49.80	106.42	-56.62	41.23	34.51	11.30	37.24	0.00	106	270	PEAK																																																																																																																														
4	5721.60	53.67	114.55	-60.88	45.06	34.54	11.32	37.25	0.00	106	270	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	100.62	-----	-----	91.75	34.70	11.45	37.28	0.00	106	270	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>91.85</td><td>-----</td><td>-----</td><td>83.00</td><td>34.69</td><td>11.44</td><td>37.28</td><td>0.00</td><td>106</td><td>270</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	91.85	-----	-----	83.00	34.69	11.44	37.28	0.00	106	270	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	91.85	-----	-----	83.00	34.69	11.44	37.28	0.00	106	270	AVERAGE																																																																																																																														






Mode	36																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																														
ANT	1																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>49.19</td><td>111.36</td><td>-62.17</td><td>40.08</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>106</td><td>270</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>49.40</td><td>105.36</td><td>-55.96</td><td>40.18</td><td>35.00</td><td>11.51</td><td>37.29</td><td>0.00</td><td>106</td><td>270</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>46.54</td><td>68.35</td><td>-21.81</td><td>37.10</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>106</td><td>270</td><td>PEAK</td></tr><tr><td>4</td><td>5988.40</td><td>49.32</td><td>68.20</td><td>-18.88</td><td>39.61</td><td>35.37</td><td>11.60</td><td>37.26</td><td>0.00</td><td>106</td><td>270</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	49.19	111.36	-62.17	40.08	34.92	11.49	37.30	0.00	106	270	PEAK	2	5874.80	49.40	105.36	-55.96	40.18	35.00	11.51	37.29	0.00	106	270	PEAK	3	5924.80	46.54	68.35	-21.81	37.10	35.17	11.55	37.28	0.00	106	270	PEAK	4	5988.40	49.32	68.20	-18.88	39.61	35.37	11.60	37.26	0.00	106	270	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.80	49.19	111.36	-62.17	40.08	34.92	11.49	37.30	0.00	106	270	PEAK																																																																																			
2	5874.80	49.40	105.36	-55.96	40.18	35.00	11.51	37.29	0.00	106	270	PEAK																																																																																			
3	5924.80	46.54	68.35	-21.81	37.10	35.17	11.55	37.28	0.00	106	270	PEAK																																																																																			
4	5988.40	49.32	68.20	-18.88	39.61	35.37	11.60	37.26	0.00	106	270	PEAK																																																																																			




Mode	36																																																																																								
	Harmonic																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal						Vertical																																																																																		
Peak Avg																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7726.73</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>61.86</td><td>35.00</td><td>13.17</td><td>63.47</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>51.25</td><td>38.37</td><td>16.19</td><td>61.50</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	7726.73	47.36	74.00	-26.64	61.86	35.00	13.17	63.47	0.00	--	--	PEAK	2	11590.00	44.31	74.00	-29.69	51.25	38.37	16.19	61.50	0.00	--	--	PEAK												
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	7726.73	47.36	74.00	-26.64	61.86	35.00	13.17	63.47	0.00	--	--	PEAK																																																																													
2	11590.00	44.31	74.00	-29.69	51.25	38.37	16.19	61.50	0.00	--	--	PEAK																																																																													
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7726.47</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>66.96</td><td>35.00</td><td>13.17</td><td>63.47</td><td>0.00</td><td>238</td><td>107</td><td>PEAK</td></tr><tr><td>2</td><td>7726.47</td><td>50.75</td><td>54.00</td><td>-3.25</td><td>65.25</td><td>35.00</td><td>13.17</td><td>63.47</td><td>0.00</td><td>238</td><td>107</td><td>AVERAGE</td></tr><tr><td>3</td><td>11590.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>51.67</td><td>38.37</td><td>16.19</td><td>61.50</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	7726.47	52.46	74.00	-21.54	66.96	35.00	13.17	63.47	0.00	238	107	PEAK	2	7726.47	50.75	54.00	-3.25	65.25	35.00	13.17	63.47	0.00	238	107	AVERAGE	3	11590.00	44.73	74.00	-29.27	51.67	38.37	16.19	61.50	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	7726.47	52.46	74.00	-21.54	66.96	35.00	13.17	63.47	0.00	238	107	PEAK																																																																													
2	7726.47	50.75	54.00	-3.25	65.25	35.00	13.17	63.47	0.00	238	107	AVERAGE																																																																													
3	11590.00	44.73	74.00	-29.27	51.67	38.37	16.19	61.50	0.00	--	--	PEAK																																																																													






Mode	37																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5632.00</td><td>48.85</td><td>68.20</td><td>-19.35</td><td>40.45</td><td>34.43</td><td>11.19</td><td>37.22</td><td>0.00</td><td>173</td><td>2 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>47.35</td><td>68.50</td><td>-21.15</td><td>38.90</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>173</td><td>2 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>58.66</td><td>105.30</td><td>-46.64</td><td>50.11</td><td>34.50</td><td>11.29</td><td>37.24</td><td>0.00</td><td>173</td><td>2 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>63.43</td><td>110.90</td><td>-47.47</td><td>54.82</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>173</td><td>2 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5632.00	48.85	68.20	-19.35	40.45	34.43	11.19	37.22	0.00	173	2 PEAK	2	5650.40	47.35	68.50	-21.15	38.90	34.45	11.22	37.22	0.00	173	2 PEAK	3	5700.00	58.66	105.30	-46.64	50.11	34.50	11.29	37.24	0.00	173	2 PEAK	4	5720.00	63.43	110.90	-47.47	54.82	34.54	11.32	37.25	0.00	173	2 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>97.04</td><td>-----</td><td>-----</td><td>88.23</td><td>34.66</td><td>11.42</td><td>37.27</td><td>0.00</td><td>173</td><td>2 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	97.04	-----	-----	88.23	34.66	11.42	37.27	0.00	173	2 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5632.00	48.85	68.20	-19.35	40.45	34.43	11.19	37.22	0.00	173	2 PEAK																																																																																																																										
2	5650.40	47.35	68.50	-21.15	38.90	34.45	11.22	37.22	0.00	173	2 PEAK																																																																																																																										
3	5700.00	58.66	105.30	-46.64	50.11	34.50	11.29	37.24	0.00	173	2 PEAK																																																																																																																										
4	5720.00	63.43	110.90	-47.47	54.82	34.54	11.32	37.25	0.00	173	2 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5775.00	97.04	-----	-----	88.23	34.66	11.42	37.27	0.00	173	2 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>87.79</td><td>-----</td><td>-----</td><td>78.98</td><td>34.66</td><td>11.42</td><td>37.27</td><td>0.00</td><td>173</td><td>2 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	87.79	-----	-----	78.98	34.66	11.42	37.27	0.00	173	2 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5775.00	87.79	-----	-----	78.98	34.66	11.42	37.27	0.00	173	2 AVERAGE																																																																																																																										




Mode	37																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>55.34</td><td>114.09</td><td>-58.75</td><td>46.24</td><td>34.91</td><td>11.49</td><td>37.30</td><td>0.00</td><td>173</td><td>2 PEAK</td></tr><tr><td>2</td><td>5860.80</td><td>56.58</td><td>109.27</td><td>-52.69</td><td>47.44</td><td>34.94</td><td>11.50</td><td>37.30</td><td>0.00</td><td>173</td><td>2 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>46.47</td><td>68.35</td><td>-21.88</td><td>37.03</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>173</td><td>2 PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>48.71</td><td>68.20</td><td>-19.49</td><td>39.26</td><td>35.18</td><td>11.55</td><td>37.28</td><td>0.00</td><td>173</td><td>2 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.60	55.34	114.09	-58.75	46.24	34.91	11.49	37.30	0.00	173	2 PEAK	2	5860.80	56.58	109.27	-52.69	47.44	34.94	11.50	37.30	0.00	173	2 PEAK	3	5924.80	46.47	68.35	-21.88	37.03	35.17	11.55	37.28	0.00	173	2 PEAK	4	5926.40	48.71	68.20	-19.49	39.26	35.18	11.55	37.28	0.00	173	2 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5853.60	55.34	114.09	-58.75	46.24	34.91	11.49	37.30	0.00	173	2 PEAK																																																																															
2	5860.80	56.58	109.27	-52.69	47.44	34.94	11.50	37.30	0.00	173	2 PEAK																																																																															
3	5924.80	46.47	68.35	-21.88	37.03	35.17	11.55	37.28	0.00	173	2 PEAK																																																																															
4	5926.40	48.71	68.20	-19.49	39.26	35.18	11.55	37.28	0.00	173	2 PEAK																																																																															





Mode	37																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5613.20</td><td>48.25</td><td>68.20</td><td>-19.95</td><td>39.90</td><td>34.41</td><td>11.17</td><td>37.23</td><td>0.00</td><td>100</td><td>271</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>48.01</td><td>68.50</td><td>-20.49</td><td>39.56</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>100</td><td>271</td><td>PEAK</td></tr><tr><td>3</td><td>5710.40</td><td>60.09</td><td>108.21</td><td>-48.12</td><td>51.51</td><td>34.52</td><td>11.31</td><td>37.25</td><td>0.00</td><td>100</td><td>271</td><td>PEAK</td></tr><tr><td>4</td><td>5728.00</td><td>60.62</td><td>110.90</td><td>-50.28</td><td>52.01</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>100</td><td>271</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5613.20	48.25	68.20	-19.95	39.90	34.41	11.17	37.23	0.00	100	271	PEAK	2	5650.40	48.01	68.50	-20.49	39.56	34.45	11.22	37.22	0.00	100	271	PEAK	3	5710.40	60.09	108.21	-48.12	51.51	34.52	11.31	37.25	0.00	100	271	PEAK	4	5728.00	60.62	110.90	-50.28	52.01	34.54	11.32	37.25	0.00	100	271	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.26</td><td>-----</td><td>-----</td><td>87.49</td><td>34.64</td><td>11.40</td><td>37.27</td><td>0.00</td><td>100</td><td>271</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	96.26	-----	-----	87.49	34.64	11.40	37.27	0.00	100	271	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5613.20	48.25	68.20	-19.95	39.90	34.41	11.17	37.23	0.00	100	271	PEAK																																																																																																																															
2	5650.40	48.01	68.50	-20.49	39.56	34.45	11.22	37.22	0.00	100	271	PEAK																																																																																																																															
3	5710.40	60.09	108.21	-48.12	51.51	34.52	11.31	37.25	0.00	100	271	PEAK																																																																																																																															
4	5728.00	60.62	110.90	-50.28	52.01	34.54	11.32	37.25	0.00	100	271	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	96.26	-----	-----	87.49	34.64	11.40	37.27	0.00	100	271	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>87.43</td><td>-----</td><td>-----</td><td>78.66</td><td>34.64</td><td>11.40</td><td>37.27</td><td>0.00</td><td>100</td><td>271</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	87.43	-----	-----	78.66	34.64	11.40	37.27	0.00	100	271	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	87.43	-----	-----	78.66	34.64	11.40	37.27	0.00	100	271	AVERAGE																																																																																																																															





Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>52.39</td><td>113.18</td><td>-60.79</td><td>43.28</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>271</td><td>PEAK</td></tr><tr><td>2</td><td>5866.00</td><td>53.61</td><td>107.82</td><td>-54.21</td><td>44.45</td><td>34.96</td><td>11.50</td><td>37.30</td><td>0.00</td><td>100</td><td>271</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>48.23</td><td>68.35</td><td>-20.12</td><td>38.79</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>100</td><td>271</td><td>PEAK</td></tr><tr><td>4</td><td>5939.20</td><td>48.98</td><td>68.20</td><td>-19.22</td><td>39.47</td><td>35.22</td><td>11.56</td><td>37.27</td><td>0.00</td><td>100</td><td>271</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	52.39	113.18	-60.79	43.28	34.92	11.49	37.30	0.00	100	271	PEAK	2	5866.00	53.61	107.82	-54.21	44.45	34.96	11.50	37.30	0.00	100	271	PEAK	3	5924.00	48.23	68.35	-20.12	38.79	35.17	11.55	37.28	0.00	100	271	PEAK	4	5939.20	48.98	68.20	-19.22	39.47	35.22	11.56	37.27	0.00	100	271	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	52.39	113.18	-60.79	43.28	34.92	11.49	37.30	0.00	100	271	PEAK																																																																									
2	5866.00	53.61	107.82	-54.21	44.45	34.96	11.50	37.30	0.00	100	271	PEAK																																																																									
3	5924.00	48.23	68.35	-20.12	38.79	35.17	11.55	37.28	0.00	100	271	PEAK																																																																									
4	5939.20	48.98	68.20	-19.22	39.47	35.22	11.56	37.27	0.00	100	271	PEAK																																																																									





Mode	37																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7699.98</td><td>44.54</td><td>74.00</td><td>-29.46</td><td>59.10</td><td>35.00</td><td>13.15</td><td>63.51</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>43.04</td><td>74.00</td><td>-30.96</td><td>50.11</td><td>38.34</td><td>16.16</td><td>61.57</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7699.98	44.54	74.00	-29.46	59.10	35.00	13.15	63.51	0.00	--	PEAK	2	11550.00	43.04	74.00	-30.96	50.11	38.34	16.16	61.57	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7699.98</td><td>51.21</td><td>74.00</td><td>-22.79</td><td>65.77</td><td>35.00</td><td>13.15</td><td>63.51</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>2</td><td>7699.98</td><td>50.00</td><td>54.00</td><td>-4.00</td><td>64.56</td><td>35.00</td><td>13.15</td><td>63.51</td><td>0.00</td><td>100</td><td>241 AVERAGE</td></tr><tr><td>3</td><td>11550.00</td><td>42.94</td><td>74.00</td><td>-31.06</td><td>50.01</td><td>38.34</td><td>16.16</td><td>61.57</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7699.98	51.21	74.00	-22.79	65.77	35.00	13.15	63.51	0.00	100	241 PEAK	2	7699.98	50.00	54.00	-4.00	64.56	35.00	13.15	63.51	0.00	100	241 AVERAGE	3	11550.00	42.94	74.00	-31.06	50.01	38.34	16.16	61.57	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	7699.98	44.54	74.00	-29.46	59.10	35.00	13.15	63.51	0.00	--	PEAK																																																																																																																									
2	11550.00	43.04	74.00	-30.96	50.11	38.34	16.16	61.57	0.00	--	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	7699.98	51.21	74.00	-22.79	65.77	35.00	13.15	63.51	0.00	100	241 PEAK																																																																																																																									
2	7699.98	50.00	54.00	-4.00	64.56	35.00	13.15	63.51	0.00	100	241 AVERAGE																																																																																																																									
3	11550.00	42.94	74.00	-31.06	50.01	38.34	16.16	61.57	0.00	--	PEAK																																																																																																																									






Mode	29	
	18-40G	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak		
Avg		






Mode	29																																																																																																																																																															
	LF																																																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																															
ANT	1																																																																																																																																																															
Pol.	Horizontal								Vertical																																																																																																																																																							
QP																																																																																																																																																																
	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>31.94</td><td>21.98</td><td>-18.02</td><td>40.00</td><td>29.23</td><td>24.40</td><td>0.52 32.17</td></tr><tr><td>2</td><td>155.13</td><td>21.69</td><td>-21.81</td><td>43.50</td><td>35.20</td><td>16.76</td><td>1.00 32.07</td></tr><tr><td>3</td><td>210.42</td><td>26.80</td><td>-16.70</td><td>43.50</td><td>41.70</td><td>15.14</td><td>2.12 32.16</td></tr><tr><td>4</td><td>472.32</td><td>22.39</td><td>-23.61</td><td>46.00</td><td>27.78</td><td>23.62</td><td>3.17 32.18</td></tr><tr><td>5</td><td>748.77</td><td>28.59</td><td>-17.41</td><td>46.00</td><td>28.46</td><td>28.20</td><td>3.99 32.06</td></tr><tr><td>6 p</td><td>956.35</td><td>32.45</td><td>-13.55</td><td>46.00</td><td>27.56</td><td>31.29</td><td>4.50 30.90</td></tr></table>									Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	31.94	21.98	-18.02	40.00	29.23	24.40	0.52 32.17	2	155.13	21.69	-21.81	43.50	35.20	16.76	1.00 32.07	3	210.42	26.80	-16.70	43.50	41.70	15.14	2.12 32.16	4	472.32	22.39	-23.61	46.00	27.78	23.62	3.17 32.18	5	748.77	28.59	-17.41	46.00	28.46	28.20	3.99 32.06	6 p	956.35	32.45	-13.55	46.00	27.56	31.29	4.50 30.90	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 p</td><td>45.52</td><td>31.63</td><td>-8.37</td><td>40.00</td><td>46.56</td><td>16.47</td><td>0.71 32.11</td></tr><tr><td>2</td><td>110.51</td><td>24.88</td><td>-18.62</td><td>43.50</td><td>38.49</td><td>16.90</td><td>1.53 32.04</td></tr><tr><td>3</td><td>172.59</td><td>26.41</td><td>-17.09</td><td>43.50</td><td>41.27</td><td>15.35</td><td>1.91 32.12</td></tr><tr><td>4</td><td>210.42</td><td>27.11</td><td>-16.39</td><td>43.50</td><td>42.01</td><td>15.14</td><td>2.12 32.16</td></tr><tr><td>5</td><td>815.70</td><td>29.93</td><td>-16.07</td><td>46.00</td><td>28.81</td><td>28.76</td><td>4.15 31.79</td></tr><tr><td>6</td><td>952.47</td><td>32.41</td><td>-13.59</td><td>46.00</td><td>27.69</td><td>31.16</td><td>4.49 30.93</td></tr></table>									Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 p	45.52	31.63	-8.37	40.00	46.56	16.47	0.71 32.11	2	110.51	24.88	-18.62	43.50	38.49	16.90	1.53 32.04	3	172.59	26.41	-17.09	43.50	41.27	15.35	1.91 32.12	4	210.42	27.11	-16.39	43.50	42.01	15.14	2.12 32.16	5	815.70	29.93	-16.07	46.00	28.81	28.76	4.15 31.79	6	952.47	32.41	-13.59	46.00	27.69	31.16	4.49 30.93
		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos																																																																																																																																																									
	Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																																																																																								
	1	31.94	21.98	-18.02	40.00	29.23	24.40	0.52 32.17																																																																																																																																																								
	2	155.13	21.69	-21.81	43.50	35.20	16.76	1.00 32.07																																																																																																																																																								
	3	210.42	26.80	-16.70	43.50	41.70	15.14	2.12 32.16																																																																																																																																																								
	4	472.32	22.39	-23.61	46.00	27.78	23.62	3.17 32.18																																																																																																																																																								
	5	748.77	28.59	-17.41	46.00	28.46	28.20	3.99 32.06																																																																																																																																																								
6 p	956.35	32.45	-13.55	46.00	27.56	31.29	4.50 30.90																																																																																																																																																									
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos																																																																																																																																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark																																																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																																																																																									
1 p	45.52	31.63	-8.37	40.00	46.56	16.47	0.71 32.11																																																																																																																																																									
2	110.51	24.88	-18.62	43.50	38.49	16.90	1.53 32.04																																																																																																																																																									
3	172.59	26.41	-17.09	43.50	41.27	15.35	1.91 32.12																																																																																																																																																									
4	210.42	27.11	-16.39	43.50	42.01	15.14	2.12 32.16																																																																																																																																																									
5	815.70	29.93	-16.07	46.00	28.81	28.76	4.15 31.79																																																																																																																																																									
6	952.47	32.41	-13.59	46.00	27.69	31.16	4.49 30.93																																																																																																																																																									





Mode	38																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5726.76</td><td>64.43</td><td>68.20</td><td>-3.77</td><td>55.80</td><td>34.55</td><td>11.33</td><td>37.25</td><td>0.00</td><td>123</td><td>38 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5726.76	64.43	68.20	-3.77	55.80	34.55	11.33	37.25	0.00	123	38 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>103.80</td><td>-----</td><td>-----</td><td>95.25</td><td>34.50</td><td>11.29</td><td>37.24</td><td>0.00</td><td>123</td><td>38 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	103.80	-----	-----	95.25	34.50	11.29	37.24	0.00	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5726.76	64.43	68.20	-3.77	55.80	34.55	11.33	37.25	0.00	123	38 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	103.80	-----	-----	95.25	34.50	11.29	37.24	0.00	123	38 PEAK																																																																																								
Avg	Blank																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>94.22</td><td>-----</td><td>-----</td><td>85.67</td><td>34.50</td><td>11.29</td><td>37.24</td><td>0.00</td><td>123</td><td>38 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	94.22	-----	-----	85.67	34.50	11.29	37.24	0.00	123	38 AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	94.22	-----	-----	85.67	34.50	11.29	37.24	0.00	123	38 AVERAGE																																																																																								



Mode	38																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5734.68</td><td>65.64</td><td>68.20</td><td>-2.56</td><td>56.98</td><td>34.57</td><td>11.35</td><td>37.26</td><td>0.00</td><td>113</td><td>273</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.68	65.64	68.20	-2.56	56.98	34.57	11.35	37.26	0.00	113	273	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.68</td><td>-----</td><td>-----</td><td>97.15</td><td>34.49</td><td>11.28</td><td>37.24</td><td>0.00</td><td>113</td><td>273</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.68	-----	-----	97.15	34.49	11.28	37.24	0.00	113	273
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5734.68	65.64	68.20	-2.56	56.98	34.57	11.35	37.26	0.00	113	273	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	105.68	-----	-----	97.15	34.49	11.28	37.24	0.00	113	273	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>95.66</td><td>-----</td><td>-----</td><td>87.13</td><td>34.49</td><td>11.28</td><td>37.24</td><td>0.00</td><td>113</td><td>273</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	95.66	-----	-----	87.13	34.49	11.28	37.24	0.00	113	273	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	95.66	-----	-----	87.13	34.49	11.28	37.24	0.00	113	273	AVERAGE																																																																																							




Mode	38																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.98</td><td>50.57</td><td>74.00</td><td>-23.43</td><td>65.47</td><td>35.70</td><td>13.05</td><td>63.65</td><td>0.00</td><td>269</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>7599.98</td><td>48.23</td><td>54.00</td><td>-5.77</td><td>63.13</td><td>35.70</td><td>13.05</td><td>63.65</td><td>0.00</td><td>269</td><td>305</td><td>AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>51.58</td><td>38.22</td><td>16.05</td><td>61.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.98	50.57	74.00	-23.43	65.47	35.70	13.05	63.65	0.00	269	305	PEAK	2	7599.98	48.23	54.00	-5.77	63.13	35.70	13.05	63.65	0.00	269	305	AVERAGE	3	11400.00	44.16	74.00	-29.84	51.58	38.22	16.05	61.69	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.98</td><td>53.53</td><td>74.00</td><td>-20.47</td><td>68.43</td><td>35.70</td><td>13.05</td><td>63.65</td><td>0.00</td><td>239</td><td>102</td><td>PEAK</td></tr><tr><td>2</td><td>7599.98</td><td>51.60</td><td>54.00</td><td>-2.40</td><td>66.50</td><td>35.70</td><td>13.05</td><td>63.65</td><td>0.00</td><td>239</td><td>102</td><td>AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>44.45</td><td>74.00</td><td>-29.55</td><td>51.87</td><td>38.22</td><td>16.05</td><td>61.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.98	53.53	74.00	-20.47	68.43	35.70	13.05	63.65	0.00	239	102	PEAK	2	7599.98	51.60	54.00	-2.40	66.50	35.70	13.05	63.65	0.00	239	102	AVERAGE	3	11400.00	44.45	74.00	-29.55	51.87	38.22	16.05	61.69	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	7599.98	50.57	74.00	-23.43	65.47	35.70	13.05	63.65	0.00	269	305	PEAK																																																																																																																																												
2	7599.98	48.23	54.00	-5.77	63.13	35.70	13.05	63.65	0.00	269	305	AVERAGE																																																																																																																																												
3	11400.00	44.16	74.00	-29.84	51.58	38.22	16.05	61.69	0.00	--	--	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	7599.98	53.53	74.00	-20.47	68.43	35.70	13.05	63.65	0.00	239	102	PEAK																																																																																																																																												
2	7599.98	51.60	54.00	-2.40	66.50	35.70	13.05	63.65	0.00	239	102	AVERAGE																																																																																																																																												
3	11400.00	44.45	74.00	-29.55	51.87	38.22	16.05	61.69	0.00	--	--	PEAK																																																																																																																																												

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.19	1.385	0.722	0.75KHZ
802.11ac VHT20	97.00	1.295	0.772	0.82KHZ
802.11ac VHT40	94.41	0.642	1.558	1.6KHZ
802.11ac VHT80	89.72	0.323	3.096	3.3KHZ

802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

