

Exhibit 3 FCC REQUIRED INFORMATION

The following information is presented in the content and format requested by FCC:

Section 2.1033 (c)(1, 5, 7-10):

The full name and mailing address of the manufacturer of the device and the applicant for certification

Manufacturer: **NOKIA SOLUTIONS AND NETWORKS OY
KARAKAARI 7, FI-02610 ESPOO
FINLAND**

Applicant: **Nokia Solutions and Networks, OY
2000 Lucent Lane
Naperville, IL, 60563
Attention: Lee Klinkenberg
Phone: 224-221-7580
email: lee.klinkenberg@nokia.com**

Section 2.1033(c)(5): IC Identifier: 2AD8UAWHNB01

Section 2.1033(c)(7): Type or types of emission:

The Nokia **AWHNB AirScale Micro RRH 4T4R Band-53 1W** is capable of amplifying transmission involving the following types of emissions:

BW (MHz)	Emissions Designation
10	8M90F9W
10	8M60W7W

Section 2.1033(c)(8): Frequency range, Transmit / Receive:

Blocks	Transmit Range (MHz)	Receive Range (MHz)	Bandwidth (MHz)
B53/n53	2483.5 - 2495	2483.5 - 2495	10

Section 2.1033(c)(9): Range of operating power values or specific operating power levels, and description of any means provided for variation of operating power.

Response:

The **AWHNB AirScale Micro RRH 4T4R Band-53 1W** is capable operating from 14.0 dBm to 24.0 dBm/port in 0.1 dB steps.

Section 2.1033(c)(10): Maximum power rating as defined in the applicable part (s) of the rules.

Response:

The maximum average power output of the **AWHNB AirScale Micro RRH 4T4R Band-53 1W** at the Antenna connection is summarized in the following table:

Operation Mode	Max Power per Port	Total Max Power	Modulation
4T4R	0.25 W	1.0 W	LTE/NR