

## TR326A KEY FUNCTION INSTRUCTION

1. The key1 is pressed,then the signal passes through the U1's eighth foot and arrives at U3,so the fan will turn OFF;
2. The key3 is pressed,then the signal passes through the U1's eighth foot and arrives at U2,so the fan will turn on HI speed;
3. The key5 is pressed,then the signal passes through the U1's eighth foot and arrives at U2,so the fan will turn on MED speed;
4. The key7 is pressed,then the signal passes through the U1's eighth foot and arrives at U2,so the fan will turn on LOW speed;
5. The key2 is pressed,then the signal passes through the U1's eighth foot and arrives at U2,so the light will turn on or off or DIM
6. The key4 is pressed,then the signal passes through the U1's eighth foot and arrives at U2,so the light goes out a minute later
7. The key6 is pressed,then the signal passes through the U1's eighth foot and arrives at U2,so the fan turns on the natual wind
8. The key8 is pressed,then the signal passes through the U1's eighth foot and arrives at U2,so the reciver is in anti-theft mode
9. "U2, R1, R2, R3, C1~9, X1, L1~L3" the components have an

effect on frequent fluctuation.

## **FCC Warning**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE 1: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful

interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.