




11AX20MIMO\_Ant1\_5320





11AX20MIMO\_Ant2\_5320




11AX20MIMO\_Ant1\_5500









11AX20MIMO\_Ant2\_5700





11AX20MIMO\_Ant1\_5720




11AX20MIMO\_Ant2\_5720









11AX20MIMO\_Ant1\_5825








11AX20MIMO\_Ant2\_5825




11AX40MIMO\_Ant1\_5190

















11AX40MIMO\_Ant1\_5670





11AX40MIMO\_Ant2\_5670




11AX40MIMO\_Ant1\_5710









11AX40MIMO\_Ant2\_5795





11AX80MIMO\_Ant1\_5210




11AX80MIMO\_Ant2\_5210









11AX80MIMO\_Ant1\_5610




11AX80MIMO\_Ant2\_5610



11AX80MIMO\_Ant1\_5690





### 11.3. APPENDIX C: MIN EMISSION BANDWIDTH


#### 11.3.1. Test Result


Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5720	16.36	5711.80	5728.16	≥0.5	PASS
	Ant2	5720	16.28	5711.84	5728.12	≥0.5	PASS
	Ant1	5720_UNII-3	3.16	5725	5728.16	≥0.5	PASS
	Ant2	5720_UNII-3	3.12	5725	5728.12	≥0.5	PASS
	Ant1	5745	16.32	5736.84	5753.16	≥0.5	PASS
	Ant2	5745	16.36	5736.80	5753.16	≥0.5	PASS
	Ant1	5785	16.32	5776.84	5793.16	≥0.5	PASS
	Ant2	5785	16.32	5776.84	5793.16	≥0.5	PASS
	Ant1	5825	15.08	5817.44	5832.52	≥0.5	PASS
11N20MIMO	Ant2	5825	16.36	5816.80	5833.16	≥0.5	PASS
	Ant1	5720	15.12	5712.44	5727.56	≥0.5	PASS
	Ant2	5720	17.52	5711.24	5728.76	≥0.5	PASS
	Ant1	5720_UNII-3	2.56	5725	5727.56	≥0.5	PASS
	Ant2	5720_UNII-3	3.76	5725	5728.76	≥0.5	PASS
	Ant1	5745	17.08	5736.44	5753.52	≥0.5	PASS
	Ant2	5745	16.96	5736.84	5753.80	≥0.5	PASS
	Ant1	5785	17.56	5776.20	5793.76	≥0.5	PASS
	Ant2	5785	17.56	5776.20	5793.76	≥0.5	PASS
11N40MIMO	Ant1	5825	17.60	5816.20	5833.80	≥0.5	PASS
	Ant2	5825	17.56	5816.20	5833.76	≥0.5	PASS
	Ant1	5710	35.12	5692.48	5727.60	≥0.5	PASS
	Ant2	5710	35.12	5692.48	5727.60	≥0.5	PASS
	Ant1	5710_UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant2	5710_UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant1	5755	35.04	5737.48	5772.52	≥0.5	PASS
	Ant2	5755	35.04	5737.48	5772.52	≥0.5	PASS
	Ant1	5795	35.12	5777.48	5812.60	≥0.5	PASS
11AC80MIMO	Ant2	5795	33.92	5778.68	5812.60	≥0.5	PASS
	Ant1	5690	75.20	5652.40	5727.60	≥0.5	PASS
	Ant2	5690	75.20	5652.40	5727.60	≥0.5	PASS
	Ant1	5690_UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant2	5690_UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant1	5775	75.20	5737.40	5812.60	≥0.5	PASS
11AX20MIMO	Ant2	5775	75.20	5737.40	5812.60	≥0.5	PASS
	Ant1	5720	18.72	5710.56	5729.28	≥0.5	PASS
	Ant2	5720	18.68	5710.64	5729.32	≥0.5	PASS
	Ant1	5720_UNII-3	4.28	5725	5729.28	≥0.5	PASS
	Ant2	5720_UNII-3	4.32	5725	5729.32	≥0.5	PASS
	Ant1	5745	18.32	5735.92	5754.24	≥0.5	PASS
	Ant2	5745	18.92	5735.52	5754.44	≥0.5	PASS
	Ant1	5785	18.36	5775.92	5794.28	≥0.5	PASS
	Ant2	5785	17.36	5776.20	5793.56	≥0.5	PASS
	Ant1	5825	18.56	5815.76	5834.32	≥0.5	PASS
11AX40MIMO	Ant2	5825	18.88	5815.56	5834.44	≥0.5	PASS
	Ant1	5710	36.72	5691.76	5728.48	≥0.5	PASS
	Ant2	5710	35.12	5692.48	5727.60	≥0.5	PASS
	Ant1	5710_UNII-3	3.48	5725	5728.48	≥0.5	PASS
	Ant2	5710_UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant1	5755	36.72	5736.44	5773.16	≥0.5	PASS
	Ant2	5755	37.28	5736.20	5773.48	≥0.5	PASS
	Ant1	5795	36.72	5776.60	5813.32	≥0.5	PASS
11AX80MIMO	Ant2	5795	35.12	5777.48	5812.60	≥0.5	PASS
	Ant1	5690	75.20	5652.40	5727.60	≥0.5	PASS
	Ant2	5690	77.12	5651.76	5728.88	≥0.5	PASS
	Ant1	5690_UNII-3	2.6	5725	5727.60	≥0.5	PASS




	Ant2	5690_UNII-3	3.88	5725	5728.88	≥0.5	PASS
	Ant1	5775	75.20	5737.40	5812.60	≥0.5	PASS
	Ant2	5775	75.20	5737.40	5812.60	≥0.5	PASS

## 11.3.2. Test Graphs







11A\_Ant2\_5745





11A\_Ant1\_5785




11A\_Ant2\_5785









11N20MIMO\_Ant1\_5745





11N20MIMO\_Ant2\_5745




11N20MIMO\_Ant1\_5785









11N40MIMO\_Ant2\_5710




11N40MIMO\_Ant1\_5755




11N40MIMO\_Ant2\_5755












11AC80MIMO\_Ant1\_5775





11AC80MIMO\_Ant2\_5775




11AX20MIMO\_Ant1\_5720









11AX20MIMO\_Ant2\_5785





11AX20MIMO\_Ant1\_5825




11AX20MIMO\_Ant2\_5825









11AX40MIMO\_Ant1\_5795




11AX40MIMO\_Ant2\_5795



11AX80MIMO\_Ant1\_5690





## 11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

### 11.4.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	14.29	≤23.98	---	15.71	≤22.71	PASS
	Ant2	5180	14.79	≤23.98	---	16.32	≤22.71	PASS
	Ant1	5200	13.95	≤23.98	---	15.37	≤22.76	PASS
	Ant2	5200	14.64	≤23.98	---	16.17	≤22.73	PASS
	Ant1	5240	14.35	≤23.98	---	15.77	≤22.35	PASS
	Ant2	5240	14.42	≤23.98	---	15.95	≤22.36	PASS
	Ant1	5260	13.78	≤23.98	≤23.77	15.20	≤29.77	PASS
	Ant2	5260	13.86	≤23.98	≤23.75	15.39	≤29.75	PASS
	Ant1	5280	13.98	≤23.98	≤23.77	15.40	≤29.77	PASS
	Ant2	5280	13.67	≤23.98	≤23.76	15.20	≤29.76	PASS
	Ant1	5320	14.09	≤23.98	≤23.76	15.51	≤29.76	PASS
	Ant2	5320	13.81	≤23.98	≤23.77	15.34	≤29.77	PASS
	Ant1	5500	14.36	≤23.98	≤23.76	15.78	≤29.76	PASS
	Ant2	5500	13.82	≤23.98	≤23.82	15.35	≤29.82	PASS
	Ant1	5580	13.94	≤23.98	≤23.76	15.36	≤29.76	PASS
	Ant2	5580	13.88	≤23.98	≤23.82	15.41	≤29.82	PASS
	Ant1	5700	14.21	≤23.98	≤23.78	15.63	≤29.78	PASS
	Ant2	5700	14.28	≤23.98	≤23.81	15.81	≤29.81	PASS
	Ant1	5720_UNII-2C	12.12	≤23.00	≤22.63	13.65	≤28.63	PASS
	Ant2	5720_UNII-2C	12.08	≤23.46	≤22.66	13.61	≤28.66	PASS
	Ant1	5720_UNII-3	3.20	≤30.00	≤30.00	4.73	---	PASS
	Ant2	5720_UNII-3	3.52	≤30.00	≤30.00	5.05	---	PASS
	Ant1	5745	13.76	≤30.00	≤30.00	15.18	---	PASS
	Ant2	5745	13.98	≤30.00	≤30.00	15.51	---	PASS
	Ant1	5785	14.06	≤30.00	≤30.00	15.48	---	PASS
	Ant2	5785	14.14	≤30.00	≤30.00	15.67	---	PASS
	Ant1	5825	14.09	≤30.00	≤30.00	15.51	---	PASS
	Ant2	5825	13.93	≤30.00	≤30.00	15.46	---	PASS
11N20MIMO	Ant1	5180	12.25	≤23.98	---	13.78	≤22.86	PASS
	Ant2	5180	12.10	≤23.98	---	13.63	≤22.67	PASS
	total	5180	15.19	≤23.98	---	16.72	≤22.67	PASS
	Ant1	5200	12.14	≤23.98	---	13.67	≤22.94	PASS
	Ant2	5200	12.11	≤23.98	---	13.64	≤22.70	PASS
	total	5200	15.14	≤23.98	---	16.67	≤22.70	PASS
	Ant1	5240	11.23	≤23.98	---	12.76	≤22.57	PASS
	Ant2	5240	12.93	≤23.98	---	14.46	≤22.50	PASS
	total	5240	15.17	≤23.98	---	16.70	≤22.50	PASS
	Ant1	5260	12.42	≤23.98	≤23.94	13.95	≤29.94	PASS
	Ant2	5260	12.95	≤23.98	≤23.70	14.48	≤29.70	PASS
	total	5260	15.70	≤23.98	≤23.70	17.23	≤29.70	PASS
	Ant1	5280	12.06	≤23.98	≤23.94	13.59	≤29.94	PASS
	Ant2	5280	13.36	≤23.98	≤23.72	14.89	≤29.72	PASS
	total	5280	15.77	≤23.98	≤23.72	17.30	≤29.72	PASS
	Ant1	5320	11.60	≤23.98	≤23.91	13.13	≤29.91	PASS
	Ant2	5320	12.25	≤23.98	≤23.70	13.78	≤29.70	PASS
	total	5320	14.95	≤23.98	≤23.70	16.48	≤29.70	PASS
	Ant1	5500	14.47	≤23.98	≤23.91	16.00	≤29.91	PASS
	Ant2	5500	14.15	≤23.98	≤23.73	15.68	≤29.73	PASS
	total	5500	17.32	≤23.98	≤23.73	18.85	≤29.73	PASS
	Ant1	5580	14.46	≤23.98	≤23.91	15.99	≤29.91	PASS
	Ant2	5580	13.56	≤23.98	≤23.69	15.09	≤29.69	PASS
	total	5580	17.04	≤23.98	≤23.69	18.57	≤29.69	PASS
	Ant1	5700	14.78	≤23.98	≤23.92	16.31	≤29.92	PASS
	Ant2	5700	15.05	≤23.98	≤23.70	16.58	≤29.70	PASS
	total	5700	17.93	≤23.98	≤23.70	19.46	≤29.70	PASS
	Ant1	5720_UNII-2C	13.00	≤23.42	≤22.71	14.53	≤28.71	PASS
	Ant2	5720_UNII-2C	12.25	≤23.29	≤22.56	13.78	≤28.56	PASS

	total	5720_UNII-2C	15.65	≤23.98	≤22.56	17.18	≤28.56	PASS
	Ant1	5720_UNII-3	2.06	≤30.00	≤30.00	3.59	---	PASS
	Ant2	5720_UNII-3	1.57	≤30.00	≤30.00	3.10	---	PASS
	total	5720_UNII-3	4.83	≤30.00	≤30.00	6.36	---	PASS
	Ant1	5745	14.32	≤30.00	≤30.00	15.85	---	PASS
	Ant2	5745	15.32	≤30.00	≤30.00	16.85	---	PASS
	total	5745	17.86	≤30.00	≤30.00	19.39	---	PASS
	Ant1	5785	13.85	≤30.00	≤30.00	15.38	---	PASS
	Ant2	5785	14.62	≤30.00	≤30.00	16.15	---	PASS
	total	5785	17.26	≤30.00	≤30.00	18.79	---	PASS
	Ant1	5825	14.19	≤30.00	≤30.00	15.72	---	PASS
	Ant2	5825	13.53	≤30.00	≤30.00	15.06	---	PASS
	total	5825	16.88	≤30.00	≤30.00	18.41	---	PASS
11N40MIMO	Ant1	5190	11.19	≤23.98	---	12.72	≤23.00	PASS
	Ant2	5190	11.82	≤23.98	---	13.35	≤23.00	PASS
	total	5190	14.53	≤23.98	---	16.06	≤23.00	PASS
	Ant1	5230	11.17	≤23.98	---	12.70	≤23.00	PASS
	Ant2	5230	11.68	≤23.98	---	13.21	≤23.00	PASS
	total	5230	14.44	≤23.98	---	15.97	≤23.00	PASS
	Ant1	5270	11.77	≤23.98	≤23.98	13.30	≤30.00	PASS
	Ant2	5270	12.48	≤23.98	≤23.98	14.01	≤30.00	PASS
	total	5270	15.15	≤23.98	≤23.98	16.68	≤30.00	PASS
	Ant1	5310	11.38	≤23.98	≤23.98	12.91	≤30.00	PASS
	Ant2	5310	11.37	≤23.98	≤23.98	12.90	≤30.00	PASS
	total	5310	14.39	≤23.98	≤23.98	15.92	≤30.00	PASS
	Ant1	5510	14.72	≤23.98	≤23.98	16.25	≤30.00	PASS
	Ant2	5510	14.05	≤23.98	≤23.98	15.58	≤30.00	PASS
	total	5510	17.41	≤23.98	≤23.98	18.94	≤30.00	PASS
	Ant1	5550	13.95	≤23.98	≤23.98	15.48	≤30.00	PASS
	Ant2	5550	14.89	≤23.98	≤23.98	16.42	≤30.00	PASS
	total	5550	17.46	≤23.98	≤23.98	18.99	≤30.00	PASS
	Ant1	5670	13.90	≤23.98	≤23.98	15.43	≤30.00	PASS
	Ant2	5670	14.58	≤23.98	≤23.98	16.11	≤30.00	PASS
	total	5670	17.26	≤23.98	≤23.98	18.79	≤30.00	PASS
	Ant1	5710_UNII-2C	13.11	≤23.98	≤23.98	14.64	≤30.00	PASS
	Ant2	5710_UNII-2C	12.53	≤23.98	≤23.98	14.06	≤30.00	PASS
	total	5710_UNII-2C	15.84	≤23.98	≤23.98	17.37	≤30.00	PASS
	Ant1	5710_UNII-3	-1.89	≤30.00	≤30.00	-0.36	---	PASS
	Ant2	5710_UNII-3	-2.44	≤30.00	≤30.00	-0.91	---	PASS
	total	5710_UNII-3	0.85	≤30.00	≤30.00	2.38	---	PASS
	Ant1	5755	13.86	≤30.00	≤30.00	15.39	---	PASS
	Ant2	5755	14.48	≤30.00	≤30.00	16.01	---	PASS
	total	5755	17.19	≤30.00	≤30.00	18.72	---	PASS
	Ant1	5795	13.73	≤30.00	≤30.00	15.26	---	PASS
	Ant2	5795	14.50	≤30.00	≤30.00	16.03	---	PASS
	total	5795	17.14	≤30.00	≤30.00	18.67	---	PASS
11AC80MIMO	Ant1	5210	13.65	≤23.98	---	15.18	≤23.00	PASS
	Ant2	5210	14.04	≤23.98	---	15.57	≤23.00	PASS
	total	5210	16.86	≤23.98	---	18.39	≤23.00	PASS
	Ant1	5290	13.98	≤23.98	≤23.98	15.51	≤30.00	PASS
	Ant2	5290	15.06	≤23.98	≤23.98	16.59	≤30.00	PASS
	total	5290	17.56	≤23.98	≤23.98	19.09	≤30.00	PASS
	Ant1	5530	13.71	≤23.98	≤23.98	15.24	≤30.00	PASS
	Ant2	5530	13.40	≤23.98	≤23.98	14.93	≤30.00	PASS
	total	5530	16.57	≤23.98	≤23.98	18.10	≤30.00	PASS
	Ant1	5610	13.78	≤23.98	≤23.98	15.31	≤30.00	PASS
	Ant2	5610	13.70	≤23.98	≤23.98	15.23	≤30.00	PASS
	total	5610	16.75	≤23.98	≤23.98	18.28	≤30.00	PASS
	Ant1	5690_UNII-2C	12.58	≤23.98	≤23.98	14.11	≤30.00	PASS
	Ant2	5690_UNII-2C	13.06	≤23.98	≤23.98	14.59	≤30.00	PASS
	total	5690_UNII-2C	15.84	≤23.98	≤23.98	17.37	≤30.00	PASS
	Ant1	5690_UNII-3	-7.19	≤30.00	≤30.00	-5.66	---	PASS
	Ant2	5690_UNII-3	-6.88	≤30.00	≤30.00	-5.35	---	PASS
	total	5690_UNII-3	-4.02	≤30.00	≤30.00	-2.49	---	PASS



	Ant1	5775	13.52	≤30.00	≤30.00	15.05	---	PASS
	Ant2	5775	14.17	≤30.00	≤30.00	15.70	---	PASS
	total	5775	16.87	≤30.00	≤30.00	18.40	---	PASS
11AX20MIMO	Ant1	5180	9.77	≤23.98	---	11.30	≤22.86	PASS
	Ant2	5180	10.56	≤23.98	---	12.09	≤22.84	PASS
	total	5180	13.19	≤23.98	---	14.72	≤22.84	PASS
	Ant1	5200	8.83	≤23.98	---	10.36	≤22.89	PASS
	Ant2	5200	9.37	≤23.98	---	10.90	≤22.86	PASS
	total	5200	12.12	≤23.98	---	13.65	≤22.86	PASS
	Ant1	5240	9.51	≤23.98	---	11.04	≤22.76	PASS
	Ant2	5240	10.06	≤23.98	---	11.59	≤22.76	PASS
	total	5240	12.80	≤23.98	---	14.33	≤22.76	PASS
	Ant1	5260	9.74	≤23.98	≤23.85	11.27	≤29.85	PASS
	Ant2	5260	10.35	≤23.98	≤23.84	11.88	≤29.84	PASS
	total	5260	13.07	≤23.98	≤23.84	14.60	≤29.84	PASS
	Ant1	5280	9.46	≤23.98	≤23.86	10.99	≤29.86	PASS
	Ant2	5280	10.73	≤23.98	≤23.83	12.26	≤29.83	PASS
	total	5280	13.15	≤23.98	≤23.83	14.68	≤29.83	PASS
	Ant1	5320	9.07	≤23.98	≤23.85	10.60	≤29.85	PASS
	Ant2	5320	9.13	≤23.98	≤23.83	10.66	≤29.83	PASS
	total	5320	12.11	≤23.98	≤23.83	13.64	≤29.83	PASS
	Ant1	5500	12.95	≤23.98	≤23.86	14.48	≤29.86	PASS
	Ant2	5500	12.14	≤23.98	≤23.84	13.67	≤29.84	PASS
	total	5500	15.57	≤23.98	≤23.84	17.10	≤29.84	PASS
	Ant1	5580	12.80	≤23.98	≤23.85	14.33	≤29.85	PASS
	Ant2	5580	12.09	≤23.98	≤23.84	13.62	≤29.84	PASS
	total	5580	15.47	≤23.98	≤23.84	17.00	≤29.84	PASS
	Ant1	5700	12.47	≤23.98	≤23.85	14.00	≤29.85	PASS
	Ant2	5700	12.13	≤23.98	≤23.85	13.66	≤29.85	PASS
	total	5700	15.31	≤23.98	≤23.85	16.84	≤29.85	PASS
	Ant1	5720_UNII-2C	10.94	≤23.03	≤22.65	12.47	≤28.65	PASS
	Ant2	5720_UNII-2C	10.78	≤23.01	≤22.65	12.31	≤28.65	PASS
	total	5720_UNII-2C	13.87	≤23.98	≤22.65	15.40	≤28.65	PASS
	Ant1	5720_UNII-3	2.54	≤30.00	≤30.00	4.07	---	PASS
	Ant2	5720_UNII-3	2.71	≤30.00	≤30.00	4.24	---	PASS
	total	5720_UNII-3	5.64	≤30.00	≤30.00	7.17	---	PASS
	Ant1	5745	11.99	≤30.00	≤30.00	13.52	---	PASS
	Ant2	5745	12.65	≤30.00	≤30.00	14.18	---	PASS
	total	5745	15.34	≤30.00	≤30.00	16.87	---	PASS
	Ant1	5785	11.58	≤30.00	≤30.00	13.11	---	PASS
	Ant2	5785	12.46	≤30.00	≤30.00	13.99	---	PASS
	total	5785	15.05	≤30.00	≤30.00	16.58	---	PASS
	Ant1	5825	12.46	≤30.00	≤30.00	13.99	---	PASS
	Ant2	5825	12.04	≤30.00	≤30.00	13.57	---	PASS
	total	5825	15.27	≤30.00	≤30.00	16.80	---	PASS
11AX40MIMO	Ant1	5190	12.34	≤23.98	---	13.87	≤23.00	PASS
	Ant2	5190	13.52	≤23.98	---	15.05	≤23.00	PASS
	total	5190	15.98	≤23.98	---	17.51	≤23.00	PASS
	Ant1	5230	12.25	≤23.98	---	13.78	≤23.00	PASS
	Ant2	5230	13.91	≤23.98	---	15.44	≤23.00	PASS
	total	5230	16.17	≤23.98	---	17.70	≤23.00	PASS
	Ant1	5270	11.31	≤23.98	≤23.98	12.84	≤30.00	PASS
	Ant2	5270	12.38	≤23.98	≤23.98	13.91	≤30.00	PASS
	total	5270	14.89	≤23.98	≤23.98	16.42	≤30.00	PASS
	Ant1	5310	12.40	≤23.98	≤23.98	13.93	≤30.00	PASS
	Ant2	5310	13.09	≤23.98	≤23.98	14.62	≤30.00	PASS
	total	5310	15.77	≤23.98	≤23.98	17.30	≤30.00	PASS
	Ant1	5510	13.03	≤23.98	≤23.98	14.56	≤30.00	PASS
	Ant2	5510	12.15	≤23.98	≤23.98	13.68	≤30.00	PASS
	total	5510	15.62	≤23.98	≤23.98	17.15	≤30.00	PASS
	Ant1	5550	12.42	≤23.98	≤23.98	13.95	≤30.00	PASS
	Ant2	5550	13.22	≤23.98	≤23.98	14.75	≤30.00	PASS
	total	5550	15.85	≤23.98	≤23.98	17.38	≤30.00	PASS
	Ant1	5670	12.35	≤23.98	≤23.98	13.88	≤30.00	PASS

	Ant2	5670	12.93	≤23.98	≤23.98	14.46	≤30.00	PASS
	total	5670	15.66	≤23.98	≤23.98	17.19	≤30.00	PASS
	Ant1	5710_UNII-2C	11.53	≤23.98	≤23.98	13.06	≤30.00	PASS
	Ant2	5710_UNII-2C	11.05	≤23.98	≤23.98	12.58	≤30.00	PASS
	total	5710_UNII-2C	14.31	≤23.98	≤23.98	15.84	≤30.00	PASS
	Ant1	5710_UNII-3	-2.46	≤30.00	≤30.00	-0.93	---	PASS
	Ant2	5710_UNII-3	-3.10	≤30.00	≤30.00	-1.57	---	PASS
	total	5710_UNII-3	0.24	≤30.00	≤30.00	1.77	---	PASS
	Ant1	5755	12.24	≤30.00	≤30.00	13.77	---	PASS
	Ant2	5755	12.71	≤30.00	≤30.00	14.24	---	PASS
	total	5755	15.49	≤30.00	≤30.00	17.02	---	PASS
	Ant1	5795	11.97	≤30.00	≤30.00	13.50	---	PASS
	Ant2	5795	12.30	≤30.00	≤30.00	13.83	---	PASS
	total	5795	15.15	≤30.00	≤30.00	16.68	---	PASS
11AX80MIMO	Ant1	5210	12.24	≤23.98	---	13.77	≤23.00	PASS
	Ant2	5210	12.83	≤23.98	---	14.36	≤23.00	PASS
	total	5210	15.56	≤23.98	---	17.09	≤23.00	PASS
	Ant1	5290	11.97	≤23.98	≤23.98	13.50	≤30.00	PASS
	Ant2	5290	13.29	≤23.98	≤23.98	14.82	≤30.00	PASS
	total	5290	15.69	≤23.98	≤23.98	17.22	≤30.00	PASS
	Ant1	5530	12.28	≤23.98	≤23.98	13.81	≤30.00	PASS
	Ant2	5530	11.33	≤23.98	≤23.98	12.86	≤30.00	PASS
	total	5530	14.84	≤23.98	≤23.98	16.37	≤30.00	PASS
	Ant1	5610	12.41	≤23.98	≤23.98	13.94	≤30.00	PASS
	Ant2	5610	12.05	≤23.98	≤23.98	13.58	≤30.00	PASS
	total	5610	15.24	≤23.98	≤23.98	16.77	≤30.00	PASS
	Ant1	5690_UNII-2C	10.63	≤23.98	≤23.98	12.16	≤30.00	PASS
	Ant2	5690_UNII-2C	11.18	≤23.98	≤23.98	12.71	≤30.00	PASS
	total	5690_UNII-2C	13.92	≤23.98	≤23.98	15.45	≤30.00	PASS
	Ant1	5690_UNII-3	-6.25	≤30.00	≤30.00	-4.72	---	PASS
	Ant2	5690_UNII-3	-5.80	≤30.00	≤30.00	-4.27	---	PASS
	total	5690_UNII-3	-3.01	≤30.00	≤30.00	-1.48	---	PASS
	Ant1	5775	11.23	≤30.00	≤30.00	12.76	---	PASS
	Ant2	5775	12.00	≤30.00	≤30.00	13.53	---	PASS
	total	5775	14.64	≤30.00	≤30.00	16.17	---	PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.