




11AX20MIMO\_Ant2\_2437\_30~1000





11AX20MIMO\_Ant2\_2437\_1000~26500




11AX20MIMO\_Ant1\_2457\_0~Reference









11AX20MIMO\_Ant2\_2457\_1000~26500





11AX20MIMO\_Ant1\_2462\_0~Reference





11AX20MIMO\_Ant1\_2462\_30~1000














11AX40MIMO\_Ant1\_2427\_30~1000




11AX40MIMO\_Ant1\_2427\_1000~26500




11AX40MIMO\_Ant2\_2427\_0~Reference












11AX40MIMO\_Ant1\_2437\_1000~26500





11AX40MIMO\_Ant2\_2437\_0~Reference





11AX40MIMO\_Ant2\_2437\_30~1000











**11.7. APPENDIX G: DUTY CYCLE****11.7.1. Test Result**

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11B-CDD	8.39	8.45	0.9929	99.29	0.03	0.12	1
11G-CDD	1.38	1.44	0.9583	95.83	0.18	0.72	1
11N20MIMO	1.30	1.36	0.9559	95.59	0.20	0.77	1
11N40MIMO	0.64	0.70	0.9143	91.43	0.39	1.56	2
11AX20MIMO	1.01	1.07	0.9439	94.39	0.25	0.99	1
11AX40MIMO	0.53	0.59	0.8983	89.83	0.47	1.89	2

Note:


Duty Cycle Correction Factor =  $10 \log (1/x)$ .

Where: x is Duty Cycle (Linear)


Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.


## 11.7.2. Test Graphs








11N40MIMO\_Ant1\_2422



11AX20MIMO\_Ant1\_2412



11AX40MIMO\_Ant1\_2422

END OF REPORT