

### REM-EMIESS22Q230DAV-05Av0

## **MPE** test report

According to the standard: CFR 47 FCC PART 15

Equipment under test:

DAVEYTRONIC PROGRAMMING UNIT PU

FCC ID: 2AUQC-PUDAVEY23

Company: DAVEY BICKFORD

Distribution: Mrs STOJANOVIC (Company: DAVEY BICKFORD)

Number of pages: 5

Ed.	Date	Modified	Technical Verification and Quality Approval	
		Page(s)	Name and Function	Visa
0	22-Aug-23	Creation	S. LOUIS, Radio Technician	

Duplication of this document is only permitted for an integral photographic facsimile. It includes the number of pages referenced here above.

This document is the result of testing a specimen or a sample of the product submitted. It does not imply an assessment of the conformity of the whole manufactured products of the tested sample.

Information in italics are declared by the manufacturer/customer and are under his responsibility



**WRITTEN BY:** 

DESIGNATION OF PRODUCT:	DAVEYTRONIC PROGRAMN	IING UNIT F	PU
Serial number (S/N):	2903		
Reference / model (P/N):	PU-23		
Software version:	User interface V2.6.4 Driver V3.1.1		
MANUFACTURER:	DAVEY BICKFORD		
COMPANY SUBMITTING THE PRODU	СТ:		
Company:	DAVEY BICKFORD		
Address:	LE MOULIN GASPARD CHEMIN DE LA PYROTECHN 89550 HERY FRANCE	IIE	
Responsible:	Mrs STOJANOVIC		
DATE(S) OF TEST:	From 17-Jul-23 to 25-Jul-23		
TESTING LOCATION:	EMITECH ANGERS laboratory FCC Accredited under US-EU Test Firm Registration Numbe	MRA Design	SUR LOIRE (49) FRANCE nation Number: FR0009
TESTED BY:	B. VOVARD	VISA:	3. Vouard

B. VOVARD



# **CONTENTS**

	TITLE	PAGE
1.	INTRODUCTION	4
2.	PRODUCT DESCRIPTION	4
3.	NORMATIVE REFERENCE	5
4.	RF EXPOSURE	5

# **REVISIONS HISTORY**

Revision	Date	Modified	Modifications	
		pages		
0	18-Aug-23	1	Creation	



#### 1. INTRODUCTION

This report presents the results of radio test carried out on the following radio equipment: **<u>DAVEYTRONIC</u> <u>PROGRAMMING UNIT PU</u>**, in accordance with normative reference.

The device under test integrate:

• RFID Reader not already certified

The host device of certified module(s) shall be properly labeled to identify the module(s) within.

#### 2. PRODUCT DESCRIPTION

Category of equipment (ISED): I

Class: A

Utilization: Industrial

Antenna type and gain: integral antenna (unknown gain)

Operating frequency range: From 13.11 MHz to 14.01 MHz

Number of channels: 1

Channel spacing: Not concerned

Modulation: ASK

Power source: 3.65Vdc 6800 mAh Li-lon rechargeable battery

The radio is not operational during charge mode.

Power level, frequency range and channels characteristics are not user adjustable.

The details pictures of the product and the circuit boards are joined with this file.



#### 3. NORMATIVE REFERENCE

The standards and testing methods related throughout this report are those listed below.

They are applied on the whole test report even though the extensions (version, date and amendment) are not repeated.

CFR 47 (2023) Radio Frequency Devices

ANSI C63.10 2013

Procedures for ComplianceTesting of Unlicensed Wireless Devices.

447498 D04 Interim General

RF Exposure Pocedures and Equipment Authorization Policies for Mobile and

RF Exposure Guidance v01 Portable Devices

#### 4. RF EXPOSURE

### 13.56MHz Radio Part in standalone:

In accordance with KDB 447498 D04 Interim General RF Exposure Guidance v01, Paragraph 4.3.1.

### 1-mW Test Exemption according paragraph 2.1.2

Maximum measured power =  $32.84 \text{ dB}\mu\text{V/m} = 0.146 \text{ x } 10^{-6} \text{ mW}$  at 13,56 MHz. with P =  $(E \times d)^2 / (30 \times Gp)$  with d = 10 m and Gp = 1

The equipment fulfils the requirements on 1-mW Test Exemption according §1.1307(b)(3)(i)(A).

□□□ End of report □□□