

APPENDIX A: PART 0 SAR TEST RESULTS FOR P_{LIMIT} CALCULATIONS

For some bands/modes, a lower P_{Limit} was selected as a more conservative evaluation.

Table A-1
 P_{Limit} Calculations – GPRS 850 Phablet SAR

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	GPRS 850	GPRS 4 Tx Slots	A	01769	1:2.076	-0.04	848.80	251	26.96	Back	0	1.030	27.6	27.6
Phablet	GPRS 850	GPRS 4 Tx Slots	A	01769	1:2.076	0.04	848.80	251	26.96	Front	0	0.628	29.7	
Phablet	GPRS 850	GPRS 4 Tx Slots	A	01769	1:2.076	0.00	848.80	251	26.96	Bottom	0	1.010	27.7	
Phablet	GPRS 850	GPRS 4 Tx Slots	A	01769	1:2.076	0.03	848.80	251	26.96	Right	0	0.545	30.3	
Phablet	GPRS 850	GPRS 4 Tx Slots	A	01769	1:2.076	0.00	848.80	251	26.96	Left	0	0.055	40.3	

Table A-2
 P_{Limit} Calculations – GPRS 1900 Phablet SAR

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	GPRS 1900	GPRS 4 Tx Slots	B	02262	1:2.076	-0.05	1909.80	810	22.21	Back	0	1.170	22.3	22.3
Phablet	GPRS 1900	GPRS 4 Tx Slots	B	02262	1:2.076	0.02	1909.80	810	22.21	Front	0	0.944	23.2	
Phablet	GPRS 1900	GPRS 4 Tx Slots	B	02080	1:2.076	0.01	1909.80	810	22.21	Bottom	0	0.878	23.5	
Phablet	GPRS 1900	GPRS 4 Tx Slots	B	02262	1:2.076	-0.03	1909.80	810	22.21	Left	0	0.386	27.1	

Table A-3
 P_{Limit} Calculations – UMTS 850 Phablet SAR

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	UMTS 850	RMC	A	01769	1:1	0.02	836.60	4183	23.98	Back	0	1.160	27.3	27.3
Phablet	UMTS 850	RMC	A	01769	1:1	-0.02	836.60	4183	23.98	Front	0	0.620	30.0	
Phablet	UMTS 850	RMC	A	01769	1:1	-0.01	836.60	4183	23.98	Bottom	0	1.060	27.7	
Phablet	UMTS 850	RMC	A	01769	1:1	-0.02	836.60	4183	23.98	Right	0	0.674	29.6	
Phablet	UMTS 850	RMC	A	01769	1:1	0.02	836.60	4183	23.98	Left	0	0.077	39.0	

FCC ID: A3LSMA356E	PART 0 SAR CHAR REPORT	Approved by: Technical Manager
Document S/N: 1M2310260110-07.A3L	DUT Type: Portable Handset	APPENDIX L: Page 1 of 5

REV 1.1
04/08/2022

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.Info@Element.com.

Table A-4
***P*_{Limit} Calculations – UMTS 1750 Phablet SAR**

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	UMTS 1750	RMC	B	01447	1:1	0.00	1712.40	1312	19.38	Back	0	0.948	23.5	23.5
Phablet	UMTS 1750	RMC	B	01447	1:1	-0.04	1712.40	1312	19.38	Front	0	0.635	25.3	
Phablet	UMTS 1750	RMC	B	01447	1:1	-0.01	1712.40	1312	19.38	Bottom	0	0.628	25.3	
Phablet	UMTS 1750	RMC	B	01447	1:1	0.01	1712.40	1312	19.38	Left	0	0.344	27.9	

Table A-5
***P*_{Limit} Calculations – UMTS 1900 Phablet SAR**

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	UMTS 1900	RMC	B	02080	1:1	0.00	1852.40	9262	19.80	Back	0	1.400	22.3	22.3
Phablet	UMTS 1900	RMC	B	02080	1:1	-0.03	1852.40	9262	19.80	Front	0	0.912	24.1	
Phablet	UMTS 1900	RMC	B	02080	1:1	0.00	1852.40	9262	19.80	Bottom	0	1.130	23.2	
Phablet	UMTS 1900	RMC	B	02080	1:1	0.00	1852.40	9262	19.80	Left	0	0.362	28.1	

Table A-6
***P*_{Limit} Calculations – LTE Band 12 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 12	10	QPSK	A	02718	1:1	0.04	707.50	23095	0.0	24.42	1	0	Back	0	1.110	27.9	27.9
Phablet	LTE Band 12	10	QPSK	A	02718	1:1	-0.01	707.50	23095	0.0	24.42	1	0	Front	0	0.579	30.7	
Phablet	LTE Band 12	10	QPSK	A	02718	1:1	0.04	707.50	23095	0.0	24.42	1	0	Bottom	0	0.845	29.1	
Phablet	LTE Band 12	10	QPSK	A	02718	1:1	0.01	707.50	23095	0.0	24.42	1	0	Right	0	0.629	30.4	
Phablet	LTE Band 12	10	QPSK	A	02718	1:1	-0.08	707.50	23095	0.0	24.42	1	0	Left	0	0.054	41.0	

Table A-7
***P*_{Limit} Calculations – LTE Band 13 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 13	10	QPSK	A	02718	1:1	0.02	782.00	23230	0.0	25.10	1	0	Back	0	1.230	28.1	28.1
Phablet	LTE Band 13	10	QPSK	A	02718	1:1	-0.08	782.00	23230	0.0	25.10	1	0	Front	0	0.589	31.3	
Phablet	LTE Band 13	10	QPSK	A	02718	1:1	0.02	782.00	23230	0.0	25.10	1	0	Bottom	0	1.110	28.6	
Phablet	LTE Band 13	10	QPSK	A	02718	1:1	0.01	782.00	23230	0.0	25.10	1	0	Right	0	0.755	30.2	
Phablet	LTE Band 13	10	QPSK	A	02718	1:1	-0.03	782.00	23230	0.0	25.10	1	0	Left	0	0.079	40.1	

FCC ID: A3LSMA356E	PART 0 SAR CHAR REPORT	Approved by: Technical Manager
Document S/N: 1M2310260110-07.A3L	DUT Type: Portable Handset	APPENDIX L: Page 2 of 5

Table A-8
***P*_{Limit} Calculations – LTE Band 26 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 26	15	QPSK	A	01447	1:1	0.00	831.50	26865	0.0	24.70	1	0	Back	0	1.080	28.3	28.3
Phablet	LTE Band 26	15	QPSK	A	01447	1:1	0.00	831.50	26865	0.0	24.70	1	0	Front	0	0.514	31.5	
Phablet	LTE Band 26	15	QPSK	A	01447	1:1	0.02	831.50	26865	0.0	24.70	1	0	Bottom	0	1.010	28.6	
Phablet	LTE Band 26	15	QPSK	A	01447	1:1	-0.17	831.50	26865	0.0	24.70	1	0	Right	0	0.461	32.0	
Phablet	LTE Band 26	15	QPSK	A	01447	1:1	0.01	831.50	26865	0.0	24.70	1	0	Left	0	0.071	40.1	

Table A-9
***P*_{Limit} Calculations – LTE Band 66 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 66	20	QPSK	B	01447	1:1	0.05	1720.00	132072	0.0	18.21	1	0	Back	0	0.740	23.4	23.4
Phablet	LTE Band 66	20	QPSK	B	01447	1:1	-0.01	1720.00	132072	0.0	18.21	1	0	Front	0	0.499	25.2	
Phablet	LTE Band 66	20	QPSK	B	02262	1:1	0.00	1720.00	132072	0.0	18.21	1	0	Bottom	0	0.460	25.5	
Phablet	LTE Band 66	20	QPSK	B	01447	1:1	0.02	1720.00	132072	0.0	18.21	1	0	Left	0	0.245	28.2	
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 66	20	QPSK	F	02080	1:1	0.00	1745.00	132322	0.0	18.33	50	25	Back	0	0.526	25.0	23.4
Phablet	LTE Band 66	20	QPSK	F	02080	1:1	0.03	1745.00	132322	0.0	18.33	50	25	Front	0	0.344	26.9	
Phablet	LTE Band 66	20	QPSK	F	02080	1:1	-0.02	1745.00	132322	0.0	18.33	50	25	Top	0	0.766	23.4	
Phablet	LTE Band 66	20	QPSK	F	02080	1:1	0.01	1745.00	132322	0.0	18.33	50	25	Left	0	0.159	30.2	
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]

Table A-10
***P*_{Limit} Calculations – LTE Band 25 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 25	20	QPSK	B	02080	1:1	-0.02	1860.00	26140	0.0	18.58	50	0	Back	0	1.060	22.3	22.3
Phablet	LTE Band 25	20	QPSK	B	02080	1:1	-0.02	1860.00	26140	0.0	18.58	50	0	Front	0	0.661	24.3	
Phablet	LTE Band 25	20	QPSK	B	02080	1:1	-0.01	1860.00	26140	0.0	18.58	50	0	Bottom	0	0.852	23.2	
Phablet	LTE Band 25	20	QPSK	B	02080	1:1	0.01	1860.00	26140	0.0	18.58	50	0	Left	0	0.267	28.2	
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 25	20	QPSK	F	02080	1:1	0.00	1860.00	26140	0.0	18.66	1	0	Back	0	0.467	25.9	23.8
Phablet	LTE Band 25	20	QPSK	F	02080	1:1	0.01	1860.00	26140	0.0	18.66	1	0	Front	0	0.293	27.9	
Phablet	LTE Band 25	20	QPSK	F	02080	1:1	-0.01	1860.00	26140	0.0	18.66	1	0	Top	0	0.753	23.8	
Phablet	LTE Band 25	20	QPSK	F	02080	1:1	0.01	1860.00	26140	0.0	18.66	1	0	Left	0	0.236	28.9	
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]

FCC ID: A3LSMA356E	PART 0 SAR CHAR REPORT	Approved by: Technical Manager
Document S/N: 1M2310260110-07.A3L	DUT Type: Portable Handset	APPENDIX L: Page 3 of 5

REV 1.1
04/08/2022

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.Info@Element.com.

Table A-11
***P_{Limit}* Calculations – LTE Band 41 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 41	20	QPSK	B	1164M	1:1.58	0.02	2636.50	41055	0.0	19.51	50	0	Back	0	0.667	23.2	23.2
Phablet	LTE Band 41	20	QPSK	B	1164M	1:1.58	0.00	2636.50	41055	0.0	19.51	50	0	Front	0	0.351	26.0	
Phablet	LTE Band 41	20	QPSK	B	1164M	1:1.58	0.00	2636.50	41055	0.0	19.51	50	0	Bottom	0	0.480	24.6	
Phablet	LTE Band 41	20	QPSK	B	1164M	1:1.58	-0.01	2636.50	41055	0.0	19.51	50	0	Left	0	0.101	31.4	
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 41	20	QPSK	F	1179M	1:1.58	0.02	2680.00	41490	0.0	20.21	50	0	Back	0	0.498	25.2	23.5
Phablet	LTE Band 41	20	QPSK	F	1179M	1:1.58	-0.02	2680.00	41490	0.0	20.21	50	0	Front	0	0.211	28.9	
Phablet	LTE Band 41	20	QPSK	F	1179M	1:1.58	0.01	2680.00	41490	0.0	20.21	50	0	Top	0	0.737	23.5	
Phablet	LTE Band 41	20	QPSK	F	1179M	1:1.58	-0.07	2680.00	41490	0.0	20.21	50	0	Left	0	0.077	33.3	

Table A-12
***P_{Limit}* Calculations – NR Band n5 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	NR Band n5	20	QPSK	A	02262	1:1	0.00	836.50	167300	DFT-s-OFDM	0.0	24.50	1	53	Back	0	1.120	27.9	27.5
Phablet	NR Band n5	20	QPSK	A	02262	1:1	0.01	836.50	167300	DFT-s-OFDM	0.0	24.50	1	53	Front	0	0.790	29.5	
Phablet	NR Band n5	20	QPSK	A	02262	1:1	0.02	836.50	167300	DFT-s-OFDM	0.0	24.50	1	53	Bottom	0	1.230	27.5	
Phablet	NR Band n5	20	QPSK	A	02262	1:1	-0.05	836.50	167300	DFT-s-OFDM	0.0	24.50	1	53	Right	0	0.630	30.4	
Phablet	NR Band n5	20	QPSK	A	02262	1:1	0.03	836.50	167300	DFT-s-OFDM	0.0	24.50	1	53	Left	0	0.068	40.1	

Table A-13
***P_{Limit}* Calculations – NR Band n66 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	NR Band n66	40	QPSK	B	1114M	1:1	0.05	1745.00	349000	DFT-s-OFDM	0.0	18.26	1	214	Back	0	0.766	23.3	23.3
Phablet	NR Band n66	40	QPSK	B	1114M	1:1	-0.06	1745.00	349000	DFT-s-OFDM	0.0	18.26	1	214	Front	0	0.359	26.6	
Phablet	NR Band n66	40	QPSK	B	1114M	1:1	-0.06	1745.00	349000	DFT-s-OFDM	0.0	18.26	1	214	Left	0	0.306	27.3	
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	NR Band n66	40	QPSK	F	1179M	1:1	-0.02	1745.00	349000	CP-OFDM	0.0	18.29	1	1	Back	0	0.701	23.8	22.4
Phablet	NR Band n66	40	QPSK	F	1179M	1:1	-0.07	1745.00	349000	CP-OFDM	0.0	18.29	1	1	Front	0	0.395	26.3	
Phablet	NR Band n66	40	QPSK	F	1179M	1:1	0.07	1745.00	349000	CP-OFDM	0.0	18.29	1	1	Top	0	0.950	22.4	
Phablet	NR Band n66	40	QPSK	F	1179M	1:1	-0.07	1745.00	349000	CP-OFDM	0.0	18.29	1	1	Left	0	0.189	29.5	

FCC ID: A3LSMA356E	PART 0 SAR CHAR REPORT	Approved by: Technical Manager
Document S/N: 1M2310260110-07.A3L	DUT Type: Portable Handset	APPENDIX L: Page 4 of 5

REV 1.1
04/08/2022

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.Info@Element.com.

Table A-14
***P*_{Limit} Calculations – NR Band n41 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	NR Band n41	100	QPSK	B	1173M	1:1	0.05	2592.99	518598	CP-OFDM	0.0	17.00	1	1	Back	0	0.581	22.7	22.7
Phablet	NR Band n41	100	QPSK	B	1173M	1:1	-0.13	2592.99	518598	CP-OFDM	0.0	17.00	1	1	Front	0	0.412	24.2	
Phablet	NR Band n41	100	QPSK	B	1173M	1:1	0.04	2592.99	518598	CP-OFDM	0.0	17.00	1	1	Bottom	0	0.357	24.8	
Phablet	NR Band n41	100	QPSK	B	1173M	1:1	0.04	2592.99	518598	CP-OFDM	0.0	17.00	1	1	Left	0	0.101	30.3	
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]				
Phablet	NR Band n41	100	E	02031	1:1	0.08	2592.99	518598	CW/SRS	18.95	Back	0	0.039	37.0	37.0				
Phablet	NR Band n41	100	E	02031	1:1	0.00	2592.99	518598	CW/SRS	18.95	Front	0	0.024	39.1					
Phablet	NR Band n41	100	E	02031	1:1	0.02	2592.99	518598	CW/SRS	18.95	Top	0	0.039	37.0					
Phablet	NR Band n41	100	E	02031	1:1	0.13	2592.99	518598	CW/SRS	18.95	Right	0	0.013	41.7					
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]				
Phablet	NR Band n41	100	F	02031	1:1	-0.08	2592.99	518598	CW/SRS	16.75	Back	0	0.135	29.4	28.5				
Phablet	NR Band n41	100	F	02031	1:1	0.08	2592.99	518598	CW/SRS	16.75	Front	0	0.049	33.8					
Phablet	NR Band n41	100	F	02031	1:1	-0.06	2592.99	518598	CW/SRS	16.75	Top	0	0.166	28.5					
Phablet	NR Band n41	100	F	02031	1:1	-0.01	2592.99	518598	CW/SRS	16.75	Left	0	0.013	39.5					
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]				
Phablet	NR Band n41	100	I	02031	1:1	0.01	2592.99	518598	CW/SRS	20.43	Back	0	0.106	34.1	31.9				
Phablet	NR Band n41	100	I	02031	1:1	-0.01	2592.99	518598	CW/SRS	20.43	Front	0	0.084	35.1					
Phablet	NR Band n41	100	I	02031	1:1	-0.11	2592.99	518598	CW/SRS	20.43	Top	0	0.017	42.1					
Phablet	NR Band n41	100	I	02031	1:1	-0.01	2592.99	518598	CW/SRS	20.43	Left	0	0.175	31.9					

Table A-15
***P*_{Limit} Calculations – NR Band n77 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	NR Band n77	100	QPSK	G	1045M	1:1	-0.02	3930.00	662000	DFT-s-OFDM	0.0	16.63	1	137	Top	0	0.258	26.4	17.8

FCC ID: A3LSMA356E	PART 0 SAR CHAR REPORT										Approved by: Technical Manager								
Document S/N: 1M2310260110-07.A3L	DUT Type: Portable Handset										APPENDIX L: Page 5 of 5								