










Mode	23																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical					Fundamental																																																																																																									
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.09</td><td>57.03</td><td>74.00</td><td>-16.97</td><td>39.73</td><td>34.60</td><td>12.77</td><td>30.07</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr><tr><td>2</td><td>5465.61</td><td>58.89</td><td>68.20</td><td>-9.31</td><td>41.49</td><td>34.60</td><td>12.88</td><td>30.08</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.09	57.03	74.00	-16.97	39.73	34.60	12.77	30.07	0.00	100	251 PEAK	2	5465.61	58.89	68.20	-9.31	41.49	34.60	12.88	30.08	0.00	100	251 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>102.85</td><td>-----</td><td>85.24</td><td>34.61</td><td>13.08</td><td>30.08</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.85	-----	85.24	34.61	13.08	30.08	0.00	100	251 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5446.09	57.03	74.00	-16.97	39.73	34.60	12.77	30.07	0.00	100	251 PEAK																																																																																																				
2	5465.61	58.89	68.20	-9.31	41.49	34.60	12.88	30.08	0.00	100	251 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5510.00	102.85	-----	85.24	34.61	13.08	30.08	0.00	100	251 PEAK																																																																																																					
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.37</td><td>47.82</td><td>54.00</td><td>-6.18</td><td>30.46</td><td>34.60</td><td>12.84</td><td>30.08</td><td>0.00</td><td>100</td><td>251 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.37	47.82	54.00	-6.18	30.46	34.60	12.84	30.08	0.00	100	251 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>93.53</td><td>-----</td><td>75.90</td><td>34.64</td><td>13.07</td><td>30.08</td><td>0.00</td><td>100</td><td>251 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.53	-----	75.90	34.64	13.07	30.08	0.00	100	251 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5459.37	47.82	54.00	-6.18	30.46	34.60	12.84	30.08	0.00	100	251 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5510.00	93.53	-----	75.90	34.64	13.07	30.08	0.00	100	251 AVERAGE																																																																																																					







Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102__5510MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5758.88</td><td>57.34</td><td>68.20</td><td>-10.86</td><td>39.09</td><td>34.72</td><td>13.60</td><td>30.07</td><td>0.00</td><td>100</td><td>251</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5758.88	57.34	68.20	-10.86	39.09	34.72	13.60	30.07	0.00	100	251	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5758.88	57.34	68.20	-10.86	39.09	34.72	13.60	30.07	0.00	100	251	PEAK																																												




Mode	23																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>50.91</td><td>74.00</td><td>-23.09</td><td>58.97</td><td>38.22</td><td>18.15</td><td>64.43</td><td>0.00</td><td>294</td><td>0 PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>44.18</td><td>54.00</td><td>-9.82</td><td>52.24</td><td>38.22</td><td>18.15</td><td>64.43</td><td>0.00</td><td>294</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	50.91	74.00	-23.09	58.97	38.22	18.15	64.43	0.00	294	0 PEAK	2	11020.00	44.18	54.00	-9.82	52.24	38.22	18.15	64.43	0.00	294	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>60.63</td><td>38.22</td><td>18.15</td><td>64.43</td><td>0.00</td><td>300</td><td>263 PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>45.61</td><td>54.00</td><td>-8.39</td><td>53.67</td><td>38.22</td><td>18.15</td><td>64.43</td><td>0.00</td><td>300</td><td>263 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	52.57	74.00	-21.43	60.63	38.22	18.15	64.43	0.00	300	263 PEAK	2	11020.00	45.61	54.00	-8.39	53.67	38.22	18.15	64.43	0.00	300	263 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11020.00	50.91	74.00	-23.09	58.97	38.22	18.15	64.43	0.00	294	0 PEAK																																																																																																																				
2	11020.00	44.18	54.00	-9.82	52.24	38.22	18.15	64.43	0.00	294	0 AVERAGE																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11020.00	52.57	74.00	-21.43	60.63	38.22	18.15	64.43	0.00	300	263 PEAK																																																																																																																				
2	11020.00	45.61	54.00	-8.39	53.67	38.22	18.15	64.43	0.00	300	263 AVERAGE																																																																																																																				







Mode	24																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5424.71</td><td>55.77</td><td>74.00</td><td>-18.23</td><td>38.61</td><td>34.60</td><td>12.63</td><td>30.07</td><td>0.00</td><td>100</td><td>324 PEAK</td></tr><tr><td>2</td><td>5465.91</td><td>56.06</td><td>68.20</td><td>-12.14</td><td>38.66</td><td>34.60</td><td>12.88</td><td>30.08</td><td>0.00</td><td>100</td><td>324 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5424.71	55.77	74.00	-18.23	38.61	34.60	12.63	30.07	0.00	100	324 PEAK	2	5465.91	56.06	68.20	-12.14	38.66	34.60	12.88	30.08	0.00	100	324 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>95.00</td><td>-----</td><td>-----</td><td>77.36</td><td>34.78</td><td>13.03</td><td>30.09</td><td>0.00</td><td>100</td><td>324 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	95.00	-----	-----	77.36	34.78	13.03	30.09	0.00	100	324 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5424.71	55.77	74.00	-18.23	38.61	34.60	12.63	30.07	0.00	100	324 PEAK																																																																																																						
2	5465.91	56.06	68.20	-12.14	38.66	34.60	12.88	30.08	0.00	100	324 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5550.00	95.00	-----	-----	77.36	34.78	13.03	30.09	0.00	100	324 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.31</td><td>46.44</td><td>54.00</td><td>-7.56</td><td>29.08</td><td>34.60</td><td>12.83</td><td>30.07</td><td>0.00</td><td>100</td><td>324 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.31	46.44	54.00	-7.56	29.08	34.60	12.83	30.07	0.00	100	324 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>85.82</td><td>-----</td><td>-----</td><td>68.10</td><td>34.79</td><td>13.02</td><td>30.09</td><td>0.00</td><td>100</td><td>324 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	85.82	-----	-----	68.10	34.79	13.02	30.09	0.00	100	324 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.31	46.44	54.00	-7.56	29.08	34.60	12.83	30.07	0.00	100	324 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5550.00	85.82	-----	-----	68.10	34.79	13.02	30.09	0.00	100	324 AVERAGE																																																																																																						




Mode	24																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5756.08</td><td>56.14</td><td>68.20</td><td>-12.06</td><td>37.92</td><td>34.71</td><td>13.58</td><td>30.07</td><td>0.00</td><td>100</td><td>324</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5756.08	56.14	68.20	-12.06	37.92	34.71	13.58	30.07	0.00	100	324	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5756.08	56.14	68.20	-12.06	37.92	34.71	13.58	30.07	0.00	100	324	PEAK																																												





Mode	24																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.51</td><td>56.37</td><td>74.00</td><td>-17.63</td><td>39.03</td><td>34.60</td><td>12.81</td><td>30.07</td><td>0.00</td><td>100</td><td>248 PEAK</td></tr><tr><td>2</td><td>5465.71</td><td>55.74</td><td>68.20</td><td>-12.46</td><td>38.34</td><td>34.60</td><td>12.88</td><td>30.08</td><td>0.00</td><td>100</td><td>248 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.51	56.37	74.00	-17.63	39.03	34.60	12.81	30.07	0.00	100	248 PEAK	2	5465.71	55.74	68.20	-12.46	38.34	34.60	12.88	30.08	0.00	100	248 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>100.55</td><td>-----</td><td>82.83</td><td>34.78</td><td>13.03</td><td>30.09</td><td>0.00</td><td>100</td><td>248 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	100.55	-----	82.83	34.78	13.03	30.09	0.00	100	248 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5453.51	56.37	74.00	-17.63	39.03	34.60	12.81	30.07	0.00	100	248 PEAK																																																																																																					
2	5465.71	55.74	68.20	-12.46	38.34	34.60	12.88	30.08	0.00	100	248 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	100.55	-----	82.83	34.78	13.03	30.09	0.00	100	248 PEAK																																																																																																						
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.91</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>29.29</td><td>34.60</td><td>12.82</td><td>30.07</td><td>0.00</td><td>100</td><td>248 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.91	46.64	54.00	-7.36	29.29	34.60	12.82	30.07	0.00	100	248 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>91.32</td><td>-----</td><td>73.60</td><td>34.79</td><td>13.02</td><td>30.09</td><td>0.00</td><td>100</td><td>248 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	91.32	-----	73.60	34.79	13.02	30.09	0.00	100	248 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5454.91	46.64	54.00	-7.36	29.29	34.60	12.82	30.07	0.00	100	248 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	91.32	-----	73.60	34.79	13.02	30.09	0.00	100	248 AVERAGE																																																																																																						







Mode	24																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.23</td><td>56.09</td><td>68.20</td><td>-12.11</td><td>38.10</td><td>34.67</td><td>13.39</td><td>30.07</td><td>0.00</td><td>100</td><td>248</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.23	56.09	68.20	-12.11	38.10	34.67	13.39	30.07	0.00	100	248	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5735.23	56.09	68.20	-12.11	38.10	34.67	13.39	30.07	0.00	100	248	PEAK																																											




Mode	24																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>61.09</td><td>38.30</td><td>18.16</td><td>64.34</td><td>0.00</td><td>321</td><td>1 PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>46.12</td><td>54.00</td><td>-7.88</td><td>54.00</td><td>38.30</td><td>18.16</td><td>64.34</td><td>0.00</td><td>321</td><td>1 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	53.21	74.00	-20.79	61.09	38.30	18.16	64.34	0.00	321	1 PEAK	2	11100.00	46.12	54.00	-7.88	54.00	38.30	18.16	64.34	0.00	321	1 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>54.41</td><td>74.00</td><td>-19.59</td><td>62.29</td><td>38.30</td><td>18.16</td><td>64.34</td><td>0.00</td><td>276</td><td>254 PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>47.25</td><td>54.00</td><td>-6.75</td><td>55.13</td><td>38.30</td><td>18.16</td><td>64.34</td><td>0.00</td><td>276</td><td>254 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	54.41	74.00	-19.59	62.29	38.30	18.16	64.34	0.00	276	254 PEAK	2	11100.00	47.25	54.00	-6.75	55.13	38.30	18.16	64.34	0.00	276	254 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11100.00	53.21	74.00	-20.79	61.09	38.30	18.16	64.34	0.00	321	1 PEAK																																																																																																																		
2	11100.00	46.12	54.00	-7.88	54.00	38.30	18.16	64.34	0.00	321	1 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11100.00	54.41	74.00	-19.59	62.29	38.30	18.16	64.34	0.00	276	254 PEAK																																																																																																																		
2	11100.00	47.25	54.00	-6.75	55.13	38.30	18.16	64.34	0.00	276	254 AVERAGE																																																																																																																		







Mode	25																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5436.81</td><td>56.24</td><td>74.00</td><td>-17.76</td><td>39.00</td><td>34.60</td><td>12.71</td><td>30.07</td><td>0.00</td><td>300</td><td>232 PEAK</td></tr><tr><td>2</td><td>5467.85</td><td>55.65</td><td>68.20</td><td>-12.55</td><td>38.24</td><td>34.60</td><td>12.89</td><td>30.08</td><td>0.00</td><td>300</td><td>232 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.81	56.24	74.00	-17.76	39.00	34.60	12.71	30.07	0.00	300	232 PEAK	2	5467.85	55.65	68.20	-12.55	38.24	34.60	12.89	30.08	0.00	300	232 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>94.81</td><td>-----</td><td>-----</td><td>77.33</td><td>34.54</td><td>13.04</td><td>30.10</td><td>0.00</td><td>300</td><td>232 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.81	-----	-----	77.33	34.54	13.04	30.10	0.00	300	232 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5436.81	56.24	74.00	-17.76	39.00	34.60	12.71	30.07	0.00	300	232 PEAK																																																																																																						
2	5467.85	55.65	68.20	-12.55	38.24	34.60	12.89	30.08	0.00	300	232 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	94.81	-----	-----	77.33	34.54	13.04	30.10	0.00	300	232 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.85</td><td>46.45</td><td>54.00</td><td>-7.55</td><td>29.10</td><td>34.60</td><td>12.82</td><td>30.07</td><td>0.00</td><td>300</td><td>232 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.85	46.45	54.00	-7.55	29.10	34.60	12.82	30.07	0.00	300	232 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>85.74</td><td>-----</td><td>-----</td><td>68.26</td><td>34.54</td><td>13.04</td><td>30.10</td><td>0.00</td><td>300</td><td>232 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	85.74	-----	-----	68.26	34.54	13.04	30.10	0.00	300	232 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.85	46.45	54.00	-7.55	29.10	34.60	12.82	30.07	0.00	300	232 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	85.74	-----	-----	68.26	34.54	13.04	30.10	0.00	300	232 AVERAGE																																																																																																						




Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134__5670MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.96</td><td>56.76</td><td>68.20</td><td>-11.44</td><td>38.68</td><td>34.69</td><td>13.46</td><td>30.07</td><td>0.00</td><td>300</td><td>232</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.96	56.76	68.20	-11.44	38.68	34.69	13.46	30.07	0.00	300	232	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5742.96	56.76	68.20	-11.44	38.68	34.69	13.46	30.07	0.00	300	232	PEAK																																												



Mode	25																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.81	56.40	74.00	-17.60	39.04	34.60	12.83	30.07	0.00	300	229	PEAK	2	5460.65	55.59	68.20	-12.61	38.22	34.60	12.85	30.08	0.00	300	229	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>97.37</td><td>-----</td><td>79.89</td><td>34.54</td><td>13.04</td><td>30.10</td><td>0.00</td><td>300</td><td>229</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.37	-----	79.89	34.54	13.04	30.10	0.00	300	229
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5456.81	56.40	74.00	-17.60	39.04	34.60	12.83	30.07	0.00	300	229	PEAK																																																																																																	
2	5460.65	55.59	68.20	-12.61	38.22	34.60	12.85	30.08	0.00	300	229	PEAK																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	97.37	-----	79.89	34.54	13.04	30.10	0.00	300	229	PEAK																																																																																																		
Avg																																																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.69	46.39	54.00	-7.61	29.02	34.60	12.85	30.08	0.00	300	229	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>88.05</td><td>-----</td><td>70.57</td><td>34.54</td><td>13.04</td><td>30.10</td><td>0.00</td><td>300</td><td>229</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	88.05	-----	70.57	34.54	13.04	30.10	0.00	300	229	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.69	46.39	54.00	-7.61	29.02	34.60	12.85	30.08	0.00	300	229	AVERAGE																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	88.05	-----	70.57	34.54	13.04	30.10	0.00	300	229	AVERAGE																																																																																																		







Mode	25																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.16</td><td>56.56</td><td>68.20</td><td>-11.64</td><td>38.41</td><td>34.70</td><td>13.52</td><td>30.07</td><td>0.00</td><td>300</td><td>229</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.16	56.56	68.20	-11.64	38.41	34.70	13.52	30.07	0.00	300	229	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5750.16	56.56	68.20	-11.64	38.41	34.70	13.52	30.07	0.00	300	229	PEAK																																											





Mode	25																																																																							
	Harmonic																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134__5670MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>57.25</td><td>74.00</td><td>-16.75</td><td>64.61</td><td>38.36</td><td>18.34</td><td>64.06</td><td>0.00</td><td>285</td><td>17</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>48.80</td><td>54.00</td><td>-5.20</td><td>56.16</td><td>38.36</td><td>18.34</td><td>64.06</td><td>0.00</td><td>285</td><td>17</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	57.25	74.00	-16.75	64.61	38.36	18.34	64.06	0.00	285	17	PEAK	2	11340.00	48.80	54.00	-5.20	56.16	38.36	18.34	64.06	0.00	285	17	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11340.00	57.25	74.00	-16.75	64.61	38.36	18.34	64.06	0.00	285	17	PEAK																																																												
2	11340.00	48.80	54.00	-5.20	56.16	38.36	18.34	64.06	0.00	285	17	AVERAGE																																																												
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>57.56</td><td>74.00</td><td>-16.44</td><td>64.92</td><td>38.36</td><td>18.34</td><td>64.06</td><td>0.00</td><td>260</td><td>290</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>49.79</td><td>54.00</td><td>-4.21</td><td>57.15</td><td>38.36</td><td>18.34</td><td>64.06</td><td>0.00</td><td>260</td><td>290</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	57.56	74.00	-16.44	64.92	38.36	18.34	64.06	0.00	260	290	PEAK	2	11340.00	49.79	54.00	-4.21	57.15	38.36	18.34	64.06	0.00	260	290	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11340.00	57.56	74.00	-16.44	64.92	38.36	18.34	64.06	0.00	260	290	PEAK																																																												
2	11340.00	49.79	54.00	-4.21	57.15	38.36	18.34	64.06	0.00	260	290	AVERAGE																																																												







Mode	26																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.21</td><td>59.80</td><td>74.00</td><td>-14.20</td><td>43.15</td><td>34.21</td><td>12.45</td><td>30.01</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.21	59.80	74.00	-14.20	43.15	34.21	12.45	30.01	0.00	100	2 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>92.11</td><td>-----</td><td>-----</td><td>75.58</td><td>34.12</td><td>12.43</td><td>30.02</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	92.11	-----	-----	75.58	34.12	12.43	30.02	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5145.21	59.80	74.00	-14.20	43.15	34.21	12.45	30.01	0.00	100	2 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	92.11	-----	-----	75.58	34.12	12.43	30.02	0.00	100	2 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.33</td><td>48.56</td><td>54.00</td><td>-5.44</td><td>31.90</td><td>34.22</td><td>12.45</td><td>30.01</td><td>0.00</td><td>100</td><td>2 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.33	48.56	54.00	-5.44	31.90	34.22	12.45	30.01	0.00	100	2 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>83.12</td><td>-----</td><td>-----</td><td>66.57</td><td>34.13</td><td>12.44</td><td>30.02</td><td>0.00</td><td>100</td><td>2 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	83.12	-----	-----	66.57	34.13	12.44	30.02	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5138.33	48.56	54.00	-5.44	31.90	34.22	12.45	30.01	0.00	100	2 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	83.12	-----	-----	66.57	34.13	12.44	30.02	0.00	100	2 AVERAGE																																																																																									



Mode	26																																																																	
	Band Edge - R																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																	
ANT	1																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5397.22</td><td>54.95</td><td>74.00</td><td>-19.05</td><td>37.93</td><td>34.60</td><td>12.48</td><td>30.06</td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.22	54.95	74.00	-19.05	37.93	34.60	12.48	30.06	0.00	100											2 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5397.22	54.95	74.00	-19.05	37.93	34.60	12.48	30.06	0.00	100																																																								
										2 PEAK																																																								
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.32</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>28.78</td><td>34.60</td><td>12.49</td><td>30.06</td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.32	45.81	54.00	-8.19	28.78	34.60	12.49	30.06	0.00	100											2 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5396.32	45.81	54.00	-8.19	28.78	34.60	12.49	30.06	0.00	100																																																								
										2 AVERAGE																																																								





Mode	26																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.65</td><td>62.26</td><td>74.00</td><td>-11.74</td><td>45.60</td><td>34.22</td><td>12.45</td><td>30.01</td><td>0.00</td><td>100 295 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.65	62.26	74.00	-11.74	45.60	34.22	12.45	30.01	0.00	100 295 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>97.78</td><td>-----</td><td>-----</td><td>81.26</td><td>34.11</td><td>12.43</td><td>30.02</td><td>0.00</td><td>100 295 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	97.78	-----	-----	81.26	34.11	12.43	30.02	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5138.65	62.26	74.00	-11.74	45.60	34.22	12.45	30.01	0.00	100 295 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5210.00	97.78	-----	-----	81.26	34.11	12.43	30.02	0.00	100 295 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.97</td><td>50.37</td><td>54.00</td><td>-3.63</td><td>33.70</td><td>34.23</td><td>12.45</td><td>30.01</td><td>0.00</td><td>100 295 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.97	50.37	54.00	-3.63	33.70	34.23	12.45	30.01	0.00	100 295 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>87.85</td><td>-----</td><td>-----</td><td>71.30</td><td>34.13</td><td>12.44</td><td>30.02</td><td>0.00</td><td>100 295 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	87.85	-----	-----	71.30	34.13	12.44	30.02	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5134.97	50.37	54.00	-3.63	33.70	34.23	12.45	30.01	0.00	100 295 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5210.00	87.85	-----	-----	71.30	34.13	12.44	30.02	0.00	100 295 AVERAGE																																																																																								



Mode	26																																																																
	Band Edge - R																																																																
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																
ANT	1																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5360.14</td><td>54.62</td><td>74.00</td><td>-19.38</td><td>37.54</td><td>34.60</td><td>12.54</td><td>30.06</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>295</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5360.14	54.62	74.00	-19.38	37.54	34.60	12.54	30.06								0.00	100									295									PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																									
1	5360.14	54.62	74.00	-19.38	37.54	34.60	12.54	30.06																																																									
							0.00	100																																																									
								295																																																									
								PEAK																																																									
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5399.02</td><td>46.06</td><td>54.00</td><td>-7.94</td><td>29.04</td><td>34.60</td><td>12.48</td><td>30.06</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>295</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5399.02	46.06	54.00	-7.94	29.04	34.60	12.48	30.06								0.00	100									295									AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																									
1	5399.02	46.06	54.00	-7.94	29.04	34.60	12.48	30.06																																																									
							0.00	100																																																									
								295																																																									
								AVERAGE																																																									





Mode	26																																																																																																						
	Harmonic																																																																																																						
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.25</td><td>68.20</td><td>-22.95</td><td>54.52</td><td>37.67</td><td>18.23</td><td>65.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	45.25	68.20	-22.95	54.52	37.67	18.23	65.17	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>50.02</td><td>68.20</td><td>-18.18</td><td>59.11</td><td>37.70</td><td>18.34</td><td>65.13</td><td>0.00</td><td>309</td><td>24</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	50.02	68.20	-18.18	59.11	37.70	18.34	65.13	0.00	309	24
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	10420.00	45.25	68.20	-22.95	54.52	37.67	18.23	65.17	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	10420.00	50.02	68.20	-18.18	59.11	37.70	18.34	65.13	0.00	309	24	PEAK																																																																																											







Mode	27																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5141.85</td><td>57.28</td><td>74.00</td><td>-16.72</td><td>40.62</td><td>34.22</td><td>12.45</td><td>30.01</td><td>0.00</td><td>100</td><td>352 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.85	57.28	74.00	-16.72	40.62	34.22	12.45	30.01	0.00	100	352 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>89.19</td><td>-----</td><td>-----</td><td>72.33</td><td>34.32</td><td>12.58</td><td>30.04</td><td>0.00</td><td>100</td><td>352 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.19	-----	-----	72.33	34.32	12.58	30.04	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5141.85	57.28	74.00	-16.72	40.62	34.22	12.45	30.01	0.00	100	352 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	89.19	-----	-----	72.33	34.32	12.58	30.04	0.00	100	352 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5111.25</td><td>47.60</td><td>54.00</td><td>-6.40</td><td>30.89</td><td>34.28</td><td>12.44</td><td>30.01</td><td>0.00</td><td>100</td><td>352 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5111.25	47.60	54.00	-6.40	30.89	34.28	12.44	30.01	0.00	100	352 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>80.24</td><td>-----</td><td>-----</td><td>63.38</td><td>34.32</td><td>12.58</td><td>30.04</td><td>0.00</td><td>100</td><td>352 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	80.24	-----	-----	63.38	34.32	12.58	30.04	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5111.25	47.60	54.00	-6.40	30.89	34.28	12.44	30.01	0.00	100	352 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	80.24	-----	-----	63.38	34.32	12.58	30.04	0.00	100	352 AVERAGE																																																																																									





Mode	27																																																								
	Band Edge - R																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																								
ANT	1																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5378.25</td><td>55.77</td><td>74.00</td><td>-18.23</td><td>38.72</td><td>34.60</td><td>12.51</td><td>30.06</td><td>0.00</td><td>100</td><td>352</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.25	55.77	74.00	-18.23	38.72	34.60	12.51	30.06	0.00	100	352	PEAK	Blank				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5378.25	55.77	74.00	-18.23	38.72	34.60	12.51	30.06	0.00	100	352	PEAK																																													
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5357.25</td><td>46.26</td><td>54.00</td><td>-7.74</td><td>29.17</td><td>34.60</td><td>12.55</td><td>30.06</td><td>0.00</td><td>100</td><td>352</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.25	46.26	54.00	-7.74	29.17	34.60	12.55	30.06	0.00	100	352	AVERAGE	Blank				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5357.25	46.26	54.00	-7.74	29.17	34.60	12.55	30.06	0.00	100	352	AVERAGE																																													





Mode	27																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5105.37</td><td>57.03</td><td>74.00</td><td>-16.97</td><td>40.31</td><td>34.29</td><td>12.44</td><td>30.01</td><td>0.00</td><td>100</td><td>271 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.37	57.03	74.00	-16.97	40.31	34.29	12.44	30.01	0.00	100	271 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>94.86</td><td>-----</td><td>-----</td><td>77.93</td><td>34.37</td><td>12.60</td><td>30.04</td><td>0.00</td><td>100</td><td>271 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	94.86	-----	-----	77.93	34.37	12.60	30.04	0.00	100	271 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5105.37	57.03	74.00	-16.97	40.31	34.29	12.44	30.01	0.00	100	271 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5290.00	94.86	-----	-----	77.93	34.37	12.60	30.04	0.00	100	271 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.61</td><td>47.55</td><td>54.00</td><td>-6.45</td><td>30.83</td><td>34.29</td><td>12.44</td><td>30.01</td><td>0.00</td><td>100</td><td>271 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.61	47.55	54.00	-6.45	30.83	34.29	12.44	30.01	0.00	100	271 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>85.38</td><td>-----</td><td>-----</td><td>68.45</td><td>34.37</td><td>12.60</td><td>30.04</td><td>0.00</td><td>100</td><td>271 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	85.38	-----	-----	68.45	34.37	12.60	30.04	0.00	100	271 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5103.61	47.55	54.00	-6.45	30.83	34.29	12.44	30.01	0.00	100	271 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5290.00	85.38	-----	-----	68.45	34.37	12.60	30.04	0.00	100	271 AVERAGE																																																																																										







Mode	27																																																																	
	Band Edge - R																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																	
ANT	1																																																																	
Pol.	Vertical						Fundamental																																																											
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5367.55</td><td>58.18</td><td>74.00</td><td>-15.82</td><td>41.11</td><td>34.60</td><td>12.53</td><td>30.06</td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>271 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5367.55	58.18	74.00	-15.82	41.11	34.60	12.53	30.06	0.00	100											271 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5367.55	58.18	74.00	-15.82	41.11	34.60	12.53	30.06	0.00	100																																																								
										271 PEAK																																																								
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.75</td><td>47.65</td><td>54.00</td><td>-6.35</td><td>30.54</td><td>34.60</td><td>12.56</td><td>30.05</td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>271 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.75	47.65	54.00	-6.35	30.54	34.60	12.56	30.05	0.00	100											271 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5350.75	47.65	54.00	-6.35	30.54	34.60	12.56	30.05	0.00	100																																																								
										271 AVERAGE																																																								




Mode	27																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.60</td><td>68.20</td><td>-23.60</td><td>53.82</td><td>37.70</td><td>18.07</td><td>64.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.60	68.20	-23.60	53.82	37.70	18.07	64.99	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.57</td><td>68.20</td><td>-23.63</td><td>53.93</td><td>37.70</td><td>17.87</td><td>64.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.57	68.20	-23.63	53.93	37.70	17.87	64.93	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10580.00	44.60	68.20	-23.60	53.82	37.70	18.07	64.99	0.00	---	---	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10580.00	44.57	68.20	-23.63	53.93	37.70	17.87	64.93	0.00	---	---	PEAK																																																																																							



Mode	28																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.45</td><td>57.18</td><td>74.00</td><td>-16.82</td><td>39.89</td><td>34.60</td><td>12.76</td><td>30.07</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr><tr><td>2</td><td>5466.41</td><td>56.12</td><td>68.20</td><td>-12.08</td><td>38.71</td><td>34.60</td><td>12.89</td><td>30.08</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.45	57.18	74.00	-16.82	39.89	34.60	12.76	30.07	0.00	100	325 PEAK	2	5466.41	56.12	68.20	-12.08	38.71	34.60	12.89	30.08	0.00	100	325 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>91.21</td><td>-----</td><td>-----</td><td>73.58</td><td>34.64</td><td>13.07</td><td>30.08</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.21	-----	-----	73.58	34.64	13.07	30.08	0.00	100	325 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5445.45	57.18	74.00	-16.82	39.89	34.60	12.76	30.07	0.00	100	325 PEAK																																																																																																						
2	5466.41	56.12	68.20	-12.08	38.71	34.60	12.89	30.08	0.00	100	325 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	91.21	-----	-----	73.58	34.64	13.07	30.08	0.00	100	325 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.09</td><td>47.35</td><td>54.00</td><td>-6.65</td><td>30.01</td><td>34.60</td><td>12.81</td><td>30.07</td><td>0.00</td><td>100</td><td>325 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.09	47.35	54.00	-6.65	30.01	34.60	12.81	30.07	0.00	100	325 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>82.13</td><td>-----</td><td>-----</td><td>64.49</td><td>34.68</td><td>13.05</td><td>30.09</td><td>0.00</td><td>100</td><td>325 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	82.13	-----	-----	64.49	34.68	13.05	30.09	0.00	100	325 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5454.09	47.35	54.00	-6.65	30.01	34.60	12.81	30.07	0.00	100	325 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	82.13	-----	-----	64.49	34.68	13.05	30.09	0.00	100	325 AVERAGE																																																																																																						




Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.08</td><td>57.02</td><td>68.20</td><td>-11.18</td><td>38.93</td><td>34.69</td><td>13.47</td><td>30.07</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.08	57.02	68.20	-11.18	38.93	34.69	13.47	30.07	0.00	100	325	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5744.08	57.02	68.20	-11.18	38.93	34.69	13.47	30.07	0.00	100	325	PEAK																																												





Mode	28																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.29	59.06	74.00	-14.94	41.77	34.60	12.76	30.07	0.00	100	250	PEAK	2	5463.85	60.49	68.20	-7.71	43.10	34.60	12.87	30.08	0.00	100	250	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>97.23</td><td>-----</td><td>-----</td><td>79.59</td><td>34.68</td><td>13.05</td><td>30.09</td><td>0.00</td><td>100</td><td>250</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.23	-----	-----	79.59	34.68	13.05	30.09	0.00	100	250
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5445.29	59.06	74.00	-14.94	41.77	34.60	12.76	30.07	0.00	100	250	PEAK																																																																																																		
2	5463.85	60.49	68.20	-7.71	43.10	34.60	12.87	30.08	0.00	100	250	PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	97.23	-----	-----	79.59	34.68	13.05	30.09	0.00	100	250	PEAK																																																																																																		
Avg																																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.89	48.40	54.00	-5.60	31.05	34.60	12.82	30.07	0.00	100	250	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>87.84</td><td>-----</td><td>-----</td><td>70.20</td><td>34.68</td><td>13.05</td><td>30.09</td><td>0.00</td><td>100</td><td>250</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	87.84	-----	-----	70.20	34.68	13.05	30.09	0.00	100	250	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5454.89	48.40	54.00	-5.60	31.05	34.60	12.82	30.07	0.00	100	250	AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	87.84	-----	-----	70.20	34.68	13.05	30.09	0.00	100	250	AVERAGE																																																																																																		







Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.28</td><td>57.84</td><td>68.20</td><td>-10.36</td><td>39.68</td><td>34.70</td><td>13.53</td><td>30.07</td><td>0.00</td><td>100</td><td>250</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.28	57.84	68.20	-10.36	39.68	34.70	13.53	30.07	0.00	100	250	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5751.28	57.84	68.20	-10.36	39.68	34.70	13.53	30.07	0.00	100	250	PEAK																																												




Mode	28																																																																																																							
	Harmonic																																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.76</td><td>74.00</td><td>-29.24</td><td>52.71</td><td>38.26</td><td>18.18</td><td>64.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.76	74.00	-29.24	52.71	38.26	18.18	64.39	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>55.25</td><td>38.26</td><td>18.18</td><td>64.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	47.30	74.00	-26.70	55.25	38.26	18.18	64.39	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	11060.00	44.76	74.00	-29.24	52.71	38.26	18.18	64.39	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	11060.00	47.30	74.00	-26.70	55.25	38.26	18.18	64.39	0.00	---	---	PEAK																																																																																												







Mode	29																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5441.45</td><td>56.79</td><td>74.00</td><td>-17.21</td><td>39.52</td><td>34.60</td><td>12.74</td><td>30.07</td><td>0.00</td><td>100</td><td>337</td><td>PEAK</td></tr><tr><td>2</td><td>5463.69</td><td>55.48</td><td>68.20</td><td>-12.72</td><td>38.09</td><td>34.60</td><td>12.87</td><td>30.08</td><td>0.00</td><td>100</td><td>337</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5441.45	56.79	74.00	-17.21	39.52	34.60	12.74	30.07	0.00	100	337	PEAK	2	5463.69	55.48	68.20	-12.72	38.09	34.60	12.87	30.08	0.00	100	337	PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>89.55</td><td>-----</td><td>-----</td><td>72.18</td><td>34.50</td><td>12.97</td><td>30.10</td><td>0.00</td><td>100</td><td>337</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	89.55	-----	-----	72.18	34.50	12.97	30.10	0.00	100	337	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5441.45	56.79	74.00	-17.21	39.52	34.60	12.74	30.07	0.00	100	337	PEAK																																																																																																								
2	5463.69	55.48	68.20	-12.72	38.09	34.60	12.87	30.08	0.00	100	337	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5610.00	89.55	-----	-----	72.18	34.50	12.97	30.10	0.00	100	337	PEAK																																																																																																								
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.57</td><td>46.77</td><td>54.00</td><td>-7.23</td><td>29.47</td><td>34.60</td><td>12.77</td><td>30.07</td><td>0.00</td><td>100</td><td>337</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.57	46.77	54.00	-7.23	29.47	34.60	12.77	30.07	0.00	100	337	AVERAGE	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>79.89</td><td>-----</td><td>-----</td><td>62.52</td><td>34.50</td><td>12.97</td><td>30.10</td><td>0.00</td><td>100</td><td>337</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	79.89	-----	-----	62.52	34.50	12.97	30.10	0.00	100	337	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5446.57	46.77	54.00	-7.23	29.47	34.60	12.77	30.07	0.00	100	337	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5610.00	79.89	-----	-----	62.52	34.50	12.97	30.10	0.00	100	337	AVERAGE																																																																																																								




Mode	29																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.60</td><td>57.36</td><td>68.20</td><td>-10.84</td><td>39.39</td><td>34.67</td><td>13.38</td><td>30.08</td><td>0.00</td><td>100</td><td>337</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.60	57.36	68.20	-10.84	39.39	34.67	13.38	30.08	0.00	100	337	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5733.60	57.36	68.20	-10.84	39.39	34.67	13.38	30.08	0.00	100	337	PEAK																																											





Mode	29																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.29</td><td>55.67</td><td>74.00</td><td>-18.33</td><td>38.38</td><td>34.60</td><td>12.76</td><td>30.07</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr><tr><td>2</td><td>5463.85</td><td>56.35</td><td>68.20</td><td>-11.85</td><td>38.96</td><td>34.60</td><td>12.87</td><td>30.08</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.29	55.67	74.00	-18.33	38.38	34.60	12.76	30.07	0.00	100	298	PEAK	2	5463.85	56.35	68.20	-11.85	38.96	34.60	12.87	30.08	0.00	100	298	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>92.34</td><td>-----</td><td>74.97</td><td>34.50</td><td>12.97</td><td>30.10</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	92.34	-----	74.97	34.50	12.97	30.10	0.00	100	298	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5445.29	55.67	74.00	-18.33	38.38	34.60	12.76	30.07	0.00	100	298	PEAK																																																																																																							
2	5463.85	56.35	68.20	-11.85	38.96	34.60	12.87	30.08	0.00	100	298	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5610.00	92.34	-----	74.97	34.50	12.97	30.10	0.00	100	298	PEAK																																																																																																								
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.13</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>29.32</td><td>34.60</td><td>12.81</td><td>30.07</td><td>0.00</td><td>100</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.13	46.66	54.00	-7.34	29.32	34.60	12.81	30.07	0.00	100	298	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>83.46</td><td>-----</td><td>66.09</td><td>34.50</td><td>12.97</td><td>30.10</td><td>0.00</td><td>100</td><td>298</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	83.46	-----	66.09	34.50	12.97	30.10	0.00	100	298	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5453.13	46.66	54.00	-7.34	29.32	34.60	12.81	30.07	0.00	100	298	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5610.00	83.46	-----	66.09	34.50	12.97	30.10	0.00	100	298	AVERAGE																																																																																																								






Mode	29																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.68</td><td>57.84</td><td>68.20</td><td>-10.36</td><td>39.52</td><td>34.73</td><td>13.65</td><td>30.06</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5763.68	57.84	68.20	-10.36	39.52	34.73	13.65	30.06	0.00	100	298	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5763.68	57.84	68.20	-10.36	39.52	34.73	13.65	30.06	0.00	100	298	PEAK																																											






Mode	29																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>50.95</td><td>74.00</td><td>-23.05</td><td>58.46</td><td>38.40</td><td>18.29</td><td>64.20</td><td>0.00</td><td>323</td><td>355</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>45.37</td><td>54.00</td><td>-8.63</td><td>52.88</td><td>38.40</td><td>18.29</td><td>64.20</td><td>0.00</td><td>323</td><td>355</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	50.95	74.00	-23.05	58.46	38.40	18.29	64.20	0.00	323	355	PEAK	2	11220.00	45.37	54.00	-8.63	52.88	38.40	18.29	64.20	0.00	323	355	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>49.87</td><td>74.00</td><td>-24.13</td><td>57.38</td><td>38.40</td><td>18.29</td><td>64.20</td><td>0.00</td><td>225</td><td>312</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>44.12</td><td>54.00</td><td>-9.88</td><td>51.63</td><td>38.40</td><td>18.29</td><td>64.20</td><td>0.00</td><td>225</td><td>312</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	49.87	74.00	-24.13	57.38	38.40	18.29	64.20	0.00	225	312	PEAK	2	11220.00	44.12	54.00	-9.88	51.63	38.40	18.29	64.20	0.00	225	312	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11220.00	50.95	74.00	-23.05	58.46	38.40	18.29	64.20	0.00	323	355	PEAK																																																																																																																						
2	11220.00	45.37	54.00	-8.63	52.88	38.40	18.29	64.20	0.00	323	355	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11220.00	49.87	74.00	-24.13	57.38	38.40	18.29	64.20	0.00	225	312	PEAK																																																																																																																						
2	11220.00	44.12	54.00	-9.88	51.63	38.40	18.29	64.20	0.00	225	312	AVERAGE																																																																																																																						





Mode	30																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5621.60</td><td>57.52</td><td>68.20</td><td>-10.68</td><td>40.15</td><td>34.50</td><td>12.98</td><td>30.11</td><td>0.00</td><td>100</td><td>347 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>54.66</td><td>68.50</td><td>-13.84</td><td>37.26</td><td>34.50</td><td>13.01</td><td>30.11</td><td>0.00</td><td>100</td><td>347 PEAK</td></tr><tr><td>3</td><td>5705.60</td><td>55.56</td><td>106.87</td><td>-51.31</td><td>37.90</td><td>34.61</td><td>13.14</td><td>30.09</td><td>0.00</td><td>100</td><td>347 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.71</td><td>110.90</td><td>-56.19</td><td>36.89</td><td>34.64</td><td>13.26</td><td>30.08</td><td>0.00</td><td>100</td><td>347 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5621.60	57.52	68.20	-10.68	40.15	34.50	12.98	30.11	0.00	100	347 PEAK	2	5650.40	54.66	68.50	-13.84	37.26	34.50	13.01	30.11	0.00	100	347 PEAK	3	5705.60	55.56	106.87	-51.31	37.90	34.61	13.14	30.09	0.00	100	347 PEAK	4	5720.00	54.71	110.90	-56.19	36.89	34.64	13.26	30.08	0.00	100	347 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.58</td><td>-----</td><td>-----</td><td>81.47</td><td>34.69</td><td>13.49</td><td>30.07</td><td>0.00</td><td>100</td><td>347 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.58	-----	-----	81.47	34.69	13.49	30.07	0.00	100	347 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5621.60	57.52	68.20	-10.68	40.15	34.50	12.98	30.11	0.00	100	347 PEAK																																																																																																																														
2	5650.40	54.66	68.50	-13.84	37.26	34.50	13.01	30.11	0.00	100	347 PEAK																																																																																																																														
3	5705.60	55.56	106.87	-51.31	37.90	34.61	13.14	30.09	0.00	100	347 PEAK																																																																																																																														
4	5720.00	54.71	110.90	-56.19	36.89	34.64	13.26	30.08	0.00	100	347 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	99.58	-----	-----	81.47	34.69	13.49	30.07	0.00	100	347 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>90.65</td><td>-----</td><td>-----</td><td>72.54</td><td>34.69</td><td>13.49</td><td>30.07</td><td>0.00</td><td>100</td><td>347 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	90.65	-----	-----	72.54	34.69	13.49	30.07	0.00	100	347 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	90.65	-----	-----	72.54	34.69	13.49	30.07	0.00	100	347 AVERAGE																																																																																																																														







Mode	30																																																																																																																
	Band Edge																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5605.60</td><td>57.55</td><td>68.20</td><td>-10.65</td><td>40.18</td><td>34.50</td><td>12.97</td><td>30.10</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr><tr><td>2</td><td>5653.20</td><td>55.51</td><td>70.58</td><td>-15.07</td><td>38.09</td><td>34.51</td><td>13.02</td><td>30.11</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>55.35</td><td>105.41</td><td>-50.06</td><td>37.75</td><td>34.60</td><td>13.09</td><td>30.09</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.64</td><td>110.90</td><td>-56.26</td><td>36.82</td><td>34.64</td><td>13.26</td><td>30.08</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5605.60	57.55	68.20	-10.65	40.18	34.50	12.97	30.10	0.00	100	270 PEAK	2	5653.20	55.51	70.58	-15.07	38.09	34.51	13.02	30.11	0.00	100	270 PEAK	3	5700.40	55.35	105.41	-50.06	37.75	34.60	13.09	30.09	0.00	100	270 PEAK	4	5720.00	54.64	110.90	-56.26	36.82	34.64	13.26	30.08	0.00	100	270 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.32</td><td>-----</td><td>85.28</td><td>34.68</td><td>13.43</td><td>30.07</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	103.32	-----	85.28	34.68	13.43	30.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
1	5605.60	57.55	68.20	-10.65	40.18	34.50	12.97	30.10	0.00	100	270 PEAK																																																																																																						
2	5653.20	55.51	70.58	-15.07	38.09	34.51	13.02	30.11	0.00	100	270 PEAK																																																																																																						
3	5700.40	55.35	105.41	-50.06	37.75	34.60	13.09	30.09	0.00	100	270 PEAK																																																																																																						
4	5720.00	54.64	110.90	-56.26	36.82	34.64	13.26	30.08	0.00	100	270 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
1	5745.00	103.32	-----	85.28	34.68	13.43	30.07	0.00	100	270 PEAK																																																																																																							
Avg	Blank																																																																																																																
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.77</td><td>-----</td><td>76.66</td><td>34.69</td><td>13.49</td><td>30.07</td><td>0.00</td><td>100</td><td>270 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	94.77	-----	76.66	34.69	13.49	30.07	0.00	100	270 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
1	5745.00	94.77	-----	76.66	34.69	13.49	30.07	0.00	100	270 AVERAGE																																																																																																							






Mode	30																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>61.74</td><td>74.00</td><td>-12.26</td><td>68.59</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>106</td><td>98</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>49.81</td><td>54.00</td><td>-4.19</td><td>56.66</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>106</td><td>98</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	61.74	74.00	-12.26	68.59	38.30	18.74	63.89	0.00	106	98	PEAK	2	11490.00	49.81	54.00	-4.19	56.66	38.30	18.74	63.89	0.00	106	98	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>62.45</td><td>74.00</td><td>-11.55</td><td>69.30</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>318</td><td>98</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>50.58</td><td>54.00</td><td>-3.42</td><td>57.43</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>318</td><td>98</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	62.45	74.00	-11.55	69.30	38.30	18.74	63.89	0.00	318	98	PEAK	2	11490.00	50.58	54.00	-3.42	57.43	38.30	18.74	63.89	0.00	318	98	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11490.00	61.74	74.00	-12.26	68.59	38.30	18.74	63.89	0.00	106	98	PEAK																																																																																																																								
2	11490.00	49.81	54.00	-4.19	56.66	38.30	18.74	63.89	0.00	106	98	AVERAGE																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11490.00	62.45	74.00	-11.55	69.30	38.30	18.74	63.89	0.00	318	98	PEAK																																																																																																																								
2	11490.00	50.58	54.00	-3.42	57.43	38.30	18.74	63.89	0.00	318	98	AVERAGE																																																																																																																								






Mode	31																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>62.33</td><td>74.00</td><td>-11.67</td><td>69.32</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>100</td><td>90 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>50.77</td><td>54.00</td><td>-3.23</td><td>57.76</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>100</td><td>90 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	62.33	74.00	-11.67	69.32	38.44	18.63	64.06	0.00	100	90 PEAK	2	11570.00	50.77	54.00	-3.23	57.76	38.44	18.63	64.06	0.00	100	90 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>61.86</td><td>74.00</td><td>-12.14</td><td>68.85</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>101</td><td>90 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>50.53</td><td>54.00</td><td>-3.47</td><td>57.52</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>101</td><td>90 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	61.86	74.00	-12.14	68.85	38.44	18.63	64.06	0.00	101	90 PEAK	2	11570.00	50.53	54.00	-3.47	57.52	38.44	18.63	64.06	0.00	101	90 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	11570.00	62.33	74.00	-11.67	69.32	38.44	18.63	64.06	0.00	100	90 PEAK																																																																																																																					
2	11570.00	50.77	54.00	-3.23	57.76	38.44	18.63	64.06	0.00	100	90 AVERAGE																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	11570.00	61.86	74.00	-12.14	68.85	38.44	18.63	64.06	0.00	101	90 PEAK																																																																																																																					
2	11570.00	50.53	54.00	-3.47	57.52	38.44	18.63	64.06	0.00	101	90 AVERAGE																																																																																																																					





Mode	32																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>57.03</td><td>111.36</td><td>-54.33</td><td>30.26</td><td>34.92</td><td>13.88</td><td>30.03</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr><tr><td>2</td><td>5869.60</td><td>58.49</td><td>106.81</td><td>-48.32</td><td>39.70</td><td>34.90</td><td>13.85</td><td>30.04</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>56.75</td><td>68.35</td><td>-11.60</td><td>37.94</td><td>35.15</td><td>13.73</td><td>30.07</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr><tr><td>4</td><td>5957.20</td><td>58.41</td><td>68.20</td><td>-9.79</td><td>39.66</td><td>35.21</td><td>13.63</td><td>30.09</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5854.80	57.03	111.36	-54.33	30.26	34.92	13.88	30.03	0.00	100	346 PEAK	2	5869.60	58.49	106.81	-48.32	39.70	34.90	13.85	30.04	0.00	100	346 PEAK	3	5924.80	56.75	68.35	-11.60	37.94	35.15	13.73	30.07	0.00	100	346 PEAK	4	5957.20	58.41	68.20	-9.79	39.66	35.21	13.63	30.09	0.00	100	346 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.63</td><td>-----</td><td>-----</td><td>79.88</td><td>34.85</td><td>13.94</td><td>30.04</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	98.63	-----	-----	79.88	34.85	13.94	30.04	0.00	100	346 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
1	5854.80	57.03	111.36	-54.33	30.26	34.92	13.88	30.03	0.00	100	346 PEAK																																																																																																									
2	5869.60	58.49	106.81	-48.32	39.70	34.90	13.85	30.04	0.00	100	346 PEAK																																																																																																									
3	5924.80	56.75	68.35	-11.60	37.94	35.15	13.73	30.07	0.00	100	346 PEAK																																																																																																									
4	5957.20	58.41	68.20	-9.79	39.66	35.21	13.63	30.09	0.00	100	346 PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
1	5825.00	98.63	-----	-----	79.88	34.85	13.94	30.04	0.00	100	346 PEAK																																																																																																									
Avg	Blank																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>89.12</td><td>-----</td><td>-----</td><td>70.37</td><td>34.85</td><td>13.94</td><td>30.04</td><td>0.00</td><td>100</td><td>346 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	89.12	-----	-----	70.37	34.85	13.94	30.04	0.00	100	346 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
1	5825.00	89.12	-----	-----	70.37	34.85	13.94	30.04	0.00	100	346 AVERAGE																																																																																																									






Mode	32																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical					Fundamental																																																																																																										
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>55.37</td><td>112.27</td><td>-56.90</td><td>36.60</td><td>34.92</td><td>13.88</td><td>30.03</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>56.45</td><td>105.58</td><td>-49.13</td><td>37.64</td><td>35.00</td><td>13.85</td><td>30.04</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>57.58</td><td>70.42</td><td>-12.84</td><td>38.78</td><td>35.14</td><td>13.73</td><td>30.07</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr><tr><td>4</td><td>5943.60</td><td>57.27</td><td>68.20</td><td>-10.93</td><td>38.50</td><td>35.19</td><td>13.67</td><td>30.09</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5854.40	55.37	112.27	-56.90	36.60	34.92	13.88	30.03	0.00	100	269 PEAK	2	5874.00	56.45	105.58	-49.13	37.64	35.00	13.85	30.04	0.00	100	269 PEAK	3	5922.00	57.58	70.42	-12.84	38.78	35.14	13.73	30.07	0.00	100	269 PEAK	4	5943.60	57.27	68.20	-10.93	38.50	35.19	13.67	30.09	0.00	100	269 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.55</td><td>-----</td><td>84.80</td><td>34.85</td><td>13.94</td><td>30.04</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	103.55	-----	84.80	34.85	13.94	30.04	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
1	5854.40	55.37	112.27	-56.90	36.60	34.92	13.88	30.03	0.00	100	269 PEAK																																																																																																					
2	5874.00	56.45	105.58	-49.13	37.64	35.00	13.85	30.04	0.00	100	269 PEAK																																																																																																					
3	5922.00	57.58	70.42	-12.84	38.78	35.14	13.73	30.07	0.00	100	269 PEAK																																																																																																					
4	5943.60	57.27	68.20	-10.93	38.50	35.19	13.67	30.09	0.00	100	269 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
1	5825.00	103.55	-----	84.80	34.85	13.94	30.04	0.00	100	269 PEAK																																																																																																						
Avg	Blank																																																																																																															
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>93.71</td><td>-----</td><td>74.96</td><td>34.85</td><td>13.94</td><td>30.04</td><td>0.00</td><td>100</td><td>269 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	93.71	-----	74.96	34.85	13.94	30.04	0.00	100	269 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
1	5825.00	93.71	-----	74.96	34.85	13.94	30.04	0.00	100	269 AVERAGE																																																																																																						






Mode	32																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																	
Peak Avg																																																																																																																																								
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>55.77</td><td>74.00</td><td>-18.23</td><td>62.87</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>92</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.41</td><td>54.00</td><td>-9.59</td><td>51.51</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>92</td><td>AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	55.77	74.00	-18.23	62.87	38.50	18.67	64.27	0.00	100	92	PEAK	2	11650.00	44.41	54.00	-9.59	51.51	38.50	18.67	64.27	0.00	100	92	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>55.29</td><td>74.00</td><td>-18.71</td><td>62.39</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>309</td><td>85</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.52</td><td>54.00</td><td>-9.48</td><td>51.62</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>309</td><td>85</td><td>AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	55.29	74.00	-18.71	62.39	38.50	18.67	64.27	0.00	309	85	PEAK	2	11650.00	44.52	54.00	-9.48	51.62	38.50	18.67	64.27	0.00	309	85	AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	11650.00	55.77	74.00	-18.23	62.87	38.50	18.67	64.27	0.00	100	92	PEAK																																																																																																																												
2	11650.00	44.41	54.00	-9.59	51.51	38.50	18.67	64.27	0.00	100	92	AVERAGE																																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	11650.00	55.29	74.00	-18.71	62.39	38.50	18.67	64.27	0.00	309	85	PEAK																																																																																																																												
2	11650.00	44.52	54.00	-9.48	51.62	38.50	18.67	64.27	0.00	309	85	AVERAGE																																																																																																																												





Mode	33																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5615.00</td><td>56.36</td><td>68.20</td><td>-11.84</td><td>38.99</td><td>34.50</td><td>12.98</td><td>30.11</td><td>0.00</td><td>100</td><td>220 PEAK</td></tr><tr><td>2 5650.00</td><td>54.03</td><td>68.20</td><td>-14.17</td><td>36.63</td><td>34.50</td><td>13.01</td><td>30.11</td><td>0.00</td><td>100</td><td>220 PEAK</td></tr><tr><td>3 5702.00</td><td>55.58</td><td>105.86</td><td>-50.28</td><td>37.96</td><td>34.60</td><td>13.11</td><td>30.09</td><td>0.00</td><td>100</td><td>220 PEAK</td></tr><tr><td>4 5720.00</td><td>57.93</td><td>112.72</td><td>-54.79</td><td>40.10</td><td>34.64</td><td>13.27</td><td>30.08</td><td>0.00</td><td>100</td><td>220 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5615.00	56.36	68.20	-11.84	38.99	34.50	12.98	30.11	0.00	100	220 PEAK	2 5650.00	54.03	68.20	-14.17	36.63	34.50	13.01	30.11	0.00	100	220 PEAK	3 5702.00	55.58	105.86	-50.28	37.96	34.60	13.11	30.09	0.00	100	220 PEAK	4 5720.00	57.93	112.72	-54.79	40.10	34.64	13.27	30.08	0.00	100	220 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>97.91</td><td>-----</td><td>-----</td><td>79.80</td><td>34.69</td><td>13.49</td><td>30.07</td><td>0.00</td><td>100</td><td>220 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	97.91	-----	-----	79.80	34.69	13.49	30.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5615.00	56.36	68.20	-11.84	38.99	34.50	12.98	30.11	0.00	100	220 PEAK																																																																																																																								
2 5650.00	54.03	68.20	-14.17	36.63	34.50	13.01	30.11	0.00	100	220 PEAK																																																																																																																								
3 5702.00	55.58	105.86	-50.28	37.96	34.60	13.11	30.09	0.00	100	220 PEAK																																																																																																																								
4 5720.00	57.93	112.72	-54.79	40.10	34.64	13.27	30.08	0.00	100	220 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5745.00	97.91	-----	-----	79.80	34.69	13.49	30.07	0.00	100	220 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>89.25</td><td>-----</td><td>-----</td><td>71.14</td><td>34.69</td><td>13.49</td><td>30.07</td><td>0.00</td><td>100</td><td>220 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	89.25	-----	-----	71.14	34.69	13.49	30.07	0.00	100	220 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5745.00	89.25	-----	-----	71.14	34.69	13.49	30.07	0.00	100	220 AVERAGE																																																																																																																								





Mode	33																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.00</td><td>56.87</td><td>68.20</td><td>-11.33</td><td>39.47</td><td>34.50</td><td>13.01</td><td>30.11</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.46</td><td>68.20</td><td>-13.74</td><td>37.06</td><td>34.50</td><td>13.01</td><td>30.11</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>56.37</td><td>105.30</td><td>-48.93</td><td>38.77</td><td>34.60</td><td>13.09</td><td>30.09</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.12</td><td>110.90</td><td>-54.78</td><td>38.30</td><td>34.64</td><td>13.26</td><td>30.08</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.00	56.87	68.20	-11.33	39.47	34.50	13.01	30.11	0.00	100	270 PEAK	2	5650.00	54.46	68.20	-13.74	37.06	34.50	13.01	30.11	0.00	100	270 PEAK	3	5700.00	56.37	105.30	-48.93	38.77	34.60	13.09	30.09	0.00	100	270 PEAK	4	5720.00	56.12	110.90	-54.78	38.30	34.64	13.26	30.08	0.00	100	270 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.17</td><td>-----</td><td>-----</td><td>85.06</td><td>34.69</td><td>13.49</td><td>30.07</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.17	-----	-----	85.06	34.69	13.49	30.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5646.00	56.87	68.20	-11.33	39.47	34.50	13.01	30.11	0.00	100	270 PEAK																																																																																																																													
2	5650.00	54.46	68.20	-13.74	37.06	34.50	13.01	30.11	0.00	100	270 PEAK																																																																																																																													
3	5700.00	56.37	105.30	-48.93	38.77	34.60	13.09	30.09	0.00	100	270 PEAK																																																																																																																													
4	5720.00	56.12	110.90	-54.78	38.30	34.64	13.26	30.08	0.00	100	270 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	103.17	-----	-----	85.06	34.69	13.49	30.07	0.00	100	270 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.26</td><td>-----</td><td>-----</td><td>76.15</td><td>34.69</td><td>13.49</td><td>30.07</td><td>0.00</td><td>100</td><td>270 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	94.26	-----	-----	76.15	34.69	13.49	30.07	0.00	100	270 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	94.26	-----	-----	76.15	34.69	13.49	30.07	0.00	100	270 AVERAGE																																																																																																																													






Mode	33																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>62.09</td><td>74.00</td><td>-11.91</td><td>68.94</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>101</td><td>97</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>49.15</td><td>54.00</td><td>-4.85</td><td>56.00</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>101</td><td>97</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	62.09	74.00	-11.91	68.94	38.30	18.74	63.89	0.00	101	97	PEAK	2	11490.00	49.15	54.00	-4.85	56.00	38.30	18.74	63.89	0.00	101	97	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>61.93</td><td>74.00</td><td>-12.07</td><td>68.78</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>308</td><td>99</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>50.02</td><td>54.00</td><td>-3.98</td><td>56.87</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>308</td><td>99</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	61.93	74.00	-12.07	68.78	38.30	18.74	63.89	0.00	308	99	PEAK	2	11490.00	50.02	54.00	-3.98	56.87	38.30	18.74	63.89	0.00	308	99	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11490.00	62.09	74.00	-11.91	68.94	38.30	18.74	63.89	0.00	101	97	PEAK																																																																																																																								
2	11490.00	49.15	54.00	-4.85	56.00	38.30	18.74	63.89	0.00	101	97	AVERAGE																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11490.00	61.93	74.00	-12.07	68.78	38.30	18.74	63.89	0.00	308	99	PEAK																																																																																																																								
2	11490.00	50.02	54.00	-3.98	56.87	38.30	18.74	63.89	0.00	308	99	AVERAGE																																																																																																																								



Mode	34																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>62.34</td><td>74.00</td><td>-11.66</td><td>69.33</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>100</td><td>97 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>50.24</td><td>54.00</td><td>-3.76</td><td>57.23</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>100</td><td>97 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	62.34	74.00	-11.66	69.33	38.44	18.63	64.06	0.00	100	97 PEAK	2	11570.00	50.24	54.00	-3.76	57.23	38.44	18.63	64.06	0.00	100	97 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>62.09</td><td>74.00</td><td>-11.91</td><td>69.08</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>100</td><td>92 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>49.64</td><td>54.00</td><td>-4.36</td><td>56.63</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>100</td><td>92 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	62.09	74.00	-11.91	69.08	38.44	18.63	64.06	0.00	100	92 PEAK	2	11570.00	49.64	54.00	-4.36	56.63	38.44	18.63	64.06	0.00	100	92 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11570.00	62.34	74.00	-11.66	69.33	38.44	18.63	64.06	0.00	100	97 PEAK																																																																																																																		
2	11570.00	50.24	54.00	-3.76	57.23	38.44	18.63	64.06	0.00	100	97 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11570.00	62.09	74.00	-11.91	69.08	38.44	18.63	64.06	0.00	100	92 PEAK																																																																																																																		
2	11570.00	49.64	54.00	-4.36	56.63	38.44	18.63	64.06	0.00	100	92 AVERAGE																																																																																																																		





Mode	35																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>55.73</td><td>113.18</td><td>-57.45</td><td>36.96</td><td>34.92</td><td>13.88</td><td>30.03</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>58.29</td><td>105.69</td><td>-47.40</td><td>39.49</td><td>34.99</td><td>13.85</td><td>30.04</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.09</td><td>68.35</td><td>-13.26</td><td>36.28</td><td>35.15</td><td>13.73</td><td>30.07</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr><tr><td>4</td><td>5935.20</td><td>59.01</td><td>68.20</td><td>-9.19</td><td>40.23</td><td>35.17</td><td>13.69</td><td>30.08</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.73	113.18	-57.45	36.96	34.92	13.88	30.03	0.00	100	346 PEAK	2	5873.60	58.29	105.69	-47.40	39.49	34.99	13.85	30.04	0.00	100	346 PEAK	3	5924.00	55.09	68.35	-13.26	36.28	35.15	13.73	30.07	0.00	100	346 PEAK	4	5935.20	59.01	68.20	-9.19	40.23	35.17	13.69	30.08	0.00	100	346 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.94</td><td>-----</td><td>-----</td><td>79.19</td><td>34.86</td><td>13.93</td><td>30.04</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.94	-----	-----	79.19	34.86	13.93	30.04	0.00	100	346 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.00	55.73	113.18	-57.45	36.96	34.92	13.88	30.03	0.00	100	346 PEAK																																																																																																																															
2	5873.60	58.29	105.69	-47.40	39.49	34.99	13.85	30.04	0.00	100	346 PEAK																																																																																																																															
3	5924.00	55.09	68.35	-13.26	36.28	35.15	13.73	30.07	0.00	100	346 PEAK																																																																																																																															
4	5935.20	59.01	68.20	-9.19	40.23	35.17	13.69	30.08	0.00	100	346 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	97.94	-----	-----	79.19	34.86	13.93	30.04	0.00	100	346 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>88.60</td><td>-----</td><td>-----</td><td>69.85</td><td>34.85</td><td>13.94</td><td>30.04</td><td>0.00</td><td>100</td><td>346 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	88.60	-----	-----	69.85	34.85	13.94	30.04	0.00	100	346 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	88.60	-----	-----	69.85	34.85	13.94	30.04	0.00	100	346 AVERAGE																																																																																																																															






Mode	35																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>54.82</td><td>111.36</td><td>-56.54</td><td>36.05</td><td>34.92</td><td>13.88</td><td>30.03</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr><tr><td>2 5874.00</td><td>56.15</td><td>105.58</td><td>-49.43</td><td>37.34</td><td>35.00</td><td>13.85</td><td>30.04</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr><tr><td>3 5924.00</td><td>55.34</td><td>68.35</td><td>-13.01</td><td>36.53</td><td>35.15</td><td>13.73</td><td>30.07</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr><tr><td>4 5943.20</td><td>56.79</td><td>68.20</td><td>-11.41</td><td>38.02</td><td>35.19</td><td>13.67</td><td>30.09</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	54.82	111.36	-56.54	36.05	34.92	13.88	30.03	0.00	100	269 PEAK	2 5874.00	56.15	105.58	-49.43	37.34	35.00	13.85	30.04	0.00	100	269 PEAK	3 5924.00	55.34	68.35	-13.01	36.53	35.15	13.73	30.07	0.00	100	269 PEAK	4 5943.20	56.79	68.20	-11.41	38.02	35.19	13.67	30.09	0.00	100	269 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.25</td><td>-----</td><td>-----</td><td>83.50</td><td>34.85</td><td>13.94</td><td>30.04</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	102.25	-----	-----	83.50	34.85	13.94	30.04	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5854.00	54.82	111.36	-56.54	36.05	34.92	13.88	30.03	0.00	100	269 PEAK																																																																																																																								
2 5874.00	56.15	105.58	-49.43	37.34	35.00	13.85	30.04	0.00	100	269 PEAK																																																																																																																								
3 5924.00	55.34	68.35	-13.01	36.53	35.15	13.73	30.07	0.00	100	269 PEAK																																																																																																																								
4 5943.20	56.79	68.20	-11.41	38.02	35.19	13.67	30.09	0.00	100	269 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	102.25	-----	-----	83.50	34.85	13.94	30.04	0.00	100	269 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>93.28</td><td>-----</td><td>-----</td><td>74.53</td><td>34.85</td><td>13.94</td><td>30.04</td><td>0.00</td><td>100</td><td>269 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	93.28	-----	-----	74.53	34.85	13.94	30.04	0.00	100	269 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	93.28	-----	-----	74.53	34.85	13.94	30.04	0.00	100	269 AVERAGE																																																																																																																								



Mode	35																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>55.88</td><td>74.00</td><td>-18.12</td><td>62.98</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>92 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>42.81</td><td>54.00</td><td>-11.19</td><td>49.91</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>92 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	55.88	74.00	-18.12	62.98	38.50	18.67	64.27	0.00	100	92 PEAK	2	11650.00	42.81	54.00	-11.19	49.91	38.50	18.67	64.27	0.00	100	92 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>57.14</td><td>74.00</td><td>-16.86</td><td>64.24</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>89 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.04</td><td>54.00</td><td>-9.96</td><td>51.14</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>89 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	57.14	74.00	-16.86	64.24	38.50	18.67	64.27	0.00	100	89 PEAK	2	11650.00	44.04	54.00	-9.96	51.14	38.50	18.67	64.27	0.00	100	89 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	11650.00	55.88	74.00	-18.12	62.98	38.50	18.67	64.27	0.00	100	92 PEAK																																																																																																																			
2	11650.00	42.81	54.00	-11.19	49.91	38.50	18.67	64.27	0.00	100	92 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	11650.00	57.14	74.00	-16.86	64.24	38.50	18.67	64.27	0.00	100	89 PEAK																																																																																																																			
2	11650.00	44.04	54.00	-9.96	51.14	38.50	18.67	64.27	0.00	100	89 AVERAGE																																																																																																																			






Mode	36																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal																																																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5623.10</td><td>56.72</td><td>68.20</td><td>-11.48</td><td>39.35</td><td>34.50</td><td>12.98</td><td>30.11</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr><tr><td>2 5650.22</td><td>54.11</td><td>68.36</td><td>-14.25</td><td>36.71</td><td>34.50</td><td>13.01</td><td>30.11</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr><tr><td>3 5700.75</td><td>56.82</td><td>105.51</td><td>-48.69</td><td>39.21</td><td>34.60</td><td>13.10</td><td>30.09</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr><tr><td>4 5720.59</td><td>58.62</td><td>112.25</td><td>-53.63</td><td>40.79</td><td>34.64</td><td>13.27</td><td>30.08</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5623.10	56.72	68.20	-11.48	39.35	34.50	12.98	30.11	0.00	100	346 PEAK	2 5650.22	54.11	68.36	-14.25	36.71	34.50	13.01	30.11	0.00	100	346 PEAK	3 5700.75	56.82	105.51	-48.69	39.21	34.60	13.10	30.09	0.00	100	346 PEAK	4 5720.59	58.62	112.25	-53.63	40.79	34.64	13.27	30.08	0.00	100	346 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>97.61</td><td>-----</td><td>-----</td><td>79.37</td><td>34.72</td><td>13.59</td><td>30.07</td><td>0.00</td><td>100</td><td>346 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	97.61	-----	-----	79.37	34.72	13.59	30.07	0.00	100	346 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 5623.10	56.72	68.20	-11.48	39.35	34.50	12.98	30.11	0.00	100	346 PEAK																																																																																																																																					
2 5650.22	54.11	68.36	-14.25	36.71	34.50	13.01	30.11	0.00	100	346 PEAK																																																																																																																																					
3 5700.75	56.82	105.51	-48.69	39.21	34.60	13.10	30.09	0.00	100	346 PEAK																																																																																																																																					
4 5720.59	58.62	112.25	-53.63	40.79	34.64	13.27	30.08	0.00	100	346 PEAK																																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 5755.00	97.61	-----	-----	79.37	34.72	13.59	30.07	0.00	100	346 PEAK																																																																																																																																					
Avg	Blank																																																																																																																																														
	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>87.83</td><td>-----</td><td>-----</td><td>69.59</td><td>34.72</td><td>13.59</td><td>30.07</td><td>0.00</td><td>100</td><td>346 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	87.83	-----	-----	69.59	34.72	13.59	30.07	0.00	100	346 AVERAGE																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 5755.00	87.83	-----	-----	69.59	34.72	13.59	30.07	0.00	100	346 AVERAGE																																																																																																																																					




Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>54.73</td><td>111.26</td><td>-56.53</td><td>35.96</td><td>34.92</td><td>13.88</td><td>30.03</td><td>0.00</td><td>100</td><td>346</td><td>PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>55.86</td><td>105.48</td><td>-49.62</td><td>37.05</td><td>35.00</td><td>13.85</td><td>30.04</td><td>0.00</td><td>100</td><td>346</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>55.63</td><td>68.46</td><td>-12.83</td><td>36.82</td><td>35.15</td><td>13.73</td><td>30.07</td><td>0.00</td><td>100</td><td>346</td><td>PEAK</td></tr><tr><td>4</td><td>5936.35</td><td>58.91</td><td>68.20</td><td>-9.29</td><td>40.13</td><td>35.17</td><td>13.69</td><td>30.08</td><td>0.00</td><td>100</td><td>346</td><td>PEAK</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	54.73	111.26	-56.53	35.96	34.92	13.88	30.03	0.00	100	346	PEAK	2	5874.34	55.86	105.48	-49.62	37.05	35.00	13.85	30.04	0.00	100	346	PEAK	3	5924.65	55.63	68.46	-12.83	36.82	35.15	13.73	30.07	0.00	100	346	PEAK	4	5936.35	58.91	68.20	-9.29	40.13	35.17	13.69	30.08	0.00	100	346	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	54.73	111.26	-56.53	35.96	34.92	13.88	30.03	0.00	100	346	PEAK																																																																									
2	5874.34	55.86	105.48	-49.62	37.05	35.00	13.85	30.04	0.00	100	346	PEAK																																																																									
3	5924.65	55.63	68.46	-12.83	36.82	35.15	13.73	30.07	0.00	100	346	PEAK																																																																									
4	5936.35	58.91	68.20	-9.29	40.13	35.17	13.69	30.08	0.00	100	346	PEAK																																																																									



Mode	36																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5626.20</td><td>57.69</td><td>68.20</td><td>-10.51</td><td>40.31</td><td>34.50</td><td>12.99</td><td>30.11</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr><tr><td>2 5651.77</td><td>55.81</td><td>69.52</td><td>-13.71</td><td>38.41</td><td>34.50</td><td>13.01</td><td>30.11</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr><tr><td>3 5788.19</td><td>59.50</td><td>107.60</td><td>-48.10</td><td>41.80</td><td>34.62</td><td>13.16</td><td>30.08</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr><tr><td>4 5728.28</td><td>60.54</td><td>111.54</td><td>-51.00</td><td>42.72</td><td>34.64</td><td>13.26</td><td>30.08</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5626.20	57.69	68.20	-10.51	40.31	34.50	12.99	30.11	0.00	100	270 PEAK	2 5651.77	55.81	69.52	-13.71	38.41	34.50	13.01	30.11	0.00	100	270 PEAK	3 5788.19	59.50	107.60	-48.10	41.80	34.62	13.16	30.08	0.00	100	270 PEAK	4 5728.28	60.54	111.54	-51.00	42.72	34.64	13.26	30.08	0.00	100	270 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>101.27</td><td>-----</td><td>-----</td><td>83.10</td><td>34.70</td><td>13.54</td><td>30.07</td><td>0.00</td><td>100</td><td>270 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	101.27	-----	-----	83.10	34.70	13.54	30.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5626.20	57.69	68.20	-10.51	40.31	34.50	12.99	30.11	0.00	100	270 PEAK																																																																																																																								
2 5651.77	55.81	69.52	-13.71	38.41	34.50	13.01	30.11	0.00	100	270 PEAK																																																																																																																								
3 5788.19	59.50	107.60	-48.10	41.80	34.62	13.16	30.08	0.00	100	270 PEAK																																																																																																																								
4 5728.28	60.54	111.54	-51.00	42.72	34.64	13.26	30.08	0.00	100	270 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5755.00	101.27	-----	-----	83.10	34.70	13.54	30.07	0.00	100	270 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>91.27</td><td>-----</td><td>-----</td><td>73.10</td><td>34.70</td><td>13.54</td><td>30.07</td><td>0.00</td><td>100</td><td>270 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	91.27	-----	-----	73.10	34.70	13.54	30.07	0.00	100	270 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5755.00	91.27	-----	-----	73.10	34.70	13.54	30.07	0.00	100	270 AVERAGE																																																																																																																								






Mode	36																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>57.07</td><td>112.60</td><td>-55.53</td><td>38.30</td><td>34.92</td><td>13.88</td><td>30.03</td><td>0.00</td><td>100</td><td>270</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>56.15</td><td>105.32</td><td>-49.17</td><td>37.34</td><td>35.00</td><td>13.85</td><td>30.04</td><td>0.00</td><td>100</td><td>270</td><td>PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>55.52</td><td>68.89</td><td>-13.37</td><td>36.71</td><td>35.15</td><td>13.73</td><td>30.07</td><td>0.00</td><td>100</td><td>270</td><td>PEAK</td></tr><tr><td>4</td><td>5946.49</td><td>56.41</td><td>68.20</td><td>-11.79</td><td>37.65</td><td>35.19</td><td>13.66</td><td>30.09</td><td>0.00</td><td>100</td><td>270</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	57.07	112.60	-55.53	38.30	34.92	13.88	30.03	0.00	100	270	PEAK	2	5874.93	56.15	105.32	-49.17	37.34	35.00	13.85	30.04	0.00	100	270	PEAK	3	5924.07	55.52	68.89	-13.37	36.71	35.15	13.73	30.07	0.00	100	270	PEAK	4	5946.49	56.41	68.20	-11.79	37.65	35.19	13.66	30.09	0.00	100	270	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.26	57.07	112.60	-55.53	38.30	34.92	13.88	30.03	0.00	100	270	PEAK																																																																											
2	5874.93	56.15	105.32	-49.17	37.34	35.00	13.85	30.04	0.00	100	270	PEAK																																																																											
3	5924.07	55.52	68.89	-13.37	36.71	35.15	13.73	30.07	0.00	100	270	PEAK																																																																											
4	5946.49	56.41	68.20	-11.79	37.65	35.19	13.66	30.09	0.00	100	270	PEAK																																																																											




Mode	36																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>61.40</td><td>38.32</td><td>18.75</td><td>63.91</td><td>0.00</td><td>100</td><td>90</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>47.59</td><td>54.00</td><td>-6.41</td><td>54.43</td><td>38.32</td><td>18.75</td><td>63.91</td><td>0.00</td><td>100</td><td>90</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	54.56	74.00	-19.44	61.40	38.32	18.75	63.91	0.00	100	90	PEAK	2	11510.00	47.59	54.00	-6.41	54.43	38.32	18.75	63.91	0.00	100	90	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>54.74</td><td>74.00</td><td>-19.26</td><td>61.58</td><td>38.32</td><td>18.75</td><td>63.91</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>47.53</td><td>54.00</td><td>-6.47</td><td>54.37</td><td>38.32</td><td>18.75</td><td>63.91</td><td>0.00</td><td>100</td><td>86</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	54.74	74.00	-19.26	61.58	38.32	18.75	63.91	0.00	100	86	PEAK	2	11510.00	47.53	54.00	-6.47	54.37	38.32	18.75	63.91	0.00	100	86	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11510.00	54.56	74.00	-19.44	61.40	38.32	18.75	63.91	0.00	100	90	PEAK																																																																																																																								
2	11510.00	47.59	54.00	-6.41	54.43	38.32	18.75	63.91	0.00	100	90	AVERAGE																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11510.00	54.74	74.00	-19.26	61.58	38.32	18.75	63.91	0.00	100	86	PEAK																																																																																																																								
2	11510.00	47.53	54.00	-6.47	54.37	38.32	18.75	63.91	0.00	100	86	AVERAGE																																																																																																																								






Mode	37																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5626.00</td><td>57.04</td><td>68.20</td><td>-11.16</td><td>39.66</td><td>34.50</td><td>12.99</td><td>30.11</td><td>0.00</td><td>314</td><td>347 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.95</td><td>68.20</td><td>-14.25</td><td>36.55</td><td>34.50</td><td>13.01</td><td>30.11</td><td>0.00</td><td>314</td><td>347 PEAK</td></tr><tr><td>3</td><td>5707.60</td><td>56.47</td><td>107.43</td><td>-50.96</td><td>38.77</td><td>34.62</td><td>13.16</td><td>30.08</td><td>0.00</td><td>314</td><td>347 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>56.13</td><td>111.81</td><td>-55.68</td><td>38.30</td><td>34.64</td><td>13.27</td><td>30.08</td><td>0.00</td><td>314</td><td>347 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5626.00	57.04	68.20	-11.16	39.66	34.50	12.99	30.11	0.00	314	347 PEAK	2	5650.00	53.95	68.20	-14.25	36.55	34.50	13.01	30.11	0.00	314	347 PEAK	3	5707.60	56.47	107.43	-50.96	38.77	34.62	13.16	30.08	0.00	314	347 PEAK	4	5720.40	56.13	111.81	-55.68	38.30	34.64	13.27	30.08	0.00	314	347 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>96.70</td><td>-----</td><td>-----</td><td>77.97</td><td>34.80</td><td>13.98</td><td>30.05</td><td>0.00</td><td>314</td><td>347 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5795.00	96.70	-----	-----	77.97	34.80	13.98	30.05	0.00	314
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5626.00	57.04	68.20	-11.16	39.66	34.50	12.99	30.11	0.00	314	347 PEAK																																																																																																												
2	5650.00	53.95	68.20	-14.25	36.55	34.50	13.01	30.11	0.00	314	347 PEAK																																																																																																												
3	5707.60	56.47	107.43	-50.96	38.77	34.62	13.16	30.08	0.00	314	347 PEAK																																																																																																												
4	5720.40	56.13	111.81	-55.68	38.30	34.64	13.27	30.08	0.00	314	347 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5795.00	96.70	-----	-----	77.97	34.80	13.98	30.05	0.00	314	347 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>86.73</td><td>-----</td><td>-----</td><td>68.00</td><td>34.80</td><td>13.98</td><td>30.05</td><td>0.00</td><td>314</td><td>347 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5795.00	86.73	-----	-----	68.00	34.80	13.98	30.05	0.00	314	347 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5795.00	86.73	-----	-----	68.00	34.80	13.98	30.05	0.00	314	347 AVERAGE																																																																																																												




Mode	37																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>56.73</td><td>111.36</td><td>-54.63</td><td>37.96</td><td>34.92</td><td>13.88</td><td>30.03</td><td>0.00</td><td>314</td><td>347 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>56.57</td><td>105.58</td><td>-49.01</td><td>37.76</td><td>35.00</td><td>13.85</td><td>30.04</td><td>0.00</td><td>314</td><td>347 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>56.09</td><td>68.35</td><td>-12.26</td><td>37.28</td><td>35.15</td><td>13.73</td><td>30.07</td><td>0.00</td><td>314</td><td>347 PEAK</td></tr><tr><td>4</td><td>5956.00</td><td>57.07</td><td>68.20</td><td>-11.13</td><td>38.32</td><td>35.21</td><td>13.63</td><td>30.09</td><td>0.00</td><td>314</td><td>347 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	56.73	111.36	-54.63	37.96	34.92	13.88	30.03	0.00	314	347 PEAK	2	5874.00	56.57	105.58	-49.01	37.76	35.00	13.85	30.04	0.00	314	347 PEAK	3	5924.00	56.09	68.35	-12.26	37.28	35.15	13.73	30.07	0.00	314	347 PEAK	4	5956.00	57.07	68.20	-11.13	38.32	35.21	13.63	30.09	0.00	314	347 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.00	56.73	111.36	-54.63	37.96	34.92	13.88	30.03	0.00	314	347 PEAK																																																																								
2	5874.00	56.57	105.58	-49.01	37.76	35.00	13.85	30.04	0.00	314	347 PEAK																																																																								
3	5924.00	56.09	68.35	-12.26	37.28	35.15	13.73	30.07	0.00	314	347 PEAK																																																																								
4	5956.00	57.07	68.20	-11.13	38.32	35.21	13.63	30.09	0.00	314	347 PEAK																																																																								





Mode	37																																																																																																																																												
	Band Edge - L																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																																						
Peak																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.00</td><td>57.03</td><td>68.20</td><td>-11.17</td><td>39.66</td><td>34.50</td><td>12.98</td><td>30.11</td><td>0.00</td><td>326</td><td>249</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.82</td><td>68.20</td><td>-13.38</td><td>37.42</td><td>34.50</td><td>13.01</td><td>30.11</td><td>0.00</td><td>326</td><td>249</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>54.18</td><td>105.30</td><td>-51.12</td><td>36.58</td><td>34.60</td><td>13.09</td><td>30.09</td><td>0.00</td><td>326</td><td>249</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.46</td><td>110.90</td><td>-56.44</td><td>36.64</td><td>34.64</td><td>13.26</td><td>30.08</td><td>0.00</td><td>326</td><td>249</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.00	57.03	68.20	-11.17	39.66	34.50	12.98	30.11	0.00	326	249	PEAK	2	5650.00	54.82	68.20	-13.38	37.42	34.50	13.01	30.11	0.00	326	249	PEAK	3	5700.00	54.18	105.30	-51.12	36.58	34.60	13.09	30.09	0.00	326	249	PEAK	4	5720.00	54.46	110.90	-56.44	36.64	34.64	13.26	30.08	0.00	326	249	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.89</td><td>-----</td><td>-----</td><td>81.16</td><td>34.80</td><td>13.98</td><td>30.05</td><td>0.00</td><td>326</td><td>249</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	99.89	-----	-----	81.16	34.80	13.98	30.05	0.00	326	249
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5622.00	57.03	68.20	-11.17	39.66	34.50	12.98	30.11	0.00	326	249	PEAK																																																																																																																																	
2	5650.00	54.82	68.20	-13.38	37.42	34.50	13.01	30.11	0.00	326	249	PEAK																																																																																																																																	
3	5700.00	54.18	105.30	-51.12	36.58	34.60	13.09	30.09	0.00	326	249	PEAK																																																																																																																																	
4	5720.00	54.46	110.90	-56.44	36.64	34.64	13.26	30.08	0.00	326	249	PEAK																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5795.00	99.89	-----	-----	81.16	34.80	13.98	30.05	0.00	326	249	PEAK																																																																																																																																	
Avg	Blank																																																																																																																																												
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>90.23</td><td>-----</td><td>-----</td><td>71.50</td><td>34.80</td><td>13.98</td><td>30.05</td><td>0.00</td><td>326</td><td>249</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	90.23	-----	-----	71.50	34.80	13.98	30.05	0.00	326	249	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5795.00	90.23	-----	-----	71.50	34.80	13.98	30.05	0.00	326	249	AVERAGE																																																																																																																																	






Mode	37																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>57.01</td><td>112.27</td><td>-55.26</td><td>30.24</td><td>34.92</td><td>13.88</td><td>30.03</td><td>0.00</td><td>326</td><td>249</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>57.85</td><td>105.92</td><td>-48.07</td><td>39.05</td><td>34.99</td><td>13.85</td><td>30.04</td><td>0.00</td><td>326</td><td>249</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>57.49</td><td>69.83</td><td>-12.34</td><td>38.68</td><td>35.15</td><td>13.73</td><td>30.07</td><td>0.00</td><td>326</td><td>249</td><td>PEAK</td></tr><tr><td>4</td><td>5975.20</td><td>57.07</td><td>68.20</td><td>-11.13</td><td>38.35</td><td>35.25</td><td>13.58</td><td>30.11</td><td>0.00</td><td>326</td><td>249</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	57.01	112.27	-55.26	30.24	34.92	13.88	30.03	0.00	326	249	PEAK	2	5872.80	57.85	105.92	-48.07	39.05	34.99	13.85	30.04	0.00	326	249	PEAK	3	5922.80	57.49	69.83	-12.34	38.68	35.15	13.73	30.07	0.00	326	249	PEAK	4	5975.20	57.07	68.20	-11.13	38.35	35.25	13.58	30.11	0.00	326	249	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5854.40	57.01	112.27	-55.26	30.24	34.92	13.88	30.03	0.00	326	249	PEAK																																																																																					
2	5872.80	57.85	105.92	-48.07	39.05	34.99	13.85	30.04	0.00	326	249	PEAK																																																																																					
3	5922.80	57.49	69.83	-12.34	38.68	35.15	13.73	30.07	0.00	326	249	PEAK																																																																																					
4	5975.20	57.07	68.20	-11.13	38.35	35.25	13.58	30.11	0.00	326	249	PEAK																																																																																					




Mode	37																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>49.48</td><td>74.00</td><td>-24.52</td><td>56.53</td><td>38.48</td><td>18.58</td><td>64.11</td><td>0.00</td><td>300</td><td>9 PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>40.74</td><td>54.00</td><td>-13.26</td><td>47.79</td><td>38.48</td><td>18.58</td><td>64.11</td><td>0.00</td><td>300</td><td>9 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	11590.00	49.48	74.00	-24.52	56.53	38.48	18.58	64.11	0.00	300	9 PEAK	2	11590.00	40.74	54.00	-13.26	47.79	38.48	18.58	64.11	0.00	300	9 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>53.64</td><td>74.00</td><td>-20.36</td><td>60.69</td><td>38.48</td><td>18.58</td><td>64.11</td><td>0.00</td><td>309</td><td>80 PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>46.61</td><td>54.00</td><td>-7.39</td><td>53.66</td><td>38.48</td><td>18.58</td><td>64.11</td><td>0.00</td><td>309</td><td>80 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	11590.00	53.64	74.00	-20.36	60.69	38.48	18.58	64.11	0.00	309	80 PEAK	2	11590.00	46.61	54.00	-7.39	53.66	38.48	18.58	64.11	0.00	309	80 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
1	11590.00	49.48	74.00	-24.52	56.53	38.48	18.58	64.11	0.00	300	9 PEAK																																																																																													
2	11590.00	40.74	54.00	-13.26	47.79	38.48	18.58	64.11	0.00	300	9 AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
1	11590.00	53.64	74.00	-20.36	60.69	38.48	18.58	64.11	0.00	309	80 PEAK																																																																																													
2	11590.00	46.61	54.00	-7.39	53.66	38.48	18.58	64.11	0.00	309	80 AVERAGE																																																																																													






Mode	38																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5688.00</td><td>57.58</td><td>68.20</td><td>-10.62</td><td>40.21</td><td>34.50</td><td>12.97</td><td>30.10</td><td>0.00</td><td>100</td><td>345 PEAK</td></tr><tr><td>2 5652.00</td><td>55.65</td><td>70.29</td><td>-14.64</td><td>38.24</td><td>34.51</td><td>13.01</td><td>30.11</td><td>0.00</td><td>100</td><td>345 PEAK</td></tr><tr><td>3 5701.60</td><td>56.02</td><td>105.75</td><td>-49.73</td><td>38.41</td><td>34.60</td><td>13.10</td><td>30.09</td><td>0.00</td><td>100</td><td>345 PEAK</td></tr><tr><td>4 5720.00</td><td>52.36</td><td>110.90</td><td>-58.54</td><td>34.54</td><td>34.64</td><td>13.26</td><td>30.08</td><td>0.00</td><td>100</td><td>345 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5688.00	57.58	68.20	-10.62	40.21	34.50	12.97	30.10	0.00	100	345 PEAK	2 5652.00	55.65	70.29	-14.64	38.24	34.51	13.01	30.11	0.00	100	345 PEAK	3 5701.60	56.02	105.75	-49.73	38.41	34.60	13.10	30.09	0.00	100	345 PEAK	4 5720.00	52.36	110.90	-58.54	34.54	34.64	13.26	30.08	0.00	100	345 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>91.75</td><td>-----</td><td>-----</td><td>73.37</td><td>34.74</td><td>13.70</td><td>30.06</td><td>0.00</td><td>100</td><td>345 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	91.75	-----	-----	73.37	34.74	13.70	30.06	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5688.00	57.58	68.20	-10.62	40.21	34.50	12.97	30.10	0.00	100	345 PEAK																																																																																																																								
2 5652.00	55.65	70.29	-14.64	38.24	34.51	13.01	30.11	0.00	100	345 PEAK																																																																																																																								
3 5701.60	56.02	105.75	-49.73	38.41	34.60	13.10	30.09	0.00	100	345 PEAK																																																																																																																								
4 5720.00	52.36	110.90	-58.54	34.54	34.64	13.26	30.08	0.00	100	345 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5775.00	91.75	-----	-----	73.37	34.74	13.70	30.06	0.00	100	345 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>82.13</td><td>-----</td><td>-----</td><td>63.96</td><td>34.70</td><td>13.54</td><td>30.07</td><td>0.00</td><td>100</td><td>345 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	82.13	-----	-----	63.96	34.70	13.54	30.07	0.00	100	345 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5775.00	82.13	-----	-----	63.96	34.70	13.54	30.07	0.00	100	345 AVERAGE																																																																																																																								




Mode	38																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.92</td><td>113.18</td><td>-57.26</td><td>37.15</td><td>34.92</td><td>13.88</td><td>30.03</td><td>0.00</td><td>100</td><td>345</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>56.12</td><td>105.58</td><td>-49.46</td><td>37.31</td><td>35.00</td><td>13.85</td><td>30.04</td><td>0.00</td><td>100</td><td>345</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>56.31</td><td>69.53</td><td>-13.22</td><td>37.50</td><td>35.15</td><td>13.73</td><td>30.07</td><td>0.00</td><td>100</td><td>345</td><td>PEAK</td></tr><tr><td>4</td><td>5928.40</td><td>57.70</td><td>68.20</td><td>-10.50</td><td>38.91</td><td>35.16</td><td>13.71</td><td>30.08</td><td>0.00</td><td>100</td><td>345</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	55.92	113.18	-57.26	37.15	34.92	13.88	30.03	0.00	100	345	PEAK	2	5874.00	56.12	105.58	-49.46	37.31	35.00	13.85	30.04	0.00	100	345	PEAK	3	5923.20	56.31	69.53	-13.22	37.50	35.15	13.73	30.07	0.00	100	345	PEAK	4	5928.40	57.70	68.20	-10.50	38.91	35.16	13.71	30.08	0.00	100	345	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.00	55.92	113.18	-57.26	37.15	34.92	13.88	30.03	0.00	100	345	PEAK																																																																											
2	5874.00	56.12	105.58	-49.46	37.31	35.00	13.85	30.04	0.00	100	345	PEAK																																																																											
3	5923.20	56.31	69.53	-13.22	37.50	35.15	13.73	30.07	0.00	100	345	PEAK																																																																											
4	5928.40	57.70	68.20	-10.50	38.91	35.16	13.71	30.08	0.00	100	345	PEAK																																																																											





Mode	38																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5600.00</td><td>57.17</td><td>68.20</td><td>-11.03</td><td>39.81</td><td>34.50</td><td>12.96</td><td>30.10</td><td>0.00</td><td>100</td><td>272 PEAK</td></tr><tr><td>2 5650.00</td><td>54.78</td><td>68.20</td><td>-13.42</td><td>37.38</td><td>34.50</td><td>13.01</td><td>30.11</td><td>0.00</td><td>100</td><td>272 PEAK</td></tr><tr><td>3 5702.00</td><td>55.91</td><td>105.86</td><td>-49.95</td><td>38.29</td><td>34.60</td><td>13.11</td><td>30.09</td><td>0.00</td><td>100</td><td>272 PEAK</td></tr><tr><td>4 5720.40</td><td>55.67</td><td>111.81</td><td>-56.14</td><td>37.84</td><td>34.64</td><td>13.27</td><td>30.08</td><td>0.00</td><td>100</td><td>272 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5600.00	57.17	68.20	-11.03	39.81	34.50	12.96	30.10	0.00	100	272 PEAK	2 5650.00	54.78	68.20	-13.42	37.38	34.50	13.01	30.11	0.00	100	272 PEAK	3 5702.00	55.91	105.86	-49.95	38.29	34.60	13.11	30.09	0.00	100	272 PEAK	4 5720.40	55.67	111.81	-56.14	37.84	34.64	13.27	30.08	0.00	100	272 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5600.00	57.17	68.20	-11.03	39.81	34.50	12.96	30.10	0.00	100	272 PEAK																																																																														
2 5650.00	54.78	68.20	-13.42	37.38	34.50	13.01	30.11	0.00	100	272 PEAK																																																																														
3 5702.00	55.91	105.86	-49.95	38.29	34.60	13.11	30.09	0.00	100	272 PEAK																																																																														
4 5720.40	55.67	111.81	-56.14	37.84	34.64	13.27	30.08	0.00	100	272 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>95.77</td><td>-----</td><td>-----</td><td>77.53</td><td>34.72</td><td>13.59</td><td>30.07</td><td>0.00</td><td>100</td><td>272 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	95.77	-----	-----	77.53	34.72	13.59	30.07	0.00	100	272 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	95.77	-----	-----	77.53	34.72	13.59	30.07	0.00	100	272 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>86.10</td><td>-----</td><td>-----</td><td>67.72</td><td>34.74</td><td>13.70</td><td>30.06</td><td>0.00</td><td>100</td><td>272 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	86.10	-----	-----	67.72	34.74	13.70	30.06	0.00	100	272 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	86.10	-----	-----	67.72	34.74	13.70	30.06	0.00	100	272 AVERAGE																																																																														





Mode	38																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>57.31</td><td>113.18</td><td>-55.87</td><td>38.54</td><td>34.92</td><td>13.88</td><td>30.03</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>56.97</td><td>105.58</td><td>-48.61</td><td>38.16</td><td>35.00</td><td>13.85</td><td>30.04</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.70</td><td>68.94</td><td>-13.24</td><td>36.89</td><td>35.15</td><td>13.73</td><td>30.07</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr><tr><td>4</td><td>5948.40</td><td>57.42</td><td>68.20</td><td>-10.78</td><td>38.66</td><td>35.20</td><td>13.65</td><td>30.09</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	57.31	113.18	-55.87	38.54	34.92	13.88	30.03	0.00	100	272	PEAK	2	5874.00	56.97	105.58	-48.61	38.16	35.00	13.85	30.04	0.00	100	272	PEAK	3	5924.00	55.70	68.94	-13.24	36.89	35.15	13.73	30.07	0.00	100	272	PEAK	4	5948.40	57.42	68.20	-10.78	38.66	35.20	13.65	30.09	0.00	100	272	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.00	57.31	113.18	-55.87	38.54	34.92	13.88	30.03	0.00	100	272	PEAK																																																																																				
2	5874.00	56.97	105.58	-48.61	38.16	35.00	13.85	30.04	0.00	100	272	PEAK																																																																																				
3	5924.00	55.70	68.94	-13.24	36.89	35.15	13.73	30.07	0.00	100	272	PEAK																																																																																				
4	5948.40	57.42	68.20	-10.78	38.66	35.20	13.65	30.09	0.00	100	272	PEAK																																																																																				





Mode	38																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																					
ANT	1																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.33</td><td>49.51</td><td>74.00</td><td>-24.49</td><td>56.45</td><td>38.40</td><td>18.67</td><td>64.01</td><td>0.00</td><td>300</td><td>9</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.33	49.51	74.00	-24.49	56.45	38.40	18.67	64.01	0.00	300	9	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>48.63</td><td>74.00</td><td>-25.37</td><td>55.57</td><td>38.40</td><td>18.67</td><td>64.01</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>42.19</td><td>54.00</td><td>-11.81</td><td>49.13</td><td>38.40</td><td>18.67</td><td>64.01</td><td>0.00</td><td>100</td><td>306</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	48.63	74.00	-25.37	55.57	38.40	18.67	64.01	0.00	100	306	PEAK	2	11550.00	42.19	54.00	-11.81	49.13	38.40	18.67	64.01	0.00	100	306
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	11550.33	49.51	74.00	-24.49	56.45	38.40	18.67	64.01	0.00	300	9	Peak																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	11550.00	48.63	74.00	-25.37	55.57	38.40	18.67	64.01	0.00	100	306	PEAK																																																																																																										
2	11550.00	42.19	54.00	-11.81	49.13	38.40	18.67	64.01	0.00	100	306	AVERAGE																																																																																																										





Mode	39																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>60.79</td><td>74.00</td><td>-13.21</td><td>67.85</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>308</td><td>7 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>49.77</td><td>54.00</td><td>-4.23</td><td>56.83</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>308</td><td>7 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	60.79	74.00	-13.21	67.85	38.30	18.59	63.95	0.00	308	7 PEAK	2	11440.00	49.77	54.00	-4.23	56.83	38.30	18.59	63.95	0.00	308	7 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>61.82</td><td>74.00</td><td>-12.18</td><td>68.88</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>317</td><td>77 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>50.33</td><td>54.00</td><td>-3.67</td><td>57.39</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>317</td><td>77 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	61.82	74.00	-12.18	68.88	38.30	18.59	63.95	0.00	317	77 PEAK	2	11440.00	50.33	54.00	-3.67	57.39	38.30	18.59	63.95	0.00	317	77 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11440.00	60.79	74.00	-13.21	67.85	38.30	18.59	63.95	0.00	308	7 PEAK																																																																																																																		
2	11440.00	49.77	54.00	-4.23	56.83	38.30	18.59	63.95	0.00	308	7 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11440.00	61.82	74.00	-12.18	68.88	38.30	18.59	63.95	0.00	317	77 PEAK																																																																																																																		
2	11440.00	50.33	54.00	-3.67	57.39	38.30	18.59	63.95	0.00	317	77 AVERAGE																																																																																																																		





Mode	40																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.85_802.11ac VHT20_CH144_5720MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>64.17</td><td>74.00</td><td>-9.83</td><td>71.23</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>311</td><td>7 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>50.65</td><td>54.00</td><td>-3.35</td><td>57.71</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>311</td><td>7 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	64.17	74.00	-9.83	71.23	38.30	18.59	63.95	0.00	311	7 PEAK	2	11440.00	50.65	54.00	-3.35	57.71	38.30	18.59	63.95	0.00	311	7 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>63.16</td><td>74.00</td><td>-10.84</td><td>70.22</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>319</td><td>81 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>49.99</td><td>54.00</td><td>-4.01</td><td>57.05</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>319</td><td>81 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	63.16	74.00	-10.84	70.22	38.30	18.59	63.95	0.00	319	81 PEAK	2	11440.00	49.99	54.00	-4.01	57.05	38.30	18.59	63.95	0.00	319	81 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	11440.00	64.17	74.00	-9.83	71.23	38.30	18.59	63.95	0.00	311	7 PEAK																																																																																																																		
2	11440.00	50.65	54.00	-3.35	57.71	38.30	18.59	63.95	0.00	311	7 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	11440.00	63.16	74.00	-10.84	70.22	38.30	18.59	63.95	0.00	319	81 PEAK																																																																																																																		
2	11440.00	49.99	54.00	-4.01	57.05	38.30	18.59	63.95	0.00	319	81 AVERAGE																																																																																																																		




Mode	41																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.85_802.11ac VHT40_CH142_5710MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>53.42</td><td>74.00</td><td>-20.58</td><td>60.59</td><td>38.30</td><td>18.50</td><td>63.97</td><td>0.00</td><td>300</td><td>8 PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>45.66</td><td>54.00</td><td>-8.34</td><td>52.83</td><td>38.30</td><td>18.50</td><td>63.97</td><td>0.00</td><td>300</td><td>8 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	53.42	74.00	-20.58	60.59	38.30	18.50	63.97	0.00	300	8 PEAK	2	11420.00	45.66	54.00	-8.34	52.83	38.30	18.50	63.97	0.00	300	8 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>55.10</td><td>74.00</td><td>-18.90</td><td>62.27</td><td>38.30</td><td>18.50</td><td>63.97</td><td>0.00</td><td>252</td><td>279 PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>47.60</td><td>54.00</td><td>-6.40</td><td>54.77</td><td>38.30</td><td>18.50</td><td>63.97</td><td>0.00</td><td>252</td><td>279 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	55.10	74.00	-18.90	62.27	38.30	18.50	63.97	0.00	252	279 PEAK	2	11420.00	47.60	54.00	-6.40	54.77	38.30	18.50	63.97	0.00	252	279 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	11420.00	53.42	74.00	-20.58	60.59	38.30	18.50	63.97	0.00	300	8 PEAK																																																																																																																		
2	11420.00	45.66	54.00	-8.34	52.83	38.30	18.50	63.97	0.00	300	8 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	11420.00	55.10	74.00	-18.90	62.27	38.30	18.50	63.97	0.00	252	279 PEAK																																																																																																																		
2	11420.00	47.60	54.00	-6.40	54.77	38.30	18.50	63.97	0.00	252	279 AVERAGE																																																																																																																		



Mode	42																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>54.89</td><td>38.32</td><td>18.39</td><td>64.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	47.58	74.00	-26.42	54.89	38.32	18.39	64.02	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>48.29</td><td>74.00</td><td>-25.71</td><td>55.60</td><td>38.32</td><td>18.39</td><td>64.02</td><td>0.00</td><td>300</td><td>299</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>50.47</td><td>38.32</td><td>18.39</td><td>64.02</td><td>0.00</td><td>300</td><td>299</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	48.29	74.00	-25.71	55.60	38.32	18.39	64.02	0.00	300	299	PEAK	2	11380.00	43.16	54.00	-10.84	50.47	38.32	18.39	64.02	0.00	300	299	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11380.00	47.58	74.00	-26.42	54.89	38.32	18.39	64.02	0.00	---	---	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11380.00	48.29	74.00	-25.71	55.60	38.32	18.39	64.02	0.00	300	299	PEAK																																																																																																									
2	11380.00	43.16	54.00	-10.84	50.47	38.32	18.39	64.02	0.00	300	299	AVERAGE																																																																																																									




Mode	1																																																																																																																																																																																																						
	30M-1G																																																																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																																																																						
ANT	1																																																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																																																
Peak QP	Data: 1 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-N <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>222.06</td><td>27.47</td><td>-18.53</td><td>46.00</td><td>42.94</td><td>15.36</td><td>2.17</td><td>33.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>346.22</td><td>30.05</td><td>-15.95</td><td>46.00</td><td>40.13</td><td>20.12</td><td>2.72</td><td>32.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>400.54</td><td>38.99</td><td>-7.01</td><td>46.00</td><td>47.25</td><td>21.83</td><td>2.92</td><td>33.01</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>443.22</td><td>39.33</td><td>-6.67</td><td>46.00</td><td>46.65</td><td>22.78</td><td>3.07</td><td>33.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>649.83</td><td>27.56</td><td>-18.44</td><td>46.00</td><td>30.94</td><td>26.20</td><td>3.72</td><td>33.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>870.02</td><td>29.84</td><td>-16.16</td><td>46.00</td><td>29.04</td><td>29.10</td><td>4.29</td><td>32.59</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	222.06	27.47	-18.53	46.00	42.94	15.36	2.17	33.00	---	---	Peak	2	346.22	30.05	-15.95	46.00	40.13	20.12	2.72	32.92	---	---	Peak	3	400.54	38.99	-7.01	46.00	47.25	21.83	2.92	33.01	---	---	Peak	4	443.22	39.33	-6.67	46.00	46.65	22.78	3.07	33.17	---	---	Peak	5	649.83	27.56	-18.44	46.00	30.94	26.20	3.72	33.30	---	---	Peak	6	870.02	29.84	-16.16	46.00	29.04	29.10	4.29	32.59	---	---	Peak	Data: 2 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-N <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>150.28</td><td>24.85</td><td>-18.65</td><td>43.50</td><td>38.98</td><td>17.00</td><td>1.77</td><td>32.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>285.11</td><td>26.00</td><td>-19.92</td><td>46.00</td><td>37.71</td><td>18.90</td><td>2.47</td><td>33.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>399.57</td><td>36.00</td><td>-9.92</td><td>46.00</td><td>44.37</td><td>21.80</td><td>2.92</td><td>33.01</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>449.04</td><td>30.64</td><td>-15.36</td><td>46.00</td><td>37.92</td><td>22.82</td><td>3.09</td><td>33.19</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>659.53</td><td>26.01</td><td>-19.99</td><td>46.00</td><td>29.88</td><td>25.70</td><td>3.75</td><td>33.32</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>870.02</td><td>28.68</td><td>-17.32</td><td>46.00</td><td>27.88</td><td>29.10</td><td>4.29</td><td>32.59</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	150.28	24.85	-18.65	43.50	38.98	17.00	1.77	32.90	---	---	Peak	2	285.11	26.00	-19.92	46.00	37.71	18.90	2.47	33.00	---	---	Peak	3	399.57	36.00	-9.92	46.00	44.37	21.80	2.92	33.01	---	---	Peak	4	449.04	30.64	-15.36	46.00	37.92	22.82	3.09	33.19	---	---	Peak	5	659.53	26.01	-19.99	46.00	29.88	25.70	3.75	33.32	---	---	Peak	6	870.02	28.68	-17.32	46.00	27.88	29.10	4.29	32.59	---	---	Peak
		Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																												
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																												
1	222.06	27.47	-18.53	46.00	42.94	15.36	2.17	33.00	---	---	Peak																																																																																																																																																																																												
2	346.22	30.05	-15.95	46.00	40.13	20.12	2.72	32.92	---	---	Peak																																																																																																																																																																																												
3	400.54	38.99	-7.01	46.00	47.25	21.83	2.92	33.01	---	---	Peak																																																																																																																																																																																												
4	443.22	39.33	-6.67	46.00	46.65	22.78	3.07	33.17	---	---	Peak																																																																																																																																																																																												
5	649.83	27.56	-18.44	46.00	30.94	26.20	3.72	33.30	---	---	Peak																																																																																																																																																																																												
6	870.02	29.84	-16.16	46.00	29.04	29.10	4.29	32.59	---	---	Peak																																																																																																																																																																																												
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																													
1	150.28	24.85	-18.65	43.50	38.98	17.00	1.77	32.90	---	---	Peak																																																																																																																																																																																												
2	285.11	26.00	-19.92	46.00	37.71	18.90	2.47	33.00	---	---	Peak																																																																																																																																																																																												
3	399.57	36.00	-9.92	46.00	44.37	21.80	2.92	33.01	---	---	Peak																																																																																																																																																																																												
4	449.04	30.64	-15.36	46.00	37.92	22.82	3.09	33.19	---	---	Peak																																																																																																																																																																																												
5	659.53	26.01	-19.99	46.00	29.88	25.70	3.75	33.32	---	---	Peak																																																																																																																																																																																												
6	870.02	28.68	-17.32	46.00	27.88	29.10	4.29	32.59	---	---	Peak																																																																																																																																																																																												








Mode	1																																																																																																																																																																																																																							
	30M-1G																																																																																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																																																																																							
ANT	1																																																																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																																																																	
Peak Avg	Data: 3 Level (dBuV/m) Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>222.06</td><td>23.60</td><td>-22.40</td><td>46.00</td><td>39.07</td><td>15.36</td><td>2.17</td><td>33.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>283.17</td><td>23.65</td><td>-22.35</td><td>46.00</td><td>35.37</td><td>18.82</td><td>2.46</td><td>33.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>398.60</td><td>37.19</td><td>-8.81</td><td>46.00</td><td>45.52</td><td>21.76</td><td>2.92</td><td>33.01</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>449.04</td><td>37.54</td><td>-8.46</td><td>46.00</td><td>44.82</td><td>22.82</td><td>3.09</td><td>33.19</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>741.98</td><td>23.33</td><td>-22.67</td><td>46.00</td><td>24.71</td><td>27.84</td><td>3.97</td><td>33.19</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>893.30</td><td>24.73</td><td>-21.27</td><td>46.00</td><td>23.95</td><td>28.86</td><td>4.35</td><td>32.43</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor					dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	222.06	23.60	-22.40	46.00	39.07	15.36	2.17	33.00	---	---	Peak	2	283.17	23.65	-22.35	46.00	35.37	18.82	2.46	33.00	---	---	Peak	3	398.60	37.19	-8.81	46.00	45.52	21.76	2.92	33.01	---	---	Peak	4	449.04	37.54	-8.46	46.00	44.82	22.82	3.09	33.19	---	---	Peak	5	741.98	23.33	-22.67	46.00	24.71	27.84	3.97	33.19	---	---	Peak	6	893.30	24.73	-21.27	46.00	23.95	28.86	4.35	32.43	---	---	Peak	Data: 4 Level (dBuV/m) Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>150.28</td><td>23.04</td><td>-20.46</td><td>43.50</td><td>37.17</td><td>17.00</td><td>1.77</td><td>32.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>288.02</td><td>23.79</td><td>-22.21</td><td>46.00</td><td>35.29</td><td>19.02</td><td>2.48</td><td>33.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>393.75</td><td>32.73</td><td>-13.27</td><td>46.00</td><td>41.27</td><td>21.56</td><td>2.90</td><td>33.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>443.22</td><td>30.22</td><td>-15.78</td><td>46.00</td><td>37.54</td><td>22.78</td><td>3.07</td><td>33.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>741.01</td><td>23.82</td><td>-22.18</td><td>46.00</td><td>25.23</td><td>27.82</td><td>3.97</td><td>33.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>958.29</td><td>26.97</td><td>-19.03</td><td>46.00</td><td>23.14</td><td>31.10</td><td>4.50</td><td>31.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor					dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	150.28	23.04	-20.46	43.50	37.17	17.00	1.77	32.90	---	---	Peak	2	288.02	23.79	-22.21	46.00	35.29	19.02	2.48	33.00	---	---	Peak	3	393.75	32.73	-13.27	46.00	41.27	21.56	2.90	33.00	---	---	Peak	4	443.22	30.22	-15.78	46.00	37.54	22.78	3.07	33.17	---	---	Peak	5	741.01	23.82	-22.18	46.00	25.23	27.82	3.97	33.20	---	---	Peak	6	958.29	26.97	-19.03	46.00	23.14	31.10	4.50	31.77	---	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																														
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor																																																																																																																																																																																																																
		dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																															
1	222.06	23.60	-22.40	46.00	39.07	15.36	2.17	33.00	---	---	Peak																																																																																																																																																																																																													
2	283.17	23.65	-22.35	46.00	35.37	18.82	2.46	33.00	---	---	Peak																																																																																																																																																																																																													
3	398.60	37.19	-8.81	46.00	45.52	21.76	2.92	33.01	---	---	Peak																																																																																																																																																																																																													
4	449.04	37.54	-8.46	46.00	44.82	22.82	3.09	33.19	---	---	Peak																																																																																																																																																																																																													
5	741.98	23.33	-22.67	46.00	24.71	27.84	3.97	33.19	---	---	Peak																																																																																																																																																																																																													
6	893.30	24.73	-21.27	46.00	23.95	28.86	4.35	32.43	---	---	Peak																																																																																																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																															
MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor																																																																																																																																																																																																																	
		dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																															
1	150.28	23.04	-20.46	43.50	37.17	17.00	1.77	32.90	---	---	Peak																																																																																																																																																																																																													
2	288.02	23.79	-22.21	46.00	35.29	19.02	2.48	33.00	---	---	Peak																																																																																																																																																																																																													
3	393.75	32.73	-13.27	46.00	41.27	21.56	2.90	33.00	---	---	Peak																																																																																																																																																																																																													
4	443.22	30.22	-15.78	46.00	37.54	22.78	3.07	33.17	---	---	Peak																																																																																																																																																																																																													
5	741.01	23.82	-22.18	46.00	25.23	27.82	3.97	33.20	---	---	Peak																																																																																																																																																																																																													
6	958.29	26.97	-19.03	46.00	23.14	31.10	4.50	31.77	---	---	Peak																																																																																																																																																																																																													










Co-location

		43																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																				
ANT		1																																																																																																				
Pol.		Horizontal						Fundamental																																																																																														
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.56</td><td>57.22</td><td>68.20</td><td>-10.98</td><td>39.33</td><td>34.65</td><td>13.32</td><td>30.08</td><td>0.00</td><td>396</td><td>304 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.56	57.22	68.20	-10.98	39.33	34.65	13.32	30.08	0.00	396	304 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>99.37</td><td>-----</td><td>-----</td><td>81.79</td><td>34.59</td><td>13.08</td><td>30.09</td><td>0.00</td><td>396</td><td>304 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	99.37	-----	-----	81.79	34.59	13.08	30.09	0.00	396
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5726.56	57.22	68.20	-10.98	39.33	34.65	13.32	30.08	0.00	396	304 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	99.37	-----	-----	81.79	34.59	13.08	30.09	0.00	396	304 PEAK																																																																																											
Avg	Blank																																																																																																					
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>90.72</td><td>-----</td><td>-----</td><td>73.14</td><td>34.59</td><td>13.08</td><td>30.09</td><td>0.00</td><td>396</td><td>304 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	90.72	-----	-----	73.14	34.59	13.08	30.09	0.00	396	304 AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	90.72	-----	-----	73.14	34.59	13.08	30.09	0.00	396	304 AVERAGE																																																																																											



Mode	43																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5730.08</td><td>57.09</td><td>68.20</td><td>-11.11</td><td>39.16</td><td>34.66</td><td>13.35</td><td>30.08</td><td>0.00</td><td>100</td><td>282 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.08	57.09	68.20	-11.11	39.16	34.66	13.35	30.08	0.00	100	282 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.64</td><td>-----</td><td>-----</td><td>81.08</td><td>34.58</td><td>13.07</td><td>30.09</td><td>0.00</td><td>100</td><td>282 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	98.64	-----	-----	81.08	34.58	13.07	30.09	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5730.08	57.09	68.20	-11.11	39.16	34.66	13.35	30.08	0.00	100	282 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	98.64	-----	-----	81.08	34.58	13.07	30.09	0.00	100	282 PEAK																																																																																											
Avg	Blank																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>91.20</td><td>-----</td><td>-----</td><td>73.62</td><td>34.59</td><td>13.08</td><td>30.09</td><td>0.00</td><td>100</td><td>282 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	91.20	-----	-----	73.62	34.59	13.08	30.09	0.00	100	282 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	91.20	-----	-----	73.62	34.59	13.08	30.09	0.00	100	282 AVERAGE																																																																																											




Mode	43																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>59.77</td><td>74.00</td><td>-14.23</td><td>67.05</td><td>38.30</td><td>18.42</td><td>64.00</td><td>0.00</td><td>311</td><td>18</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>48.39</td><td>54.00</td><td>-5.61</td><td>55.67</td><td>38.30</td><td>18.42</td><td>64.00</td><td>0.00</td><td>311</td><td>18</td><td>AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	59.77	74.00	-14.23	67.05	38.30	18.42	64.00	0.00	311	18	PEAK	2	11400.00	48.39	54.00	-5.61	55.67	38.30	18.42	64.00	0.00	311	18	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>58.29</td><td>74.00</td><td>-15.71</td><td>65.57</td><td>38.30</td><td>18.42</td><td>64.00</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>53.92</td><td>38.30</td><td>18.42</td><td>64.00</td><td>0.00</td><td>100</td><td>305</td><td>AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	58.29	74.00	-15.71	65.57	38.30	18.42	64.00	0.00	100	305	PEAK	2	11400.00	46.64	54.00	-7.36	53.92	38.30	18.42	64.00	0.00	100	305	AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	11400.00	59.77	74.00	-14.23	67.05	38.30	18.42	64.00	0.00	311	18	PEAK																																																																																																																										
2	11400.00	48.39	54.00	-5.61	55.67	38.30	18.42	64.00	0.00	311	18	AVERAGE																																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	11400.00	58.29	74.00	-15.71	65.57	38.30	18.42	64.00	0.00	100	305	PEAK																																																																																																																										
2	11400.00	46.64	54.00	-7.36	53.92	38.30	18.42	64.00	0.00	100	305	AVERAGE																																																																																																																										

Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.48	-	-	10Hz
802.11ac VHT20	98.38	-	-	10Hz
802.11ac VHT40	96.79	0.962	1.0392	1.1kHz
802.11ac VHT80	92.49	0.464	2.156	2.2kHz

802.11a





802.11 ac VHT80

