


TEST RESULTS (Cont.):




Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.975000	-45.0	10.2	-34.8	PASS
2399.825000	-45.5	10.7	-34.8	PASS
2398.975000	-45.7	10.9	-34.8	PASS
2398.925000	-45.7	10.9	-34.8	PASS
2399.775000	-45.7	10.9	-34.8	PASS
2399.875000	-45.7	10.9	-34.8	PASS
2399.025000	-45.8	11.0	-34.8	PASS
2398.875000	-46.0	11.2	-34.8	PASS
2399.925000	-46.2	11.4	-34.8	PASS
2399.075000	-46.3	11.5	-34.8	PASS
2399.725000	-46.6	11.8	-34.8	PASS
2399.625000	-46.6	11.8	-34.8	PASS
2399.575000	-46.6	11.8	-34.8	PASS
2399.675000	-46.8	12.0	-34.8	PASS
2398.825000	-46.8	12.0	-34.8	PASS


TEST RESULTS (Cont.):

Highest Channel


Band Edge



— Limit — Sum Level × Fail



TEST RESULTS (Cont.):





Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2484.525000	-51.9	17.1	-34.8	PASS
2484.575000	-52.0	17.2	-34.8	PASS
2484.475000	-52.4	17.7	-34.8	PASS
2484.625000	-52.9	18.2	-34.8	PASS
2485.525000	-53.1	18.3	-34.8	PASS
2483.625000	-53.1	18.3	-34.8	PASS
2483.675000	-53.1	18.3	-34.8	PASS
2485.475000	-53.1	18.3	-34.8	PASS
2484.425000	-53.2	18.5	-34.8	PASS
2485.025000	-53.4	18.6	-34.8	PASS
2484.775000	-53.4	18.7	-34.8	PASS
2488.775000	-53.6	18.8	-34.8	PASS
2485.425000	-53.6	18.9	-34.8	PASS
2484.075000	-53.6	18.9	-34.8	PASS
2484.675000	-53.7	18.9	-34.8	PASS


TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n20 mode MIMO)
TEST RESULTS:	PASS

Radio A + B

Lowest Channel



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2398.575000	-33.4	3.2	-30.2	PASS
2398.275000	-33.4	3.2	-30.2	PASS
2398.225000	-33.4	3.2	-30.2	PASS
2399.525000	-33.5	3.3	-30.2	PASS
2398.625000	-33.7	3.5	-30.2	PASS
2399.575000	-33.7	3.5	-30.2	PASS
2399.475000	-33.8	3.6	-30.2	PASS
2398.825000	-34.2	4.0	-30.2	PASS
2398.875000	-34.2	4.0	-30.2	PASS
2398.325000	-34.7	4.5	-30.2	PASS
2399.425000	-34.8	4.6	-30.2	PASS
2398.175000	-34.8	4.6	-30.2	PASS
2397.925000	-34.9	4.6	-30.2	PASS
2399.225000	-34.9	4.7	-30.2	PASS
2398.525000	-34.9	4.7	-30.2	PASS

TEST RESULTS (Cont.):

Highest Channel



TEST RESULTS (Cont.):





Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2484.175000	-40.7	9.2	-31.4	PASS
2484.225000	-41.1	9.6	-31.4	PASS
2483.875000	-41.4	9.9	-31.4	PASS
2483.825000	-41.4	10.0	-31.4	PASS
2484.125000	-41.7	10.3	-31.4	PASS
2483.625000	-42.0	10.6	-31.4	PASS
2485.475000	-42.0	10.6	-31.4	PASS
2485.425000	-42.0	10.6	-31.4	PASS
2483.575000	-42.0	10.6	-31.4	PASS
2484.825000	-42.0	10.6	-31.4	PASS
2484.775000	-42.1	10.6	-31.4	PASS
2484.875000	-42.2	10.8	-31.4	PASS
2483.925000	-42.2	10.8	-31.4	PASS
2483.775000	-42.2	10.8	-31.4	PASS
2483.525000	-42.3	10.9	-31.4	PASS


TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n40 mode SISO)
TEST RESULTS:	PASS

Radio A

Lowest Channel



TEST RESULTS (Cont.):




Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2398.525000	-44.1	5.8	-38.2	PASS
2398.475000	-44.3	6.0	-38.2	PASS
2398.575000	-44.5	6.3	-38.2	PASS
2399.125000	-45.3	7.1	-38.2	PASS
2399.175000	-45.4	7.1	-38.2	PASS
2399.775000	-45.4	7.1	-38.2	PASS
2393.225000	-45.5	7.2	-38.2	PASS
2399.375000	-45.5	7.2	-38.2	PASS
2391.725000	-45.5	7.3	-38.2	PASS
2399.325000	-45.5	7.3	-38.2	PASS
2395.325000	-45.6	7.3	-38.2	PASS
2399.825000	-45.6	7.3	-38.2	PASS
2397.875000	-45.6	7.4	-38.2	PASS
2376.975000	-45.7	7.4	-38.2	PASS
2398.275000	-45.7	7.5	-38.2	PASS

TEST RESULTS (Cont.):


Highest Channel



— Limit — Sum Level × Fail



TEST RESULTS (Cont.):





Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2483.525000	-49.2	10.2	-39.0	PASS
2486.875000	-49.4	10.3	-39.0	PASS
2486.925000	-49.5	10.5	-39.0	PASS
2486.375000	-49.5	10.5	-39.0	PASS
2486.425000	-49.5	10.5	-39.0	PASS
2483.575000	-49.6	10.5	-39.0	PASS
2486.825000	-49.7	10.6	-39.0	PASS
2494.475000	-50.0	11.0	-39.0	PASS
2485.775000	-50.1	11.0	-39.0	PASS
2495.075000	-50.1	11.1	-39.0	PASS
2485.725000	-50.4	11.3	-39.0	PASS
2486.775000	-50.4	11.3	-39.0	PASS
2492.175000	-50.4	11.4	-39.0	PASS
2496.075000	-50.4	11.4	-39.0	PASS
2491.925000	-50.4	11.4	-39.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n40 mode SISO)
TEST RESULTS:	PASS


Radio B

Lowest Channel



Date: 8.FEB.2022 22:02:37

TEST RESULTS (Cont.):





Date: 8.FEB.2022 22:04:15

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.975000	-46.0	8.4	-37.6	PASS
2399.925000	-46.3	8.7	-37.6	PASS
2399.875000	-46.6	9.0	-37.6	PASS
2399.825000	-46.6	9.0	-37.6	PASS
2399.775000	-46.7	9.1	-37.6	PASS
2399.675000	-46.7	9.1	-37.6	PASS
2399.625000	-46.7	9.1	-37.6	PASS
2399.725000	-46.7	9.1	-37.6	PASS
2399.475000	-46.9	9.3	-37.6	PASS
2399.575000	-46.9	9.3	-37.6	PASS
2399.525000	-46.9	9.3	-37.6	PASS
2399.425000	-47.0	9.4	-37.6	PASS
2398.975000	-47.1	9.5	-37.6	PASS
2399.025000	-47.1	9.5	-37.6	PASS
2398.925000	-47.5	9.9	-37.6	PASS


TEST RESULTS (Cont.):

Highest Channel



Date: 8.FEB.2022 22:16:56

TEST RESULTS (Cont.):





Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2484.375000	-51.0	16.7	-34.3	PASS
2484.025000	-51.1	16.8	-34.3	PASS
2484.425000	-51.1	16.8	-34.3	PASS
2484.525000	-51.1	16.8	-34.3	PASS
2483.975000	-51.1	16.9	-34.3	PASS
2484.325000	-51.3	17.1	-34.3	PASS
2484.475000	-51.4	17.1	-34.3	PASS
2484.575000	-51.5	17.2	-34.3	PASS
2483.875000	-51.7	17.4	-34.3	PASS
2483.825000	-51.8	17.5	-34.3	PASS
2484.775000	-51.9	17.6	-34.3	PASS
2484.075000	-51.9	17.6	-34.3	PASS
2484.725000	-52.1	17.8	-34.3	PASS
2484.225000	-52.1	17.8	-34.3	PASS
2487.775000	-52.1	17.8	-34.3	PASS


TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n40 mode MIMO)
TEST RESULTS:	PASS

Radio A + B

Lowest Channel



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.275000	-36.6	3.2	-33.4	PASS
2397.325000	-36.8	3.4	-33.4	PASS
2397.675000	-36.8	3.4	-33.4	PASS
2391.075000	-36.9	3.5	-33.4	PASS
2391.025000	-36.9	3.5	-33.4	PASS
2397.275000	-36.9	3.5	-33.4	PASS
2397.625000	-37.0	3.5	-33.4	PASS
2399.325000	-37.0	3.6	-33.4	PASS
2395.675000	-37.1	3.7	-33.4	PASS
2399.475000	-37.2	3.7	-33.4	PASS
2395.625000	-37.2	3.8	-33.4	PASS
2398.525000	-37.4	4.0	-33.4	PASS
2399.225000	-37.5	4.0	-33.4	PASS
2398.575000	-37.5	4.1	-33.4	PASS
2399.525000	-37.5	4.1	-33.4	PASS

TEST RESULTS (Cont.):

Highest Channel



TEST RESULTS (Cont.):





Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2485.725000	-40.4	6.0	-34.4	PASS
2485.675000	-40.4	6.0	-34.4	PASS
2484.175000	-40.4	6.1	-34.4	PASS
2488.925000	-40.5	6.1	-34.4	PASS
2484.225000	-40.6	6.2	-34.4	PASS
2488.875000	-40.9	6.5	-34.4	PASS
2487.525000	-40.9	6.6	-34.4	PASS
2485.425000	-41.0	6.7	-34.4	PASS
2488.975000	-41.1	6.7	-34.4	PASS
2487.475000	-41.2	6.8	-34.4	PASS
2485.475000	-41.2	6.8	-34.4	PASS
2483.525000	-41.2	6.8	-34.4	PASS
2485.375000	-41.3	7.0	-34.4	PASS
2489.875000	-41.3	7.0	-34.4	PASS
2487.675000	-41.3	7.0	-34.4	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax20 mode SISO)
TEST RESULTS:	PASS

Radio A

Lowest Channel



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.675000	-32.6	0.2	-32.4	PASS
2399.625000	-32.9	0.5	-32.4	PASS
2399.725000	-33.5	1.1	-32.4	PASS
2398.875000	-34.3	1.9	-32.4	PASS
2398.825000	-34.4	2.0	-32.4	PASS
2399.375000	-34.4	2.0	-32.4	PASS
2399.325000	-34.6	2.2	-32.4	PASS
2398.575000	-34.6	2.2	-32.4	PASS
2398.625000	-34.7	2.3	-32.4	PASS
2398.975000	-34.7	2.3	-32.4	PASS
2399.925000	-34.7	2.3	-32.4	PASS
2399.975000	-34.7	2.3	-32.4	PASS
2399.025000	-34.9	2.5	-32.4	PASS
2398.525000	-35.0	2.6	-32.4	PASS
2399.575000	-35.0	2.6	-32.4	PASS

TEST RESULTS (Cont.):

Highest Channel



TEST RESULTS (Cont.):




Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2483.925000	-43.5	9.7	-33.8	PASS
2483.875000	-43.6	9.8	-33.8	PASS
2485.825000	-43.6	9.9	-33.8	PASS
2483.525000	-43.6	9.9	-33.8	PASS
2484.475000	-43.7	9.9	-33.8	PASS
2484.525000	-43.8	10.0	-33.8	PASS
2487.025000	-43.8	10.0	-33.8	PASS
2487.075000	-43.9	10.1	-33.8	PASS
2485.775000	-43.9	10.1	-33.8	PASS
2486.075000	-43.9	10.2	-33.8	PASS
2485.875000	-44.0	10.2	-33.8	PASS
2484.025000	-44.2	10.4	-33.8	PASS
2484.425000	-44.2	10.4	-33.8	PASS
2486.025000	-44.2	10.4	-33.8	PASS
2483.975000	-44.3	10.5	-33.8	PASS


TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax20 mode SISO)
TEST RESULTS:	PASS

Radio B


Lowest Channel



— Limit — Sum Level × Fail



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.925000	-39.3	4.9	-34.4	PASS
2399.875000	-39.3	4.9	-34.4	PASS
2399.975000	-39.5	5.1	-34.4	PASS
2399.825000	-39.8	5.3	-34.4	PASS
2399.775000	-40.1	5.7	-34.4	PASS
2399.725000	-40.4	6.0	-34.4	PASS
2399.625000	-40.6	6.1	-34.4	PASS
2399.575000	-40.6	6.1	-34.4	PASS
2399.675000	-40.7	6.3	-34.4	PASS
2399.525000	-40.8	6.4	-34.4	PASS
2399.425000	-41.2	6.8	-34.4	PASS
2399.475000	-41.2	6.8	-34.4	PASS
2399.375000	-41.2	6.8	-34.4	PASS
2398.575000	-41.2	6.8	-34.4	PASS
2398.625000	-41.3	6.9	-34.4	PASS

TEST RESULTS (Cont.):

Highest Channel



TEST RESULTS (Cont.):





Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2484.375000	-51.0	16.7	-34.3	PASS
2484.025000	-51.1	16.8	-34.3	PASS
2484.425000	-51.1	16.8	-34.3	PASS
2484.525000	-51.1	16.8	-34.3	PASS
2483.975000	-51.1	16.9	-34.3	PASS
2484.325000	-51.3	17.1	-34.3	PASS
2484.475000	-51.4	17.1	-34.3	PASS
2484.575000	-51.5	17.2	-34.3	PASS
2483.875000	-51.7	17.4	-34.3	PASS
2483.825000	-51.8	17.5	-34.3	PASS
2484.775000	-51.9	17.6	-34.3	PASS
2484.075000	-51.9	17.6	-34.3	PASS
2484.725000	-52.1	17.8	-34.3	PASS
2484.225000	-52.1	17.8	-34.3	PASS
2487.775000	-52.1	17.8	-34.3	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax20 mode MIMO)
TEST RESULTS:	PASS

Radio A + B

Lowest Channel



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.925000	-34.1	3.7	-30.4	PASS
2399.875000	-34.3	3.9	-30.4	PASS
2398.225000	-34.5	4.1	-30.4	PASS
2399.975000	-34.5	4.1	-30.4	PASS
2398.175000	-34.6	4.2	-30.4	PASS
2399.375000	-34.6	4.2	-30.4	PASS
2398.575000	-34.7	4.3	-30.4	PASS
2398.525000	-34.7	4.3	-30.4	PASS
2398.425000	-34.7	4.3	-30.4	PASS
2399.825000	-34.7	4.3	-30.4	PASS
2399.675000	-34.8	4.4	-30.4	PASS
2397.875000	-34.8	4.4	-30.4	PASS
2398.475000	-34.8	4.4	-30.4	PASS
2399.425000	-34.8	4.4	-30.4	PASS
2398.625000	-34.9	4.5	-30.4	PASS

TEST RESULTS (Cont.):

Highest Channel



TEST RESULTS (Cont.):





Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2483.525000	-41.1	9.7	-31.4	PASS
2483.925000	-41.4	10.0	-31.4	PASS
2484.175000	-41.5	10.1	-31.4	PASS
2483.875000	-41.5	10.1	-31.4	PASS
2483.575000	-41.6	10.2	-31.4	PASS
2484.125000	-41.8	10.4	-31.4	PASS
2483.975000	-41.8	10.4	-31.4	PASS
2485.975000	-42.1	10.6	-31.4	PASS
2484.525000	-42.1	10.6	-31.4	PASS
2483.625000	-42.1	10.7	-31.4	PASS
2484.225000	-42.1	10.7	-31.4	PASS
2485.925000	-42.2	10.7	-31.4	PASS
2484.575000	-42.2	10.8	-31.4	PASS
2485.275000	-42.2	10.8	-31.4	PASS
2485.325000	-42.3	10.8	-31.4	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax40 mode SISO)
TEST RESULTS:	PASS


Radio A

Lowest Channel



Date: 9.FEB.2022 10:24:56

TEST RESULTS (Cont.):





Date: 9.FEB.2022 10:26:29

Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.675000	-32.6	0.2	-32.4	PASS
2399.625000	-32.9	0.5	-32.4	PASS
2399.725000	-33.5	1.1	-32.4	PASS
2398.875000	-34.3	1.9	-32.4	PASS
2398.825000	-34.4	2.0	-32.4	PASS
2399.375000	-34.4	2.0	-32.4	PASS
2399.325000	-34.6	2.2	-32.4	PASS
2398.575000	-34.6	2.2	-32.4	PASS
2398.625000	-34.7	2.3	-32.4	PASS
2398.975000	-34.7	2.3	-32.4	PASS
2399.925000	-34.7	2.3	-32.4	PASS
2399.975000	-34.7	2.3	-32.4	PASS
2399.025000	-34.9	2.5	-32.4	PASS
2398.525000	-35.0	2.6	-32.4	PASS
2399.575000	-35.0	2.6	-32.4	PASS


TEST RESULTS (Cont.):

Highest Channel



Date: 9.FEB.2022 10:39:25

TEST RESULTS (Cont.):





Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2488.275000	-48.1	11.0	-37.1	PASS
2488.225000	-48.4	11.3	-37.1	PASS
2484.775000	-49.3	12.2	-37.1	PASS
2488.325000	-49.6	12.5	-37.1	PASS
2486.975000	-49.7	12.6	-37.1	PASS
2484.825000	-49.8	12.7	-37.1	PASS
2485.775000	-49.9	12.8	-37.1	PASS
2484.725000	-49.9	12.8	-37.1	PASS
2486.925000	-50.1	12.9	-37.1	PASS
2489.525000	-50.4	13.2	-37.1	PASS
2484.475000	-50.4	13.3	-37.1	PASS
2484.875000	-50.4	13.3	-37.1	PASS
2484.425000	-50.5	13.3	-37.1	PASS
2485.825000	-50.6	13.4	-37.1	PASS
2485.725000	-50.6	13.5	-37.1	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax40 mode SISO)
TEST RESULTS:	PASS

Radio B

Lowest Channel



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.975000	-42.2	5.0	-37.2	PASS
2399.925000	-42.8	5.6	-37.2	PASS
2399.875000	-43.4	6.2	-37.2	PASS
2399.525000	-43.4	6.2	-37.2	PASS
2399.575000	-43.5	6.3	-37.2	PASS
2399.475000	-43.6	6.4	-37.2	PASS
2399.825000	-43.7	6.5	-37.2	PASS
2399.625000	-43.8	6.6	-37.2	PASS
2399.775000	-44.0	6.9	-37.2	PASS
2399.675000	-44.1	7.0	-37.2	PASS
2399.725000	-44.5	7.3	-37.2	PASS
2399.425000	-44.9	7.7	-37.2	PASS
2399.375000	-45.3	8.1	-37.2	PASS
2399.325000	-45.3	8.2	-37.2	PASS
2399.275000	-45.4	8.2	-37.2	PASS

TEST RESULTS (Cont.):

Highest Channel



TEST RESULTS (Cont.):




Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2488.275000	-48.1	11.0	-37.1	PASS
2488.225000	-48.4	11.3	-37.1	PASS
2484.775000	-49.3	12.2	-37.1	PASS
2488.325000	-49.6	12.5	-37.1	PASS
2486.975000	-49.7	12.6	-37.1	PASS
2484.825000	-49.8	12.7	-37.1	PASS
2485.775000	-49.9	12.8	-37.1	PASS
2484.725000	-49.9	12.8	-37.1	PASS
2486.925000	-50.1	12.9	-37.1	PASS
2489.525000	-50.4	13.2	-37.1	PASS
2484.475000	-50.4	13.3	-37.1	PASS
2484.875000	-50.4	13.3	-37.1	PASS
2484.425000	-50.5	13.3	-37.1	PASS
2485.825000	-50.6	13.4	-37.1	PASS
2485.725000	-50.6	13.5	-37.1	PASS


TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax40 mode MIMO)
TEST RESULTS:	PASS

Radio A + B


Lowest Channel



— Limit × Fail — Sum Level



TEST RESULTS (Cont.):





Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2396.975000	-33.6	0.4	-33.2	PASS
2397.025000	-33.7	0.4	-33.2	PASS
2399.225000	-33.9	0.7	-33.2	PASS
2399.275000	-34.0	0.8	-33.2	PASS
2393.025000	-35.1	1.8	-33.2	PASS
2392.975000	-35.1	1.9	-33.2	PASS
2391.525000	-35.5	2.3	-33.2	PASS
2391.475000	-35.5	2.3	-33.2	PASS
2397.075000	-35.6	2.4	-33.2	PASS
2396.925000	-35.7	2.5	-33.2	PASS
2399.325000	-35.8	2.6	-33.2	PASS
2386.225000	-35.9	2.7	-33.2	PASS
2386.275000	-36.0	2.8	-33.2	PASS
2394.725000	-36.0	2.8	-33.2	PASS
2394.775000	-36.0	2.8	-33.2	PASS


TEST RESULTS (Cont.):

Highest Channel



Date: 10.DEC.2021 11:17:58

TEST RESULTS (Cont.):





Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2483.525000	-41.1	9.7	-31.4	PASS
2483.925000	-41.4	10.0	-31.4	PASS
2484.175000	-41.5	10.1	-31.4	PASS
2483.875000	-41.5	10.1	-31.4	PASS
2483.575000	-41.6	10.2	-31.4	PASS
2484.125000	-41.8	10.4	-31.4	PASS
2483.975000	-41.8	10.4	-31.4	PASS
2485.975000	-42.1	10.6	-31.4	PASS
2484.525000	-42.1	10.6	-31.4	PASS
2483.625000	-42.1	10.7	-31.4	PASS
2484.225000	-42.1	10.7	-31.4	PASS
2485.925000	-42.2	10.7	-31.4	PASS
2484.575000	-42.2	10.8	-31.4	PASS
2485.275000	-42.2	10.8	-31.4	PASS
2485.325000	-42.3	10.8	-31.4	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ax20 mode Beam forming MIMO)
TEST RESULTS:	PASS

Radio A + B

Lowest Channel



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2398.925000	-32.1	1.2	-30.9	PASS
2398.975000	-32.1	1.2	-30.9	PASS
2399.275000	-32.2	1.3	-30.9	PASS
2399.225000	-32.4	1.5	-30.9	PASS
2399.325000	-32.7	1.8	-30.9	PASS
2399.625000	-33.1	2.2	-30.9	PASS
2399.575000	-33.2	2.3	-30.9	PASS
2398.875000	-33.3	2.4	-30.9	PASS
2399.025000	-33.3	2.4	-30.9	PASS
2397.975000	-33.4	2.5	-30.9	PASS
2399.775000	-33.5	2.6	-30.9	PASS
2399.175000	-33.6	2.7	-30.9	PASS
2397.925000	-33.6	2.7	-30.9	PASS
2399.825000	-33.7	2.8	-30.9	PASS
2399.675000	-33.8	2.9	-30.9	PASS

TEST RESULTS (Cont.):

Highest Channel



TEST RESULTS (Cont.):





Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2484.375000	-31.0	2.0	-28.9	PASS
2484.325000	-31.1	2.2	-28.9	PASS
2484.425000	-31.5	2.6	-28.9	PASS
2483.575000	-31.7	2.8	-28.9	PASS
2483.625000	-31.7	2.8	-28.9	PASS
2485.575000	-32.1	3.2	-28.9	PASS
2485.625000	-32.2	3.3	-28.9	PASS
2483.525000	-32.3	3.4	-28.9	PASS
2483.775000	-32.5	3.6	-28.9	PASS
2483.675000	-32.8	3.8	-28.9	PASS
2484.275000	-32.8	3.9	-28.9	PASS
2483.925000	-32.8	3.9	-28.9	PASS
2484.025000	-32.8	3.9	-28.9	PASS
2483.975000	-32.9	3.9	-28.9	PASS
2485.525000	-33.0	4.1	-28.9	PASS


TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ax40 mode Beam forming MIMO)
TEST RESULTS:	PASS

Radio A + B

Lowest Channel



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.475000	-31.6	2.2	-29.4	PASS
2399.425000	-31.7	2.2	-29.4	PASS
2399.525000	-32.4	3.0	-29.4	PASS
2399.375000	-32.6	3.2	-29.4	PASS
2399.775000	-33.1	3.7	-29.4	PASS
2399.875000	-33.2	3.8	-29.4	PASS
2399.725000	-33.2	3.8	-29.4	PASS
2399.675000	-33.3	3.9	-29.4	PASS
2399.825000	-33.3	3.9	-29.4	PASS
2398.025000	-33.5	4.1	-29.4	PASS
2398.075000	-33.6	4.1	-29.4	PASS
2398.875000	-33.6	4.2	-29.4	PASS
2398.825000	-33.9	4.4	-29.4	PASS
2399.325000	-34.1	4.7	-29.4	PASS
2396.725000	-34.1	4.7	-29.4	PASS

TEST RESULTS (Cont.):

Highest Channel



TEST RESULTS (Cont.):



Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2487.475000	-29.8	1.5	-28.3	PASS
2487.525000	-29.8	1.5	-28.3	PASS
2488.275000	-29.9	1.6	-28.3	PASS
2488.225000	-29.9	1.6	-28.3	PASS
2484.475000	-30.4	2.1	-28.3	PASS
2484.525000	-30.7	2.4	-28.3	PASS
2489.525000	-30.7	2.4	-28.3	PASS
2487.625000	-30.7	2.4	-28.3	PASS
2489.475000	-30.8	2.4	-28.3	PASS
2487.675000	-30.8	2.5	-28.3	PASS
2484.275000	-31.0	2.7	-28.3	PASS
2484.325000	-31.0	2.7	-28.3	PASS
2485.475000	-31.1	2.8	-28.3	PASS
2488.325000	-31.2	2.9	-28.3	PASS
2487.575000	-31.2	2.9	-28.3	PASS

TEST C.4: POWER SPECTRAL DENSITY


LIMITS:	Product standard:	Part 15 Subpart C §15.247 and RSS-247
	Test standard:	Part 15 Subpart C §15.247(e) and RSS-247 5.2 (b)

LIMITS

For digitally modulated systems, the power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8 dBm in any 3 kHz band during any time interval of continuous transmission.

TEST SETUP

For all modes, the maximum power spectral density level in the fundamental emission was measured using the method AVGPSD-1 according to point 10.3. of Guidance for Performing Compliance Measurements on Digital Transmission Systems (DTS) Operating Under §15.247 558074 D01 DTS Meas Guidance v04 dated 05/04/2017.




TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (b mode SISO)
TEST RESULTS:	PASS


Radio A

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Power spectral density (dBm)	1.761	-0.428	0.428

Lowest Channel




Middle Channel



TEST RESULTS (Cont.):

Highest Channel



Measurement


Setting	Instrument Value	Instrument Value	Instrument Value
Start Frequency	2.39700 GHz	2.42200 GHz	2.44700 GHz
Stop Frequency	2.42700 GHz	2.45200 GHz	2.47700 GHz
Span	30.000 MHz	30.000 MHz	30.000 MHz
RBW	100.000 kHz	100.000 kHz	100.000 kHz
VBW	300.000 kHz	300.000 kHz	300.000 kHz
Sweep Points	600	600	600
Sweep time	12.000 ms	12.000 ms	12.000 ms
Reference Level	10.000 dBm	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	30.000 dB	30.000 dB
Detector	RMS	RMS	RMS
Sweep Count	1	1	1
Filter	3 dB	3 dB	3 dB
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep type	Sweep	Sweep	Sweep
Preamplifier	off	off	off
Stable mode	Trace	Trace	Trace
Stable value	0.50 dB	0.50 dB	0.50 dB
Run	79 / max.150	83 / max. 150	94 / max. 150
Stable	3 / 3	3 / 3	3 / 3
Max Stable	0.05 dB	0.46 dB	0.25 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (b mode SISO)
TEST RESULTS:	PASS


Radio B

	Lowest frequency	Middle frequency	Highest frequency
	2412 MHz	2437 MHz	2462 MHz
Power spectral density (dBm)	-0.570	-0.684	-1.138

Lowest Channel




Middle Channel



TEST RESULTS (Cont.):

Highest Channel



Measurement


Setting	Instrument Value	Instrument Value	Instrument Value
Start Frequency	2.39700 GHz	2.42200 GHz	2.44700 GHz
Stop Frequency	2.42700 GHz	2.45200 GHz	2.47700 GHz
Span	30.000 MHz	30.000 MHz	30.000 MHz
RBW	100.000 kHz	100.000 kHz	100.000 kHz
VBW	300.000 kHz	300.000 kHz	300.000 kHz
Sweep Points	600	600	600
Sweep time	12.000 ms	12.000 ms	12.000 ms
Reference Level	10.000 dBm	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	30.000 dB	30.000 dB
Detector	RMS	RMS	RMS
Sweep Count	1	1	1
Filter	3 dB	3 dB	3 dB
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep type	Sweep	Sweep	Sweep
Preamp	off	off	off
Stable mode	Trace	Trace	Trace
Stable value	0.50 dB	0.50 dB	0.50 dB
Run	77 / max.150	69 / max.	61 / max. 150
Stable	3 / 3	3 / 3	3 / 3
Max Stable	0.1 dB	0.14 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (b mode MIMO)
TEST RESULTS:	PASS


Radio A + B

	Lowest frequency	Middle frequency	Highest frequency
	2412 MHz	2437 MHz	2462 MHz
Power spectral density (dBm)	4.204	3.015	3.510

Lowest Channel




Middle Channel



TEST RESULTS (Cont.):

Highest Channel



Measurement


Setting	Instrument Value	Instrument Value	Instrument Value
Start Frequency	2.39700	2.42200 GHz	2.44700
Stop Frequency	2.42700	2.45200 GHz	2.47700
Span	30.000 MHz	30.000 MHz	30.000 MHz
RBW	100.000 kHz	100.000 kHz	100.000
VBW	300.000 kHz	300.000 kHz	300.000
Sweep Points	600	600	600
Sweep time	12.000 ms	12.000 ms	12.000 ms
Reference Level	10.000 dBm	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	30.000 dB	30.000 dB
Detector	RMS	RMS	RMS
Sweep Count	1	1	1
Filter	3 dB	3 dB	3 dB
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep type	Sweep	Sweep	Sweep
Preamp	off	off	off
Stable mode	Trace	Trace	Trace
Stable value	0.50 dB	0.50 dB	0.50 dB
Run	98 / max.	115 / max.	121 / max.
Stable	3 / 3	3 / 3	3 / 3
Max Stable	0.00 dB	0.00 dB	0.36 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (g mode SISO)
TEST RESULTS:	PASS


Radio A

	Lowest frequency	Middle frequency	Highest frequency
	2412 MHz	2437 MHz	2462 MHz
Power spectral density (dBm)	-6.070	-6.953	-7.328

Lowest Channel




Middle Channel



TEST RESULTS (Cont.):

Highest Channel



Measurement

Setting	Instrument Value	Instrument Value	Instrument Value
Start Frequency	2.39700	2.42200 GHz	2.44700
Stop Frequency	2.42700	2.45200 GHz	2.47700
Span	30.000 MHz	30.000 MHz	30.000 MHz
RBW	100.000 kHz	100.000 kHz	100.000
VBW	300.000 kHz	300.000 kHz	300.000
Sweep Points	600	600	600
Sweep time	12.000 ms	12.000 ms	12.000 ms
Reference Level	10.000 dBm	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	30.000 dB	30.000 dB
Detector	RMS	RMS	RMS
Sweep Count	1	1	1
Filter	3 dB	3 dB	3 dB
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep type	Sweep	Sweep	Sweep
Preamplifier	off	off	off
Stable mode	Trace	Trace	Trace
Stable value	0.50 dB	0.50 dB	0.50 dB
Run	83 / max.	95 / max.	85 / max.
Stable	3 / 3	3 / 3	3 / 3
Max Stable Difference	0.40 dB	0.00 dB	0.49 dB