

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 1 of 58

# TEST REPORT

**Application No.:** FYCR2210000407AT **Applicant:** Voxx Accessories Corp.

Address of Applicant: 3502 Woodview Trace Suite 220, Indianapolis, Indiana 46268 United States

Manufacturer: Voxx Accessories Corp.

Address of Manufacturer: 3502 Woodview Trace Suite 220, Indianapolis, Indiana 46268 United States

Factory: Jingwah Ballet Digital Technology Co., Ltd.

Address of Factory: 3rd Floor, Building A1, Iron Tower Industrial Park, Hedi Road, Shang

Village, Gong Ming Town, Guang Ming New District, Shenzhen,

Guangdong, China

**Equipment Under Test (EUT):** 

**EUT Name:** Wireless Earbuds

Model No.: HPTWS10
Trade Mark: Jensen

FCC ID: VIXHPTWS10A

Standard(s): 47 CFR Part 15, Subpart C 15.247

**Date of Receipt:** 2022-10-19

**Date of Test:** 2022-10-28 to 2022-10-31

**Date of Issue:** 2022-11-03

Test Result: Pass\*

Winkey Wang
Winkey Wang
EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the authenticity of testing inspection report & certificate, please contact us at telephone (86-755) 8307 1443.

\*\*Attention:\*\*To check the authenticity of testing inspection report & certificate, please contact us at telephone (86-755) 8307 1443.

| Flyong lab. Xinlong TechnoPark, Fengtang Road, Flyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道员塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 2 of 58

|         | Revision Record |            |          |          |  |  |  |
|---------|-----------------|------------|----------|----------|--|--|--|
| Version | Chapter         | Date       | Modifier | Remark   |  |  |  |
| 01      |                 | 2022-11-03 |          | Original |  |  |  |
|         |                 |            |          |          |  |  |  |
|         |                 |            |          |          |  |  |  |

| Authorized for issue by: |                            |   |  |
|--------------------------|----------------------------|---|--|
|                          | Tree Zhan                  |   |  |
|                          | Tree Zhan/Project Engineer | - |  |
|                          | WinkeyWang                 |   |  |
|                          | Winkey Wang/Reviewer       | - |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please Contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please Contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please Contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please Contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please Contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please Contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please Contact us at telephone: (86-755)



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 3 of 58

# 2 Test Summary

| Radio Spectrum Technical Requirement |                                     |        |   |        |  |  |  |
|--------------------------------------|-------------------------------------|--------|---|--------|--|--|--|
| Item                                 | Standard                            | Method | Requirement                                     | Result |  |  |  |
| Antenna Requirement                  | 47 CFR Part 15,<br>Subpart C 15.247 | N/A    | 47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4) | Pass   |  |  |  |

| Radio Spectrum Matter Part                            |                                     |   |  |        |  |  |  |
|---|-------------------------------------|---|--|--------|--|--|--|
| Item  | Standard                            | Method                                  | Requirement                                  | Result |  |  |  |
| Conducted Peak<br>Output Power                        |                                     | ANSI C63.10 (2013)<br>Section 11.9.1    | 47 CFR Part 15, Subpart<br>C 15.247(b)(3)    | Pass   |  |  |  |
| Minimum 6dB<br>Bandwidth                              |                                     | ANSI C63.10 (2013)<br>Section 11.8.1    | 47 CFR Part 15, Subpart<br>C 15.247a(2)      | Pass   |  |  |  |
| Power Spectrum  Density                               |                                     | ANSI C63.10 (2013)<br>Section 11.10.2   | 47 CFR Part 15, Subpart<br>C 15.247(e)       | Pass   |  |  |  |
| Conducted Band<br>Edges Measurement                   |                                     | ANSI C63.10 (2013)<br>Section 11.13.3.2 | 47 CFR Part 15, Subpart<br>C 15.247(d)       | Pass   |  |  |  |
| Conducted Spurious<br>Emissions                       | 47 CFR Part 15,<br>Subpart C 15.247 | ANSI C63.10 (2013)<br>Section 11.11     | 47 CFR Part 15, Subpart<br>C 15.247(d)       | Pass   |  |  |  |
| Radiated Emissions which fall in the restricted bands |                                     | ANSI C63.10 (2013)<br>Section 6.10.5    | 47 CFR Part 15, Subpart<br>C 15.205 & 15.209 | Pass   |  |  |  |
| Radiated Spurious<br>Emissions Below<br>1GHz          |                                     | ANSI C63.10 (2013)<br>Section 6.4,6.5   | 47 CFR Part 15, Subpart<br>C 15.205 & 15.209 | Pass   |  |  |  |
| Radiated Spurious<br>Emissions Above<br>1GHz          |                                     | ANSI C63.10 (2013)<br>Section 6.6       | 47 CFR Part 15, Subpart<br>C 15.205 & 15.209 | Pass   |  |  |  |

#### Remark:

Only the left earbuds was tested, the electrical circuit design, PCB layout, components used, internal wiring and functions were identical for left earbuds and right earbuds.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CARD Doccheck/Berge segments.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 4 of 58

# 3 Contents

|   |  | Page |
|---|--|------|
| 1 | I COVER PAGE   | 1    |
| 2 | 2 TEST SUMMARY                                       | 3    |
| 2 | 3 CONTENTS   |      |
| 3 | CONTENTS   | 4    |
| 4 | 4 GENERAL INFORMATION                                | 6    |
|   | 4.1 DETAILS OF E.U.T                                 | 6    |
|   | 4.2 DESCRIPTION OF SUPPORT UNITS                     |      |
|   | 4.3 MEASUREMENT UNCERTAINTY                          |      |
|   | 4.4 TEST LOCATION                                    | 7    |
|   | 4.5 Test Facility                                    |      |
|   | 4.6 DEVIATION FROM STANDARDS                         |      |
|   | 4.7 ABNORMALITIES FROM STANDARD CONDITIONS           | 7    |
| 5 | 5 EQUIPMENT LIST                                     | 8    |
| _ |  |      |
| 6 |  |      |
|   | 6.1 ANTENNA REQUIREMENT                              |      |
|   | 6.1.1 Test Requirement:                              |      |
|   | 6.1.2 Conclusion                                     |      |
| 7 | 7 RADIO SPECTRUM MATTER TEST RESULTS                 | 12   |
|   | 7.1 CONDUCTED PEAK OUTPUT POWER                      | 12   |
|   | 7.1.1 E.U.T. Operation                               |      |
|   | 7.1.2 Test Mode Description                          |      |
|   | 7.1.3 Test Setup Diagram                             |      |
|   | 7.1.4 Measurement Procedure and Data                 |      |
|   | 7.2 MINIMUM 6DB BANDWIDTH                            |      |
|   | 7.2.1 E.U.T. Operation                               |      |
|   | 7.2.2 Test Mode Description                          |      |
|   | 7.2.3 Test Setup Diagram                             |      |
|   | 7.2.4 Measurement Procedure and Data                 |      |
|   | 7.3.1 E.U.T. Operation                               |      |
|   | 7.3.2 Test Mode Description                          |      |
|   | 7.3.3 Test Node Description 7.3.3 Test Setup Diagram |      |
|   | 7.3.4 Measurement Procedure and Data                 |      |
|   | 7.4 CONDUCTED BAND EDGES MEASUREMENT                 |      |
|   | 7.4.1 E.U.T. Operation                               |      |
|   | 7.4.2 Test Mode Description                          |      |
|   | 7.4.3 Test Setup Diagram                             |      |
|   | 7.4.4 Measurement Procedure and Data                 |      |
|   | 7.5 CONDUCTED SPURIOUS EMISSIONS                     |      |
|   | 7.5.1 E.U.T. Operation                               | 18   |
|   |  |      |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/T

Fuyong lab. Xinlong TextnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (88-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 5 of 58

|    | 7.5.2 | Test Mode Description                                 | 18 |
|----|-------|---|----|
|    | 7.5.3 | Test Setup Diagram                                    | 18 |
|    | 7.5.4 | Measurement Procedure and Data                        | 19 |
| 7  | .6 F  | RADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS | 20 |
|    | 7.6.1 | E.U.T. Operation                                      | 20 |
|    | 7.6.2 | Test Mode Description                                 |    |
|    | 7.6.3 | Test Setup Diagram                                    | 21 |
|    | 7.6.4 | Measurement Procedure and Data                        |    |
| 7  | .7 F  | RADIATED SPURIOUS EMISSIONS BELOW 1GHz                | 26 |
|    | 7.7.1 | E.U.T. Operation                                      | 26 |
|    | 7.7.2 | Test Mode Description                                 |    |
|    | 7.7.3 | Test Setup Diagram                                    | 26 |
|    | 7.7.4 | Measurement Procedure and Data                        |    |
| 7  | .8 F  | RADIATED SPURIOUS EMISSIONS ABOVE 1GHz                | 30 |
|    | 7.8.1 | E.U.T. Operation                                      | 30 |
|    | 7.8.2 | Test Mode Description                                 | 30 |
|    | 7.8.3 | Test Setup Diagram                                    | 30 |
|    | 7.8.4 | Measurement Procedure and Data                        | 31 |
| В  | TEST  | SETUP PHOTO   | 38 |
|    |       |   |    |
| 9  | EUT C | ONSTRUCTIONAL DETAILS (EUT PHOTOS)                    | 38 |
| 10 | APPE  | NDIX  | 39 |
|    |       |   |    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined-therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tereted and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Cercilia\*\* (2009).

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 6 of 58

## 4 General Information

### 4.1 Details of E.U.T.

| Power Supply:        | Left earbuds: Li-Ion Polymer Battery 3.7V 30mAh (Charge by travel case) Right earbuds: Li-Ion Polymer Battery 3.7V 30mAh (Charge by travel case) |
|----------------------|--|
|                      | Travel case with backup battery: Li-lon Polymer Battery 3.7V 300mAh (Charged by Type-C port).  |
| Cable(s):            | USB Cable 34cm Unshielded  |
| Operation Frequency: | 2402MHz to 2480MHz   |
| Bluetooth Version:   | V5.3 Dual mode   |
| Data Rate:           | 1M/bit   |
| Modulation Type:     | GFSK   |
| Number of Channels:  | 40   |
| Channel Spacing:     | 2MHz   |
| Antenna Type:        | Chip Antenna   |
| Antenna Gain:        | 1.24dBi  |

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

## 4.2 Description of Support Units

| Description                                     | Manufacturer | Model No. | Serial No. |  |  |  |
|---|--------------|-----------|------------|--|--|--|
|   |              | -         |            |  |  |  |
| The EUT has been tested as an independent unit. |              |           |            |  |  |  |

## 4.3 Measurement Uncertainty

| Test Item   | Measurement Uncertainty |
|---|-------------------------|
| Conducted Peak Output Power                           | ± 0.8dB                 |
| Minimum 6dB Bandwidth                                 | ± 0.3%                  |
| Power Spectrum Density                                | ± 0.4dB                 |
| Conducted Band Edges Measurement                      | ± 2.7dB                 |
| Conducted Spurious Emissions                          | ± 2.7dB                 |
| Radiated Emissions which fall in the restricted bands | ± 4.4dB (Above 1GHz)    |
| Radiated Spurious Emissions Below 1GHz                | ± 3.1dB (Below 1GHz)    |
| Radiated Spurious Emissions Above 1GHz                | ± 4.4dB (Above 1GHz)    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAP. Doccheck@ses.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 7 of 58

#### 4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

### 4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

### 4.6 Deviation from Standards

None

#### 4.7 Abnormalities from Standard Conditions

None





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 8 of 58

# 5 Equipment List

| Conducted Peak Output Power |               |                   |               |           |              |  |
|-----------------------------|---------------|-------------------|---------------|-----------|--------------|--|
| Equipment                   | Manufacturer  | Model No.         | Inventory No. | Cal Date  | Cal Due Date |  |
| Power Sensor                | Erika Fiedler | U2021XA           | SEM009-15     | 2022/7/12 | 2023/7/11    |  |
| Power Sensor                | Erika Fiedler | U2021XA           | SEM009-16     | 2022/7/12 | 2023/7/11    |  |
| Programmable DC<br>Source   | Chroma        | 62024P-80-60      | SEM011-09     | 2022/7/12 | 2023/7/11    |  |
| Attenuator                  | Huber+Suhner  | 6620_SMA-50-<br>1 | SEM021-09     | 2022/7/12 | 2023/7/11    |  |

| Minimum 6dB Bandwidt | h            |                   |               |           |              |
|----------------------|--------------|-------------------|---------------|-----------|--------------|
| Equipment            | Manufacturer | Model No.         | Inventory No. | Cal Date  | Cal Due Date |
| MXA Signal Analyzer  | KEYSIGHT     | N9020A            | SEM004-25     | 2022/5/30 | 2023/5/29    |
| Attenuator           | Huber+Suhner | 6620_SMA-50-<br>1 | SEM021-09     | 2022/7/12 | 2023/7/11    |
| Measurement Software | TST PASS     | TST PASS<br>V2.0  | N/A           | N/A       | N/A          |

| Power Spectrum Density |              |                   |               |           |              |  |
|------------------------|--------------|-------------------|---------------|-----------|--------------|--|
| Equipment              | Manufacturer | Model No.         | Inventory No. | Cal Date  | Cal Due Date |  |
| MXA Signal Analyzer    | KEYSIGHT     | N9020A            | SEM004-25     | 2022/5/30 | 2023/5/29    |  |
| Attenuator             | Huber+Suhner | 6620_SMA-50-<br>1 | SEM021-09     | 2022/7/12 | 2023/7/11    |  |
| Measurement Software   | TST PASS     | TST PASS<br>V2.0  | N/A           | N/A       | N/A          |  |

| Conducted Band Edges Measurement |              |                   |                            |           |              |  |
|----------------------------------|--------------|-------------------|----------------------------|-----------|--------------|--|
| Equipment                        | Manufacturer | Model No.         | No. Inventory No. Cal Date |           | Cal Due Date |  |
| MXA Signal Analyzer              | KEYSIGHT     | N9020A            | SEM004-25                  | 2022/5/30 | 2023/5/29    |  |
| Attenuator                       | Huber+Suhner | 6620_SMA-50-<br>1 | SEM021-09                  | 2022/7/12 | 2023/7/11    |  |
| Measurement Software             | TST PASS     | TST PASS<br>V2.0  | N/A                        | N/A       | N/A          |  |

| Conducted Spurious Emissions |              |                   |                            |           |              |
|------------------------------|--------------|-------------------|----------------------------|-----------|--------------|
| Equipment                    | Manufacturer | Model No.         | el No. Inventory No. Cal D |           | Cal Due Date |
| MXA Signal Analyzer          | KEYSIGHT     | N9020A            | SEM004-25                  | 2022/5/30 | 2023/5/29    |
| Attenuator                   | Huber+Suhner | 6620_SMA-50-<br>1 | SEM021-09                  | 2022/7/12 | 2023/7/11    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or sensite. On Descheedings com-

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 9 of 58

| Measurement Software | TST PASS | TST PASS<br>V2.0 | N/A | N/A | N/A |
|----------------------|----------|------------------|-----|-----|-----|
|----------------------|----------|------------------|-----|-----|-----|

| Radiated Emissions wh      | Radiated Emissions which fall in the restricted bands |                     |               |           |              |  |
|----------------------------|---|---------------------|---------------|-----------|--------------|--|
| Equipment                  | Manufacturer  | Model No.           | Inventory No. | Cal Date  | Cal Due Date |  |
| 3m Anechoic Chamber        | CRT   | N/A                 | SEM001-13     | 2021/7/13 | 2024/7/12    |  |
| Broad-Band Horn<br>Antenna | Schwarzbeck   | BBHA 9170           | SEM003-15     | 2021/7/11 | 2024/7/10    |  |
| Broad-Band Horn<br>Antenna | Schwarzbeck   | BBHA 9120D          | SEM003-32     | 2021/9/26 | 2024/9/25    |  |
| MXA Signal Analyzer        | KEYSIGHT  | N9020A              | SEM004-23     | 2022/4/24 | 2023/4/23    |  |
| Pre-amplifier              | Compliance<br>Directions Systems<br>Inc.              | PAP-2640-50         | SEM005-08     | 2022/7/12 | 2023/7/11    |  |
| Pre-amplifier              | Rohde & Schwarz                                       | CH14-H052           | SEM005-17     | 2022/7/12 | 2023/7/11    |  |
| Coaxial Cable              | CCS   | N/A                 | SEM035-02     | 2022/5/16 | 2023/5/15    |  |
| Coaxial Cable              | CCS   | N/A                 | SEM035-03     | 2022/5/16 | 2023/5/15    |  |
| Pre-amplifier              | TST PASS  | LNA04080G30         | SEM005-27     | 2022/4/15 | 2023/4/14    |  |
| Pre-amplifier              | TST PASS  | LNA10180G45         | SEM005-28     | 2022/4/15 | 2023/4/14    |  |
| Measurement Software       | AUDIX   | e3 V8.2014-6-<br>27 | N/A           | N/A       | N/A          |  |

| Equipment                   | Manufacturer | Model No.           | Inventory No. | Cal Date        | Cal Due Date |
|-----------------------------|--------------|---------------------|---------------|-----------------|--------------|
| 3m Anechoic Chamber         | CRT          | N/A                 | SEM001-13     | 2021/7/13       | 2024/7/12    |
| Trilog-Broadband<br>Antenna | Schwarzbeck  | VULB9168            | SEM003-33     | 2021/9/25       | 2024/9/24    |
| MXE EMI receiver            | Agilent      | N9038A              | SEM004-05     | 5 2022/7/12 202 | 2023/7/11    |
| Pre-amplifier               | HP           | 8447D               | SEM005-02     | 2022/7/12       | 2023/7/11    |
| Coaxial Cable               | CCS          | N/A                 | SEM035-01     | 2022/5/16       | 2023/5/15    |
| Measurement Software        | AUDIX        | e3 V8.2014-6-<br>27 | N/A           | N/A             | N/A          |

| Radiated Spurious Emis     | Radiated Spurious Emissions Above 1GHz |             |               |           |              |
|----------------------------|--|-------------|---------------|-----------|--------------|
| Equipment                  | Manufacturer                           | Model No.   | Inventory No. | Cal Date  | Cal Due Date |
| 3m Anechoic Chamber        | CRT                                    | N/A         | SEM001-13     | 2021/7/13 | 2024/7/12    |
| Broad-Band Horn<br>Antenna | Schwarzbeck                            | BBHA 9120D  | SEM003-32     | 2021/9/26 | 2024/9/25    |
| MXA Signal Analyzer        | KEYSIGHT                               | N9020A      | SEM004-23     | 2022/4/24 | 2023/4/23    |
| Coaxial Cable              | CCS                                    | N/A         | SEM035-03     | 2022/5/16 | 2023/5/15    |
| Pre-amplifier              | TST PASS                               | LNA04080G30 | SEM005-27     | 2022/4/15 | 2023/4/14    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/T



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 10 of 58

| Pre-amplifier        | TST PASS | LNA10180G45         | SEM005-28 | 2022/4/15 | 2023/4/14 |
|----------------------|----------|---------------------|-----------|-----------|-----------|
| Measurement Software | AUDIX    | e3 V8.2014-6-<br>27 | N/A       | N/A       | N/A       |

| General used equipment          |              |           |               |            |              |
|---------------------------------|--------------|-----------|---------------|------------|--------------|
| Equipment                       | Manufacturer | Model No. | Inventory No. | Cal Date   | Cal Due Date |
| Humidity/ Temperature Indicator | Mingle       | TH607     | SEM002-22     | 2022-07-12 | 2023-07-11   |
| Humidity/ Temperature Indicator | Mingle       | TH607     | SEM002-23     | 2022-07-12 | 2023-07-11   |
| Barometer                       | DUMAI        | DYM3      | SEM002-24     | 2022-07-12 | 2023-07-11   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/T

| Fuyorg lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrid, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 11 of 58

# 6 Radio Spectrum Technical Requirement

### 6.1 Antenna Requirement

### 6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

#### 6.1.2 Conclusion

#### Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

#### 15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

#### **EUT Antenna:**

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 1.24dBi.

Antenna location: Refer to internal photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 12 of 58

# 7 Radio Spectrum Matter Test Results

## 7.1 Conducted Peak Output Power

Test Requirement 47 CFR Part 15, Subpart C 15.247(b)(3)
Test Method: ANSI C63.10 (2013) Section 11.9.1

#### Limit:

| Frequency range(MHz) | Output power of the intentional radiator(watt)         |  |  |
|----------------------|--|--|--|
|                      | 1 for ≥50 hopping channels                             |  |  |
| 902-928              | 0.25 for 25≤ hopping channels <50                      |  |  |
|                      | 1 for digital modulation                               |  |  |
|                      | 1 for ≥75 non-overlapping hopping channels             |  |  |
| 2400-2483.5          | 0.125 for all other frequency hopping systems          |  |  |
|                      | 1 for digital modulation                               |  |  |
| 5725-5850            | 1 for frequency hopping systems and digital modulation |  |  |

#### 7.1.1 E.U.T. Operation


Operating Environment:

Temperature: 26.0 °C Humidity: 48.6 % RH Atmospheric Pressure: 1020 mbar

#### 7.1.2 Test Mode Description

| Pre-scan /<br>Final test | Mode<br>Code | Description  |
|--------------------------|--------------|--|
| Final test               | 02           | TX mode 1Mbps(left earbuds)_Keep the EUT in continuously transmitting mode with GFSK modulation. |

### 7.1.3 Test Setup Diagram



Ground Reference Plane



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Cercilia\*\* (2000).

Fuyong lab. Xinlong TextnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (88-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 13 of 58

#### 7.1.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 14 of 58

### 7.2 Minimum 6dB Bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.247a(2)
Test Method: ANSI C63.10 (2013) Section 11.8.1

Limit:

≥500 kHz

### 7.2.1 E.U.T. Operation


Operating Environment:

Temperature: 26.0 °C Humidity: 48.6 % RH Atmospheric Pressure: 1020 mbar

#### 7.2.2 Test Mode Description

| Pre-scan /<br>Final test | Mode<br>Code | Description  |
|--------------------------|--------------|--|
| Final test               | 02           | TX mode 1Mbps(left earbuds)_Keep the EUT in continuously transmitting mode with GFSK modulation. |

#### 7.2.3 Test Setup Diagram



#### 7.2.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Descheek@ass.com.

| Fuyorg lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrid, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 15 of 58

### 7.3 Power Spectrum Density

Test Requirement 47 CFR Part 15, Subpart C 15.247(e)
Test Method: ANSI C63.10 (2013) Section 11.10.2

Limit:

≤8dBm in any 3 kHz band during any time interval of continuous transmission

### 7.3.1 E.U.T. Operation


Operating Environment:

Temperature: 26.0 °C Humidity: 48.6 % RH Atmospheric Pressure: 1020 mbar

#### 7.3.2 Test Mode Description

| Pre-scan /<br>Final test | Mode<br>Code | Description  |
|--------------------------|--------------|--|
| Final test               | 02           | TX mode 1Mbps(left earbuds)_Keep the EUT in continuously transmitting mode with GFSK modulation. |

#### 7.3.3 Test Setup Diagram



#### 7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a thut://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

|Fuyong lab. Xinlong TechnoPark, Fengtang Read, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com. 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 16 of 58

## 7.4 Conducted Band Edges Measurement

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.13.3.2

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

### 7.4.1 E.U.T. Operation


Operating Environment:

Temperature: 26.0 °C Humidity: 48.6 % RH Atmospheric Pressure: 1020 mbar

7.4.2 Test Mode Description

| Pre-scan /<br>Final test | Mode<br>Code | Description  |
|--------------------------|--------------|--|
| Final test               | 02           | TX mode 1Mbps(left earbuds)_Keep the EUT in continuously transmitting mode with GFSK modulation. |

#### 7.4.3 Test Setup Diagram



**Ground Reference Plane** 



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

| Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 17 of 58

#### 7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 18 of 58

### 7.5 Conducted Spurious Emissions

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.11

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

### 7.5.1 E.U.T. Operation


Operating Environment:

Temperature: 26.0 °C Humidity: 48.6 % RH Atmospheric Pressure: 1020 mbar

7.5.2 Test Mode Description

| Tiol Tool mode becompain |              |  |  |  |  |  |  |  |  |  |
|--------------------------|--------------|--|--|--|--|--|--|--|--|--|
| Pre-scan /<br>Final test | Mode<br>Code | Description  |  |  |  |  |  |  |  |  |
| Final test               | 02           | TX mode 1Mbps(left earbuds)_Keep the EUT in continuously transmitting mode with GFSK modulation. |  |  |  |  |  |  |  |  |

#### 7.5.3 Test Setup Diagram



**Ground Reference Plane** 



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditi

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 19 of 58

#### 7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 20 of 58

#### 7.6 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.10.5

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 0.009-0.490    | 2400/F(kHz)                      | 300                          |
| 0.490-1.705    | 24000/F(kHz)                     | 30                           |
| 1.705-30.0     | 30                               | 30                           |
| 30-88          | 100                              | 3                            |
| 88-216         | 150                              | 3                            |
| 216-960        | 200                              | 3                            |
| Above 960      | 500                              | 3                            |

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

### 7.6.1 E.U.T. Operation

Operating Environment:

Temperature: 22.2 °C Humidity: 51.3 % RH Atmospheric Pressure: 1020 mbar

#### 7.6.2 Test Mode Description

| Pre-scan /<br>Final test | Mode<br>Code | Description  |
|--------------------------|--------------|--|
| Final test               | 02           | TX mode 1Mbps(left earbuds)_Keep the EUT in continuously transmitting mode with GFSK modulation. |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 21 of 58

#### 7.6.3 Test Setup Diagram





30MHz-1GHz

Above 1GHz

#### 7.6.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.
- Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.repx.ad">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents</a> subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excert parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 22 of 58

Test Mode: 02; Polarity: Horizontal; Modulation: GFSK; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00407AT/00408AT
Mode : 2402 Band edge

Note : BLE

1 2 3

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |   |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|---|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |   |
|   |            |       |        |        |       |        |        |        |        | _ |
|   | MHz        | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |   |
|   |            |       |        |        |       |        |        |        |        |   |
|   | 2372.103   | 5.04  | 27.12  | 32.50  | 45.65 | 45.31  | 74.00  | -28.69 | peak   |   |
| 2 | 2390.000   | 5.05  | 27.16  | 32.50  | 43.23 | 42.94  | 74.00  | -31.06 | peak   |   |
| } | . 2402.000 | 5.06  | 27.18  | 32.50  | 89.55 | 89.29  | 74.00  | 15.29  | peak   |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

| Fuyorg lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrid, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 23 of 58

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00407AT/00408AT Mode : 2402 Band edge

Note : BLE

1 2 3

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |            |       |        |        |       |        |        |        |        |
|   | MHz        | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |            |       |        |        |       |        |        |        |        |
|   | 2389.153   | 5.05  | 27.16  | 32.50  | 47.60 | 47.31  | 74.00  | -26.69 | peak   |
| 2 | 2390.000   | 5.05  | 27.16  | 32.50  | 43.10 | 42.81  | 74.00  | -31.19 | peak   |
| ; | . 2402.000 | 5.06  | 27.18  | 32.50  | 82.43 | 82.17  | 74.00  | 8.17   | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAP Doccheck@ses.com.

| Fuyorg lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrid, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 24 of 58

Test Mode: 02; Polarity: Horizontal; Modulation:GFSK; Channel:High



Site : chamber

Condition: 3m HORIZONTAL Job No : 00407AT/00408AT Mode : 2480 Band edge

Note : BLE

|    | _        |      |        | Preamp |       |        |        |        |        |
|----|----------|------|--------|--------|-------|--------|--------|--------|--------|
|    | Freq     | Loss | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|    | MHz      | dB   | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1. | 2480.000 | 5.12 | 27.36  | 32.50  | 87.16 | 87.14  | 74.00  | 13.14  | peak   |
| 2  | 2483.500 | 5.12 | 27.36  | 32.50  | 43.36 | 43.34  | 74.00  | -30.66 | peak   |
| 3  | 2484.221 | 5.12 | 27.37  | 32.50  | 45.15 | 45.14  | 74.00  | -28.86 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CARD Doccheck/Berg carm.

Fuyong lab. Xinlong TextnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (88-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 25 of 58

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00407AT/00408AT Mode : 2480 Band edge

Note : BLE

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |            |       |        |        |       |        |        |        |        |
|   | MHz        | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |            |       |        |        |       |        |        |        |        |
| 1 | . 2480.000 | 5.12  | 27.36  | 32.50  | 80.36 | 80.34  | 74.00  | 6.34   | peak   |
| 2 | 2483.500   | 5.12  | 27.36  | 32.50  | 43.47 | 43.45  | 74.00  | -30.55 | peak   |
| 3 | 2499.824   | 5.13  | 27.40  | 32.50  | 45.62 | 45.65  | 74.00  | -28.35 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CARD Doccheck/Berg carm.

| Fuyorg lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrid, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 26 of 58

### 7.7 Radiated Spurious Emissions Below 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.4,6.5

Measurement Distance: 3m

#### Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 0.009-0.490    | 2400/F(kHz)                      | 300                          |
| 0.490-1.705    | 24000/F(kHz)                     | 30                           |
| 1.705-30.0     | 30                               | 30                           |
| 30-88          | 100                              | 3                            |
| 88-216         | 150                              | 3                            |
| 216-960        | 200                              | 3                            |
| 960-1000       | 500                              | 3                            |

### 7.7.1 E.U.T. Operation


Operating Environment:


Temperature: 23.2 °C Humidity: 52.6 % RH Atmospheric Pressure: 1020 mbar

#### 7.7.2 Test Mode Description

| 71712 100111             | 040 00       | our paou   |
|--------------------------|--------------|--|
| Pre-scan /<br>Final test | Mode<br>Code | Description  |
| Final test               | 02           | TX mode 1Mbps(left earbuds)_Keep the EUT in continuously transmitting mode with GFSK modulation. |

#### 7.7.3 Test Setup Diagram





Below 30MHz

30MHz-1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respection.

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 27 of 58

#### 7.7.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete. Remark:
- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.

Test Mode: 02; Polarity: Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and</a>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines statement is the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Termina and the company and telephone company and the company and the



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 28 of 58



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00407AT

Mode : 02

|   |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |          |       |        |        |       |        |        |        |        |
|   | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |          |       |        |        |       |        |        |        |        |
| 1 | 30.9619  | 0.20  | 15.62  | 26.03  | 26.39 | 16.18  | 40.00  | -23.82 | QP     |
| 2 | 53.8818  | 0.24  | 17.26  | 25.97  | 24.73 | 16.26  | 40.00  | -23.74 | QP     |
| 3 | 148.4410 | 0.92  | 17.43  | 25.53  | 23.77 | 16.59  | 43.50  | -26.91 | QP     |
| 4 | 435.5898 | 1.54  | 21.43  | 25.47  | 25.76 | 23.26  | 46.00  | -22.74 | QP     |
| 5 | 752.7432 | 1.88  | 26.31  | 24.37  | 26.65 | 30.47  | 46.00  | -15.53 | QP     |
| 6 | 955.4382 | 2.26  | 29.30  | 24.04  | 25.72 | 33.24  | 46.00  | -12.76 | OP     |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CARD Doccheck/Berge segments.

Fuyong lab. Xinlong TextnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (88-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 29 of 58

Test Mode: 02; Polarity: Vertical



Site : chamber Condition: 3m VERTICAL Job No : 00407AT

Mode : 02

|   | Freq     |      |       | Preamp<br>Factor |       |        |        |        | Remark |
|---|----------|------|-------|------------------|-------|--------|--------|--------|--------|
|   | MHz      | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 | 36.0007  | 0.19 | 15.88 | 26.02            | 29.64 | 19.69  | 40.00  | -20.31 | QP     |
| 2 | 61.9951  | 0.27 | 16.72 | 25.91            | 26.05 | 17.13  | 40.00  | -22.87 | QP     |
| 3 | 150.0108 | 0.91 | 17.43 | 25.53            | 24.30 | 17.11  | 43.50  | -26.39 | QP     |
| 4 | 350.4768 | 1.52 | 19.80 | 25.43            | 25.20 | 21.09  | 46.00  | -24.91 | QP     |
| 5 | 631.6884 | 2.16 | 24.91 | 24.85            | 25.65 | 27.87  | 46.00  | -18.13 | QP     |
| 6 | 952.0937 | 2.21 | 29.27 | 24.04            | 26.08 | 33.52  | 46.00  | -12.48 | QP     |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAP Doccheck@ses.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 30 of 58

### 7.8 Radiated Spurious Emissions Above 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.6

Measurement Distance: 3m

#### Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| Above 1000     | 500                              | 3                            |

### 7.8.1 E.U.T. Operation


Operating Environment:

Temperature: 23.0 °C Humidity: 52.6 % RH Atmospheric Pressure: 1020 mbar

### 7.8.2 Test Mode Description

| Pre-scan /<br>Final test | Mode<br>Code | Description  |
|--------------------------|--------------|--|
| Final test               | 02           | TX mode 1Mbps(left earbuds)_Keep the EUT in continuously transmitting mode with GFSK modulation. |

### 7.8.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 31 of 58

#### 7.8.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

#### Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 1GHz to 25GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and</a>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the reproduced except of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 32 of 58

Test Mode: 02; Polarity: Horizontal; Modulation: GFSK; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00407AT/00408AT
Mode : 2402 TX RSE

: BLE

|   |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |         |
|---|----------|-------|--------|--------|-------|--------|--------|--------|---------|
|   | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark  |
|   |          |       |        |        |       |        |        |        |         |
|   | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |         |
|   |          |       |        |        |       |        |        |        |         |
| 1 | 1648.778 | 4.09  | 24.90  | 52.93  | 64.93 | 40.99  | 74.00  | -33.01 | peak    |
| 2 | 4254.921 | 7.48  | 29.87  | 52.88  | 66.99 | 51.46  | 74.00  | -22.54 | peak    |
| 3 | 4804.000 | 7.98  | 30.94  | 53.05  | 65.08 | 50.95  | 54.00  | -3.05  | Average |
| 4 | 4804.000 | 7.98  | 30.94  | 53.05  | 68.88 | 54.75  | 74.00  | -19.25 | peak    |
| 5 | 6621.375 | 7.82  | 34.90  | 53.25  | 62.57 | 52.04  | 74.00  | -21.96 | peak    |
| 6 | 7206.000 | 8.29  | 36.05  | 53.52  | 62.03 | 52.85  | 74.00  | -21.15 | peak    |
| 7 | 9608.000 | 11.41 | 37.53  | 53.58  | 57.45 | 52.81  | 74.00  | -21.19 | peak    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Fuyong lab. Xinlong TextnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (88-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 33 of 58

Test Mode: 02; Polarity: Vertical; Modulation: GFSK; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00407AT/00408AT Mode : 2402 TX RSE

: BLE

|   |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |          |       |        |        |       |        |        |        |        |
|   | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |          |       |        |        |       |        |        |        |        |
| 1 | 1625.121 | 4.04  | 24.85  | 52.92  | 64.60 | 40.57  | 74.00  | -33.43 | peak   |
| 2 | 4027.554 | 7.49  | 29.54  | 52.81  | 67.26 | 51.48  | 74.00  | -22.52 | peak   |
| 3 | 4804.000 | 7.98  | 30.94  | 53.05  | 65.36 | 51.23  | 74.00  | -22.77 | peak   |
| 4 | 6874.906 | 8.07  | 35.51  | 53.42  | 62.08 | 52.24  | 74.00  | -21.76 | peak   |
| 5 | 7206.000 | 8.29  | 36.05  | 53.52  | 61.50 | 52.32  | 74.00  | -21.68 | peak   |
| 6 | 9608.000 | 11.41 | 37.53  | 53.58  | 57.63 | 52.99  | 74.00  | -21.01 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAP Doccheck@ses.com.

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sggroup.com.cn 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 34 of 58

Test Mode: 02; Polarity: Horizontal; Modulation:GFSK; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00407AT/00408AT
Mode : 2440 TX RSE

: BLE

|   |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |          |       |        |        |       |        |        |        |        |
|   | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |          |       |        |        |       |        |        |        |        |
| 1 | 1663.137 | 4.12  | 24.93  | 52.94  | 64.97 | 41.08  | 74.00  | -32.92 | peak   |
| 2 | 4329.354 | 7.48  | 29.97  | 52.91  | 67.83 | 52.37  | 74.00  | -21.63 | peak   |
| 3 | 4880.000 | 8.11  | 31.12  | 53.07  | 64.79 | 50.95  | 74.00  | -23.05 | peak   |
| 4 | 6995.172 | 8.19  | 35.79  | 53.50  | 61.71 | 52.19  | 74.00  | -21.81 | peak   |
| 5 | 7320.000 | 8.35  | 36.19  | 53.53  | 61.33 | 52.34  | 74.00  | -21.66 | peak   |
| 6 | 9760 000 | 11 30 | 37 87  | 53 //3 | 57 3/ | 53 08  | 7/ 00  | -20 92 | nook   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CARD Doccheck/Berg carm.

| Fuyorg lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrid, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 35 of 58

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:middle



Site : chamber Condition: 3m VERTICAL

Job No : 00407AT/00408AT Mode : 2440 TX RSE

: BLE

|   |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |          |       |        |        |       |        |        |        |        |
|   | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |          |       |        |        |       |        |        |        |        |
| 1 | 1597.181 | 3.98  | 24.79  | 52.91  | 67.12 | 42.98  | 74.00  | -31.02 | peak   |
| 2 | 4304.400 | 7.48  | 29.94  | 52.90  | 67.39 | 51.91  | 74.00  | -22.09 | peak   |
| 3 | 4880.000 | 8.11  | 31.12  | 53.07  | 65.81 | 51.97  | 74.00  | -22.03 | peak   |
| 4 | 6974.982 | 8.17  | 35.74  | 53.48  | 62.14 | 52.57  | 74.00  | -21.43 | peak   |
| 5 | 7320.000 | 8.35  | 36.19  | 53.53  | 61.97 | 52.98  | 74.00  | -21.02 | peak   |
| 6 | 9760 000 | 11 30 | 37 87  | 53 //3 | 57 02 | 52 76  | 7/ 00  | -21 2/ | neak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CARD Doccheck/Berg carm.

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sggroup.com.cn 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 36 of 58

Test Mode: 02; Polarity: Horizontal; Modulation:GFSK; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00407AT/00408AT Mode : 2480 TX RSE

: BLE

|   |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |          |       |        |        |       |        |        |        |        |
|   | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |          |       |        |        |       |        |        |        |        |
| 1 | 1597.181 | 3.98  | 24.79  | 52.91  | 67.80 | 43.66  | 74.00  | -30.34 | peak   |
| 2 | 4443.453 | 7.47  | 30.12  | 52.94  | 66.98 | 51.63  | 74.00  | -22.37 | peak   |
| 3 | 4960.000 | 8.24  | 31.31  | 53.09  | 65.49 | 51.95  | 74.00  | -22.05 | peak   |
| 4 | 6414.167 | 7.69  | 34.23  | 53.10  | 64.16 | 52.98  | 74.00  | -21.02 | peak   |
| 5 | 7440.000 | 8.40  | 36.33  | 53.55  | 61.82 | 53.00  | 74.00  | -21.00 | peak   |
| 6 | 9920.000 | 11.18 | 38.22  | 53.28  | 56.94 | 53.06  | 74.00  | -20.94 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAP Doccheck@ses.com.

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sggroup.com.cn 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 37 of 58

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00407AT/00408AT
Mode : 2480 TX RSE

: BLE

|   |          | Cable | Ant    | Preamp | Read   |        | Limit  | 0ver    |        |  |
|---|----------|-------|--------|--------|--------|--------|--------|---------|--------|--|
|   | Freq     | Loss  | Factor | Factor | Level  | Level  | Line   | Limit   | Remark |  |
|   |          |       |        |        |        |        |        |         |        |  |
|   | MHz      | dB    | dB/m   | dB     | dBuV   | dBuV/m | dBuV/m | dB      |        |  |
|   |          |       |        |        |        |        |        |         |        |  |
| 1 | 1644.019 | 4.08  | 24.89  | 52.93  | 64.66  | 40.70  | 74.00  | -33.30  | peak   |  |
| 2 | 4482.150 | 7.47  | 30.18  | 52.95  | 66.77  | 51.47  | 74.00  | -22.53  | peak   |  |
| 3 | 4960.000 | 8.24  | 31.31  | 53.09  | 64.98  | 51.44  | 74.00  | -22.56  | peak   |  |
| 4 | 6470.026 | 7.70  | 34.47  | 53.14  | 63.71  | 52.74  | 74.00  | -21.26  | peak   |  |
| 5 | 7440.000 | 8.40  | 36.33  | 53.55  | 61.51  | 52.69  | 74.00  | -21.31  | peak   |  |
| 6 | 9920 000 | 11 18 | 38 22  | 53 28  | 56 //3 | 52 55  | 7/ 00  | _21 //5 | neak   |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CARD Doccheck/Berge segments.

Fuyong lab. Xinlong TextnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (88-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 38 of 58

# 8 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2210000407AT

# 9 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for FYCR2210000407AT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAP. Doccheck@ses.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 39 of 58

# 10 Appendix

1. Duty Cycle

1.1 Ant1

#### 1.1.1 Test Result

|      | Ant1       |                    |              |                |                   |                                      |                          |  |  |  |
|------|------------|--------------------|--------------|----------------|-------------------|--------------------------------------|--------------------------|--|--|--|
| Mode | TX<br>Type | Frequency<br>(MHz) | T_on<br>(ms) | Period<br>(ms) | Duty Cycle<br>(%) | Duty Cycle<br>Correction Factor (dB) | Max. DC<br>Variation (%) |  |  |  |
|      |            | 2402               | 0.391        | 0.625          | 62.56             | 2.04                                 | 0.00                     |  |  |  |
| 1M   | SISO       | 2440               | 0.399        | 0.625          | 63.84             | 1.95                                 | 0.03                     |  |  |  |
|      |            | 2480               | 0.391        | 0.625          | 62.56             | 2.04                                 | 0.03                     |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPA Doccheck@ses.com</a>




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 40 of 58

### 1.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Descheek@ass.com.


Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 41 of 58







SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 42 of 58

### 2. Bandwidth

2.1 OBW

#### 2.1.1 Test Result

| Mode | TX   | Frequency | ANT | 99% Occupied Bandwidth (MHz) | Verdict |
|------|------|-----------|-----|------------------------------|---------|
|      | Type | (MHz)     | ANI | Result                       |         |
| 1M   | SISO | 2402      | 1   | 1.069                        | Pass    |
|      |      | 2440      | 1   | 1.051                        | Pass    |
|      |      | 2480      | 1   | 1.043                        | Pass    |






SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 43 of 58

### 2.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Descheek@ass.com.


Fuyong lab. Xinlong TextnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (88-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 44 of 58





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAD Doccheck-Massa com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 45 of 58

#### 2.2 6dB BW

#### 2.2.1 Test Result

| Mode | TX   | Frequency | ANT | 6dB Bandv | \/ordiot |         |
|------|------|-----------|-----|-----------|----------|---------|
|      | Туре | (MHz)     |     | Result    | Limit    | Verdict |
| 1M   | SISO | 2402      | 1   | 0.668     | >=0.5    | Pass    |
|      |      | 2440      | 1   | 0.666     | >=0.5    | Pass    |
|      |      | 2480      | 1   | 0.679     | >=0.5    | Pass    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/T




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 46 of 58

### 2.2.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com</a>


Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 47 of 58





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, versual: CARD Roccheck/Bass com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 48 of 58

### 3. Maximum Conducted Output Power

#### 3.1 Power

#### 3.1.1 Test Result

| Mode                                | TX   | Frequency | Maximum Peak Conduc | Vardiet |         |  |  |
|-------------------------------------|------|-----------|---------------------|---------|---------|--|--|
|                                     | Type | (MHz)     | ANT1                | Limit   | Verdict |  |  |
| 1M                                  | SISO | 2402      | -4.23               | <=30    | Pass    |  |  |
|                                     |      | 2440      | -4.98               | <=30    | Pass    |  |  |
|                                     |      | 2480      | -6.16               | <=30    | Pass    |  |  |
| Note1: Antenna Gain: Ant1: 1.24dBi; |      |           |                     |         |         |  |  |





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 49 of 58

### 4. Maximum Power Spectral Density

#### 4.1 PSD

#### 4.1.1 Test Result

| Mode                                | TX   | Frequency | Maximum PS | Vardiet |         |  |  |
|-------------------------------------|------|-----------|------------|---------|---------|--|--|
|                                     | Type | (MHz)     | ANT1       | Limit   | Verdict |  |  |
| 1M                                  | SISO | 2402      | -17.89     | <=8     | Pass    |  |  |
|                                     |      | 2440      | -18.77     | <=8     | Pass    |  |  |
|                                     |      | 2480      | -20.43     | <=8     | Pass    |  |  |
| Note1: Antenna Gain: Ant1: 1.24dBi; |      |           |            |         |         |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 50 of 58

#### 4.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a thus://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.
中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编:518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 51 of 58





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or sensite. CAL Descheck-Reference.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 52 of 58

### 5. Unwanted Emissions In Non-restricted Frequency Bands

#### 5.1 Ref

#### 5.1.1 Test Result

| Mode | TX<br>Type | Frequency<br>(MHz) | ANT | Level of Reference<br>(dBm) |
|------|------------|--------------------|-----|-----------------------------|
| 1M   | SISO       | 2402               | 1   | -4.64                       |
|      |            | 2440               | 1   | -5.44                       |
|      |            | 2480               | 1   | -6.62                       |

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or sensite. On the check of the content of the content




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 53 of 58

### 5.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAP. Doccheck@ses.com.


| Fuyorg lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrid, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 54 of 58







SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 55 of 58

#### 5.2 CSE

#### 5.2.1 Test Result

| Mode | TX<br>Type | Frequency<br>(MHz) | ANT | Level of Reference<br>(dBm) | Limit<br>(dBm) | Verdict |
|------|------------|--------------------|-----|-----------------------------|----------------|---------|
|      |            | 2402               | 1   | -4.64                       | -24.64         | Pass    |
| 1M   | SISO       | 2440               | 1   | -4.64                       | -24.64         | Pass    |
|      |            | 2480               | 1   | -4.64                       | -24.64         | Pass    |

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (rogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email. CR.D.D.Checke@ses.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 56 of 58

### 5.2.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; CN Doccheck@ass.com.


Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 57 of 58





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Descheek@ass.com.


Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000040703

Page: 58 of 58



- End of the Report -

