





Channel 39


100kHz PSD reference Level Plot




Low Channel Plot



Spurious Emission 30MHz~1GHz Plot



Spurious Emission 1GHz~26.5GHz Plot






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Calvin Wang	Temperature :	23~26℃
		Relative Humidity :	45~55%

EUT Information

Report NO : 321001-06
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.159000	---	40.35	55.52	15.17	L1	OFF	19.8
0.159000	44.38	---	65.52	21.14	L1	OFF	19.8
0.244500	---	37.42	51.94	14.52	L1	OFF	19.8
0.244500	39.95	---	61.94	21.99	L1	OFF	19.8
0.408750	---	35.91	47.67	11.76	L1	OFF	19.8
0.408750	39.12	---	57.67	18.55	L1	OFF	19.8
2.519250	---	19.79	46.00	26.21	L1	OFF	19.9
2.519250	25.74	---	56.00	30.26	L1	OFF	19.9
20.917500	---	33.17	50.00	16.83	L1	OFF	20.0
20.917500	38.68	---	60.00	21.32	L1	OFF	20.0
24.958500	---	33.16	50.00	16.84	L1	OFF	20.0
24.958500	40.41	---	60.00	19.59	L1	OFF	20.0

EUT Information

Report NO : 321001-06
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.156750	---	29.83	55.63	25.80	N	OFF	19.8
0.156750	41.33	---	65.63	24.30	N	OFF	19.8
0.413250	---	34.23	47.58	13.35	N	OFF	19.8
0.413250	37.40	---	57.58	20.18	N	OFF	19.8
0.498750	---	33.44	46.02	12.58	N	OFF	19.8
0.498750	36.80	---	56.02	19.22	N	OFF	19.8
2.224500	---	21.52	46.00	24.48	N	OFF	19.8
2.224500	27.89	---	56.00	28.11	N	OFF	19.8
21.223500	---	32.04	50.00	17.96	N	OFF	20.2
21.223500	37.60	---	60.00	22.40	N	OFF	20.2
25.086750	---	32.77	50.00	17.23	N	OFF	20.2
25.086750	39.80	---	60.00	20.20	N	OFF	20.2



Appendix C. Radiated Spurious Emission

Test Engineer :	Jesse Wang	Temperature :	23.6~24.7°C
		Relative Humidity :	63.6~68.1%

2.4GHz 2400~2483.5MHz

BLE (Band Edge @ 3m)

BLE	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
BLE CH 00 2402MHz		2359.77	55.6	-18.4	74	40.47	32.1	18.16	35.13	384	233	P	H
		2340.03	45.54	-8.46	54	30.48	32.04	18.15	35.13	384	233	A	H
	*	2402	91.89	-	-	76.63	32.1	18.28	35.12	384	233	P	H
	*	2402	91.2	-	-	75.94	32.1	18.28	35.12	384	233	A	H
													H
													H
		2378.985	56.02	-17.98	74	40.87	32.1	18.17	35.12	400	217	P	V
		2389.485	45.51	-8.49	54	30.26	32.1	18.27	35.12	400	217	A	V
	*	2402	94.37	-	-	79.11	32.1	18.28	35.12	400	217	P	V
	*	2402	78.62	-	-	63.36	32.1	18.28	35.12	400	217	A	V
													V
													V
BLE CH 19 2440MHz		2383.22	55.23	-18.77	74	39.98	32.1	18.27	35.12	400	256	P	H
		2363.48	45.56	-8.44	54	30.43	32.1	18.16	35.13	400	256	A	H
	*	2440	90.38	-	-	75.13	32.02	18.34	35.11	400	256	P	H
	*	2440	88.32	-	-	73.07	32.02	18.34	35.11	400	256	A	H
		2486.84	55.73	-18.27	74	40.44	32	18.39	35.1	400	256	P	H
		2494.47	45.53	-8.47	54	30.24	32	18.39	35.1	400	256	A	H
		2377.2	55.38	-18.62	74	40.23	32.1	18.17	35.12	400	247	P	V
		2376.22	45.5	-8.5	54	30.35	32.1	18.17	35.12	400	247	A	V
	*	2440	92.2	-	-	76.95	32.02	18.34	35.11	400	247	P	V
	*	2440	91.65	-	-	76.4	32.02	18.34	35.11	400	247	A	V
		2487.47	55.45	-18.55	74	40.16	32	18.39	35.1	400	247	P	V
		2484.39	45.54	-8.46	54	30.25	32	18.39	35.1	400	247	A	V



BLE CH 39 2480MHz	*	2480	90.17	-	-	74.87	32	18.4	35.1	327	224	P	H
	*	2480	89.55	-	-	74.25	32	18.4	35.1	327	224	A	H
		2484.64	55.47	-18.53	74	40.18	32	18.39	35.1	327	224	P	H
		2492.52	45.54	-8.46	54	30.25	32	18.39	35.1	327	224	A	H
													H
													H
	*	2480	93.23	-	-	77.93	32	18.4	35.1	341	251	P	V
	*	2480	90.26	-	-	74.96	32	18.4	35.1	341	251	A	V
		2488.56	55.23	-18.77	74	39.94	32	18.39	35.1	341	251	P	V
		2487.84	45.42	-8.58	54	30.13	32	18.39	35.1	341	251	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**2.4GHz 2400~2483.5MHz****BLE (Harmonic @ 3m)**

BLE	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE CH 00 2402MHz		4804	41.07	-32.93	74	53.04	34.02	13.01	59	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4804	41.93	-32.07	74	53.9	34.02	13.01	59	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V



BLE	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE CH 19 2440MHz		4880	41.75	-32.25	74	53.44	34.14	13.03	58.86	-	-	P	H
		7320	43.54	-30.46	74	49.98	35.7	15.36	57.5	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4880	41.59	-32.41	74	53.28	34.14	13.03	58.86	-	-	P	V
		7320	43.12	-30.88	74	49.56	35.7	15.36	57.5	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]

Emission above 18GHz

2.4GHz BLE (SHF)

BT	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz BLE SHF		24937	37.74	-36.26	74	47.25	39.17	8.77	57.45	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
							</						

Emission below 1GHz

2.4GHz BLE (LF)

BLE	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz BLE LF		30.27	22.79	-17.21	40	27.08	24.39	1.4	30.08	-	-	P	H
		56.19	21.67	-18.33	40	38.09	12.17	1.47	30.06	-	-	P	H
		174.18	26.73	-16.77	43.5	39.07	15.25	2.41	30	-	-	P	H
		854.4	32.96	-13.04	46	28.25	28.87	5.11	29.27	-	-	P	H
		900.6	34.23	-11.77	46	29.07	28.69	5.49	29.02	-	-	P	H
		956.6	34.43	-11.57	46	27.09	30.63	5.51	28.8	-	-	P	H
													H
													H
													H
													H
													H
													H
		30	33.99	-6.01	40	38.16	24.51	1.4	30.08	-	-	P	V
		55.65	28.66	-11.34	40	44.98	12.3	1.47	30.09	-	-	P	V
		107.22	24.01	-19.49	43.5	35.3	16.61	2.1	30	-	-	P	V
		860	32.69	-13.31	46	27.89	28.91	5.13	29.24	-	-	P	V
		913.2	33.55	-12.45	46	28.28	28.76	5.48	28.97	-	-	P	V
		953.8	34.72	-11.28	46	27.49	30.53	5.51	28.81	-	-	P	V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against limit line.												
	3. The emission position marked as “-” means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.												



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is over limit line.
P/A	P eak or A verage
H/V	H orizontal or V ertical



A calculation example for radiated spurious emission is shown as below:

BLE	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
BLE CH 00 2402MHz		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =
Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Margin (dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Margin (dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.







Appendix D. Radiated Spurious Emission Plots





Test Engineer :	Jesse Wang	Temperature :	23.6~24.7°C
		Relative Humidity :	63.6~68.1%

Note symbol

-L	Low channel location
-R	High channel location



2.4GHz 2400~2483.5MHz
BLE (Band Edge @ 3m)





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	BLE CH00 2402MHz	
	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto



BLE		2.4GHz 2400~2483.5MHz Band Edge @ 3m	
		BLE CH00 2402MHz	
		Vertical	Fundamental
Peak		 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	Avg	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWTAuto











BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	BLE CH19 2440MHz - L	
	Horizontal	Fundamental
Peak	Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	BLE CH19 2440MHz - R	
	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:3.000KHz SWT:Auto	Left blank



BLE		2.4GHz 2400~2483.5MHz Band Edge @ 3m	
		BLE CH19 2440MHz - L	
		Vertical	Fundamental
Peak		 Site : 03CH07-RY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-RY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.		 Site : 03CH07-RY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-RY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	BLE CH19 2440MHz - R	
	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Left blank
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3.000kHz SWTAuto	Left blank

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	BLE CH39 2480MHz	
	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto

BLE		2.4GHz 2400~2483.5MHz Band Edge @ 3m	
		BLE CH39 2480MHz	
	Vertical	Fundamental	
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto	
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWTAuto	





2.4GHz 2400~2483.5MHz
BLE (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
	BLE CH00 2402MHz	
	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH00 2402MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL
	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL
17.7G ~18G Avg		







BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH19 2440MHz	
1	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-04-06 PEAK_74 Avg_54 Site : 03CH07-RY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2023-04-06 PEAK_74 Avg_54 Site : 03CH07-RY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH19 2440MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL
	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL
17.7G ~18G Avg		





BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH39 2480MHz	
1	Horizontal	Vertical
Peak	Level (dBuV/m) Date: 2023-04-06 Site : 03CH07-RY Condition : PEAK_74 3m HP_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2023-04-06 Site : 03CH07-RY Condition : PEAK_74 3m HP_ANT_00075962 VERTICAL

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH39 2480MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL
	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL

Emission above 18GHz
2.4GHz BLE (SHF @ 1m)

BLE	2.4GHz 2400~2483.5MHz	
ANT	BLE SHF	
1	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-RY Condition : PEAK_74 1m SHF-EHF_9170251 HORIZONTAL	 Site : 03CH07-RY Condition : PEAK_74 1m SHF-EHF_9170251 VERTICAL

Emission below 1GHz
2.4GHz BLE (LF)

BLE	2.4GHz 2400~2483.5MHz	
ANT	BLE LF	
1	Horizontal	Vertical
QP / Peak	 Site : 03CH07-HY Condition : QP 3m LF-ANT-35419(6) HORIZONTAL	 Site : 03CH07-HY Condition : QP 3m LF-ANT-35419(6) VERTICAL



Appendix E. Duty Cycle Plots

Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
Bluetooth -LE	10.03	2100	0.48	1kHz

