

ANNEX

EXHIBIT 1- PRODUCT LABELING

Proposed FCCID Label Format


FCC ID: 2AQ7Q-DBA13310

Specifications: The label shall be securely affixed to a permanently attached part of the device, in a location where it is visible or easily accessible to the user, and shall not be readily detachable. The label shall be sufficiently durable to remain fully legible and intact on the device in all normal conditions of use throughout the device's expected lifetime.



Proposed Label Location on EUT



EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

EUT View 1	 A black rectangular device (EUT) is shown lying flat on a blue textured surface. To its left is a metal ruler with markings in centimeters (1-30) and inches (1-3). To its right is a black power adapter with a two-prong electrical plug and a coiled black USB cable. The device has a small white label with the text "OTEN" at the bottom right corner.
EUT View 2	 A black rectangular device (EUT) is shown lying flat on a blue textured surface. To its left is a metal ruler with markings in centimeters (1-29) and inches (1-3). The device has a small white label with the text "OTEN" at the bottom right corner.

EUT View 3	 A black rectangular device is shown vertically against a blue background. A yellow LED indicator strip is visible near the bottom edge. A ruler is placed horizontally below the device, and another ruler is placed vertically to its left, providing scale.
EUT View 4	 A black rectangular device is shown horizontally against a blue background. A yellow LED indicator strip is visible near the bottom edge. A ruler is placed horizontally below the device, and another ruler is placed vertically to its left, providing scale.

EUT View 5	 A black rectangular device is shown from a top-down perspective. It has a small yellow label on the right side. A ruler is placed horizontally below the device, and another ruler is placed vertically to the left of the device. The device is approximately 10 cm wide and 5 cm high.
EUT View 6	 A black rectangular device is shown from a top-down perspective, similar to View 5. It is placed next to a ruler for scale. The device is approximately 10 cm wide and 5 cm high.

EUT View 7








EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS


**EUT Housing and Board
View 1****EUT Housing and Board
View 2**

Solder Board-Component View 1	 A photograph of a blue printed circuit board (PCB) populated with various electronic components, including integrated circuits, capacitors, and connectors. The board is placed on a blue textured surface. Two metal rulers are used for scale: one vertical ruler on the left showing centimeters from 1 to 14, and one horizontal ruler at the bottom showing millimeters from 1 to 15. The board's length is approximately 14 cm and its width is approximately 4 cm.
Solder Board-Component View 2	 A photograph of the same blue PCB from a different perspective, showing the underside or a different side. It features a large black rectangular component, possibly a heat sink or a large capacitor, and various other components and connectors. The board is placed on the same blue textured surface. Two metal rulers are used for scale: one vertical ruler on the left showing centimeters from 1 to 14, and one horizontal ruler at the bottom showing millimeters from 1 to 17. The board's length is approximately 14 cm and its width is approximately 4 cm.

**Solder
Board-Component View
3**



Antenna View



***** END OF REPORT *****