

VORTEX HD65 Selet

PRODUCT HEX-VISION IMAGE	PRODUCT HEX-VISION IMAGE
Volume± t Power button	3.5mm Audio jack Type-C USB
5MP Front camera	Flash lamp
VOLUME BUTTON:Short press to adjust the volume or to mute incoming calls.	Sive Main J Speaker
6	7

SPECIFICATIONS

BASIC INFORMATION

Model HD65SELECT Operating System Powered by Android[™] 13 CPU 4xA53 1.5GHz Mediatek6739 RAM 3CB ROM 32GB Battery 4000mAh

Display

Screen Size 6.5" IPS SCREEN Resolution 720*1520 Pixeis Touch Capacitive multi-touch

Cameras

Front Camera 5MP Camera Resolution Rear Camera 8MP Camera Resolution Connection(I/O)

Band GSM:850/900/1800/1900 WCDMA:B2/4/5 LTE:B2/4/5/12/13/25/26/41(HPUE)/66/71

SIM/TF card 1 Nano SIM Card and 1 TF Card WFI IEEB0211 arb/gin Bluetooth Bluetooth 4.0 GNSS GPS FM YES Earphone Port 3.5mm USS Port Type-C USB

Other Features

Video File Format 3CP/MPEC4.etc Audio File Format WAV/MP3/AAC/AMR/MIDI/APE/WMA.etc Card Extend Support TF Card up to 64 GB Language Support Multi-anguage Sensor G-Sensor

8

In the box

1*Phone 1*USB-C Cable 1*Power Adapter 1*Quick Start Guide 1*Protective case 1*Battery

Safety Statement

Pour un fonctionnement porté sur le corps, ce modèle de téléphone a été testé et répond aux directives d'exposition RF FCC/ISEDC lorsqu'il est utilisé avec un accessoire qui ne contient pas de métal et qui positionne le combiné à au moins 10 mm du corps. Le nonrespect des restrictions ci-dessus peut entraîner une violation des directives d'exposition aux RF.

For body-worn operation, this device has been tested and meets the FCC/ISEDC RF exposure guidelines when used with a leather case. The users must use this leather case. Use of other leather case may not ensure compliance with FCC/ISEDC RF exposure guidelines.

Pour un fonctionnement porté sur le corps, cet appareil a été testé et répond aux directives d'exposition RF FCC/ISEDC lorsqu'il est utilisé avec un étui en cuir. Les utilisateurs doivent utiliser cet étui en cuir. L'utilisation d'un autre étui en cuir peut ne pas garantir la conformité aux directives d'exposition aux RF de la FCC/ISEDC.



In all EU member states. operation of 5150-5250 MHz is restricted to indoor use only.

Made in China

CZ	DK	DE	EE	IE	EL
IR	IT	CY	LV	LT	LU
۱L	AT	PL	PT	RO	SI
SE	NO	IS	LI	CH	TR

VORTEX



EN Quick Start Guide

FCC Warning

15.19 Labeling requirements. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

15.21 Information to user. Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. 15.105 Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-Reorient or relocate the receiving antenna. -Increase the separation between the equipment and receiver.

-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-Consult the dealer or an experienced radio/TV technician for help.

Absorption Rate (SAR) information: This device meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health. FCC RF Exposure Information and Statement The SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. This device was tested for typical body-worn operations with the back of the device kept 0mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain a appropriate separation distance between the user's body and the back of the device. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these

requirements may not comply with FCC RF exposure requirements, and should be avoided. Use only the supplied or an approved antenna.

ANSI C63.19:2011 HAC RF Categories

The ANSI Standard presents performance requirements for acceptable interoperability of hearing with wireless communications devices. When these parameters are met, a hearing aid operates acceptably in close proximity to a wireless communications device.

ANSI C63.19:2011 HAC T-coil Categories

FCC Hearing Aid Compatibility (HAC) Regulations for Wireless Devices The U.S. Federal Communications Commission (FCC) has established requirements for digital wireless mobile devices to be compatible with hearing aids and other assistive hearing devices. When individuals employing some assistive hearing devices (hearing aids and cochlear implants) use wireless mobile devices, they may detect a buzzing, humming, or whining noise. Some hearing devices are more immune than others to this interference noise, and mobile devices also vary in the amount of interference they generate.

The wireless teleph wireless mobile devices that may b mobile devices hav the rating on their The ratings are not user's hearing device to be vulnerable to mobile device succ hearing device is th

WD RF audio Interference level categories in logarithmic units		
Emission categories	<960MHz Limits for E-field emissions	>960MHz Limits for E-field emissions
M1	50 to 55 dB (V/m)	40 to 45 dB (V/m)
M2	45 to 50 dB (V/m)	35 to 40 dB (V/m)
М3	40 to 45 dB (V/m)	30 to 35 dB (V/m)
M4	< 40 dB (V/m)	< 30 dB (V/m)
	HAC Rate Category: M4	

Category	Telephone parameters WD signal quality [(signal + noise) – to – noise ratio in decibels]
Category T1	0 dB to 10 dB
Category T2	10 dB to 20 dB
Category T3	20 dB to 30 dB
Category T4	> 30 dB

The wireless telephone industry has developed a rating system for wireless mobile devices to assist hearing device users find mobile devices that may be compatible with their hearing devices. Not all mobile devices have been rated. Mobile devices that are rated have the rating on their box or a label located on the box.

The ratings are not guarantees. Results will vary depending on the user's hearing device and hearing loss. If your hearing device happens to be vulnerable to interference, you may not be able to use a rated mobile device successfully. Trying out the mobile device with your hearing device is the best way to evaluate it for your personal needs.