


Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	21333.3333	56.97	-102.99	-46.02	-40.00	6.02	RMS	Horizontal	PASS
2	35589.0666	42.44	-95.57	-53.13	-40.00	13.13	RMS	Horizontal	PASS
3	39529.1333	42.43	-91.43	-49.00	-40.00	9.00	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	21335.4666	46.95	-102.99	-56.04	-40.00	16.04	RMS	Vertical	PASS
2	35523.2666	42.13	-95.68	-53.55	-40.00	13.55	RMS	Vertical	PASS
3	39536.1333	42.49	-91.46	-48.97	-40.00	8.97	RMS	Vertical	PASS


Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3615.25	109.37	-87.04	22.33	-	-	RMS	Horizontal	NA
2	3833.8	39.30	-86.61	-47.31	-40.00	7.31	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	35.98	-90.94	-54.96	-40.00	14.96	RMS	Horizontal	PASS
2	15228.9333	33.95	-86.41	-52.46	-40.00	12.46	RMS	Horizontal	PASS
3	17352.2666	32.87	-82.49	-49.62	-40.00	9.62	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3615.25	110.18	-87.04	23.14	-	-	RMS	Vertical	NA
2	3870.1	39.30	-86.41	-47.11	-40.00	7.11	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	37.25	-90.94	-53.69	-40.00	13.69	RMS	Vertical	PASS
2	15072.1333	34.07	-86.29	-52.22	-40.00	12.22	RMS	Vertical	PASS
3	17344.3333	33.45	-82.66	-49.21	-40.00	9.21	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18091.4666	48.61	-104.07	-55.46	-40.00	15.46	RMS	Horizontal	PASS
2	21708.5333	56.16	-102.59	-46.43	-40.00	6.43	RMS	Horizontal	PASS
3	39465.6666	42.11	-91.36	-49.25	-40.00	9.25	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18090.6666	49.27	-104.07	-54.80	-40.00	14.80	RMS	Vertical	PASS
2	21709.6	50.61	-102.59	-51.98	-40.00	11.98	RMS	Vertical	PASS
3	39514.6666	42.05	-91.35	-49.30	-40.00	9.30	RMS	Vertical	PASS


Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3677.65	107.10	-87.18	19.92	-	-	RMS	Horizontal	NA
2	3837.1	39.38	-86.60	-47.22	-40.00	7.22	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	36.92	-90.94	-54.02	-40.00	14.02	RMS	Horizontal	PASS
2	13846.6666	34.46	-86.58	-52.12	-40.00	12.12	RMS	Horizontal	PASS
3	17328.9333	33.60	-83.36	-49.76	-40.00	9.76	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3677.95	108.28	-87.18	21.10	-	-	RMS	Vertical	NA
2	3871.15	39.16	-86.41	-47.25	-40.00	7.25	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	37.92	-90.94	-53.02	-40.00	13.02	RMS	Vertical	PASS
2	14612	34.31	-86.24	-51.93	-40.00	11.93	RMS	Vertical	PASS
3	17350.8666	33.67	-82.43	-48.76	-40.00	8.76	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18402.9333	52.72	-103.73	-51.01	-40.00	11.01	RMS	Horizontal	PASS
2	22084.5333	55.29	-102.51	-47.22	-40.00	7.22	RMS	Horizontal	PASS
3	39492.2666	42.17	-91.30	-49.13	-40.00	9.13	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	5MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18402.6666	46.07	-103.73	-57.66	-40.00	17.66	RMS	Vertical	PASS
2	22084	51.01	-102.51	-51.50	-40.00	11.50	RMS	Vertical	PASS
3	39488.0666	41.90	-91.31	-49.41	-40.00	9.41	RMS	Vertical	PASS


Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3559.9	116.61	-87.50	29.11	-	-	RMS	Horizontal	NA
2	3873.4	39.09	-86.39	-47.30	-40.00	7.30	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10467.5333	36.53	-91.11	-54.58	-40.00	14.58	RMS	Horizontal	PASS
2	14242.8666	36.26	-87.60	-51.34	-40.00	11.34	RMS	Horizontal	PASS
3	17347.6	32.87	-82.51	-49.64	-40.00	9.64	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3559.9	117.50	-87.50	30.00	-	-	RMS	Vertical	NA
2	3856	39.36	-86.48	-47.12	-40.00	7.12	RMS	Vertical	PASS