







Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2480.00, Hopping Mode: OFF, Modulation: BT (GFSK 1-DH5), Number of Transmission Chains = 1






Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2480.00, Hopping Mode: OFF, Modulation: BT (Pi/4 DQPSK 2-DH5), Number of Transmission Chains = 1

Band Edge



Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2480.00, Hopping Mode: OFF, Modulation: BT (8DPSK 3-DH5), Number of Transmission Chains = 1



RSS-247 5.5 / FCC 15.247 (d) Emission limitations radiated (Transmitter)

Limits

Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)/RSS-Gen):

Frequency Range (MHz)	Field strength ($\mu\text{V/m}$)	Field strength (dB $\mu\text{V/m}$)	Measurement distance (m)
0.009-0.490	2400/F(kHz)	-	300
0.490-1.705	24000/F(kHz)	-	30
1.705 - 30.0	30	-	30
30 - 88	100	40	3
88 - 216	150	43.5	3
216 - 960	200	46	3
Above 960	500	54	3

The emission limits shown in the above table are based on measurements employing CISPR quasi-peak detector except for the frequency bands 9-90 kHz, 110-490 kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector.

For average radiated emission measurements above 1000 MHz, there is also a limit corresponding to 20 dB above the indicated values in the table is specified when measuring with peak detector function.

RSS-247: Attenuation below the general field strength limits specified in RSS-Gen is not required.

Results

The results in the next tables show the maximum measured levels in the 1 – 26 GHz range including the restricted bands 2.31 – 2.39 GHz and 2.4835 – 2.5 GHz.

Modulation: BT (GFSK 1-DH5)

Freq (MHz)	Freq Rng (GHz)	Unwanted Freq (MHz)	Unwanted Lvl (dB $\mu\text{V/m}$)	Pol	Detector
2402.00	[3, 17]	4986.74	47.58	V	PK
2441.00		4997.10	49.78	V	PK
2480.00		4994.16	48.47	V	PK

Modulation: BT (Pi/4 DQPSK 2-DH5)

Freq (MHz)	Freq Rng (GHz)	Unwanted Freq (MHz)	Unwanted Lvl (dBµV/m)	Pol	Detector
2402.00	[3, 17]	4999.34	47.55	V	PK
2441.00		4998.64	44.59	V	PK

Modulation: BT (8DPSK 3-DH5)

Freq (MHz)	Freq Rng (GHz)	Unwanted Freq (MHz)	Unwanted Lvl (dBµV/m)	Pol	Detector
2402.00	[3, 17]	4995.98	47.36	V	PK
2441.00		4990.24	45.96	V	PK
2480.00		4988.42	45.17	H	PK

Verdict

Pass


Attachments

The setting for each range of frequency is indicated in the following tables:

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
Receiver: [ESR 7] 30 MHz - 1 GHz	30,312 kHz	PK+	100 kHz	1 s	0 dB
Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
Receiver: [FSW 50] 1 GHz - 3 GHz	200 kHz	PK+ ; AVG	1 MHz	1 s	0 dB
Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
Receiver: [FSW 50] 3 GHz - 17 GHz	140 kHz	PK+ ; AVG	1 MHz	1 s	0 dB
Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
Receiver: [FSW 50] 17 GHz - 26 GHz	90 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band (MHz) = [2400, 2483.5], Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (GFSK 1-DH5), Frequency Range (GHz) = [0.03, 1], Number of Transmission Chains = 1


Plots:




The spurious frequencies detected do not depend on the operating channel.
This plot is valid for Low, Middle and High Channels.

Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2402.00000, Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (GFSK 1-DH5), Frequency Range (GHz) = [1, 3]


Plots:



Full Spectrum




Full Spectrum




Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2441.00000, Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (GFSK 1-DH5), Frequency Range (GHz) = [1, 3]


Plots:



Full Spectrum




Full Spectrum




Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2480.00000, Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (GFSK 1-DH5), Frequency Range (GHz) = [1, 3]


Plots:



Full Spectrum




Full Spectrum




Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2402.00000, Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (GFSK 1-DH5), Frequency Range (GHz) = [3, 17]

Plots:




Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2441.00000, Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (GFSK 1-DH5), Frequency Range (GHz) = [3, 17]

Plots:




Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2480.00000, Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (GFSK 1-DH5), Frequency Range (GHz) = [3, 17]

Plots:



Operation Band (MHz) = [2400, 2483.5], Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (GFSK 1-DH5), Frequency Range (GHz) = [17, 26]


Plots:



This plot is valid for Low, Middle and High Channels.

Operation Band (MHz) = [2400, 2483.5], Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (Pi/4 DQPSK 2-DH5), Frequency Range (GHz) = [0.03, 1], Number of Transmission Chains = 1

Plots:




The spurious frequencies detected do not depend on the operating channel.


This plot is valid for Low, Middle and High Channels.

Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2402.00000, Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (Pi/4 DQPSK 2-DH5), Frequency Range (GHz) = [1, 3]


Plots:



Full Spectrum




Full Spectrum




Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2441.00000, Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (Pi/4 DQPSK 2-DH5), Frequency Range (GHz) = [1, 3]


Plots:



Full Spectrum




Full Spectrum




Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2480.00000, Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (Pi/4 DQPSK 2-DH5), Frequency Range (GHz) = [1, 3]


Plots:



Full Spectrum




Full Spectrum



Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2402.00000, Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (Pi/4 DQPSK 2-DH5), Frequency Range (GHz) = [3, 17]

Plots:



Operation Band (MHz) = [2400, 2483.5], Frequency (MHz) = 2441.00000, Equipment Type: Frequency Hopping Spread Spectrum systems (DSS), Modulation: BT (Pi/4 DQPSK 2-DH5), Frequency Range (GHz) = [3, 17]

Plots:

