

SAR Test Setup Photographs


- Head SAR Test Photo
- Body SAR Test Photo
- Phablet SAR Test Photo

■ Test Setup Photo (Liquid depth)



Note: The liquid depth is maintained at a minimum depth of 15 cm to minimize reflections from the upper surface.

■ Device Photo (Piezo Position)



-  Audio Sweet Spot (For Voice Call)
-  Piezo Actuator Position (Size: 35mmX08mm)

-  Mems type MIC

Front





Back

*Piezo Actuator Position



■ Test Setup Photo (Head SAR Test Photo)




■ Test Setup Photo



■ Test Setup Photo (Piezo Position #2)





■ Test Setup Photo (Piezo Position #3)



■ Test Setup Photo (Head SAR Test Photo)



■ Test Setup Photo




■ Test Setup Photo (Body SAR Test Photo)




■ Test Setup Photo (Top)




■ Test Setup Photo (Bottom)




■ Test Setup Photo (Front)




■ Test Setup Photo (Rear)



■ Test Setup Photo (Right)




■ Test Setup Photo (Left)





■ Test Setup Photo (Phablet SAR Test Photo)





■ Test Setup Photo (Top)



■ Test Setup Photo (Front)



■ Test Setup Photo (Rear)



■ Test Setup Photo (Left)

