

Rollease Acmeda Inc 750 East Main Street Stamford CT 06902-6320 USA T 800 552 5100 info@rolleaseacmeda.com

FCC/IC E-Label Information

Product Name: Push PRO Remote

FCC ID: 2AGGZ003B9ACA57


IC ID: 21769-003B9ACA57

1) FCC and IC Electronic Label Information:

The information that will be displayed on the e-label and information that will remain in the user manual (E- Manual), Quick Start Guide (Hard copy, shipped with the product), packaging and the physical label is shown below:

	On	On	On On		On	
Information	E-Label	E-Manual	Quick Start Guide	Product Label	Product Packaging	
FCC / IC ID number	Yes	Yes	Yes	-	Yes	
FCC / IC warning statements	Yes	Yes	Yes	-	-	
FCC Logo	Yes	Yes	Yes	-	-	
Product name/model number	Yes	Yes	-	Yes	Yes	

Image of the e-label screen is provided below:





Rollease Acmeda Inc 750 East Main Street Stamford CT 06902-6320 USA T 800 552 5100 info@rolleaseacmeda.com

2.1) Access to the required information on the e-label- FCC

KDB784748 D02 Requirements		Push PRO Remote – E Label for USA		
Section 3	-Information that can be displayed electronically -Any information required by other rules to be provided	Yes - The E-Label in the device displays the model number and FCC IC ID. All other required information by FCC is provided in the physical lable, manual,		
	in a physical form	and packaging of the Device.		
Section 4.1	User Steps to Access Information	Yes - Users can access the information in no more than 3 steps in the device's main menu. The actual steps are: Enter Main Menu > About > E-Label		
		The "Regulatory Information" menu option, on the E-Label page will display the additional regulatory information.		
Section 4.2	Products must not require special accessories or supplemental plug-ins (e.g., the installation of a SIM/USIM card) to access the information.	Yes - The information about how to access to e-lable is provided by below methods to the user: - QSG: A hard copy of QSG will be supplied inside the remote's packaging) - Electronic Manual: Is provided electronically In Rollease Acmeda's Website		
Section 4.3	Readability of Regulatory Information	Yes - The FCC ID, warning statements, and other regulatory information are displayed electronically in a manner that is legible without the aid of magnification.		
Section 4.4	Regulatory Information must be Secure	Yes - E-label will be programmed on the remote only by the manufacturer and will not be modifiable or removable during normal authorized activities by a third party.		
Section 4.5	Physical and Temporary label for Purchasing and Importation	Yes - A temporary label will be put on the device, or device's packaging, at the time of importation, marketing, and sales.		
Section 4.6	Additional Considerations	N/A		

2.2) Access to the required information on the e-label- ISED

RSS-Gen Annex B (normative) –		Push PRO Remote: E-Label for Canada		
Elect	ronic labeling (e-labelling) requirements			
B1	The e-label must display the following regulatory information: a. the ISED certification number and the model identification number for radio equipment b. any other information required to be provided on the surface of the device, unless such information is permitted to be included in the user manual or other packaging inserts	Yes - The device's e-lable will meet the requirements of B1.a and B1.b		
B2.1	Users shall be provided with clear instructions on how to access the regulatory information stored electronically (e-label). These instructions shall meet the following requirements: a. be provided in the user manual, operating instructions or packaging material (e.g. on the bags used to pack the device or on accompanying leaflets), or on a website related to the product b. not require the use of special access codes or accessories (e.g. SIM/USIM cards) c. not include more than three steps from the device's main menu	 a. Yes - The information about how to access to e-lable is provided by below are methods to the user: Quick Start Guide (QSG): A hard copy of QSG will be supplied inside the device's packaging. Electronic Manual b. Yes - The device does not require special code, accessories, or supplemental plug-ins to access the information. c. Yes - Users can access the information in no more than 3 steps in the device's main menu. The actual steps are: Enter Main Menu > About > E-Label The "Regulatory Information" menu option, on the E-Label page will display the additional regulatory information. 		
B2.2	The e-label shall meet the following requirements: a. be easily accessible by the user b. not be modifiable by the user (e.g. if stored in the firmware or software menus)	a. Yes - E-label is easily accessible by the user. b. Yes - E-labels cannot be modifiable by the user.		



USA | AUSTRALIA | EUROPE rolleaseacmeda.com

ROLLEASE ACMEDA USA

Rollease Acmeda Inc 750 East Main Street Stamford CT 06902-6320 USA

T 800 552 5100

info@rolleaseacmeda.com

	Products	utilizing e-labels are required to have a physical label on the	a.	N/A
	product packaging at the time of importation, marketing and sales. The			
	following conditions shall apply:			
	a. For devices imported in bulk (not packaged individually), a			
		removable adhesive label or, for devices in protective bags, a		
		label on the bags is acceptable to meet the physical		
		label requirement.		
	b.	Any removable label used shall survive normal shipping and		
B.3		handling and must only be removed by the customer after		
D.3		purchase. For devices already imported in individual packages	b.	Yes - A temporary label will be put on the device, or device's packaging,
		ready for sale, the information may alternatively be provided		at the time of importation, marketing, and sales.
		on the package and shall contain:		
		 The ISED certification number and the model 		
		identification number		
		ii. Any other information required to be provided on		
		the surface of the product unless such information		
		is permitted to be included in the user manual or		
		other packaging inserts.		
	The inform	mation to be displayed on the e-label, as per section B1, shall	a.	Yes - E-label can be only programmed on the remote by
	meet the following security requirements:			the manufacturer.
B4	a.	be programmed by the responsible party (e.g. manufacturer)		
	b.	not be modifiable or removable during the course of normal	b.	Yes - E-label is secured and cannot be modifiable or removed during
		authorized activities by a third party (i.e. the typical user),		normal authorized activities by a third party.
		such as installing applications or accessing menus		