

Page: 1 of 243

# ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





**Applicant:** Askey Computer Corporation

10F, No. 119, Jiankang Rd., Zhonghe Dist., New Taipei City,

Taiwan

Manufacturer: Askey Computer Corporation

10F, No. 119, Jiankang Rd., Zhonghe Dist., New Taipei City,

Taiwan

**Product Name:** 5G NR Sub 6 WiFi 7 Router

Brand Name: Verizon

Model No.: ASK-NCM1100E

Model Difference: N/A

Report Number: TERF2310002501E2

FCC ID H8N-ASK-NCM1100E

Date of EUT Received: October 4, 2023

Date of Test: October 4, 2023 ~ December 4, 2023

Issue Date: January 12, 2024

Approved By

Jay Lin

#### We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.247.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华结甲属聚剂建立样具色素,同既此样具属聚剂的干。大规华主领大风司事而连可,不可如以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 2 of 243

| Revision History |          |   |                   |            |        |  |  |  |
|------------------|----------|---|-------------------|------------|--------|--|--|--|
| Report Number    | Revision | Description                               | Issue Date        | Revised By | Remark |  |  |  |
| TERF2310002501E2 | 00       | Original.                                 | December 13, 2023 | Susan Lin  |        |  |  |  |
| TERF2310002501E2 | 01       | Update beamforming radiated bandedge data | January 12, 2024  | Susan Lin  | *      |  |  |  |
|                  |          |   |                   |            |        |  |  |  |
|                  |          |   |                   |            |        |  |  |  |
|                  |          |   |                   |            |        |  |  |  |
|                  |          |   |                   |            |        |  |  |  |
|                  |          |   |                   |            |        |  |  |  |

#### Note:

1. The remark "\*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 3 of 243

# **Table of Contents**

| 1  | GENERAL INFORMATION                                    | 4   |
|----|--|-----|
| 2  | SYSTEM TEST CONFIGURATION                              | 8   |
| 3  | SUMMARY OF TEST RESULTS                                | 12  |
| 4  | DESCRIPTION OF TEST MODES                              | 13  |
| 5  | MEASUREMENT UNCERTAINTY                                | 19  |
| 6  | MEASUREMENT EQUIPMENT USED                             | 20  |
| 7  | CONDUCTED EMISSION TEST                                | 23  |
| 8  | OUTPUT POWER MEASUREMENT                               | 29  |
| 9  | EMISSION BANDWIDTH MEASUREMENT                         | 40  |
| 10 | CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT | 57  |
| 11 | RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT    | 95  |
| 12 | POWER SPECTRAL DENSITY                                 | 227 |
| 13 | ANTENNA REQUIREMENT                                    | 243 |

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 4 of 243

### 1 GENERAL INFORMATION

### 1.1 Product Description

| Product Name:                 | 5G NR Sub 6 WiFi 7 Router |
|-------------------------------|---------------------------|
| Brand Name:                   | Verizon                   |
| Model No.:                    | ASK-NCM1100E              |
| Model Difference:             | N/A                       |
| Hardware Version:             | Rev4                      |
| Firmware Version:             | SDK 2.0.6                 |
| EUT Series No.:               | ACC33200089               |
| Power Supply:                 | 12V                       |
| Test Software (Name/Version): | MT7990 QA 0.0.2.99        |

# 1.2 RF Specification

Mode: CDD

WLAN 2.4GHz

| Wi-Fi            | Frequency | Channels                             | Rated Power (dBm)                | Modulation |  |  |  |
|------------------|-----------|--------------------------------------|----------------------------------|------------|--|--|--|
| ****             | Range     | Onamiolo                             | Avg                              | Technology |  |  |  |
| 802.11b          | 2412~2462 | 11                                   | DSSS                             |            |  |  |  |
| 802.11g          | 2412~2462 | 11                                   | 29.99                            | OFDM       |  |  |  |
| 802.11n20        | 2412~2462 | 11                                   | 29.87                            | OFDM       |  |  |  |
| 802.11n40        | 2422~2452 | 7                                    | 29.86                            | OFDM       |  |  |  |
| 802.11be20       | 2412~2462 | 11                                   | 29.81                            | OFDMA      |  |  |  |
| 802.11be40       | 2422~2452 | 7                                    | 29.89                            | OFDMA      |  |  |  |
|                  | •         | CCK, DQPS                            | SK, DBPSK for DSSS               |            |  |  |  |
| Modulation type: |           | 64QAM, 16QAM, QPSK, BPSK for OFDM    |                                  |            |  |  |  |
|                  |           | 4096 QAM, 1024 QAM, 256 QAM, 64QAM,  |                                  |            |  |  |  |
|                  |           | 16QAM, QPSK, BPSK for OFDMA          |                                  |            |  |  |  |
|                  |           | 802.11 b: 1/2/5.5/11 Mbps            |                                  |            |  |  |  |
|                  |           | 802.11 g: 6/9/12/18/24/36/48/54 Mbps |                                  |            |  |  |  |
|                  |           | 802.11 n_20MHz:up to 288.8Mbps       |                                  |            |  |  |  |
| Doto F           | ) oto:    | 802.11 n_40MHz:up to 600Mbps         |                                  |            |  |  |  |
| Data Rate:       |           | 802.11 ax_20MHz:up to 573.6Mbps      |                                  |            |  |  |  |
|                  |           |                                      | 802.11 ax_40MHz:up to 1147.2Mbps |            |  |  |  |
|                  |           |                                      | 802.11 be_20MHz:up to 688.2Mbps  |            |  |  |  |
|                  |           | 802.11 be_40MHz:up to 1376.5Mbps     |                                  |            |  |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之样具合善,同时此样里属是例如于。木型生主概未从司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 5 of 243

# **Mode: Beamforming**

#### WLAN 2.4GHz

| WEAT 2.TOIL |           |                                     |                   |            |  |  |
|-------------|-----------|-------------------------------------|-------------------|------------|--|--|
| Wi-Fi       | Frequency | Channels                            | Rated Power (dBm) | Modulation |  |  |
| V V I - I I | Range     | Chamileis                           | Avg.              | Technology |  |  |
| 802.11n20   | 2412~2462 | 11                                  | 29.65             | OFDM       |  |  |
| 802.11n40   | 2422~2452 | 7                                   | 29.84             | OFDM       |  |  |
| 802.11be20  | 2412~2462 | 11                                  | 29.76             | OFDMA      |  |  |
| 802.11be40  | 2422~2452 | 7                                   | 29.60             | OFDMA      |  |  |
|             |           | 64QAM, 16QAM, QPSK, BPSK for OFDM   |                   |            |  |  |
| Modulatio   | л цре.    | 4096 QAM, 1024 QAM, 256 QAM, 64QAM, |                   |            |  |  |
|             |           | 16QAM, QPSK, BPSK for OFDMA         |                   |            |  |  |
|             |           | 802.11 n_20MHz:up to 288.8Mbps      |                   |            |  |  |
|             |           | 802.11 n_40MHz:up to 600Mbps        |                   |            |  |  |
| Doto P      | lata:     | 802.11 ax_20MHz:up to 573.6Mbps     |                   |            |  |  |
| Data Rate:  |           | 802.11 ax_40MHz:up to 1147.2Mbps    |                   |            |  |  |
|             |           | 802.11 be_20MHz:up to 688.2Mbps     |                   |            |  |  |
|             |           | 802.11 be_40MHz:up to 1376.5Mbps    |                   |            |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 6 of 243

# **Spot Check** Mode: CDD

WLAN 2.4GHz

| Wi-Fi            | Frequency | Channels                             | Rated Power (dBm) | Modulation |  |  |
|------------------|-----------|--------------------------------------|-------------------|------------|--|--|
| VVI-F1           | Range     | Channels                             | Avg.              | Technology |  |  |
| 802.11b          | 2412~2462 | 11                                   | DSSS              |            |  |  |
| 802.11g          | 2412~2462 | 11                                   | 29.65             | OFDM       |  |  |
| 802.11n20        | 2412~2462 | 11                                   | 29.84             | OFDM       |  |  |
| 802.11n40        | 2422~2452 | 7                                    | 29.72             | OFDM       |  |  |
| 802.11be20       | 2412~2462 | 11                                   | OFDMA             |            |  |  |
| 802.11be40       | 2422~2452 | 7 29.56 OFDMA                        |                   |            |  |  |
|                  |           | CCK, DQPSK, DBPSK for DSSS           |                   |            |  |  |
| Modulation type: |           | 64QAM, 16QAM, QPSK, BPSK for OFDM    |                   |            |  |  |
|                  |           | 802.11 b: 1/2/5.5/11 Mbps            |                   |            |  |  |
|                  |           | 802.11 g: 6/9/12/18/24/36/48/54 Mbps |                   |            |  |  |
| Data Rate:       |           | 802.11 n_20MHz:up to 288.8Mbps       |                   |            |  |  |
| Dala Rale.       |           | 802.11 n_40MHz:up to 600Mbps         |                   |            |  |  |
|                  |           | 802.11 be_20MHz:up to 688.2Mbps      |                   |            |  |  |
|                  |           | 802.11 be_40MHz:up to 1376.5Mbps     |                   |            |  |  |

#### 1.3 **Antenna Designation**

| Antenna<br>Type | Antenna No. | Freq.<br>(MHz) | Peak<br>Antenna<br>Gain (dBi) | Directional<br>Gain (dBi) |
|-----------------|-------------|----------------|-------------------------------|---------------------------|
| РСВ             | Antenna 11  | 2412~2462      | 2.66                          | 5.81                      |
|                 | Antenna 12  | 2412~2462      | 4.49                          | 5.81                      |
|                 | Antenna 13  | 2412~2462      | 3.49                          | 5.81                      |
|                 | Antenna 14  | 2412~2462      | 3.24                          | 5.81                      |

#### Note:

- Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
- 2. Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 7 of 243

### 1.4 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247 FCC KDB 558074 D01 15.247 Meas Guidance v05r02 FCC KDB 662911 D01 Multiple Transmitter Output v02r01 ANSI C63.10:2013

#### 1.5 Test Facility

| Laboratory                                      | Test Site Address   | Test Site Name   | FCC Designa-<br>tion number | IC CAB |
|---|---|--|-----------------------------|--------|
|   | No.134, Wu Kung Road, New Taipei<br>Industrial Park, Wuku District, New<br>Taipei City, Taiwan. | SAC 1 SAC 2 SAC 3 Conduction 1 Conducted 1 Conducted 2 Conducted 3 Conducted 4 Conducted 5                                     | TW0027                      |        |
| SGS Taiwan Ltd. Central RF Lab. (TAF code 3702) | No.2, Keji 1st Rd., Guishan District,<br>Taoyuan City, Taiwan 333                               | Conducted 6 Conduction C SAC C SAC D SAC G Conducted A Conducted B Conducted C Conducted D Conducted E Conducted F Conducted G | TW0028                      | TW3702 |

**Note:** Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

### 1.6 Special Accessories

There are no special accessories used while test was conducted.

### 1.7 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 8 of 243

### SYSTEM TEST CONFIGURATION

#### 2.1 **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### 2.2 **EUT Exercise**

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

#### 2.3 **Test Procedure**

#### 2.3.1 **Conducted Emissions**

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

#### 2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

#### **Radiated Emissions**

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 9 of 243

### **Measurement Results Explanation Example**

#### 2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz


Radiated emission below 30MHz is measured in a 9m\*6m\*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.


There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.


#### 2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

#### 2.5 **Test Configuration**







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488




Page: 10 of 243

### **Spot Check**







#### 2.6 Control Unit(s)

| AC Power-Line Conducted Emission Test Site: Conduction C         |        |      |          |     |     |  |
|--|--------|------|----------|-----|-----|--|
| EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE. |        |      |          |     |     |  |
| Notebook   | Lenovo | T470 | P0001293 | N/A | N/A |  |

| Conducted Emission Test Site: Conducted F                        |                                       |  |  |  |  |  |
|--|---------------------------------------|--|--|--|--|--|
| EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE. |                                       |  |  |  |  |  |
| Notebook   | Notebook Lenovo L480 P0002332 N/A N/A |  |  |  |  |  |

| Radiated Emission Test Site: SAC G                               |            |                 |     |     |     |  |
|--|------------|-----------------|-----|-----|-----|--|
| EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE. |            |                 |     |     |     |  |
| Adapter  | MASS POWER | S065-1B120500VU | N/A | N/A | N/A |  |
| Notebook Lenovo T440p P0000665 N/A N/A                           |            |                 |     |     |     |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 11 of 243

#### **Spot Check**

| AC Power-Line Conducted Emission Test Site: Conduction C         |                                       |  |  |  |  |  |  |
|--|---------------------------------------|--|--|--|--|--|--|
| EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE. |                                       |  |  |  |  |  |  |
| Notebook   | Notebook Lenovo L480 P0002332 N/A N/A |  |  |  |  |  |  |

| Conducted Emission Test Site: Conducted F                       |        |      |          |     |     |  |  |  |  |
|---|--------|------|----------|-----|-----|--|--|--|--|
| EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE |        |      |          |     |     |  |  |  |  |
| Notebook  | Lenovo | L480 | P0002332 | N/A | N/A |  |  |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华结甲属聚剂建立样具色素,同既此样具属聚剂的干。大规华主领大风司事而连可,不可如以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 12 of 243

### SUMMARY OF TEST RESULTS

| FCC Rules                        | Description Of Test                                  | Result    | Note |
|----------------------------------|--|-----------|------|
| §15.207(a)                       | AC Power Line Conducted Emission                     | Compliant | S    |
| §15.247(b) (3)                   | Peak Output Power                                    | Compliant | S    |
| §15.247(a)(2)                    | Emission Bandwidth                                   | Compliant |      |
| §15.205<br>§15.209<br>§15.247(d) | Radiated & Conducted Band Edge and Spurious Emission | Compliant | S    |
| §15.247(e)                       | Power Spectral Density                               | Compliant |      |
| §15.203                          | Antenna Requirement                                  | Compliant |      |

#### Note

- 1. N/S Indicates whether item(s) being newly tested [N] or spot checked [S].
- 2. Items other than newly tested [N] are leveraged from test report TERF2308001922E2, FCC ID: H8N-ASK-NCM1100.
- 3. Summary of the spot check:

| Frequency Bnad | Original FCC ID:<br>H8N-ASK-NCM1100<br>(dBm) | Variant FCC ID:<br>H8N-ASK-NCM1100E<br>(dBm) | Deviation<br><=25% |
|----------------|--|--|--------------------|
| WIFI 2.4G      | 29.99  | 29.86  | -3%                |

| Frequency | Standard Limit<br>(CdB) | Ref max data<br>(RdB) | Var max data<br>(VdB) | Comparison<br>deviation<br>(DdB) | DdB Threshold           |
|-----------|-------------------------|-----------------------|-----------------------|----------------------------------|-------------------------|
| 2412 n20  | 74                      | -2.2                  | -0.91                 | 1.29                             | <6.81 or not exceed 6   |
| 2462 n20  | 54                      | -0.2                  | -1.71                 | -1.51                            | <5.71 or not exceed 6   |
| 2422 be40 | 54                      | -0.59                 | -1.87                 | -1.28                            | <5.7295 or not exceed 6 |
| 2452 be40 | 54                      | -0.71                 | -1.4                  | -0.69                            | <5.7355 or not exceed 6 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 13 of 243

### **DESCRIPTION OF TEST MODES**

#### 4.1 **Operating Frequencies**

### 2400. 2402 E MIL-

11

| 2400~2483.5 M | Hz             |     |                |
|---------------|----------------|-----|----------------|
| 201           | ИHz            | 401 | ИНz            |
| СН            | Freq.<br>(MHz) | СН  | Freq.<br>(MHz) |
| 1             | 2412           | 3   | 2422           |
| 2             | 2417           | 4   | 2427           |
| 3             | 2422           | 5   | 2432           |
| 4             | 2427           | 6   | 2437           |
| 5             | 2432           | 7   | 2442           |
| 6             | 2437           | 8   | 2447           |
| 7             | 2442           | 9   | 2452           |
| 8             | 2447           |     |                |
| 9             | 2452           |     |                |
| 10            | 2457           |     |                |

2462

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 14 of 243

#### 4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

The given UE is pre-scanned among below modes.

Mode: CDD

|   | Modulation |   | Transmission Chain |   |     |   |     |   |     | Tı | Single<br>ransmission<br>Spatial | Tı | Multi<br>ransmission<br>Spatial |
|---|------------|---|--------------------|---|-----|---|-----|---|-----|----|----------------------------------|----|---------------------------------|
| ٧ | 802.11 b   | ٧ | Ch0                | ٧ | Ch1 | ٧ | Ch2 | ٧ | Ch3 |    | 1TX                              | ٧  | 4TX                             |
| ٧ | 802.11 g   | ٧ | Ch0                | ٧ | Ch1 | ٧ | Ch2 | ٧ | Ch3 |    | 1TX                              | ٧  | 4TX                             |
| ٧ | 802.11 n   | ٧ | Ch0                | ٧ | Ch1 | ٧ | Ch2 | ٧ | Ch3 |    | 1TX                              | ٧  | 4TX                             |
|   | 802.11 ac  |   | Ch0                |   | Ch1 |   | Ch2 |   | Ch3 |    | 1TX                              |    | 4TX                             |
| ٧ | 802.11 ax  | ٧ | Ch0                | ٧ | Ch1 | ٧ | Ch2 | ٧ | Ch3 |    | 1TX                              | ٧  | 4TX                             |
| ٧ | 802.11 be  | ٧ | Ch0                | ٧ | Ch1 | ٧ | Ch2 | ٧ | Ch3 |    | 1TX                              | ٧  | 4TX                             |

### **Mode: Beamforming**

|   | Modulation |   | Transmission Chain |   |     |   |     |   | Tı  | Single<br>ransmission<br>Spatial | Tı  | Multi<br>ransmission<br>Spatial |     |
|---|------------|---|--------------------|---|-----|---|-----|---|-----|----------------------------------|-----|---------------------------------|-----|
|   | 802.11 b   |   | Ch0                |   | Ch1 |   | Ch2 |   | Ch3 |                                  | 1TX |                                 | 4TX |
|   | 802.11 g   |   | Ch0                |   | Ch1 |   | Ch2 |   | Ch3 |                                  | 1TX |                                 | 4TX |
| ٧ | 802.11 n   | ٧ | Ch0                | ٧ | Ch1 | ٧ | Ch2 | ٧ | Ch3 |                                  | 1TX | ٧                               | 4TX |
|   | 802.11 ac  |   | Ch0                |   | Ch1 |   | Ch2 |   | Ch3 |                                  | 1TX |                                 | 4TX |
| ٧ | 802.11 ax  | ٧ | Ch0                | ٧ | Ch1 | ٧ | Ch2 | ٧ | Ch3 |                                  | 1TX | ٧                               | 4TX |
| ٧ | 802.11 be  | ٧ | Ch0                | ٧ | Ch1 | ٧ | Ch2 | ٧ | Ch3 |                                  | 1TX | ٧                               | 4TX |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 15 of 243

**Spot Check** Mode: CDD

|   | Modulation |   | Transmission Chain |   |     |   |     |   |     | Tı | Single<br>ransmission<br>Spatial | Tı | Multi<br>ransmission<br>Spatial |
|---|------------|---|--------------------|---|-----|---|-----|---|-----|----|----------------------------------|----|---------------------------------|
| ٧ | 802.11 b   | ٧ | Ch0                | ٧ | Ch1 | ٧ | Ch2 | ٧ | Ch3 |    | 1TX                              | ٧  | 4TX                             |
| ٧ | 802.11 g   | ٧ | Ch0                | ٧ | Ch1 | ٧ | Ch2 | ٧ | Ch3 |    | 1TX                              | ٧  | 4TX                             |
| ٧ | 802.11 n   | ٧ | Ch0                | ٧ | Ch1 | ٧ | Ch2 | ٧ | Ch3 |    | 1TX                              | ٧  | 4TX                             |
|   | 802.11 ac  |   | Ch0                |   | Ch1 |   | Ch2 |   | Ch3 |    | 1TX                              |    | 4TX                             |
| ٧ | 802.11 ax  | ٧ | Ch0                | ٧ | Ch1 | ٧ | Ch2 | ٧ | Ch3 | ٧  | 1TX                              |    | 4TX                             |
| ٧ | 802.11 be  | ٧ | Ch0                | ٧ | Ch1 | ٧ | Ch2 | ٧ | Ch3 |    | 1TX                              | ٧  | 4TX                             |

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 16 of 243

| Mod | e: C | DD |
|-----|------|----|
|-----|------|----|

|                  | Conducted            |                   |            |                     |                 |  |  |  |  |  |  |
|------------------|----------------------|-------------------|------------|---------------------|-----------------|--|--|--|--|--|--|
| MODE             | AVAILABLE<br>CHANNEL | TESTED<br>CHANNEL | MODULATION | DATA RATE<br>(Mbps) | ANTENNA<br>PORT |  |  |  |  |  |  |
| 802.11b          | 1 to 11              | 1,6,11            | DSSS       | 1                   | 4TX             |  |  |  |  |  |  |
| 802.11g          | 1 to 11              | 1,6,11            | OFDM       | 6                   | 4TX             |  |  |  |  |  |  |
| 802.11n (HT20)   | 1 to 11              | 1,6,11            | OFDM       | MCS0                | 4TX             |  |  |  |  |  |  |
| 802.11n (HT40)   | 3 to 9               | 3,6,9             | OFDM       | MCS0                | 4TX             |  |  |  |  |  |  |
| 802.11be (EHT20) | 1 to 11              | 1,6,11            | OFDMA      | MCS0                | 4TX             |  |  |  |  |  |  |
| 802.11be (EHT40) | 3 to 9               | 3,6,9             | OFDMA      | MCS0                | 4TX             |  |  |  |  |  |  |

|                  | TRANSMIT RADIATED EMISSION TEST (BELOW 1 GHz) |                   |            |                     |                 |  |  |  |  |  |  |
|------------------|---|-------------------|------------|---------------------|-----------------|--|--|--|--|--|--|
| MODE             | AVAILABLE<br>CHANNEL                          | TESTED<br>CHANNEL | MODULATION | DATA RATE<br>(Mbps) | ANTENNA<br>PORT |  |  |  |  |  |  |
| 802.11g          | 1 to 11                                       | 6                 | OFDM       | 6                   | 4TX             |  |  |  |  |  |  |
| 802.11be (EHT40) | 3 to 9  | 6                 | OFDMA      | MCS0                | 4TX             |  |  |  |  |  |  |

| TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz) |                      |                   |            |                     |                 |  |  |  |  |
|---|----------------------|-------------------|------------|---------------------|-----------------|--|--|--|--|
| MODE  | AVAILABLE<br>CHANNEL | TESTED<br>CHANNEL | MODULATION | DATA RATE<br>(Mbps) | ANTENNA<br>PORT |  |  |  |  |
| 802.11b                                       | 1 to 11              | 1,6,11            | DSSS       | 1                   | 4TX             |  |  |  |  |
| 802.11g                                       | 1 to 11              | 1,6,11            | OFDM       | 6                   | 4TX             |  |  |  |  |
| 802.11n (HT20)                                | 1 to 11              | 1,6,11            | OFDM       | MCS0                | 4TX             |  |  |  |  |
| 802.11n (HT40)                                | 3 to 9               | 3,6,9             | OFDM       | MCS0                | 4TX             |  |  |  |  |
| 802.11be (EHT20)                              | 1 to 11              | 1,6,11            | OFDMA      | MCS0                | 4TX             |  |  |  |  |
| 802.11be (EHT40)                              | 3 to 9               | 3,6,9             | OFDMA      | MCS0                | 4TX             |  |  |  |  |

#### Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 17 of 243

Mode: Beamforming

| Conducted        |                      |                   |            |                     |                 |  |  |  |  |
|------------------|----------------------|-------------------|------------|---------------------|-----------------|--|--|--|--|
| MODE             | AVAILABLE<br>CHANNEL | TESTED<br>CHANNEL | MODULATION | DATA RATE<br>(Mbps) | ANTENNA<br>PORT |  |  |  |  |
| 802.11n (HT20)   | 1 to 11              | 1,6,11            | OFDM       | MCS0                | 4TX             |  |  |  |  |
| 802.11n (HT40)   | 3 to 9               | 3,6,9             | OFDM       | MCS0                | 4TX             |  |  |  |  |
| 802.11be (EHT20) | 1 to 11              | 1,6,11            | OFDMA      | MCS0                | 4TX             |  |  |  |  |
| 802.11be (EHT40) | 3 to 9               | 3,6,9             | OFDMA      | MCS0                | 4TX             |  |  |  |  |

| TRANSMIT RADIATED EMISSION TEST (BELOW 1 GHz)                 |   |   |       |      |     |  |  |  |  |
|---|---|---|-------|------|-----|--|--|--|--|
| MODE AVAILABLE TESTED MODULATION DATA RATE ANTEND (Mbps) PORT |   |   |       |      |     |  |  |  |  |
| 802.11n (HT20)  | 6 | 6 | OFDM  | MCS0 | 4TX |  |  |  |  |
| 802.11be (EHT40)  | 6 | 6 | OFDMA | MCS0 | 4TX |  |  |  |  |

| TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz) |                      |                   |            |                     |                 |  |  |  |  |
|---|----------------------|-------------------|------------|---------------------|-----------------|--|--|--|--|
| MODE  | AVAILABLE<br>CHANNEL | TESTED<br>CHANNEL | MODULATION | DATA RATE<br>(Mbps) | ANTENNA<br>PORT |  |  |  |  |
| 802.11n (HT20)                                | 1 to 11              | 1,6,11            | OFDM       | MCS0                | 4TX             |  |  |  |  |
| 802.11n (HT40)                                | 3 to 9               | 3,6,9             | OFDM       | MCS0                | 4TX             |  |  |  |  |
| 802.11be (EHT20)                              | 1 to 11              | 1,6,11            | OFDMA      | MCS0                | 4TX             |  |  |  |  |
| 802.11be (EHT40)                              | 3 to 9               | 3,6,9             | OFDMA      | MCS0                | 4TX             |  |  |  |  |

#### Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 18 of 243

# Spot Check Mode: CDD

|                  | Conducted            |                   |            |                     |                     |                 |  |  |  |  |  |
|------------------|----------------------|-------------------|------------|---------------------|---------------------|-----------------|--|--|--|--|--|
| MODE             | AVAILABLE<br>CHANNEL | TESTED<br>CHANNEL | MODULATION | RU<br>CONFIGURATION | DATA RATE<br>(Mbps) | ANTENNA<br>PORT |  |  |  |  |  |
| 802.11b          | 1 to 11              | 1,6,11            | DSSS       | N/A                 | 1                   | 4TX             |  |  |  |  |  |
| 802.11g          | 1 to 11              | 1,6,11            | OFDM       | N/A                 | 6                   | 4TX             |  |  |  |  |  |
| 802.11n (HT20)   | 1 to 11              | 1,6,11            | OFDM       | N/A                 | MCS0                | 4TX             |  |  |  |  |  |
| 802.11n (HT40)   | 3 to 9               | 3,6,9             | OFDM       | N/A                 | MCS0                | 4TX             |  |  |  |  |  |
| 802.11be (EHT20) | 1 to 11              | 1,6,11            | OFDMA      | FULL RU             | MCS0                | 4TX             |  |  |  |  |  |
| 802.11be (EHT40) | 3 to 9               | 3,6,9             | OFDMA      | FULL RU             | MCS0                | 4TX             |  |  |  |  |  |

|                | TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz) |                   |            |                     |                     |                 |  |  |  |  |  |
|----------------|---|-------------------|------------|---------------------|---------------------|-----------------|--|--|--|--|--|
| MODE           | AVAILABLE<br>CHANNEL                          | TESTED<br>CHANNEL | MODULATION | RU<br>CONFIGURATION | DATA RATE<br>(Mbps) | ANTENNA<br>PORT |  |  |  |  |  |
| 802.11b        | 1 to 11                                       | 1                 | DSSS       | N/A                 | 1                   | 4TX             |  |  |  |  |  |
| 802.11g        | 1 to 11                                       | 1                 | OFDM       | N/A                 | 6                   | 4TX             |  |  |  |  |  |
| 802.11n_HT20   | 1 to 11                                       | 1                 | OFDM       | N/A                 | MCS0                | 4TX             |  |  |  |  |  |
| 802.11n_HT40   | 3 to 9  | 6                 | OFDM       | N/A                 | MCS0                | 4TX             |  |  |  |  |  |
| 802.11be_EHT20 | 1 to 11                                       | 1                 | OFDMA      | FULL RU             | MCS0                | 4TX             |  |  |  |  |  |
| 802.11be_EHT40 | 3 to 9  | 9                 | OFDMA      | FULL RU             | MCS0                | 4TX             |  |  |  |  |  |

#### Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

# **Mode: Beamforming**

| TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz) |                      |                   |            |                     |                     |                 |  |  |  |  |
|---|----------------------|-------------------|------------|---------------------|---------------------|-----------------|--|--|--|--|
| MODE  | AVAILABLE<br>CHANNEL | TESTED<br>CHANNEL | MODULATION | RU<br>CONFIGURATION | DATA RATE<br>(Mbps) | ANTENNA<br>PORT |  |  |  |  |
| 802.11n_HT20                                  | 1 to 11              | 1,11              | OFDM       | N/A                 | MCS0                | 4TX             |  |  |  |  |
| 802.11be_EHT40                                | 3 to 9               | 3,9               | OFDMA      | FULL RU             | MCS0                | 4TX             |  |  |  |  |

#### Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华结甲属聚剂建立样具色素,同既此样具属聚剂的干。大规华主领大风司事而连可,不可如以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 19 of 243

### 5 MEASUREMENT UNCERTAINTY

| Test Items                                 | Uncertainty |      |    |
|--|-------------|------|----|
| AC Power Line Conducted Emission           | +/-         | 2.32 | dB |
| Output Power measurement                   | +/-         | 1    | dB |
| Emission Bandwidth                         | +/-         | 1.53 | Hz |
| Undesignable radiated emission measurement | +/-         | 1.68 | dB |
| Peak Power Density                         | +/-         | 2.16 | dB |
| Temperature                                | +/-         | 0.7  | °C |
| Humidity                                   | +/-         | 3    | %  |
| DC / AC Power Source                       | +/-         | 1    | %  |

| Radiated Spurious Emission Measurement Uncertainty |     |   |               |                 |  |  |  |
|--|-----|---|---------------|-----------------|--|--|--|
|  | +/- | 2.8   | dB            | 9kHz~30MHz      |  |  |  |
| Dalavisetias Ventical                              | +/- | 4.82  | dB            | 30MHz - 1000MHz |  |  |  |
| Polarization: Vertical                             | +/- | 4.37  | dB            | 1GHz - 18GHz    |  |  |  |
|  | +/- | +/-       2.8       dB       9kHz         +/-       4.82       dB       30MHz         +/-       4.37       dB       1GHz         +/-       4.21       dB       18GHz         +/-       2.8       dB       9kHz         +/-       4.54       dB       30MHz         +/-       4.37       dB       1GHz | 18GHz - 40GHz |                 |  |  |  |
|  | +/- | 2.8   | dB            | 9kHz~30MHz      |  |  |  |
|  | +/- | 4.54  | dB            | 30MHz - 1000MHz |  |  |  |
| Polarization: Horizontal                           | +/- | 4.37  | dB            | 1GHz - 18GHz    |  |  |  |
|  | +/- | 4.21  | dB            | 18GHz - 40GHz   |  |  |  |

### Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 20 of 243

### MEASUREMENT EQUIPMENT USED

#### 6.1 **Emission from AC power line**

|                   | AC Power-Line Conducted Emission Test Site: Conduction C |               |                             |            |            |  |  |  |  |
|-------------------|--|---------------|-----------------------------|------------|------------|--|--|--|--|
| EQUIPMENT TYPE    | MFR  | MODEL NUMBER  | SERIAL NUMBER               | LAST CAL.  | CAL DUE.   |  |  |  |  |
| LISN              | SCHWARZBECK<br>Mess-Elektronik                           | NSLK8127      | 974                         | 06/19/2023 | 06/18/2024 |  |  |  |  |
| EMI Test Receiver | R&S  | ESCI          | 101342                      | 04/24/2023 | 04/23/2024 |  |  |  |  |
| Coaxial Cable     | EC Lab   | RF-HY-CAB-250 | RF-HY-CAB-250-01            | 03/27/2023 | 03/26/2024 |  |  |  |  |
| Pulse Limiter     | EC Lab   | VTSD 9561F-N  | 485                         | 03/27/2023 | 03/26/2024 |  |  |  |  |
| Test Software     | audix  | e3            | E3 20923 SGS Ver.9<br>( C ) | N.C.R      | N.C.R      |  |  |  |  |

### **Spot Check**

|                   | AC Power-Line Conducted Emission Test Site: Conduction C |               |                             |            |            |  |  |  |  |  |
|-------------------|--|---------------|-----------------------------|------------|------------|--|--|--|--|--|
| EQUIPMENT TYPE    | MFR  | MODEL NUMBER  | SERIAL NUMBER               | LAST CAL.  | CAL DUE.   |  |  |  |  |  |
| LISN              | SCHWARZBECK<br>Mess-Elektronik                           | NSLK8127      | 974                         | 06/19/2023 | 06/18/2024 |  |  |  |  |  |
| EMI Test Receiver | R&S  | ESCI          | 101342                      | 04/24/2023 | 04/23/2024 |  |  |  |  |  |
| Coaxial Cable     | EC Lab   | RF-HY-CAB-250 | RF-HY-CAB-250-01            | 03/27/2023 | 03/26/2024 |  |  |  |  |  |
| Pulse Limiter     | EC Lab   | VTSD 9561F-N  | 485                         | 03/27/2023 | 03/26/2024 |  |  |  |  |  |
| Test Software     | audix  | e3            | E3 20923 SGS Ver.9<br>( C ) | N.C.R      | N.C.R      |  |  |  |  |  |

#### 6.2 **Conducted Measurement**

| Conducted Emission Test Site: Conducted F |            |                        |               |            |            |  |  |  |  |
|---|------------|------------------------|---------------|------------|------------|--|--|--|--|
| EQUIPMENT TYPE                            | MFR        | MODEL NUMBER           | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |  |  |  |  |
| Spectrum Analyzer                         | KEYSIGHT   | N9010B                 | MY59071574    | 06/29/2023 | 06/28/2024 |  |  |  |  |
| Power Meter                               | Anritsu    | ML2496A                | 1326001       | 08/22/2023 | 08/21/2024 |  |  |  |  |
| Power Sensor                              | Anritsu    | MA2411B                | 1315048       | 08/22/2023 | 08/21/2024 |  |  |  |  |
| Power Sensor                              | Anritsu    | MA2411B                | 1315049       | 08/22/2023 | 08/21/2024 |  |  |  |  |
| Power Meter                               | Anritsu    | ML2496A                | 2138005       | 09/25/2023 | 09/24/2024 |  |  |  |  |
| Power Sensor                              | Anritsu    | MA2411B                | 1911395       | 09/25/2023 | 09/24/2024 |  |  |  |  |
| Power Sensor                              | Anritsu    | MA2411B                | 1911396       | 09/25/2023 | 09/24/2024 |  |  |  |  |
| Test Software                             | SGS Taiwan | Radio Test<br>Software | Ver.21        | N.C.R      | N.C.R      |  |  |  |  |
| Attenuator                                | Marvelous  | MVE2213-10             | RF06          | 11/16/2022 | 11/15/2023 |  |  |  |  |
| Attenuator                                | Woken      | WATT-218FS-10          | RF16          | 11/16/2022 | 11/15/2023 |  |  |  |  |
| Attenuator                                | Woken      | WATT-218FS-10          | RF22          | 11/16/2022 | 11/15/2023 |  |  |  |  |
| Attenuator                                | Woken      | WATT-218FS-10          | RF23          | 11/16/2022 | 11/15/2023 |  |  |  |  |
| DC Block                                  | PASTERNACK | PE8210                 | RF153         | 11/16/2022 | 11/15/2023 |  |  |  |  |
| Coaxial Cables                            | Woken      | 00100A1F2A196C         | RF53          | 11/16/2022 | 11/15/2023 |  |  |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 21 of 243

### **Spot Check**

| Conducted Emission Test Site: Conducted F |            |                        |               |            |            |  |  |  |  |
|---|------------|------------------------|---------------|------------|------------|--|--|--|--|
| EQUIPMENT TYPE                            | MFR        | MODEL NUMBER           | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |  |  |  |  |
| Spectrum Analyzer                         | KEYSIGHT   | N9010B                 | MY59071574    | 06/29/2023 | 06/28/2024 |  |  |  |  |
| Power Meter                               | Anritsu    | ML2496A                | 1804002       | 04/26/2023 | 04/25/2024 |  |  |  |  |
| Power Sensor                              | Anritsu    | MA2411B                | 1726105       | 04/26/2023 | 04/25/2024 |  |  |  |  |
| Power Sensor                              | Anritsu    | MA2411B                | 1726106       | 04/26/2023 | 04/25/2024 |  |  |  |  |
| Power Meter                               | Anritsu    | ML2496A                | 1326001       | 08/22/2023 | 08/21/2024 |  |  |  |  |
| Power Sensor                              | Anritsu    | MA2411B                | 1315048       | 08/22/2023 | 08/21/2024 |  |  |  |  |
| Power Sensor                              | Anritsu    | MA2411B                | 1315049       | 08/22/2023 | 08/21/2024 |  |  |  |  |
| Test Software                             | SGS Taiwan | Radio Test<br>Software | Ver.21        | N.C.R      | N.C.R      |  |  |  |  |
| Attenuator                                | Marvelous  | MVE2213-10             | RF06          | 11/15/2023 | 11/14/2024 |  |  |  |  |
| Attenuator                                | Marvelous  | MVE2213-10             | RF12          | 11/15/2023 | 11/14/2024 |  |  |  |  |
| Attenuator                                | Woken      | WATT-218FS-10          | RF22          | 11/15/2023 | 11/14/2024 |  |  |  |  |
| Attenuator                                | Woken      | WATT-218FS-10          | RF23          | 11/15/2023 | 11/14/2024 |  |  |  |  |
| DC Block                                  | PASTERNACK | PE8210                 | RF153         | 11/15/2023 | 11/14/2024 |  |  |  |  |

#### 6.3 Radiated Measurement

|                      | Radiated Emission Test Site: |  |                             |            |  |  |  |  |  |  |
|----------------------|------------------------------|--|-----------------------------|------------|--|--|--|--|--|--|
| EQUIPMENT TYPE       | MFR                          | MODEL NUMBER                           | SERIAL NUMBER               | LAST CAL.  | CAL DUE.   |  |  |  |  |  |
| Broadband<br>Antenna | SCHWARZBECK                  | VULB 9168                              | 1206                        | 01/17/2023 | 01/16/2024   |  |  |  |  |  |
| Horn Antenna         | Schwarzbeck                  | BBHA9170                               | 184                         | 12/30/2022 | 12/29/2023   |  |  |  |  |  |
| Horn Antenna         | Schwarzbeck                  | BBHA9170                               | 185                         | 08/21/2023 | 08/20/2024   |  |  |  |  |  |
| Horn Antenna RF SPIN |                              | DRH18-E                                | 210105A18E                  | 04/18/2023 | 04/17/2024   |  |  |  |  |  |
| Loop Antenna         | ETS.LINDGREN                 | 6502                                   | 14303                       | 05/23/2023 | 05/22/2024   |  |  |  |  |  |
| 3m Site NSA          | SGS                          | 966 chamber G                          | N/A                         | 03/30/2023 | 03/29/2024   |  |  |  |  |  |
| Spectrum Analyzer    | KEYSIGHT                     | N9010A                                 | MY51440113                  | 07/17/2023 | 07/16/2024   |  |  |  |  |  |
| Pre-Amplifier        | EMC Instruments              | EMC330N                                | 980781                      | 03/15/2023 | 03/14/2024   |  |  |  |  |  |
| Pre-Amplifier        | EMC Instruments              | EMC118A45SE                            | 980815                      | 03/15/2023 | 03/14/2024   |  |  |  |  |  |
| Coaxial Cable        | EMC Instruments              | EMCCFD400-NM-<br>NM-8000-5000-<br>2000 | 210216 \<br>210217 \ 210218 | 03/15/2023 | 01/16/2024<br>12/29/2023<br>08/20/2024<br>04/17/2024<br>05/22/2024<br>03/29/2024<br>07/16/2024<br>03/14/2024 |  |  |  |  |  |
| Coaxial Cable        | EMC Instruments              | EMC104-SM-SM-<br>8000-5000-5000        | 210219 \<br>210220 \ 210221 | 03/15/2023 | 03/14/2024   |  |  |  |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 22 of 243

### **Spot Check**

|                      | Radiated Emission Test Site: SAC G |                                 |                             |            |  |  |  |  |  |  |
|----------------------|------------------------------------|---------------------------------|-----------------------------|------------|--|--|--|--|--|--|
| EQUIPMENT TYPE MFR   |                                    | MODEL NUMBER                    | SERIAL NUMBER               | LAST CAL.  | CAL DUE.   |  |  |  |  |  |
| Horn Antenna         | Schwarzbeck                        | BBHA9170                        | 184                         | 12/30/2022 | 12/29/2023   |  |  |  |  |  |
| Horn Antenna RF SPIN |                                    | DRH18-E                         | 210105A18E                  | 04/18/2023 | 04/17/2024   |  |  |  |  |  |
| 3m Site NSA          | SGS                                | 966 chamber G                   | N/A                         | 03/30/2023 | 03/29/2024   |  |  |  |  |  |
| Spectrum Analyzer    | KEYSIGHT                           | N9010A                          | MY51440113                  | 07/17/2023 | 07/16/2024   |  |  |  |  |  |
| Pre-Amplifier        | EMC Instruments                    | EMC118A45SE                     | 980815                      | 03/15/2023 | 03/14/2024   |  |  |  |  |  |
| Pre-Amplifier        | EMC Instruments                    | EMC184945SEE                    | 980938                      | 11/15/2023 | 11/14/2024   |  |  |  |  |  |
| Coaxial Cable        | EMC Instruments                    | EMC104-SM-SM-<br>8000-5000-5000 | 210219 \<br>210220 \ 210221 | 03/15/2023 | 12/29/2023<br>04/17/2024<br>03/29/2024<br>07/16/2024<br>03/14/2024 |  |  |  |  |  |

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 23 of 243

### 7 CONDUCTED EMISSION TEST

# 7.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

| Frequency range | Limits<br>(dBuV) |          |  |  |  |  |
|-----------------|------------------|----------|--|--|--|--|
| MHz             | Quasi-peak       | Average  |  |  |  |  |
| 0.15 to 0.50    | 66 to 56         | 56 to 46 |  |  |  |  |
| 0.50 to 5       | 56               | 46       |  |  |  |  |
| 5 to 30         | 60               | 50       |  |  |  |  |


#### Note

- 1. The lower limit shall apply at the transition frequencies
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

### 7.2 EUT Setup:

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

### 7.3 Test Setup



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 24 of 243

#### 7.4 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

#### 7.5 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The \* reveals the worst-case results that closest to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华结甲属聚剂建立样具色素,同既此样具属聚剂的干。大规华主领大风司事而连可,不可如以推制。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 25 of 243

### AC POWER LINE CONDUCTED EMISSION TEST DATA

**Test Site** Report Number :Conduction C :TERF2308001922E2 Test Mode :2.4G Test Date :2023-10-11 Power :120V60Hz Temp./Humi. :22.5°C/54% Probe :L1 Engineer :Temo Chen



| Freq.  | Detector | Spectrum      | Factor | Actual | Limit | Margin |
|--------|----------|---------------|--------|--------|-------|--------|
|        | Mode     | Reading Level |        | FS     |       |        |
| MHz    | PK/QP/AV | dΒμV          | dB     | dΒμV   | dΒμV  | dB     |
|        |          |               |        |        |       |        |
| 0.168  | Average  | 21.90         | 10.28  | 32.18  | 55.08 | -22.90 |
| 0.168  | QP       | 40.60         | 10.28  | 50.88  | 65.08 | -14.20 |
| 0.190  | Average  | 21.20         | 10.28  | 31.48  | 54.03 | -22.55 |
| 0.190  | QP       | 38.20         | 10.28  | 48.48  | 64.03 | -15.55 |
| 0.222  | Peak     | 37.71         | 10.28  | 47.99  | 62.76 | -14.77 |
| 0.260  | Peak     | 33.27         | 10.29  | 43.56  | 61.42 | -17.85 |
| 0.604  | Peak     | 28.24         | 10.33  | 38.57  | 56.00 | -17.43 |
| 18.025 | Peak     | 19.46         | 10.77  | 30.24  | 60.00 | -29.76 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 26 of 243

Report Number :TERF2308001922E2

Test Mode :2.4G

Power :120V60Hz


Probe :N

Test Site :Conduction C

Test Date :2023-10-11

Temp./Humi. :22.5°C/54%

Engineer :Temo Chen



| Freq.  | Detector<br>Mode | Spectrum<br>Reading Level | Factor | Actual<br>FS | Limit | Margin |
|--------|------------------|---------------------------|--------|--------------|-------|--------|
| MHz    | PK/QP/AV         | dΒμV                      | dB     | dΒμV         | dΒμV  | dB     |
|        |                  |                           |        |              |       |        |
| 0.175  | Average          | 21.20                     | 10.65  | 31.85        | 54.73 | -22.88 |
| 0.175  | QP               | 39.60                     | 10.65  | 50.25        | 64.73 | -14.48 |
| 0.205  | Average          | 20.00                     | 10.65  | 30.65        | 53.39 | -22.74 |
| 0.205  | QP               | 36.20                     | 10.65  | 46.85        | 63.39 | -16.54 |
| 0.233  | Peak             | 35.87                     | 10.64  | 46.51        | 62.33 | -15.82 |
| 0.272  | Peak             | 33.32                     | 10.63  | 43.95        | 61.06 | -17.11 |
| 0.619  | Peak             | 27.96                     | 10.62  | 38.58        | 56.00 | -17.42 |
| 17.276 | Peak             | 20.10                     | 11.12  | 31.22        | 60.00 | -28.78 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 台灣檢驗科技股份有限公司 t (8



Page: 27 of 243


#### **Spot Check**

Report Number **Test Site** :Conduction C :TERF2310002501E2

**Test Mode** :2.4G **Test Date** :2023-12-04

Power :120/60Hz Temp./Humi. :22.6/70

Probe :L1 Engineer :Temo Chen



| Freq.  | Detector<br>Mode | Spectrum<br>Reading Level | Factor | Actual<br>FS | Limit | Margin |
|--------|------------------|---------------------------|--------|--------------|-------|--------|
| MHz    | PK/QP/AV         | dΒμV                      | dB     | dΒμV         | dΒμV  | dB     |
|        |                  |                           |        |              |       |        |
| 0.181  | Average          | 18.10                     | 10.28  | 28.38        | 54.45 | -26.07 |
| 0.181  | QP               | 32.90                     | 10.28  | 43.18        | 64.45 | -21.27 |
| 0.224  | Peak             | 32.53                     | 10.28  | 42.81        | 62.69 | -19.87 |
| 0.286  | Peak             | 29.07                     | 10.29  | 39.37        | 60.64 | -21.27 |
| 0.351  | Peak             | 26.19                     | 10.30  | 36.49        | 58.95 | -22.45 |
| 0.574  | Peak             | 24.78                     | 10.32  | 35.10        | 56.00 | -20.90 |
| 17.721 | Peak             | 24.10                     | 10.77  | 34.87        | 60.00 | -25.13 |
|        |                  |                           |        |              |       |        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.sqs.com.tw




Page: 28 of 243

Report Number :TERF2310002501E2 Test Site :Conduction C

Test Mode :2.4G Test Date :2023-12-04

Power :120/60Hz Temp./Humi. :22.6/70

Probe :N Engineer :Temo Chen



| Freq.  | Detector<br>Mode | Spectrum<br>Reading Level | Factor | Actual<br>FS | Limit | Margin |
|--------|------------------|---------------------------|--------|--------------|-------|--------|
| MHz    | PK/QP/AV         | dΒμV                      | dB     | dΒμV         | dΒμV  | dB     |
|        |                  |                           |        |              |       |        |
| 0.163  | Average          | 21.30                     | 10.29  | 31.59        | 55.29 | -23.71 |
| 0.163  | QP               | 35.50                     | 10.29  | 45.79        | 65.29 | -19.51 |
| 0.207  | Peak             | 36.59                     | 10.28  | 46.88        | 63.32 | -16.44 |
| 0.235  | Peak             | 35.31                     | 10.28  | 45.59        | 62.26 | -16.67 |
| 0.325  | Peak             | 29.25                     | 10.29  | 39.54        | 59.58 | -20.05 |
| 0.604  | Peak             | 25.52                     | 10.31  | 35.84        | 56.00 | -20.16 |
| 18.178 | Peak             | 23.71                     | 10.77  | 34.48        | 60.00 | -25.52 |
|        |                  |                           |        |              |       |        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他接口底尺向的手,太阳如此连侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. <sub>|</sub> No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 29 of 243

### 8 OUTPUT POWER MEASUREMENT

### 8.1 Standard Applicable

#### 8.1.1 Duty Cycle

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

#### 8.1.2 FCC

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

#### Note:

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

• Directional Gain = 
$$10 \cdot \log \left[ \frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

#### where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

 $g_{j,k} = 10^{Gk/20}$  if the kth antenna is being fed by spatial stream j, or zero if it is not;

Gk is the gain in dBi of the kth antenna.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只方的时,此起先处田居卧御建了梯口色書,同時此業里居房向の子。太祝先上领大八司書吊选司,太司如以海卿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 30 of 243




#### 8.2 **Test Setup**

#### 8.2.1 **Duty Cycle**



#### 8.2.2 **Output Power:**



#### 8.3 **Measurement Procedure**

#### 8.3.1 **Duty Cycle:**

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz.
- 4. Detector = Peak

#### 8.3.2 **Output Power**

- 1. Place the EUT on the table and set it in transmitting mode.
- The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance and C63.10 section 11.9.1 for Maximum peak conducted output power or section 11.9.2 Maximum conducted (average) output power
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter or spectrum analyzer

#### **Power Meter:**

It is used as the auxiliary test equipment to conduct the output power measurement.

- 4. Record the max. Reading as observed from Spectrum or Power Meter.
- 5. MIMO mode: offset is set with "measure and add 10 Log (N)" to measurement for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antenna, cable loss is specified below.

\* Note: The duty cycle factor and below is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 31 of 243

#### 8.4 **Measurement Result**

8.4.1 **Duty Cycle:** 

Mode: CDD

| Duty Cycle (%)<br>= Ton / (Ton+Toff) |       | Duty Factor (dB)<br>=10*log ( 1/Duty Cycle ) | 1/T<br>(kHz) | VBW setting (kHz) |
|--------------------------------------|-------|--|--------------|-------------------|
| 802.11b                              | 98.26 | 0.08   | 0.23         | 0.01              |
| 802.11g                              | 98.13 | 0.08   | 0.37         | 0.01              |
| 802.11n_20                           | 98.75 | 0.05   | 0.24         | 0.01              |
| 802.11n_40                           | 98.75 | 0.05   | 0.24         | 0.01              |
| 802.11be_20                          | 98.73 | 0.06   | 0.25         | 0.01              |
| 802.11be_40                          | 98.73 | 0.06   | 0.25         | 0.01              |

**Mode: Beamforming** 

|             | Duty Cycle (%)<br>= Ton / (Ton+Toff) | Duty Factor (dB)<br>=10*log ( 1/Duty Cycle ) | 1/T<br>(kHz) | VBW setting (kHz) |
|-------------|--------------------------------------|--|--------------|-------------------|
| 802.11n_20  | 98.97                                | 0.04   | 0.20         | 0.01              |
| 802.11n_40  | 98.25                                | 0.08   | 0.41         | 0.01              |
| 802.11be_20 | 98.66                                | 0.06   | 0.26         | 0.01              |
| 802.11be_40 | 97.78                                | 0.10   | 0.52         | 1.00              |

**Spot Check** Mode: CDD

| Duty Cycle (%)<br>= Ton / (Ton+Toff) |       | Duty Factor (dB)<br>=10*log ( 1/Duty Cycle ) | 1/T<br>(kHz) | VBW setting<br>(kHz) |
|--------------------------------------|-------|--|--------------|----------------------|
| 802.11b                              | 98.26 | 0.08   | 0.23         | 0.01                 |
| 802.11g                              | 98.13 | 0.08   | 0.37         | 0.01                 |
| 802.11n_20                           | 98.77 | 0.05   | 0.24         | 0.01                 |
| 802.11n_40                           | 98.77 | 0.05   | 0.24         | 0.01                 |
| 802.11be_20                          | 98.73 | 0.06   | 0.25         | 0.01                 |
| 802.11be_40                          | 98.51 | 0.07   | 0.25         | 0.01                 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 32 of 243

#### 8.4.2 Duty Cycle test plots


CDD\_802.11b\_20MHz\_Chain0\_2412MHz




802.11g 20MHz Chain0 2412MHz



802.11n\_20MHz\_Chain0\_2412MHz




802.11n\_40MHz\_Chain0\_2422MHz



802.11be\_20MHz\_Chain0\_2412MHz



802.11be\_40MHz\_Chain0\_2422MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验证,但现在结果的证据,不可如应指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues

Inis document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/lerms-and-Conditions">http://www.sgs.com.tw/lerms-and-Conditions</a> and for electronic format occuments, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 33 of 243


#### 802.11be 40MHz Chain0 2422MHz











Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd




Page: 34 of 243


### **Spot Check**













Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd



Page: 35 of 243

#### 8.4.3 Output Power

Mode: CDD

| 802.11b_4TX |                |              |       |                  |       |       |                         |                |        |  |
|-------------|----------------|--------------|-------|------------------|-------|-------|-------------------------|----------------|--------|--|
| СН          | Freq.<br>(MHz) | Data<br>Rate | 4     | Avg. Outp<br>(dB |       | r     | Total Avg. Output Power | Limit<br>(dBm) | RESULT |  |
|             |                |              | Ch0   | Ch1              | Ch2   | Ch3   | (dBm)                   |                |        |  |
| 1           | 2412           | 1            | 23.63 | 24.40            | 22.36 | 24.03 | 29.69                   | 30.00          | PASS   |  |
| 6           | 2437           | 1            | 24.30 | 24.53            | 23.46 | 23.25 | 29.94                   | 30.00          | PASS   |  |
| 11          | 2462           | 1            | 23.72 | 24.35            | 22.85 | 23.20 | 29.58                   | 30.00          | PASS   |  |

| 802.11g_4TX |                |              |       |           |       |       |                         |                |        |  |
|-------------|----------------|--------------|-------|-----------|-------|-------|-------------------------|----------------|--------|--|
| СН          | Freq.<br>(MHz) | Data<br>Rate | 4     | Avg. Outp |       | r     | Total Avg. Output Power | Limit<br>(dBm) | RESULT |  |
|             |                |              | Ch0   | Ch1       | Ch2   | Ch3   | (dBm)                   |                |        |  |
| 1           | 2412           | 6            | 24.05 | 24.35     | 23.04 | 24.31 | 29.99                   | 30.00          | PASS   |  |
| 6           | 2437           | 6            | 24.26 | 23.90     | 23.46 | 23.35 | 29.78                   | 30.00          | PASS   |  |
| 11          | 2462           | 6            | 23.83 | 24.19     | 23.34 | 23.51 | 29.75                   | 30.00          | PASS   |  |

| 802.11n_HT20M_4TX |                |              |                            |       |       |       |                         |                |        |  |  |  |
|-------------------|----------------|--------------|----------------------------|-------|-------|-------|-------------------------|----------------|--------|--|--|--|
| СН                | Freq.<br>(MHz) | Data<br>Rate | Avg. Output Power<br>(dBm) |       |       |       | Total Avg. Output Power | Limit<br>(dBm) | RESULT |  |  |  |
|                   |                |              | Ch0                        | Ch1   | Ch2   | Ch3   | (dBm)                   |                |        |  |  |  |
| 1                 | 2412           | MCS0         | 23.82                      | 24.45 | 22.61 | 24.27 | 29.87                   | 30.00          | PASS   |  |  |  |
| 6                 | 2437           | MCS0         | 24.00                      | 24.13 | 23.15 | 23.17 | 29.66                   | 30.00          | PASS   |  |  |  |
| 11                | 2462           | MCS0         | 23.75                      | 24.30 | 23.02 | 23.36 | 29.66                   | 30.00          | PASS   |  |  |  |

| 802.11n_HT40M_4TX |                |              |       |                  |       |       |                                     |                |        |  |  |
|-------------------|----------------|--------------|-------|------------------|-------|-------|-------------------------------------|----------------|--------|--|--|
| СН                | Freq.<br>(MHz) | Data<br>Rate | 4     | Avg. Outp<br>(dB |       | r     | Total Avg.<br>Output Power<br>(dBm) | Limit<br>(dBm) | RESULT |  |  |
|                   |                |              | Ch0   | Ch1              | Ch2   | Ch3   |                                     |                |        |  |  |
| 3                 | 2422           | MCS0         | 23.94 | 24.53            | 22.59 | 23.86 | 29.81                               | 30.00          | PASS   |  |  |
| 6                 | 2437           | MCS0         | 24.27 | 24.45            | 23.17 | 23.30 | 29.86                               | 30.00          | PASS   |  |  |
| 9                 | 2452           | MCS0         | 24.01 | 24.16            | 23.05 | 23.20 | 29.66                               | 30.00          | PASS   |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有的时,此就是处理度影响是少锋中色素,同时此类里度原列的主,来就是土领于八哥事而统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 36 of 243

| 802.11be_EHT20M_4TX |                |              |           |                         |       |       |       |                         |                |        |  |  |
|---------------------|----------------|--------------|-----------|-------------------------|-------|-------|-------|-------------------------|----------------|--------|--|--|
| СН                  | Freq.<br>(MHz) | Data<br>Rate | RU Config | Avg. Output Power (dBm) |       |       |       | Total Avg. Output Power | Limit<br>(dBm) | RESULT |  |  |
|                     |                |              |           | Ch0                     | Ch1   | Ch2   | Ch3   | (dBm)                   |                |        |  |  |
| 1                   | 2412           | MCS0         | full      | 23.63                   | 24.28 | 22.42 | 23.93 | 29.64                   | 30.00          | PASS   |  |  |
| 6                   | 2437           | MCS0         | full      | 24.13                   | 24.29 | 23.28 | 23.38 | 29.81                   | 30.00          | PASS   |  |  |
| 11                  | 2462           | MCS0         | full      | 23.81                   | 24.42 | 23.24 | 23.61 | 29.81                   | 30.00          | PASS   |  |  |

| 802.11be_EHT40M_4TX |                |              |           |                         |       |       |       |                         |                |        |  |  |
|---------------------|----------------|--------------|-----------|-------------------------|-------|-------|-------|-------------------------|----------------|--------|--|--|
| СН                  | Freq.<br>(MHz) | Data<br>Rate | RU Config | Avg. Output Power (dBm) |       |       |       | Total Avg. Output Power | Limit<br>(dBm) | RESULT |  |  |
|                     |                |              |           | Ch0                     | Ch1   | Ch2   | Ch3   | (dBm)                   |                |        |  |  |
| 3                   | 2422           | MCS0         | full      | 23.72                   | 24.23 | 22.39 | 23.64 | 29.56                   | 30.00          | PASS   |  |  |
| 6                   | 2437           | MCS0         | full      | 24.06                   | 24.23 | 22.89 | 23.04 | 29.61                   | 30.00          | PASS   |  |  |
| 9                   | 2452           | MCS0         | full      | 24.24                   | 24.41 | 23.31 | 23.41 | 29.89                   | 30.00          | PASS   |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 37 of 243

# **Mode: Beamforming**

| 802.1° | 1n_HT20        | M_4TX         |                            |                            |                            |                         |                                     |                |        |      |
|--------|----------------|---------------|----------------------------|----------------------------|----------------------------|-------------------------|-------------------------------------|----------------|--------|------|
| CHI    | Freq.<br>(MHz) | •             | Avg. Output Power<br>(dBm) |                            |                            |                         | Total Avg.<br>Output Power<br>(dBm) | Limit<br>(dBm) | RESULT |      |
|        |                |               |                            | Ch0                        | Ch1                        | Ch2                     | Ch3                                 | ` ,            |        |      |
| 1      | 2412           |               | MCS0                       | 23.39                      | 24.07                      | 22.68                   | 24.06                               | 29.61          | 30.00  | PASS |
| 6      | 2437           |               | MCS0                       | 23.78                      | 23.85                      | 23.49                   | 23.36                               | 29.65          | 30.00  | PASS |
| 11     | 2462           |               | MCS0                       | 23.52                      | 23.75                      | 23.54                   | 23.68                               | 29.65          | 30.00  | PASS |
| 802.1° | 1n_HT40        | M_4TX         |                            |                            |                            |                         |                                     |                |        |      |
| СН     | Freq.<br>(MHz) |               | Data<br>Rate               |                            | Avg. Output Power<br>(dBm) |                         | Total Avg. Output Power             | Limit<br>(dBm) | RESULT |      |
|        |                |               |                            | Ch0                        | Ch1                        | Ch2                     | Ch3                                 | (dBm)          |        |      |
| 3      | 2422           |               | MCS0                       | 22.46                      | 23.00                      | 21.88                   | 22.27                               | 28.44          | 30.00  | PASS |
| 6      | 2437           |               | MCS0                       | 24.06                      | 24.20                      | 23.43                   | 23.55                               | 29.84          | 30.00  | PASS |
| 9      | 2452           |               | MCS0                       | 23.81                      | 23.99                      | 23.30                   | 23.40                               | 29.65          | 30.00  | PASS |
| 802.1° | 1be_EHT        | 20M_4TX       |                            |                            |                            |                         |                                     | _              |        |      |
| СН     | Freq.<br>(MHz) | '   RU Config | 4                          | Avg. Output Power<br>(dBm) |                            | Total Avg. Output Power | Limit<br>(dBm)                      | RESULT         |        |      |
|        |                |               |                            | Ch0                        | Ch1                        | Ch2                     | Ch3                                 | (dBm)          | . ,    |      |
| 1      | 2412           | MCS0          | full                       | 23.11                      | 22.97                      | 23.27                   | 23.20                               | 29.16          | 30.00  | PASS |
| 6      | 2437           | MCS0          | full                       | 23.65                      | 23.84                      | 22.98                   | 23.08                               | 29.42          | 30.00  | PASS |
| 11     | 2462           | MCS0          | full                       | 23.67                      | 24.21                      | 23.35                   | 23.70                               | 29.76          | 30.00  | PASS |
| 802.1° | 1be_EHT        | 40M_4TX       | Z                          |                            | ı                          |                         |                                     | <u> </u>       |        |      |
| СН     | Freq.<br>(MHz) | Data<br>Rate  | RU Config                  | Avg. Output Power<br>(dBm) |                            | Total Avg. Output Power | Limit<br>(dBm)                      | RESULT         |        |      |
|        |                |               |                            | Ch0                        | Ch1                        | Ch2                     | Ch3                                 | (dBm)          |        |      |
| 3      | 2422           | MCS0          | full                       | 23.00                      | 23.55                      | 22.42                   | 22.70                               | 28.95          | 30.00  | PASS |
| 6      | 2437           | MCS0          | full                       | 23.66                      | 24.02                      | 23.21                   | 23.39                               | 29.60          | 30.00  | PASS |
| 9      | 2452           | MCS0          | full                       | 23.71                      | 24.07                      | 22.93                   | 23.23                               | 29.53          | 30.00  | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的子。未報生主權未公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 38 of 243

# **Spot Check** Mode: CDD

|        | b_4TX          |                     |                            |       |                  |                 |                            |                                     |                |        |
|--------|----------------|---------------------|----------------------------|-------|------------------|-----------------|----------------------------|-------------------------------------|----------------|--------|
| СН     | Freq.<br>(MHz) | Data<br>Rate        | Avg. Output Power<br>(dBm) |       |                  | er              | Total Avg.<br>Output Power | Limit<br>(dBm)                      | RESULT         |        |
|        | , ,            |                     |                            | Ch0   | Ch1              | Ch2             | Ch3                        | (dBm)                               |                |        |
| 1      | 2412           |                     | 1                          | 23.56 | 23.70            | 23.60           | 23.66                      | 29.65                               | 30.00          | PASS   |
| 6      | 2437           |                     | 1                          | 23.64 | 24.14            | 23.89           | 23.69                      | 29.86                               | 30.00          | PASS   |
| 11     | 2462           |                     | 1                          | 23.44 | 23.56            | 23.64           | 23.43                      | 29.54                               | 30.00          | PASS   |
| 802.11 | g_4TX          |                     |                            |       |                  |                 |                            | •                                   | •              |        |
| СН     | Freq.          |                     | Data<br>Rate               | A     |                  | put Powe<br>3m) | er                         | Total Avg.<br>Output Power          | Limit<br>(dBm) | RESULT |
|        | (141112)       |                     | Nuto                       | Ch0   | Ch1              | Ch2             | Ch3                        | (dBm)                               | (dBiii)        |        |
| 1      | 2412           |                     | 6                          | 23.41 | 23.78            | 23.47           | 23.84                      | 29.65                               | 30.00          | PASS   |
| 6      | 2437           |                     | 6                          | 23.52 | 23.72            | 23.51           | 23.45                      | 29.57                               | 30.00          | PASS   |
| 11     | 2462           |                     | 6                          | 23.39 | 23.53            | 23.63           | 23.46                      | 29.53                               | 30.00          | PASS   |
|        | n HT20N        | 1 4TX               |                            |       |                  |                 |                            |                                     |                |        |
| СН     | Freq.<br>(MHz) |                     | Data<br>Rate               |       | (dE              | put Powe        |                            | Total Avg.<br>Output Power<br>(dBm) | Limit<br>(dBm) | RESULT |
|        | 2412           |                     | MCS0                       | Ch0   | <b>Ch1</b> 24.02 | Ch2             | Ch3                        | 20.04                               | 30.00          | PASS   |
| 1<br>6 | 2412           |                     | MCS0                       | 23.68 | 23.70            | 23.70           | 23.85                      | <b>29.84</b><br>29.62               | 30.00          | PASS   |
| 11     | 2462           |                     | MCS0                       | 23.34 | 23.70            | 23.63           | 23.46                      | 29.52                               | 30.00          | PASS   |
|        | n_HT40N        | <u> </u><br>// //TY | WOOO                       | 23.34 | 23.34            | 23.03           | 23.40                      | 23.32                               | 30.00          | 1700   |
| CH     | Freq.          | 1.417               | Data<br>Rate               | Ch0   | •                | put Powe        | er<br>Ch3                  | Total Avg.<br>Output Power<br>(dBm) | Limit<br>(dBm) | RESULT |
| 3      | 2422           |                     | MCS0                       | 23.62 | 23.88            | 23.74           | 23.53                      | 29.72                               | 30.00          | PASS   |
| 6      | 2422           |                     | MCS0                       | 23.48 | 23.66            | 23.43           | 23.46                      | 29.53                               | 30.00          | PASS   |
| 9      | 2457           |                     | MCS0                       | 23.46 | 23.51            | 23.43           | 23.55                      | 29.55                               | 30.00          | PASS   |
|        | be_EHT2        | OM 4TX              |                            | 20.00 | 20.01            | 20.00           | 20.00                      | 20.00                               | 00.00          | 17.00  |
| СН     | Freq.          | Data<br>Rate        | RU Config                  |       | (dE              | put Powe        |                            | Total Avg.<br>Output Power<br>(dBm) | Limit<br>(dBm) | RESULT |
|        | 04:5           |                     |                            | Ch0   | Ch1              | Ch2             | Ch3                        | , ,                                 |                |        |
| 1      | 2412           | MCS0                | full                       | 23.59 | 23.67            | 23.34           | 23.54                      | 29.55                               | 30.00          | PASS   |
| 6      | 2437           | MCS0                | full                       | 23.41 | 23.72            | 23.45           | 23.53                      | 29.55                               | 30.00          | PASS   |
| 11     | 2462           | MCS0                | full                       | 23.62 | 23.90            | 23.73           | 23.72                      | 29.76                               | 30.00          | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 39 of 243

| 802.11 | 802.11be_EHT40M_4TX |              |           |  |       |       |        |         |       |      |
|--------|---------------------|--------------|-----------|--|-------|-------|--------|---------|-------|------|
| СН     | Freq.<br>(MHz)      | Data<br>Rate | RU Config | Avg. Output Power (dBm)  Total Avg.  Output Power (dBm)  Limit (dBm) |       |       | RESULT |         |       |      |
|        |                     |              |           | Ch0  | Ch1   | Ch2   | Ch3    | (ubiii) |       |      |
| 3      | 2422                | MCS0         | full      | 23.32  | 23.60 | 23.48 | 23.17  | 29.41   | 30.00 | PASS |
| 6      | 2437                | MCS0         | full      | 23.50  | 23.71 | 23.35 | 23.49  | 29.53   | 30.00 | PASS |
| 9      | 2452                | MCS0         | full      | 23.48  | 23.80 | 23.26 | 23.61  | 29.56   | 30.00 | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 40 of 243

## **EMISSION BANDWIDTH MEASUREMENT**

#### 9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

#### 9.2 **Test Setup**



#### 9.3 **Measurement Procedure:**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.

#### 9.3.1 6dB BW measurements

- 1. The testing follows the Measurement Procedure of the KDB 558074 D01.
- 2. Set the spectrum analyzer as

RBW= 100 kHz,

VBW = 3 X RBW,

Span= 2 to 5 times of the OBW,

Sweep=auto, Detector = Peak, and Max hold.

- 3. Mark the upper and lower frequencies of -6dB.
- 4. Repeat above procedures until all test default channel is completed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 41 of 243

#### 9.4 **Measurement Result:**

#### 9.4.1 6dB BW measurements

Mode: CDD

## 802 11h Ch0

| 002.1110 0110 |         |       |        |
|---------------|---------|-------|--------|
| Freq.         | 6dB BW  | Limit | Result |
| (MHz)         | (kHz)   | (kHz) | Result |
| 2412          | 8080.00 | ≥ 500 | PASS   |
| 2437          | 8064.00 | ≥ 500 | PASS   |
| 2462          | 7133.00 | ≥ 500 | PASS   |

#### 802.11b Ch1

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2412           | 7598.00         | ≥ 500          | PASS   |
| 2437           | 8071.00         | ≥ 500          | PASS   |
| 2462           | 8073.00         | ≥ 500          | PASS   |

#### 802.11b Ch2

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2412           | 8078.00         | ≥ 500          | PASS   |
| 2437           | 8070.00         | ≥ 500          | PASS   |
| 2462           | 7604.00         | ≥ 500          | PASS   |

### 802.11b Ch3

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2412           | 7609.00         | ≥ 500          | PASS   |
| 2437           | 8067.00         | ≥ 500          | PASS   |
| 2462           | 7594.00         | ≥ 500          | PASS   |

## 802.11g Ch0

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2412           | 15350.00        | ≥ 500          | PASS   |
| 2437           | 15350.00        | ≥ 500          | PASS   |
| 2462           | 15500.00        | ≥ 500          | PASS   |

# 802.11g Ch1

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2412           | 15160.00        | ≥ 500          | PASS   |
| 2437           | 15150.00        | ≥ 500          | PASS   |
| 2462           | 15130.00        | ≥ 500          | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 42 of 243

## 802.11a Ch2

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2412           | 15180.00        | ≥ 500          | PASS   |
| 2437           | 15360.00        | ≥ 500          | PASS   |
| 2462           | 15450.00        | ≥ 500          | PASS   |

## 802.11g Ch3

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2412           | 15150.00        | ≥ 500          | PASS   |
| 2437           | 15140.00        | ≥ 500          | PASS   |
| 2462           | 15130.00        | ≥ 500          | PASS   |

### 802.11n\_HT\_20M Ch0

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2412           | 15110.00        | ≥ 500          | PASS   |
| 2437           | 15130.00        | ≥ 500          | PASS   |
| 2462           | 15460.00        | ≥ 500          | PASS   |

## 802.11n\_HT\_20M Ch1

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2412           | 16320.00        | ≥ 500          | PASS   |
| 2437           | 15740.00        | ≥ 500          | PASS   |
| 2462           | 16540.00        | ≥ 500          | PASS   |

### 802.11n\_HT\_20M Ch2

| Freg. | 6dB BW   | Limit | - ·    |
|-------|----------|-------|--------|
| (MHz) | (kHz)    | (kHz) | Result |
| 2412  | 15690.00 | ≥ 500 | PASS   |
| 2437  | 15300.00 | ≥ 500 | PASS   |
| 2462  | 15730.00 | ≥ 500 | PASS   |

## 802.11n\_HT\_20M Ch3

| Freq. | 6dB BW   | Limit | Result |
|-------|----------|-------|--------|
| (MHz) | (kHz)    | (kHz) | Result |
| 2412  | 15720.00 | ≥ 500 | PASS   |
| 2437  | 15120.00 | ≥ 500 | PASS   |
| 2462  | 15100.00 | ≥ 500 | PASS   |

### 802.11n\_HT\_40M Ch0

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2422           | 31380.00        | ≥ 500          | PASS   |
| 2437           | 35050.00        | ≥ 500          | PASS   |
| 2452           | 32700.00        | ≥ 500          | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 43 of 243

#### 802.11n HT 40M Ch1

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2422           | 35070.00        | ≥ 500          | PASS   |
| 2437           | 34990.00        | ≥ 500          | PASS   |
| 2452           | 35100.00        | ≥ 500          | PASS   |

## 802.11n\_HT\_40M Ch2

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2422           | 33870.00        | ≥ 500          | PASS   |
| 2437           | 31320.00        | ≥ 500          | PASS   |
| 2452           | 32540.00        | ≥ 500          | PASS   |

### 802.11n HT 40M Ch3

| Freq. | 6dB BW   | Limit | Result |
|-------|----------|-------|--------|
| (MHz) | (kHz)    | (kHz) | Nesuit |
| 2422  | 31340.00 | ≥ 500 | PASS   |
| 2437  | 35090.00 | ≥ 500 | PASS   |
| 2452  | 31330.00 | ≥ 500 | PASS   |

## 802.11be\_EHT\_20M Ch0

| Freq.<br>(MHz) | RU<br>Config | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|--------------|-----------------|----------------|--------|
| 2412           | full         | 16610.00        | ≥ 500          | PASS   |
| 2437           | full         | 17070.00        | ≥ 500          | PASS   |
| 2462           | full         | 16720.00        | ≥ 500          | PASS   |

#### 802.11be EHT 20M Ch1

|                | _            |                 |                |        |
|----------------|--------------|-----------------|----------------|--------|
| Freq.<br>(MHz) | RU<br>Config | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
| 2412           | full         | 15180.00        | ≥ 500          | PASS   |
| 2437           | full         | 15170.00        | ≥ 500          | PASS   |
| 2462           | full         | 15140.00        | ≥ 500          | PASS   |

## 802.11be\_EHT\_20M Ch2

| Freq.<br>(MHz) | RU<br>Config | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|--------------|-----------------|----------------|--------|
| 2412           | full         | 15790.00        | ≥ 500          | PASS   |
| 2437           | full         | 15200.00        | ≥ 500          | PASS   |
| 2462           | full         | 16670.00        | ≥ 500          | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 44 of 243

## 802.11be\_EHT\_20M Ch3

| Freq.<br>(MHz) | RU<br>Config | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|--------------|-----------------|----------------|--------|
| 2412           | full         | 15860.00        | ≥ 500          | PASS   |
| 2437           | full         | 17370.00        | ≥ 500          | PASS   |
| 2462           | full         | 16300.00        | ≥ 500          | PASS   |

### 802.11be\_EHT\_40M Ch0

| Freq.<br>(MHz) | RU<br>Config | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|--------------|-----------------|----------------|--------|
| 2422           | full         | 35080.00        | ≥ 500          | PASS   |
| 2437           | full         | 35060.00        | ≥ 500          | PASS   |
| 2452           | full         | 35080.00        | ≥ 500          | PASS   |

### 802.11be\_EHT\_40M Ch1

| Freq.<br>(MHz) | RU<br>Config | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|--------------|-----------------|----------------|--------|
| 2422           | full         | 35080.00        | ≥ 500          | PASS   |
| 2437           | full         | 35070.00        | ≥ 500          | PASS   |
| 2452           | full         | 33840.00        | ≥ 500          | PASS   |

### 802.11be\_EHT\_40M Ch2

| Freq.<br>(MHz) | RU<br>Config | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|--------------|-----------------|----------------|--------|
| 2422           | full         | 35080.00        | ≥ 500          | PASS   |
| 2437           | full         | 33880.00        | ≥ 500          | PASS   |
| 2452           | full         | 32580.00        | ≥ 500          | PASS   |

#### 802.11be EHT 40M Ch3

| Freq.<br>(MHz) | RU<br>Config | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|--------------|-----------------|----------------|--------|
| 2422           | full         | 30130.00        | ≥ 500          | PASS   |
| 2437           | full         | 35090.00        | ≥ 500          | PASS   |
| 2452           | full         | 32610.00        | ≥ 500          | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 45 of 243


### CDD\_802.11b\_20MHz\_Chain0\_2412MHz




802.11b 20MHz Chain0 2437MHz




802.11b\_20MHz\_Chain0\_2462MHz




802.11b 20MHz Chain1 2412MHz



802.11b\_20MHz\_Chain1\_2437MHz



802.11b\_20MHz\_Chain1\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分換具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可與以資剩。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 46 of 243


#### 802.11b 20MHz Chain2 2412MHz




802.11b 20MHz Chain2 2437MHz




802.11b\_20MHz\_Chain2\_2462MHz




802.11b 20MHz Chain3 2412MHz



802.11b\_20MHz\_Chain3\_2437MHz



802.11b\_20MHz\_Chain3\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是结果做新测验之样具色素,同时他接具做是例如于。木型生产概率从同事而连可,不可如必指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 47 of 243


#### 802.11g\_20MHz\_Chain0\_2412MHz




802.11g 20MHz Chain0 2437MHz




802.11g\_20MHz\_Chain0\_2462MHz



802.11g 20MHz Chain1 2412MHz



802.11g 20MHz Chain1 2437MHz



802.11g\_20MHz\_Chain1\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是结果做新测验之样具色素,同时他接具做是例如于。木型生产概率从同事而连可,不可如必指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 48 of 243


#### 802.11g\_20MHz\_Chain2\_2412MHz




802.11g 20MHz Chain2 2437MHz



802.11g\_20MHz\_Chain2\_2462MHz




802.11g 20MHz Chain3 2412MHz



802.11g\_20MHz\_Chain3\_2437MHz



802.11g\_20MHz\_Chain3\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之样具合善,同时此样里属是例如于。木型生主概未从司事面纯可,不可可以推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 49 of 243


#### 802.11n 20MHz Chain0 2412MHz




802.11n 20MHz Chain0 2437MHz




802.11n\_20MHz\_Chain0\_2462MHz



802.11n 20MHz Chain1 2412MHz



802.11n\_20MHz\_Chain1\_2437MHz



802.11n\_20MHz\_Chain1\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分換具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可與以資剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 50 of 243

#### 802.11n 20MHz Chain2 2412MHz




802.11n 20MHz Chain2 2437MHz




802.11n\_20MHz\_Chain2\_2462MHz




802.11n 20MHz Chain3 2412MHz



802.11n\_20MHz\_Chain3\_2437MHz



802.11n\_20MHz\_Chain3\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分換具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可與以資剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 51 of 243


#### 802.11n 40MHz Chain0 2422MHz




802.11n 40MHz Chain0 2437MHz




802.11n\_40MHz\_Chain0\_2452MHz




802.11n 40MHz Chain1 2422MHz



802.11n 40MHz Chain1 2437MHz



802.11n\_40MHz\_Chain1\_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.