



Spurious emissions at antenna terminals & Band Edge Compliance

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM1.1	10M	9K~1M	0.01	-79.82	1.67	30.00	-48.15	-43.00	Pass
			1M~30M	1.09	-71.55	1.67	20.00	-49.88	-43.00	Pass
			30M~10G	3195.00	-48.79	1.67	0.00	-47.12	-43.00	Pass
				3954.00	-47.63	1.67	0.00	-45.96	-43.00	Pass
			10G~25G	23850.50	-52.43	1.67	0.00	-50.76	-43.00	Pass
			25G~37G	36782.00	-48.41	1.67	0.00	-46.74	-43.00	Pass
			Frequency Range	Frequency	level (dBm/MH)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.02	-51.60	1.67	0.00	-49.93	-43.00	Pass
				3539.50	-48.97	1.67	0.00	-47.30	-28.00	Pass
				3549.50	-41.99	1.67	0.00	-40.32	-16.00	Pass
				3560.50	-41.54	1.67	0.00	-39.87	-16.00	Pass
				3604.76	-47.80	1.67	0.00	-46.13	-28.00	Pass
				3749.50	-48.63	1.67	0.00	-46.96	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM1.1	10M	9K~1M	0.01	-79.71	1.67	30.00	-48.04	-43.00	Pass
			1M~30M	1.15	-71.52	1.67	20.00	-49.85	-43.00	Pass
			30M~10G	3245.00	-49.84	1.67	0.00	-48.17	-43.00	Pass
				3958.50	-47.67	1.67	0.00	-46.00	-43.00	Pass
			10G~25G	23841.00	-52.61	1.67	0.00	-50.94	-43.00	Pass
			25G~37G	36793.60	-48.22	1.67	0.00	-46.55	-43.00	Pass
			Frequency Range	Frequency	level (dBm/MH)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.33	-51.55	1.67	0.00	-49.88	-43.00	Pass
				3539.50	-49.47	1.67	0.00	-47.80	-28.00	Pass
				3549.50	-43.89	1.67	0.00	-42.22	-16.00	Pass
				3560.50	-43.81	1.67	0.00	-42.14	-16.00	Pass
				3601.41	-47.92	1.67	0.00	-46.25	-28.00	Pass
				3743.97	-48.46	1.67	0.00	-46.79	-43.00	Pass





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 2 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM1.1	10M	9K~1M	0.01	-81.12	1.67	30.00	-49.45	-43.00	Pass
			1M~30M	1.03	-71.85	1.67	20.00	-50.18	-43.00	Pass
			30M~10G	3194.50	-49.51	1.67	0.00	-47.84	-43.00	Pass
				3959.00	-47.70	1.67	0.00	-46.03	-43.00	Pass
			10G~25G	23850.00	-52.37	1.67	0.00	-50.70	-43.00	Pass
			25G~37G	36802.40	-48.43	1.67	0.00	-46.76	-43.00	Pass
			Frequency Range	Frequency	level (dBm/MH)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3520.51	-52.81	1.67	0.00	-51.14	-43.00	Pass
				3609.50	-46.34	1.67	0.00	-44.67	-28.00	Pass
				3619.50	-42.30	1.67	0.00	-40.63	-16.00	Pass
				3630.50	-41.75	1.67	0.00	-40.08	-16.00	Pass
				3640.50	-46.76	1.67	0.00	-45.09	-28.00	Pass
				3741.91	-48.69	1.67	0.00	-47.02	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM1.1	10M	9K~1M	0.01	-81.30	1.67	30.00	-49.63	-43.00	Pass
			1M~30M	1.06	-71.76	1.67	20.00	-50.09	-43.00	Pass
			30M~10G	103.00	-45.34	1.67	0.00	-43.67	-43.00	Pass
				3930.50	-47.69	1.67	0.00	-46.02	-43.00	Pass
			10G~25G	23850.00	-52.47	1.67	0.00	-50.80	-43.00	Pass
			25G~37G	36790.80	-48.43	1.67	0.00	-46.76	-43.00	Pass
			Frequency Range	Frequency	level (dBm/MH)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3456.02	-52.44	1.67	0.00	-50.77	-43.00	Pass
				3609.50	-46.26	1.67	0.00	-44.59	-28.00	Pass
				3619.50	-44.20	1.67	0.00	-42.53	-16.00	Pass
				3630.50	-44.21	1.67	0.00	-42.54	-16.00	Pass
				3640.50	-47.04	1.67	0.00	-45.37	-28.00	Pass
				3743.96	-48.49	1.67	0.00	-46.82	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 3 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3695MHz	TM1.1	10M	9K~1M	0.01	-80.60	1.67	30.00	-48.93	-43.00	Pass
			1M~30M	1.06	-71.67	1.67	20.00	-50.00	-43.00	Pass
			30M~10G	3210.50	-49.16	1.67	0.00	-47.49	-43.00	Pass
				3951.00	-47.52	1.67	0.00	-45.85	-43.00	Pass
			10G~25G	23863.50	-52.32	1.67	0.00	-50.65	-43.00	Pass
			25G~37G	36798.40	-48.33	1.67	0.00	-46.66	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3458.51	-52.61	1.67	0.00	-50.94	-43.00	Pass
				3677.08	-47.31	1.67	0.00	-45.64	-28.00	Pass
				3689.50	-42.39	1.67	0.00	-40.72	-16.00	Pass
				3700.50	-41.66	1.67	0.00	-39.99	-16.00	Pass
				3710.85	-47.18	1.67	0.00	-45.51	-28.00	Pass
				3722.50	-48.37	1.67	0.00	-46.70	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3695MHz	TM1.1	10M	9K~1M	0.01	-80.77	1.67	30.00	-49.10	-43.00	Pass
			1M~30M	1.00	-71.82	1.67	20.00	-50.15	-43.00	Pass
			30M~10G	3220.50	-49.84	1.67	0.00	-48.17	-43.00	Pass
				3926.00	-47.55	1.67	0.00	-45.88	-43.00	Pass
			10G~25G	23855.50	-52.35	1.67	0.00	-50.68	-43.00	Pass
			25G~37G	36802.00	-48.62	1.67	0.00	-46.95	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3456.02	-52.39	1.67	0.00	-50.72	-43.00	Pass
				3677.97	-46.96	1.67	0.00	-45.29	-28.00	Pass
				3689.50	-43.21	1.67	0.00	-41.54	-16.00	Pass
				3700.50	-42.29	1.67	0.00	-40.62	-16.00	Pass
				3711.17	-47.21	1.67	0.00	-45.54	-28.00	Pass
				3743.99	-48.44	1.67	0.00	-46.77	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
Shenzhen Branch Laboratory 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 4 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560MHz	TM1.1	20M	9K~1M	0.01	-80.80	1.67	30.00	-49.13	-43.00	Pass
			1M~30M	1.00	-71.33	1.67	20.00	-49.66	-43.00	Pass
			30M~10G	3229.00	-47.87	1.67	0.00	-46.20	-43.00	Pass
				3952.00	-47.53	1.67	0.00	-45.86	-43.00	Pass
			10G~25G	23853.00	-52.28	1.67	0.00	-50.61	-43.00	Pass
			25G~37G	36803.20	-48.53	1.67	0.00	-46.86	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.41	-48.86	1.67	0.00	-47.19	-43.00	Pass
				3539.50	-45.96	1.67	0.00	-44.29	-28.00	Pass
				3549.50	-42.89	1.67	0.00	-41.22	-16.00	Pass
				3570.50	-39.89	1.67	0.00	-38.22	-16.00	Pass
				3580.50	-43.42	1.67	0.00	-41.75	-28.00	Pass
				3747.29	-48.55	1.67	0.00	-46.88	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560MHz	TM1.1	20M	9K~1M	0.01	-79.13	1.67	30.00	-47.46	-43.00	Pass
			1M~30M	1.00	-71.32	1.67	20.00	-49.65	-43.00	Pass
			30M~10G	3247.50	-49.37	1.67	0.00	-47.70	-43.00	Pass
				3940.50	-47.66	1.67	0.00	-45.99	-43.00	Pass
			10G~25G	23853.50	-52.28	1.67	0.00	-50.61	-43.00	Pass
			25G~37G	36796.80	-48.52	1.67	0.00	-46.85	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.22	-49.17	1.67	0.00	-47.50	-43.00	Pass
				3539.50	-45.15	1.67	0.00	-43.48	-28.00	Pass
				3549.50	-41.40	1.67	0.00	-39.73	-16.00	Pass
				3570.50	-43.30	1.67	0.00	-41.63	-16.00	Pass
				3580.50	-44.89	1.67	0.00	-43.22	-28.00	Pass
				3743.80	-48.36	1.67	0.00	-46.69	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
Shenzhen Branch Laboratory 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 5 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM1.1	20M	9K~1M	0.01	-81.35	1.67	30.00	-49.68	-43.00	Pass
			1M~30M	1.00	-71.79	1.67	20.00	-50.12	-43.00	Pass
			30M~10G	3230.00	-48.95	1.67	0.00	-47.28	-43.00	Pass
				3921.50	-47.57	1.67	0.00	-45.90	-43.00	Pass
			10G~25G	23855.50	-52.15	1.67	0.00	-50.48	-43.00	Pass
			25G~37G	36798.80	-48.44	1.67	0.00	-46.77	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3465.60	-52.56	1.67	0.00	-50.89	-43.00	Pass
				3604.42	-45.67	1.67	0.00	-44.00	-28.00	Pass
				3614.50	-42.19	1.67	0.00	-40.52	-16.00	Pass
				3635.50	-43.37	1.67	0.00	-41.70	-16.00	Pass
				3645.50	-45.88	1.67	0.00	-44.21	-28.00	Pass
				3735.31	-48.68	1.67	0.00	-47.01	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM1.1	20M	9K~1M	0.01	-80.06	1.67	30.00	-48.39	-43.00	Pass
			1M~30M	1.03	-71.73	1.67	20.00	-50.06	-43.00	Pass
			30M~10G	3233.50	-49.64	1.67	0.00	-47.97	-43.00	Pass
				3918.50	-47.43	1.67	0.00	-45.76	-43.00	Pass
			10G~25G	23860.50	-52.43	1.67	0.00	-50.76	-43.00	Pass
			25G~37G	36791.60	-48.29	1.67	0.00	-46.62	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3475.76	-52.61	1.67	0.00	-50.94	-43.00	Pass
				3604.50	-45.83	1.67	0.00	-44.16	-28.00	Pass
				3614.50	-42.82	1.67	0.00	-41.15	-16.00	Pass
				3635.50	-43.52	1.67	0.00	-41.85	-16.00	Pass
				3646.46	-46.47	1.67	0.00	-44.80	-28.00	Pass
				3747.73	-48.54	1.67	0.00	-46.87	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
Shenzhen Branch Laboratory 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 6 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM1.1	20M	9K~1M	0.01	-81.63	1.67	30.00	-49.96	-43.00	Pass
			1M~30M	1.09	-71.78	1.67	20.00	-50.11	-43.00	Pass
			30M~10G	3246.00	-48.36	1.67	0.00	-46.69	-43.00	Pass
			10G~25G	3912.50	-47.45	1.67	0.00	-45.78	-43.00	Pass
			25G~37G	23852.50	-52.38	1.67	0.00	-50.71	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3466.46	-52.41	1.67	0.00	-50.74	-43.00	Pass
				3668.52	-45.37	1.67	0.00	-43.70	-28.00	Pass
				3679.50	-42.30	1.67	0.00	-40.63	-16.00	Pass
				3700.50	-42.58	1.67	0.00	-40.91	-16.00	Pass
				3710.50	-45.35	1.67	0.00	-43.68	-28.00	Pass
				3721.97	-47.48	1.67	0.00	-45.81	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM1.1	20M	9K~1M	0.01	-80.68	1.67	30.00	-49.01	-43.00	Pass
			1M~30M	1.00	-71.88	1.67	20.00	-50.21	-43.00	Pass
			30M~10G	3243.50	-49.37	1.67	0.00	-47.70	-43.00	Pass
			10G~25G	3927.00	-47.42	1.67	0.00	-45.75	-43.00	Pass
			25G~37G	23850.00	-52.50	1.67	0.00	-50.83	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3460.83	-52.43	1.67	0.00	-50.76	-43.00	Pass
				3669.50	-44.34	1.67	0.00	-42.67	-28.00	Pass
				3679.50	-41.18	1.67	0.00	-39.51	-16.00	Pass
				3700.75	-41.24	1.67	0.00	-39.57	-16.00	Pass
				3710.50	-44.15	1.67	0.00	-42.48	-28.00	Pass
				3727.76	-46.59	1.67	0.00	-44.92	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 7 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM3.1	10M	9K~1M	0.01	-81.00	1.67	30.00	-49.33	-43.00	Pass
			1M~30M	1.00	-71.52	1.67	20.00	-49.85	-43.00	Pass
			30M~10G	3195.00	-48.65	1.67	0.00	-46.98	-43.00	Pass
			10G~25G	3924.50	-47.57	1.67	0.00	-45.90	-43.00	Pass
			25G~37G	23851.00	-52.40	1.67	0.00	-50.73	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.50	-51.64	1.67	0.00	-49.97	-43.00	Pass
				3539.50	-49.10	1.67	0.00	-47.43	-28.00	Pass
				3549.50	-41.91	1.67	0.00	-40.24	-16.00	Pass
				3560.50	-41.59	1.67	0.00	-39.92	-16.00	Pass
				3603.11	-47.81	1.67	0.00	-46.14	-28.00	Pass
				3749.37	-48.56	1.67	0.00	-46.89	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM3.1	10M	9K~1M	0.01	-80.39	1.67	30.00	-48.72	-43.00	Pass
			1M~30M	1.03	-71.57	1.67	20.00	-49.90	-43.00	Pass
			30M~10G	3226.00	-49.79	1.67	0.00	-48.12	-43.00	Pass
			10G~25G	3941.50	-47.65	1.67	0.00	-45.98	-43.00	Pass
			25G~37G	23849.00	-52.40	1.67	0.00	-50.73	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.50	-51.07	1.67	0.00	-49.40	-43.00	Pass
				3537.96	-49.45	1.67	0.00	-47.78	-28.00	Pass
				3549.50	-43.23	1.67	0.00	-41.56	-16.00	Pass
				3560.50	-41.14	1.67	0.00	-39.47	-16.00	Pass
				3600.01	-47.84	1.67	0.00	-46.17	-28.00	Pass
				3747.32	-48.61	1.67	0.00	-46.94	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 8 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.1	10M	9K~1M	0.01	-80.80	1.67	30.00	-49.13	-43.00	Pass
			1M~30M	1.09	-71.83	1.67	20.00	-50.16	-43.00	Pass
			30M~10G	3225.50	-49.06	1.67	0.00	-47.39	-43.00	Pass
				3946.00	-47.54	1.67	0.00	-45.87	-43.00	Pass
			10G~25G	23861.00	-52.31	1.67	0.00	-50.64	-43.00	Pass
			25G~37G	36798.40	-48.38	1.67	0.00	-46.71	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3510.23	-52.87	1.67	0.00	-51.20	-43.00	Pass
				3608.39	-46.86	1.67	0.00	-45.19	-28.00	Pass
				3619.50	-42.23	1.67	0.00	-40.56	-16.00	Pass
				3630.50	-41.73	1.67	0.00	-40.06	-16.00	Pass
				3640.80	-47.12	1.67	0.00	-45.45	-28.00	Pass
				3727.30	-48.82	1.67	0.00	-47.15	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.1	10M	9K~1M	0.01	-79.78	1.67	30.00	-48.11	-43.00	Pass
			1M~30M	1.00	-71.63	1.67	20.00	-49.96	-43.00	Pass
			30M~10G	3239.50	-49.98	1.67	0.00	-48.31	-43.00	Pass
				3926.50	-47.53	1.67	0.00	-45.86	-43.00	Pass
			10G~25G	23838.00	-52.38	1.67	0.00	-50.71	-43.00	Pass
			25G~37G	36799.20	-48.18	1.67	0.00	-46.51	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3476.86	-52.73	1.67	0.00	-51.06	-43.00	Pass
				3609.10	-46.23	1.67	0.00	-44.56	-28.00	Pass
				3619.50	-43.09	1.67	0.00	-41.42	-16.00	Pass
				3630.50	-42.33	1.67	0.00	-40.66	-16.00	Pass
				3641.34	-46.91	1.67	0.00	-45.24	-28.00	Pass
				3728.68	-48.76	1.67	0.00	-47.09	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
Shenzhen Branch Laboratory 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 9 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3695MHz	TM3.1	10M	9K~1M	0.01	-81.36	1.67	30.00	-49.69	-43.00	Pass
			1M~30M	1.00	-71.70	1.67	20.00	-50.03	-43.00	Pass
			30M~10G	3226.50	-49.29	1.67	0.00	-47.62	-43.00	Pass
				3934.50	-47.41	1.67	0.00	-45.74	-43.00	Pass
			10G~25G	23862.00	-52.31	1.67	0.00	-50.64	-43.00	Pass
			25G~37G	36793.20	-48.26	1.67	0.00	-46.59	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3486.36	-52.67	1.67	0.00	-51.00	-43.00	Pass
				3679.50	-46.87	1.67	0.00	-45.20	-28.00	Pass
				3689.50	-42.26	1.67	0.00	-40.59	-16.00	Pass
				3700.50	-41.65	1.67	0.00	-39.98	-16.00	Pass
				3712.43	-47.40	1.67	0.00	-45.73	-28.00	Pass
				3720.50	-48.21	1.67	0.00	-46.54	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3695MHz	TM3.1	10M	9K~1M	0.01	-81.06	1.67	30.00	-49.39	-43.00	Pass
			1M~30M	1.00	-71.76	1.67	20.00	-50.09	-43.00	Pass
			30M~10G	3229.00	-49.95	1.67	0.00	-48.28	-43.00	Pass
				3951.00	-47.54	1.67	0.00	-45.87	-43.00	Pass
			10G~25G	23840.50	-52.32	1.67	0.00	-50.65	-43.00	Pass
			25G~37G	36769.60	-48.40	1.67	0.00	-46.73	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3453.55	-52.43	1.67	0.00	-50.76	-43.00	Pass
				3677.79	-46.73	1.67	0.00	-45.06	-28.00	Pass
				3689.50	-41.54	1.67	0.00	-39.87	-16.00	Pass
				3700.50	-39.86	1.67	0.00	-38.19	-16.00	Pass
				3717.10	-46.93	1.67	0.00	-45.26	-28.00	Pass
				3720.50	-47.25	1.67	0.00	-45.58	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
Shenzhen Branch Laboratory 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 10 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560MHz	TM3.1	20M	9K~1M	0.01	-80.92	1.67	30.00	-49.25	-43.00	Pass
			1M~30M	1.00	-71.54	1.67	20.00	-49.87	-43.00	Pass
			30M~10G	3211.00	-48.03	1.67	0.00	-46.36	-43.00	Pass
			10G~25G	3937.50	-47.48	1.67	0.00	-45.81	-43.00	Pass
			25G~37G	23828.00	-52.51	1.67	0.00	-50.84	-43.00	Pass
			37G~50G	36792.80	-48.42	1.67	0.00	-46.75	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3527.98	-48.57	1.67	0.00	-46.90	-43.00	Pass
				3539.50	-46.69	1.67	0.00	-45.02	-28.00	Pass
				3549.21	-41.09	1.67	0.00	-39.42	-16.00	Pass
				3570.50	-42.09	1.67	0.00	-40.42	-16.00	Pass
				3580.50	-45.20	1.67	0.00	-43.53	-28.00	Pass
				3748.41	-48.66	1.67	0.00	-46.99	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560MHz	TM3.1	20M	9K~1M	0.01	-79.43	1.67	30.00	-47.76	-43.00	Pass
			1M~30M	1.00	-71.72	1.67	20.00	-50.05	-43.00	Pass
			30M~10G	3195.00	-49.51	1.67	0.00	-47.84	-43.00	Pass
			10G~25G	3955.00	-47.58	1.67	0.00	-45.91	-43.00	Pass
			25G~37G	23843.00	-52.52	1.67	0.00	-50.85	-43.00	Pass
			37G~50G	36808.40	-48.42	1.67	0.00	-46.75	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.50	-48.40	1.67	0.00	-46.73	-43.00	Pass
				3539.32	-46.66	1.67	0.00	-44.99	-28.00	Pass
				3549.50	-42.96	1.67	0.00	-41.29	-16.00	Pass
				3570.50	-39.83	1.67	0.00	-38.16	-16.00	Pass
				3580.76	-44.19	1.67	0.00	-42.52	-28.00	Pass
				3743.92	-48.43	1.67	0.00	-46.76	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 11 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.1	20M	9K~1M	0.01	-79.26	1.67	30.00	-47.59	-43.00	Pass
			1M~30M	1.09	-71.87	1.67	20.00	-50.20	-43.00	Pass
			30M~10G	3213.00	-48.69	1.67	0.00	-47.02	-43.00	Pass
			10G~25G	3928.50	-47.45	1.67	0.00	-45.78	-43.00	Pass
			25G~37G	23839.00	-52.33	1.67	0.00	-50.66	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3491.03	-52.67	1.67	0.00	-51.00	-43.00	Pass
				3602.99	-45.67	1.67	0.00	-44.00	-28.00	Pass
				3614.50	-43.37	1.67	0.00	-41.70	-16.00	Pass
				3635.50	-43.54	1.67	0.00	-41.87	-16.00	Pass
				3647.11	-46.16	1.67	0.00	-44.49	-28.00	Pass
				3742.74	-48.58	1.67	0.00	-46.91	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.1	20M	9K~1M	0.01	-80.62	1.67	30.00	-48.95	-43.00	Pass
			1M~30M	1.12	-71.83	1.67	20.00	-50.16	-43.00	Pass
			30M~10G	3215.00	-49.65	1.67	0.00	-47.98	-43.00	Pass
			10G~25G	3925.50	-47.55	1.67	0.00	-45.88	-43.00	Pass
			25G~37G	23835.50	-52.09	1.67	0.00	-50.42	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3455.98	-52.34	1.67	0.00	-50.67	-43.00	Pass
				3601.80	-46.29	1.67	0.00	-44.62	-28.00	Pass
				3614.50	-44.22	1.67	0.00	-42.55	-16.00	Pass
				3635.50	-44.10	1.67	0.00	-42.43	-16.00	Pass
				3645.50	-45.79	1.67	0.00	-44.12	-28.00	Pass
				3744.11	-48.42	1.67	0.00	-46.75	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 12 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM3.1	20M	9K~1M	0.01	-80.44	1.67	30.00	-48.77	-43.00	Pass
			1M~30M	1.00	-71.80	1.67	20.00	-50.13	-43.00	Pass
			30M~10G	3194.50	-48.62	1.67	0.00	-46.95	-43.00	Pass
				3928.00	-47.33	1.67	0.00	-45.66	-43.00	Pass
			10G~25G	23855.00	-52.44	1.67	0.00	-50.77	-43.00	Pass
			25G~37G	36798.80	-48.42	1.67	0.00	-46.75	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3452.43	-52.27	1.67	0.00	-50.60	-43.00	Pass
				3669.14	-45.50	1.67	0.00	-43.83	-28.00	Pass
				3679.50	-43.11	1.67	0.00	-41.44	-16.00	Pass
				3701.61	-40.79	1.67	0.00	-39.12	-16.00	Pass
				3710.62	-44.71	1.67	0.00	-43.04	-28.00	Pass
				3732.02	-47.32	1.67	0.00	-45.65	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM3.1	20M	9K~1M	0.01	-81.48	1.67	30.00	-49.81	-43.00	Pass
			1M~30M	1.06	-71.61	1.67	20.00	-49.94	-43.00	Pass
			30M~10G	3235.50	-49.39	1.67	0.00	-47.72	-43.00	Pass
				3914.50	-47.38	1.67	0.00	-45.71	-43.00	Pass
			10G~25G	23989.00	-52.49	1.67	0.00	-50.82	-43.00	Pass
			25G~37G	36802.80	-48.28	1.67	0.00	-46.61	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3452.08	-52.23	1.67	0.00	-50.56	-43.00	Pass
				3669.47	-44.37	1.67	0.00	-42.70	-28.00	Pass
				3679.50	-39.46	1.67	0.00	-37.79	-16.00	Pass
				3700.76	-40.29	1.67	0.00	-38.62	-16.00	Pass
				3711.09	-44.09	1.67	0.00	-42.42	-28.00	Pass
				3726.09	-46.59	1.67	0.00	-44.92	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
Shenzhen Branch Laboratory 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 13 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM3.2	10M	9K~1M	0.01	-79.86	1.67	30.00	-48.19	-43.00	Pass
			1M~30M	1.03	-71.68	1.67	20.00	-50.01	-43.00	Pass
			30M~10G	3194.50	-48.82	1.67	0.00	-47.15	-43.00	Pass
			10G~25G	23853.50	-52.12	1.67	0.00	-50.45	-43.00	Pass
			25G~37G	36794.00	-48.47	1.67	0.00	-46.80	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3528.27	-52.04	1.67	0.00	-50.37	-43.00	Pass
				3539.50	-49.71	1.67	0.00	-48.04	-28.00	Pass
				3549.50	-44.27	1.67	0.00	-42.60	-16.00	Pass
				3560.50	-43.67	1.67	0.00	-42.00	-16.00	Pass
				3604.47	-48.01	1.67	0.00	-46.34	-28.00	Pass
				3736.81	-48.70	1.67	0.00	-47.03	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM3.2	10M	9K~1M	0.01	-80.98	1.67	30.00	-49.31	-43.00	Pass
			1M~30M	1.03	-71.74	1.67	20.00	-50.07	-43.00	Pass
			30M~10G	3195.00	-49.55	1.67	0.00	-47.88	-43.00	Pass
			10G~25G	24010.00	-52.37	1.67	0.00	-50.70	-43.00	Pass
			25G~37G	36794.00	-48.57	1.67	0.00	-46.90	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3456.01	-52.36	1.67	0.00	-50.69	-43.00	Pass
				3539.16	-49.75	1.67	0.00	-48.08	-28.00	Pass
				3549.50	-45.15	1.67	0.00	-43.48	-16.00	Pass
				3560.50	-44.84	1.67	0.00	-43.17	-16.00	Pass
				3609.90	-48.08	1.67	0.00	-46.41	-28.00	Pass
				3744.01	-48.45	1.67	0.00	-46.78	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 14 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.2	10M	9K~1M	0.01	-80.60	1.67	30.00	-48.93	-43.00	Pass
			1M~30M	1.09	-71.83	1.67	20.00	-50.16	-43.00	Pass
			30M~10G	3225.50	-48.91	1.67	0.00	-47.24	-43.00	Pass
			10G~25G	23855.50	-52.42	1.67	0.00	-50.75	-43.00	Pass
			25G~37G	36782.40	-48.48	1.67	0.00	-46.81	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3485.29	-52.77	1.67	0.00	-51.10	-43.00	Pass
				3608.14	-47.23	1.67	0.00	-45.56	-28.00	Pass
				3619.50	-43.64	1.67	0.00	-41.97	-16.00	Pass
				3630.50	-43.86	1.67	0.00	-42.19	-16.00	Pass
				3640.71	-47.34	1.67	0.00	-45.67	-28.00	Pass
				3742.89	-48.64	1.67	0.00	-46.97	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.2	10M	9K~1M	0.01	-80.40	1.67	30.00	-48.73	-43.00	Pass
			1M~30M	1.06	-71.95	1.67	20.00	-50.28	-43.00	Pass
			30M~10G	3241.50	-50.28	1.67	0.00	-48.61	-43.00	Pass
				3945.50	-47.61	1.67	0.00	-45.94	-43.00	Pass
			10G~25G	23859.00	-52.36	1.67	0.00	-50.69	-43.00	Pass
			25G~37G	36786.80	-48.55	1.67	0.00	-46.88	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3455.99	-52.58	1.67	0.00	-50.91	-43.00	Pass
				3608.81	-46.86	1.67	0.00	-45.19	-28.00	Pass
				3619.50	-43.47	1.67	0.00	-41.80	-16.00	Pass
				3630.50	-43.70	1.67	0.00	-42.03	-16.00	Pass
				3641.69	-47.40	1.67	0.00	-45.73	-28.00	Pass
				3742.12	-48.68	1.67	0.00	-47.01	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen Testing Laboratory)
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 15 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3695MHz	TM3.2	10M	9K~1M	0.01	-81.03	1.67	30.00	-49.36	-43.00	Pass
			1M~30M	1.00	-71.75	1.67	20.00	-50.08	-43.00	Pass
			30M~10G	3254.00	-49.70	1.67	0.00	-48.03	-43.00	Pass
				3920.50	-47.51	1.67	0.00	-45.84	-43.00	Pass
			10G~25G	23851.50	-52.19	1.67	0.00	-50.52	-43.00	Pass
			25G~37G	36788.80	-48.42	1.67	0.00	-46.75	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3475.43	-52.70	1.67	0.00	-51.03	-43.00	Pass
				3678.87	-47.30	1.67	0.00	-45.63	-28.00	Pass
				3689.50	-42.39	1.67	0.00	-40.72	-16.00	Pass
				3700.50	-42.70	1.67	0.00	-41.03	-16.00	Pass
				3712.25	-47.27	1.67	0.00	-45.60	-28.00	Pass
				3720.50	-48.09	1.67	0.00	-46.42	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3695MHz	TM3.2	10M	9K~1M	0.01	-80.70	1.67	30.00	-49.03	-43.00	Pass
			1M~30M	1.00	-71.82	1.67	20.00	-50.15	-43.00	Pass
			30M~10G	3195.00	-49.81	1.67	0.00	-48.14	-43.00	Pass
				3931.50	-47.54	1.67	0.00	-45.87	-43.00	Pass
			10G~25G	23864.50	-52.25	1.67	0.00	-50.58	-43.00	Pass
			25G~37G	36784.80	-48.38	1.67	0.00	-46.71	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3455.97	-52.29	1.67	0.00	-50.62	-43.00	Pass
				3679.33	-46.87	1.67	0.00	-45.20	-28.00	Pass
				3689.50	-42.45	1.67	0.00	-40.78	-16.00	Pass
				3700.50	-42.55	1.67	0.00	-40.88	-16.00	Pass
				3710.54	-46.82	1.67	0.00	-45.15	-28.00	Pass
				3721.15	-47.95	1.67	0.00	-46.28	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch (Shenzhen Branch Laboratory)
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 16 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560MHz	TM3.2	20M	9K~1M	0.01	-80.38	1.67	30.00	-48.71	-43.00	Pass
			1M~30M	1.00	-71.39	1.67	20.00	-49.72	-43.00	Pass
			30M~10G	3195.00	-47.99	1.67	0.00	-46.32	-43.00	Pass
			10G~25G	23850.50	-52.39	1.67	0.00	-50.72	-43.00	Pass
			25G~37G	36796.80	-48.44	1.67	0.00	-46.77	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.50	-49.29	1.67	0.00	-47.62	-43.00	Pass
				3538.37	-47.06	1.67	0.00	-45.39	-28.00	Pass
				3549.50	-42.30	1.67	0.00	-40.63	-16.00	Pass
				3570.50	-42.51	1.67	0.00	-40.84	-16.00	Pass
				3580.50	-44.80	1.67	0.00	-43.13	-28.00	Pass
				3747.29	-48.61	1.67	0.00	-46.94	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560MHz	TM3.2	20M	9K~1M	0.01	-78.98	1.67	30.00	-47.31	-43.00	Pass
			1M~30M	1.03	-71.31	1.67	20.00	-49.64	-43.00	Pass
			30M~10G	3249.00	-49.28	1.67	0.00	-47.61	-43.00	Pass
			10G~25G	3941.50	-47.56	1.67	0.00	-45.89	-43.00	Pass
			25G~37G	23856.00	-52.14	1.67	0.00	-50.47	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.06	-49.23	1.67	0.00	-47.56	-43.00	Pass
				3538.87	-46.36	1.67	0.00	-44.69	-28.00	Pass
				3549.50	-43.39	1.67	0.00	-41.72	-16.00	Pass
				3570.94	-41.36	1.67	0.00	-39.69	-16.00	Pass
				3580.50	-43.88	1.67	0.00	-42.21	-28.00	Pass
				3743.59	-48.40	1.67	0.00	-46.73	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch (Shenzhen Branch) Laboratory. 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 17 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.2	20M	9K~1M	0.01	-80.40	1.67	30.00	-48.73	-43.00	Pass
			1M~30M	1.00	-71.78	1.67	20.00	-50.11	-43.00	Pass
			30M~10G	3226.00	-48.88	1.67	0.00	-47.21	-43.00	Pass
			10G~25G	23846.50	-52.44	1.67	0.00	-50.77	-43.00	Pass
			25G~37G	36784.40	-48.23	1.67	0.00	-46.56	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3454.77	-52.56	1.67	0.00	-50.89	-43.00	Pass
				3603.03	-46.09	1.67	0.00	-44.42	-28.00	Pass
				3614.50	-43.48	1.67	0.00	-41.81	-16.00	Pass
				3635.50	-43.15	1.67	0.00	-41.48	-16.00	Pass
				3645.50	-45.79	1.67	0.00	-44.12	-28.00	Pass
				3736.53	-48.67	1.67	0.00	-47.00	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3625MHz	TM3.2	20M	9K~1M	0.01	-79.21	1.67	30.00	-47.54	-43.00	Pass
			1M~30M	1.03	-71.87	1.67	20.00	-50.20	-43.00	Pass
			30M~10G	3208.50	-49.68	1.67	0.00	-48.01	-43.00	Pass
			10G~25G	23865.50	-52.48	1.67	0.00	-50.81	-43.00	Pass
			25G~37G	36800.40	-48.36	1.67	0.00	-46.69	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3505.09	-52.79	1.67	0.00	-51.12	-43.00	Pass
				3604.50	-46.22	1.67	0.00	-44.55	-28.00	Pass
				3614.50	-44.02	1.67	0.00	-42.35	-16.00	Pass
				3635.50	-43.61	1.67	0.00	-41.94	-16.00	Pass
				3645.50	-45.97	1.67	0.00	-44.30	-28.00	Pass
				3743.89	-48.45	1.67	0.00	-46.78	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 18 of 54

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM3.2	20M	9K~1M	0.01	-80.89	1.67	30.00	-49.22	-43.00	Pass
			1M~30M	1.03	-71.88	1.67	20.00	-50.21	-43.00	Pass
			30M~10G	3243.00	-48.58	1.67	0.00	-46.91	-43.00	Pass
			10G~25G	3929.50	-47.49	1.67	0.00	-45.82	-43.00	Pass
			25G~37G	23843.00	-52.56	1.67	0.00	-50.89	-43.00	Pass
			37G~51G	36788.40	-48.38	1.67	0.00	-46.71	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3457.15	-52.46	1.67	0.00	-50.79	-43.00	Pass
				3668.96	-45.37	1.67	0.00	-43.70	-28.00	Pass
				3679.50	-42.48	1.67	0.00	-40.81	-16.00	Pass
				3701.50	-42.78	1.67	0.00	-41.11	-16.00	Pass
				3710.50	-45.63	1.67	0.00	-43.96	-28.00	Pass
				3722.30	-47.51	1.67	0.00	-45.84	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM3.2	20M	9K~1M	0.01	-80.56	1.67	30.00	-48.89	-43.00	Pass
			1M~30M	1.00	-71.61	1.67	20.00	-49.94	-43.00	Pass
			30M~10G	3232.00	-49.56	1.67	0.00	-47.89	-43.00	Pass
			10G~25G	3932.00	-47.49	1.67	0.00	-45.82	-43.00	Pass
			25G~37G	23838.50	-52.45	1.67	0.00	-50.78	-43.00	Pass
			37G~51G	36802.00	-48.31	1.67	0.00	-46.64	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3455.95	-52.05	1.67	0.00	-50.38	-43.00	Pass
				3669.50	-45.25	1.67	0.00	-43.58	-28.00	Pass
				3679.50	-41.08	1.67	0.00	-39.41	-16.00	Pass
				3701.09	-40.66	1.67	0.00	-38.99	-16.00	Pass
				3710.50	-44.76	1.67	0.00	-43.09	-28.00	Pass
				3720.76	-46.47	1.67	0.00	-44.80	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)


Port1_10M_3555MHz_TM1.1_CHL_CSE0a



Port1_10M_3555MHz_TM1.1_CHL_CSE0b




Port1_10M_3555MHz_TM1.1_CHL_CSE1




Port1_10M_3555MHz_TM1.1_CHL_CSE2



Port1_10M_3555MHz_TM1.1_CHL_CSE3



Port1_10M_3555MHz_TM1.1_CHL_CSEpart96




Port1_10M_3625MHz_TM1.1_CHM_CSE0a



Port1_10M_3625MHz_TM1.1_CHM_CSE0b




Port1_10M_3625MHz_TM1.1_CHM_CSE1




Port1_10M_3625MHz_TM1.1_CHM_CSE2



Port1_10M_3625MHz_TM1.1_CHM_CSE3




Port1_10M_3625MHz_TM1.1_CHM_CSEpart96




Port1_10M_3695MHz_TM1.1_CHH_CSE0a



Port1_10M_3695MHz_TM1.1_CHH_CSE0b




Port1_10M_3695MHz_TM1.1_CHH_CSE1




Port1_10M_3695MHz_TM1.1_CHH_CSE2



Port1_10M_3695MHz_TM1.1_CHH_CSE3



Port1_10M_3695MHz_TM1.1_CHH_CSEpart96





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 22 of 54


Port1_20M_3560MHz_TM1.1_CHL_CSE0a



Port1_20M_3560MHz_TM1.1_CHL_CSE0b



Port1_20M_3560MHz_TM1.1_CHL_CSE1




Port1_20M_3560MHz_TM1.1_CHL_CSE2



Port1_20M_3560MHz_TM1.1_CHL_CSE3



Port1_20M_3560MHz_TM1.1_CHL_CSEpart96



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic forms, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-a-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)


Port1_20M_3625MHz_TM1.1_CHM_CSE0a



Port1_20M_3625MHz_TM1.1_CHM_CSE0b



Port1_20M_3625MHz_TM1.1_CHM_CSE1



Port1_20M_3625MHz_TM1.1_CHM_CSE2



Port1_20M_3625MHz_TM1.1_CHM_CSE3



Port1_20M_3625MHz_TM1.1_CHM_CSEpart96




Port1_20M_3690MHz_TM1.1_CHH_CSE0a



Port1_20M_3690MHz_TM1.1_CHH_CSE0b




Port1_20M_3690MHz_TM1.1_CHH_CSE1




Port1_20M_3690MHz_TM1.1_CHH_CSE2




Port1_20M_3690MHz_TM1.1_CHH_CSE3



Port1_20M_3690MHz_TM1.1_CHH_CSEpart96




Port2_10M_3555MHz_TM1.1_CHL_CSE0a



Port2_10M_3555MHz_TM1.1_CHL_CSE0b




Port2_10M_3555MHz_TM1.1_CHL_CSE1




Port2_10M_3555MHz_TM1.1_CHL_CSE2



Port2_10M_3555MHz_TM1.1_CHL_CSE3



Port2_10M_3555MHz_TM1.1_CHL_CSEpart96




Port2_10M_3625MHz_TM1.1_CHM_CSE0a



Port2_10M_3625MHz_TM1.1_CHM_CSE0b



Port2_10M_3625MHz_TM1.1_CHM_CSE1




Port2_10M_3625MHz_TM1.1_CHM_CSE2



Port2_10M_3625MHz_TM1.1_CHM_CSE3



Port2_10M_3625MHz_TM1.1_CHM_CSEpart96




Port2_10M_3695MHz_TM1.1_CHH_CSE0a



Port2_10M_3695MHz_TM1.1_CHH_CSE0b




Port2_10M_3695MHz_TM1.1_CHH_CSE1




Port2_10M_3695MHz_TM1.1_CHH_CSE2



Port2_10M_3695MHz_TM1.1_CHH_CSE3



Port2_10M_3695MHz_TM1.1_CHH_CSEpart96





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 28 of 54


Port2_20M_3560MHz_TM1.1_CHL_CSE0a



Port2_20M_3560MHz_TM1.1_CHL_CSE0b




Port2_20M_3560MHz_TM1.1_CHL_CSE1




Port2_20M_3560MHz_TM1.1_CHL_CSE2



Port2_20M_3560MHz_TM1.1_CHL_CSE3



Port2_20M_3560MHz_TM1.1_CHL_CSEpart96



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.cn/terms-and-conditions/Terms-a-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 29 of 54


Port2_20M_3625MHz_TM1.1_CHM_CSE0a



Port2_20M_3625MHz_TM1.1_CHM_CSE0b




Port2_20M_3625MHz_TM1.1_CHM_CSE1




Port2_20M_3625MHz_TM1.1_CHM_CSE2



Port2_20M_3625MHz_TM1.1_CHM_CSE3



Port2_20M_3625MHz_TM1.1_CHM_CSEpart96



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and for electronic communications, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-a-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)


Port2_20M_3690MHz_TM1.1_CHH_CSE0a



Port2_20M_3690MHz_TM1.1_CHH_CSE0b



Port2_20M_3690MHz_TM1.1_CHH_CSE1



Port2_20M_3690MHz_TM1.1_CHH_CSE2



Port2_20M_3690MHz_TM1.1_CHH_CSE3



Port2_20M_3690MHz_TM1.1_CHH_CSEpart96

