



ANNEX C EUT EXTERNAL PHOTOS

FRONT VIEW OF EUT (BOE Screen)



REAR VIEW OF EUT (BOE Screen)



LEFT VIEW OF EUT (BOE Screen)




RIGHT VIEW OF EUT (BOE Screen)




TOP VIEW OF EUT (BOE Screen)




BOTTOM VIEW OF EUT (BOE Screen)




FRONT VIEW OF EUT (Innolux Screen)




REAR VIEW OF EUT (Innolux Screen)



LEFT VIEW OF EUT (Innolux Screen)



RIGHT VIEW OF EUT (Innolux Screen)



TOP VIEW OF EUT (Innolux Screen)



BOTTOM VIEW OF EUT (Innolux Screen)



Power Adapter

Model: TPA-48050200UU

Input: 100-240V ~ 50/60Hz 0.3A

Output: 5.0V == 2000mA

EFFICIENCY LEVEL: VI

I.T.E power supply

UL LISTED E328703

CHENZHEN TIANYIN ELECTRONICS CO., LTD.

Made in China

A black Ethernet cable with RJ45 connectors on both ends, coiled on a blue surface. A white label with handwritten text is attached to the cable. A ruler is visible on the left side of the image.

Accessory-Keyboard

