
Model: POW	LINIO				
luizhou Qit	ai Electronic Technolc	ogy Co., LTD	Ro	HS	
	SPEC	IFICATIONS SHEET	AD SSVd	E SSVA	
USTOMER :		mofhie			
DESCRIPTION	1:	Y. 019. 00	035		
USTOMER F	P/N :				
PART NUMBE	R :				
DATE OF APF	PLICATION :	Apr. 30, 2024			
SIFICATION New applica		DN. (Tick the relevant box	"√")		
New part is	added to decepted epecint	Jacon			
	accepted specification				
Revision of a					
Revision of a		CHECK BY	PREPARE BY		
Revision of a	ΓΑΜΡ	CHECK BY	PREPARE BY Chen Jun		
Revision of a	TAMP APPROVAL BY Chaulziqi	CHECK BY	Chen Jun	u city	
	TAMP APPROVAL BY Chaulziqi		Chen Jun	u city	

Huizhou Qitai Electronic	Technology C	Co., LTD
--------------------------	--------------	----------

History For Revised Specification			CUSTOMER P/N : PART NUMBER :		mofhie Y.019.0035			
Item	DESCRIPTION	(Content Or Reason For	Changed)	Rev.	Cust Rev.	Dat	te	Revisor
1	Ini	itial Release		A0		2024-	4-30	Chen Jur
APP	ROVED BY	CHECKED BY	PREPARE	RED BY DATE		PAGE		
Chaulziqi			Chen J	Jun Apr. 30, 2024		24	1 of 3	



ADD		, 5th Floor, E		nic Technology Co., A, No.2 Huaxing 1st		i	-	
Sneci	ication			CUSTOME	ER P/N :		mofhie	
Specification				PART NUI	PART NUMBER :		Y. 019. 0035	
2. WIN	DING DETAI	LS Coil1			L			
Turns	5	Wire Dia		Wdg. Type Spred/Close	Wdg.Dir	ection	Intersect Yes/Not	
11TS	0.00	8*75P air self-adh	esive wi	(Close)	bac	kwind	(Yes)	
	ECTRICAL (ERATURE:25	CHARACTERI ±10 ,℃		IVE HUMIDITY:65±10%	5			
NO.	ITEM	TERMINAL		SPECIFICATION	TEST FRE	QUENCY	TEST EQUIPMENTS	
1.	IND	S-F	Coil 1 7.8uh±10%		100kl	Hz/V	UC2906A	
2.	Q	S–F	60Min		100kl	Hz/V	UC2906A	
3.	DCR	S–F	55m Ω Max		100kl	Hz/V	UC2906A	
					I		I	
APPR	APPROVED BY) BY	PREPARED BY	DATE		PAGE	
Ch	aulziqi			Chen Jun	Apr. 30, 202	24	3 of 3	