

INDEX OF SUBMITTED MEASURED DATA

This exhibit contains the measured data for this equipment as follows:

EXHIBIT 6A - RF Power Output (Table)

EXHIBIT 6F - Conducted Spurious Emissions (3 Graphs)

6F-1 – 1 Watts, 450.000 MHz

6F-2 – 1 Watts, 470.000 MHz

6F-3 – 4 Watts, 450.000 MHz

6F-4 – 4 Watts, 470.000 MHz

EXHIBIT 6G - Radiated Spurious Emissions

6G-1 – 1 Watts (Graph), 461.000 MHz

6G-2 – 4 Watts (Graph), 461.000 MHz

EXHIBIT 6K - Transient Frequency Behavior (2 Graphs)

6K-1 – 25 kHz Key-Up Attack Time

6K-2 – 25 kHz De-Key Attack Time

HIGH-POWER SETTING, FREQUENCY 450.000 MHz

Measured RF Output Power:	4.3 Watts
Measured DC Voltage:	7.5 Volts
Measured DC Current:	1.84 Amperes
Measured DC Input Power:	13.8 Watts

HIGH-POWER SETTING, FREQUENCY 470.000 MHz


Measured RF Output Power:	4.02 Watts
Measured DC Voltage:	7.5 Volts
Measured DC Current:	1.73 Amperes
Measured DC Input Power:	12.975 Watt


LOW-POWER SETTING, FREQUENCY 450.000 MHz


Measured RF Output Power:	1.12 Watts
Measured DC Voltage:	7.5 Volts
Measured DC Current:	0.97 Amperes
Measured DC Input Power:	7.275 Watts


LOW-POWER SETTING, FREQUENCY 470.000 MHz


Measured RF Output Power:	1.13 Watts
Measured DC Voltage:	7.5 Volts
Measured DC Current:	0.90 Amperes
Measured DC Input Power:	6.75 Watt















Transient Frequency Behavior – 12.5 kHz Turn On Characteristic

Transient Frequency Behavior – 12.5 kHz Turn Off Characteristic