

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.62	0.24	24.86	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.87	0.24	25.11	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.99	30.00	1.0000	Complies

APPENDIX G - POWER SPECTRAL DENSITY


Group 1 Antenna

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.96	0.13	2.09	16.19	Complies
40	5200	11.23	0.13	11.36	16.19	Complies
48	5240	12.68	0.13	12.81	16.19	Complies



Date: 13.JAN.2020 11:12:47




Date: 13.JAN.2020 11:13:08




Date: 13.JAN.2020 11:13:40

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.37	0.13	2.50	16.19	Complies
40	5200	11.27	0.13	11.40	16.19	Complies
48	5240	12.70	0.13	12.83	16.19	Complies



Date: 13.JAN.2020 11:27:14



Date: 13.JAN.2020 11:28:02




Date: 13.JAN.2020 11:28:59

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.31	16.19	Complies
40	5200	14.39	16.19	Complies
48	5240	15.83	16.19	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.51	0.00	0.51	16.19	Complies
40	5200	11.00	0.00	11.00	16.19	Complies
48	5240	12.47	0.00	12.47	16.19	Complies



Date: 13.JAN.2020 11:16:23




Date: 13.JAN.2020 11:16:53




Date: 13.JAN.2020 11:17:26

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.69	0.00	0.69	16.19	Complies
40	5200	10.67	0.00	10.67	16.19	Complies
48	5240	12.32	0.00	12.32	16.19	Complies



Date: 13.JAN.2020 11:34:54



Date: 13.JAN.2020 11:35:43





Date: 13.JAN.2020 11:36:50

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.61	16.19	Complies
40	5200	13.85	16.19	Complies
48	5240	15.41	16.19	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.39	0.11	-2.28	16.19	Complies
46	5230	6.25	0.11	6.36	16.19	Complies





Date: 13.JAN.2020 11:21:45

Date: 13.JAN.2020 11:22:12

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.35	0.11	-2.24	16.19	Complies
46	5230	6.91	0.11	7.02	16.19	Complies



Date: 13.JAN.2020 11:42:26


Date: 13.JAN.2020 11:43:27

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.75	16.19	Complies
46	5230	9.72	16.19	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.89	0.13	6.02	12.19	Complies
157	5785	5.25	0.13	5.38	12.19	Complies
165	5825	4.74	0.13	4.87	12.19	Complies



Date: 13.JAN.2020 11:14:10




Date: 13.JAN.2020 11:14:27




Date: 13.JAN.2020 11:14:46

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.21	0.13	6.34	12.19	Complies
157	5785	4.92	0.13	5.05	12.19	Complies
165	5825	5.38	0.13	5.51	12.19	Complies



Date: 13.JAN.2020 11:29:48



Date: 13.JAN.2020 11:32:31




Date: 13.JAN.2020 11:33:20

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.20	12.19	Complies
157	5785	8.23	12.19	Complies
165	5825	8.21	12.19	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.50	0.00	6.50	12.19	Complies
157	5785	5.60	0.00	5.60	12.19	Complies
165	5825	4.42	0.00	4.42	12.19	Complies



Date: 13.JAN.2020 11:17:53




Date: 13.JAN.2020 11:19:30




Date: 13.JAN.2020 11:21:14

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.92	0.00	6.92	12.19	Complies
157	5785	6.46	0.00	6.46	12.19	Complies
165	5825	3.85	0.00	3.85	12.19	Complies



Date: 13.JAN.2020 11:37:50



Date: 13.JAN.2020 11:38:45





Date: 13.JAN.2020 11:39:41

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.73	12.19	Complies
157	5785	9.06	12.19	Complies
165	5825	7.15	12.19	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.08	0.11	8.19	12.19	Complies
159	5795	5.13	0.11	5.24	12.19	Complies





Date: 13.JAN.2020 11:22:49

Date: 13.JAN.2020 11:23:16

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.20	0.11	8.31	12.19	Complies
159	5795	5.09	0.11	5.20	12.19	Complies



Date: 13.JAN.2020 11:44:51

Date: 13.JAN.2020 11:46:39


Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.26	12.19	Complies
159	5795	8.23	12.19	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.60	0.24	-3.36	16.19	Complies

CH42




Date: 13.JAN.2020 11:23:48

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.50	0.24	-3.26	16.19	Complies

CH42



Date: 13.JAN.2020 11:48:05


Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.30	16.19	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.05	0.24	2.29	12.19	Complies

CH155




Date: 13.JAN.2020 11:24:28

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.93	0.24	2.17	12.19	Complies

CH155



Date: 13.JAN.2020 11:49:09


Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.24	12.19	Complies


Group 2 Antenna

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.41	0.13	10.54	17.00	Complies
40	5200	12.84	0.13	12.97	17.00	Complies
48	5240	12.71	0.13	12.84	17.00	Complies



Date: 13.JAN.2020 09:45:43




Date: 13.JAN.2020 09:47:10




Date: 13.JAN.2020 09:48:17

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.35	0.13	10.48	17.00	Complies
40	5200	12.94	0.13	13.07	17.00	Complies
48	5240	12.69	0.13	12.82	17.00	Complies



Date: 13.JAN.2020 10:03:33



Date: 13.JAN.2020 10:04:39




Date: 13.JAN.2020 10:06:15

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.52	17.00	Complies
40	5200	16.03	17.00	Complies
48	5240	15.84	17.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.04	0.00	10.04	17.00	Complies
40	5200	12.45	0.00	12.45	17.00	Complies
48	5240	12.81	0.00	12.81	17.00	Complies



Date: 13.JAN.2020 09:50:51




Date: 13.JAN.2020 09:51:17




Date: 13.JAN.2020 13:42:14

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.94	0.00	9.94	17.00	Complies
40	5200	12.37	0.00	12.37	17.00	Complies
48	5240	12.19	0.00	12.19	17.00	Complies



Date: 13.JAN.2020 10:23:11



Date: 13.JAN.2020 10:48:25





Date: 13.JAN.2020 11:08:10

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.00	17.00	Complies
40	5200	15.42	17.00	Complies
48	5240	15.52	17.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.27	0.11	2.38	17.00	Complies
46	5230	10.09	0.11	10.20	17.00	Complies





Date: 13.JAN.2020 09:54:22

Date: 13.JAN.2020 09:54:49

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.26	0.11	2.37	17.00	Complies
46	5230	10.16	0.11	10.27	17.00	Complies



Date: 13.JAN.2020 10:29:22


Date: 13.JAN.2020 10:30:26

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.39	17.00	Complies
46	5230	13.25	17.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.31	0.13	10.44	26.04	Complies
157	5785	10.51	0.13	10.64	26.04	Complies
165	5825	9.80	0.13	9.93	26.04	Complies



Date: 13.JAN.2020 09:48:47




Date: 13.JAN.2020 09:49:14




Date: 13.JAN.2020 09:49:37

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.18	0.13	10.31	26.04	Complies
157	5785	10.77	0.13	10.90	26.04	Complies
165	5825	9.68	0.13	9.81	26.04	Complies



Date: 13.JAN.2020 10:16:23



Date: 13.JAN.2020 10:19:07




Date: 13.JAN.2020 10:20:05

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.39	26.04	Complies
157	5785	13.78	26.04	Complies
165	5825	12.88	26.04	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.60	0.00	9.60	26.04	Complies
157	5785	10.10	0.00	10.10	26.04	Complies
165	5825	10.16	0.00	10.16	26.04	Complies



Date: 13.JAN.2020 09:52:39




Date: 13.JAN.2020 09:53:17




Date: 13.JAN.2020 09:53:41

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.79	0.00	9.79	26.04	Complies
157	5785	10.38	0.00	10.38	26.04	Complies
165	5825	10.47	0.00	10.47	26.04	Complies



Date: 13.JAN.2020 10:25:50



Date: 13.JAN.2020 10:27:10





Date: 13.JAN.2020 10:28:04

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.71	26.04	Complies
157	5785	13.25	26.04	Complies
165	5825	13.33	26.04	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.95	0.11	8.06	26.04	Complies
159	5795	7.74	0.11	7.85	26.04	Complies





Date: 13.JAN.2020 11:09:55

Date: 13.JAN.2020 09:56:27

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.23	0.11	8.34	26.04	Complies
159	5795	7.53	0.11	7.64	26.04	Complies



Date: 13.JAN.2020 11:08:44

Date: 13.JAN.2020 10:34:11


Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.22	26.04	Complies
159	5795	10.76	26.04	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.07	0.24	-2.83	17.00	Complies

CH42




Date: 13.JAN.2020 09:56:59

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.12	0.24	-2.88	17.00	Complies

CH42



Date: 13.JAN.2020 10:35:51


Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.15	17.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.38	0.24	4.62	26.04	Complies

CH155




Date: 13.JAN.2020 09:57:48

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.79	0.24	4.03	26.04	Complies

CH155



Date: 13.JAN.2020 10:37:12

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.34	26.04	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5179.9860
120	5179.9856
102	5179.9852
Maximum Deviation (MHz)	-0.0148
Maximum Deviation (ppm)	-2.8571

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-40	5179.9890
-30	5179.9990
-20	5179.9890
-10	5179.9856
0	5179.9860
10	5179.9860
20	5179.9860
30	5179.9860
40	5179.9860
50	5179.9860
60	5179.9856
70	5179.9880
Maximum Deviation (MHz)	-0.0144
Maximum Deviation (ppm)	-2.7799

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5744.9924
120	5744.9908
102	5744.9904
Maximum Deviation (MHz)	-0.0096
Maximum Deviation (ppm)	-1.6710

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-40	5744.9896
-30	5744.9896
-20	5744.9896
-10	5744.9896
0	5744.9896
10	5744.9896
20	5744.9892
30	5744.9888
40	5744.9884
50	5744.9884
60	5744.9884
70	5744.9884
Maximum Deviation (MHz)	-0.0116
Maximum Deviation (ppm)	-2.0191

End of Test Report