





11AX20MIMO_Ant17_6435_52Tone_RU37




11AX20MIMO_Ant17_6435_106Tone_RU53






11AX20MIMO_Ant6_6475_26Tone_RU0




11AX20MIMO_Ant6_6475_52Tone_RU37






11AX20MIMO_Ant6_6475_106Tone_RU53




11AX20MIMO_Ant17_6475_26Tone_RU0






11AX20MIMO_Ant17_6475_52Tone_RU37




11AX20MIMO_Ant17_6475_106Tone_RU53






11AX20MIMO_Ant6_6515_26Tone_RU8




11AX20MIMO_Ant6_6515_52Tone_RU40






11AX20MIMO_Ant6_6515_106Tone_RU54




11AX20MIMO_Ant17_6515_26Tone_RU8






11AX20MIMO_Ant17_6515_52Tone_RU40




11AX20MIMO_Ant17_6515_106Tone_RU54






11AX20MIMO_Ant6_6535_26Tone_RU0




11AX20MIMO_Ant6_6535_52Tone_RU37






11AX20MIMO_Ant6_6535_106Tone_RU53




11AX20MIMO_Ant17_6535_26Tone_RU0






11AX20MIMO_Ant17_6535_52Tone_RU37




11AX20MIMO_Ant17_6535_106Tone_RU53






11AX20MIMO_Ant6_6695_26Tone_RU0




11AX20MIMO_Ant6_6695_52Tone_RU37






11AX20MIMO_Ant6_6695_106Tone_RU53




11AX20MIMO_Ant17_6695_26Tone_RU0






11AX20MIMO_Ant17_6695_52Tone_RU37




11AX20MIMO_Ant17_6695_106Tone_RU53






11AX20MIMO_Ant6_6855_26Tone_RU8




11AX20MIMO_Ant6_6855_52Tone_RU40






11AX20MIMO_Ant6_6855_106Tone_RU54




11AX20MIMO_Ant17_6855_26Tone_RU8






11AX20MIMO_Ant17_6855_52Tone_RU40




11AX20MIMO_Ant17_6855_106Tone_RU54






11AX20MIMO_Ant6_6875_26Tone_RU0




11AX20MIMO_Ant6_6875_52Tone_RU37






11AX20MIMO_Ant6_6875_106Tone_RU53




11AX20MIMO_Ant17_6875_26Tone_RU0






11AX20MIMO_Ant17_6875_52Tone_RU37




11AX20MIMO_Ant17_6875_106Tone_RU53






11AX20MIMO_Ant6_6895_26Tone_RU0




11AX20MIMO_Ant6_6895_52Tone_RU37






11AX20MIMO_Ant6_6895_106Tone_RU53




11AX20MIMO_Ant17_6895_26Tone_RU0






11AX20MIMO_Ant17_6895_52Tone_RU37




11AX20MIMO_Ant17_6895_106Tone_RU53






11AX20MIMO_Ant6_6995_26Tone_RU0




11AX20MIMO_Ant6_6995_52Tone_RU37






11AX20MIMO_Ant6_6995_106Tone_RU53




11AX20MIMO_Ant17_6995_26Tone_RU0






11AX20MIMO_Ant17_6995_52Tone_RU37




11AX20MIMO_Ant17_6995_106Tone_RU53






11AX20MIMO_Ant6_7095_26Tone_RU8




11AX20MIMO_Ant6_7095_52Tone_RU40






11AX20MIMO_Ant6_7095_106Tone_RU54




11AX20MIMO_Ant17_7095_26Tone_RU8






11AX20MIMO_Ant17_7095_52Tone_RU40




11AX20MIMO_Ant17_7095_106Tone_RU54



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.184	36.05	-28.23	64.28	25.60	0.04	10.41	QP
2	0.184	24.35	-29.93	54.28	13.90	0.04	10.41	Average
3	0.308	32.56	-27.46	60.02	22.19	0.04	10.33	QP
4	0.308	21.66	-28.36	50.02	11.29	0.04	10.33	Average
5 *	0.532	33.47	-22.53	56.00	23.30	-0.04	10.21	QP
6	0.532	22.37	-23.63	46.00	12.20	-0.04	10.21	Average
7	0.835	29.82	-26.18	56.00	19.79	-0.08	10.11	QP
8	0.835	18.82	-27.18	46.00	8.79	-0.08	10.11	Average
9	1.060	30.19	-25.81	56.00	20.20	-0.10	10.09	QP
10	1.060	19.29	-26.71	46.00	9.30	-0.10	10.09	Average
11	21.715	31.87	-28.13	60.00	20.80	-0.34	11.41	QP
12	21.715	26.67	-23.33	50.00	15.60	-0.34	11.41	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.175	36.66	-28.06	64.72	26.20	0.05	10.41	QP
2	0.175	25.76	-28.96	54.72	15.30	0.05	10.41	Average
3	0.197	34.66	-29.10	63.76	24.20	0.05	10.41	QP
4	0.197	22.76	-31.00	53.76	12.30	0.05	10.41	Average
5	0.788	28.83	-27.17	56.00	18.80	-0.08	10.11	QP
6 *	0.788	19.33	-26.67	46.00	9.30	-0.08	10.11	Average
7	1.094	28.79	-27.21	56.00	18.80	-0.10	10.09	QP
8	1.094	19.09	-26.91	46.00	9.10	-0.10	10.09	Average
9	1.403	28.77	-27.23	56.00	18.80	-0.11	10.08	QP
10	1.403	18.87	-27.13	46.00	8.90	-0.11	10.08	Average
11	1.898	28.76	-27.24	56.00	18.80	-0.12	10.08	QP
12	1.898	18.46	-27.54	46.00	8.50	-0.12	10.08	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Kuang Jia	Relative Humidity :	50%
		Temperature :	20~22 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 6+17	802.11a	1	5955	6Mbps	-	Harmonic
Mode 2	U-NII-5	5.925-6.425	CDD 6+17	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	CDD 6+17	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-6	6.425-6.525	CDD 6+17	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	CDD 6+17	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	CDD 6+17	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	CDD 6+17	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	CDD 6+17	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	CDD 6+17	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-8	6.875-7.125	CDD 6+17	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	CDD 6+17	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	CDD 6+17	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE20	1	5955	MCS0	Full RU	Harmonic
Mode 14	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE20	1	5955	MCS0	Partial_RU RU26/0	-
Mode 15	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE20	1	5955	MCS0	Partial_RU RU52/37	-
Mode 16	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE20	1	5955	MCS0	Partial_RU RU106/53	-
Mode 17	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE20	45	6175	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 19	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE40	3	5965	MCS0	Full RU	Harmonic
Mode 20	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 21	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 22	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE80	7	5985	MCS0	Full RU	Harmonic
Mode 23	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 24	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 25	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE160	15	6025	MCS0	Full RU	Harmonic
Mode 26	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 27	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 28	U-NII-6	6.425-6.525	CDD 6+17	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	CDD 6+17	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 30	U-NII-6	6.425-6.525	CDD 6+17	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 31	U-NII-6	6.425-6.525	CDD 6+17	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 32	U-NII-6	6.425-6.525	CDD 6+17	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 33	U-NII-6	6.425-6.525	CDD 6+17	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 34	U-NII-6	6.425-6.525	CDD 6+17	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 35	U-NII-6	6.425-6.525	CDD 6+17	802.11ax HE80	119	6545	MCS0	Full RU	-



Mode 36	U-NII-6	6.425-6.525	CDD 6+17	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 37	U-NII-7	6.525-6.875	CDD 6+17	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 38	U-NII-7	6.525-6.875	CDD 6+17	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 39	U-NII-7	6.525-6.875	CDD 6+17	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	CDD 6+17	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	CDD 6+17	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	CDD 6+17	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	CDD 6+17	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	CDD 6+17	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 45	U-NII-7	6.525-6.875	CDD 6+17	802.11ax HE20	185	6875	MCS0	Full	-
Mode 46	U-NII-7	6.525-6.875	CDD 6+17	802.11ax HE80	183	6865	MCS0	Full	-
Mode 47	U-NII-7	6.525-6.875	CDD 6+17	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 48	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 49	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 50	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE20	229	7095	MCS0	Full RU	Harmonic
Mode 51	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE20	229	7095	MCS0	Partial_RU RU26/8	-
Mode 52	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE20	229	7095	MCS0	Partial_RU RU52/40	-
Mode 53	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE20	229	7095	MCS0	Partial_RU RU106/54	-
Mode 54	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE40	203	6965	MCS0	Full RU	-
Mode 55	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE40	227	7085	MCS0	Full RU	Harmonic
Mode 56	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 57	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE80	215	7025	MCS0	Full RU	Harmonic
Mode 58	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE160	207	6985	MCS0	Full RU	Harmonic
Mode 59	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 60	U-NII-8	6.875-7.125	CDD 6+17	802.11a	185	6875	6Mbps	Full RU	-
Mode 61	U-NII-8	5.925-6.425	CDD 6+17	802.11ax HE40	227	7085	MCS0	Full RU	LF
Mode 62	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE40	227	7085	MCS0	Full RU	Co-location TX
	WWAN	-	7	NR B48 Link	-	-	-	-	
	BLE	2400-2483.5	16	Bluetooth-LE_GSKF	38	2478	2Mbps	-	
Mode 63	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE40	227	7085	MCS0	Full RU	Co-location TX
	WWAN	-	7	NR B48 Link	-	-	-	-	
	2.4G	2400-2483.5	CDD 7+16	802.11g	11	2462	6Mbps	-	
Mode 1	U-NII-5	5.925-6.425	CDD 6+17	802.11a	1	5955	6Mbps	Full	Band Edge
Mode 13	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE20	1	5955	MCS0	Full	Band Edge
Mode 19	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE40	3	5965	MCS0	Full	Band Edge
Mode 22	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE80	7	5985	MCS0	Full	Band Edge
Mode 25	U-NII-5	5.925-6.425	CDD 6+17	802.11ax HE160	15	6025	MCS0	Full	Band Edge
Mode 50	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE20	229	7095	MCS0	Full	Band Edge
Mode 55	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE40	227	7085	MCS0	Full	Band Edge
Mode 57	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE80	215	7025	MCS0	Full	Band Edge
Mode 58	U-NII-8	6.875-7.125	CDD 6+17	802.11ax HE160	207	6985	MCS0	Full	Band Edge



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	-	-	-	-	-	-	-	Band Edge
1	802.11a	1	17865.00	48.02	74.00	-25.98	V	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	46.75	74.00	-27.25	H	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.02	88.20	-42.18	V	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	47.01	88.20	-41.19	V	Peak	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	47.21	88.20	-40.99	H	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	46.52	88.20	-41.68	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	46.36	88.20	-41.84	H	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	47.48	74.00	-26.52	H	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	47.19	88.20	-41.01	V	Peak	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	47.97	88.20	-40.23	H	Peak	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	47.33	88.20	-40.87	V	Peak	Pass	Harmonic
12	802.11a	229	-	-	-	-	-	-	-	Band Edge
12	802.11a	229	14190.00	46.15	88.20	-42.05	H	Peak	Pass	Harmonic
13	802.11ax HE20	1	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	1	17865.00	47.76	74.00	-26.24	H	Peak	Pass	Harmonic
14	802.11ax HE20	1	5881.84	43.46	68.20	-24.74	H	AVERAGE	Pass	Band Edge
14	802.11ax HE20	1	17865.00	51.63	74.00	-22.37	H	Peak	Pass	Harmonic
15	802.11ax HE20	1	5919.50	43.96	68.20	-24.24	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	1	17865.00	50.13	74.00	-23.87	H	Peak	Pass	Harmonic
16	802.11ax HE20	1	5923.84	49.26	68.20	-18.94	V	AVERAGE	Pass	Band Edge
16	802.11ax HE20	1	17865.00	50.12	74.00	-23.88	H	Peak	Pass	Harmonic
17	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	45	12350.00	44.83	74.00	-29.17	V	Peak	Pass	Harmonic
18	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	93	12830.00	46.21	88.20	-41.99	V	Peak	Pass	Harmonic
19	802.11ax HE40	3	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE40	3	11930.00	48.20	74.00	-25.80	V	Peak	Pass	Harmonic
20	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE40	43	12330.00	44.94	74.00	-29.06	H	Peak	Pass	Harmonic
21	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE40	91	12810.00	46.43	88.20	-41.77	H	Peak	Pass	Harmonic
22	802.11ax HE80	7	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE80	7	17955.00	49.00	74.00	-25.00	H	Peak	Pass	Harmonic
23	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE80	39	12290.00	47.35	74.00	-26.65	H	Peak	Pass	Harmonic
24	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE80	87	12770.00	47.19	88.20	-41.01	H	Peak	Pass	Harmonic



25	802.11ax HE160	15	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE160	15	12050.00	47.13	74.00	-26.87	H	Peak	Pass	Harmonic
26	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE160	47	12370.00	46.59	74.00	-27.41	H	Peak	Pass	Harmonic
27	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE160	79	12690.00	46.34	74.00	-27.66	H	Peak	Pass	Harmonic
28	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE20	97	12870.00	48.49	88.20	-39.71	V	Peak	Pass	Harmonic
29	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE20	105	12950.00	48.66	88.20	-39.54	H	Peak	Pass	Harmonic
30	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE20	113	13030.00	48.77	88.20	-39.43	V	Peak	Pass	Harmonic
31	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	99	12890.00	48.26	88.20	-39.94	H	Peak	Pass	Harmonic
32	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	107	12970.00	48.28	88.20	-39.92	V	Peak	Pass	Harmonic
33	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE80	103	12930.00	48.58	88.20	-39.62	H	Peak	Pass	Harmonic
34	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	115	13050.00	47.96	88.20	-40.24	V	Peak	Pass	Harmonic
35	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE80	119	13090.00	49.56	88.20	-38.64	V	Peak	Pass	Harmonic
36	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE160	111	13010.00	48.26	88.20	-39.94	V	Peak	Pass	Harmonic
37	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	117	13070.00	48.80	88.20	-39.40	V	Peak	Pass	Harmonic
38	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	149	13390.00	49.26	74.00	-24.74	H	Peak	Pass	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	123	13130.00	49.02	88.20	-39.18	V	Peak	Pass	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	147	13370.00	48.17	74.00	-25.83	V	Peak	Pass	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	179	13690.00	49.35	88.20	-38.85	H	Peak	Pass	Harmonic
42	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	135	13250.00	49.15	74.00	-24.85	H	Peak	Pass	Harmonic
43	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	151	13410.00	47.94	88.20	-40.26	V	Peak	Pass	Harmonic
44	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE160	143	13330.00	49.15	74.00	-24.85	H	Peak	Pass	Harmonic
45	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE20	185	13750.00	50.25	88.20	-37.95	V	Peak	Pass	Harmonic
46	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE80	183	13730.00	49.74	88.20	-38.46	V	Peak	Pass	Harmonic
47	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	175	13650.00	50.26	88.20	-37.94	H	Peak	Pass	Harmonic
48	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE20	189	13790.00	50.26	88.20	-37.94	H	Peak	Pass	Harmonic
49	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE20	209	13990.00	49.84	88.20	-38.36	H	Peak	Pass	Harmonic
50	802.11ax HE20	229	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE20	229	14190.00	48.72	88.20	-39.48	V	Peak	Pass	Harmonic
51	802.11ax HE20	229	7250.32	43.29	54.00	-10.71	H	AVERAGE	Pass	Band Edge
51	802.11ax HE20	229	14190.00	49.64	88.20	-38.56	V	Peak	Pass	Harmonic
52	802.11ax HE20	229	7269.46	43.10	54.00	-10.90	V	AVERAGE	Pass	Band Edge



52	802.11ax HE20	229	14190.00	48.38	88.20	-39.82	V	Peak	Pass	Harmonic
53	802.11ax HE20	229	7259.67	43.21	54.00	-10.79	H	AVERAGE	Pass	Band Edge
53	802.11ax HE20	229	14190.00	48.97	88.20	-39.23	V	Peak	Pass	Harmonic
54	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	203	13930.00	49.68	88.20	-38.52	H	Peak	Pass	Harmonic
55	802.11ax HE40	227	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE40	227	14170.00	49.42	88.20	-38.78	V	Peak	Pass	Harmonic
56	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE80	199	13890.00	50.31	88.20	-37.89	V	Peak	Pass	Harmonic
57	802.11ax HE80	215	-	-	-	-	-	-	-	Band Edge
57	802.11ax HE80	215	14050.00	48.93	88.20	-39.27	H	Peak	Pass	Harmonic
58	802.11ax HE160	207	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE160	207	13970.00	48.54	88.20	-39.66	V	Peak	Pass	Harmonic
59	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
59	802.11ax HE40	187	13770.00	48.24	88.20	-39.96	V	Peak	Pass	Harmonic
60	802.11a	185	-	-	-	-	-	-	-	Band Edge
60	802.11a	185	13750.00	49.37	88.20	-38.83	H	Peak	Pass	Harmonic
61	802.11ax HE40	227	956.35	31.74	46.00	-14.26	H	Peak	Pass	LF
62	802.11ax HE40	227	7125.14	63.12	68.20	-5.08	V	AVERAGE	Pass	Band Edge
62	802.11ax HE40	227	14170.00	49.87	88.20	-38.33	V	Peak	Pass	Harmonic
63	802.11ax HE40	227	7125.16	53.35	68.20	-14.85	H	AVERAGE	Pass	Band Edge
63	802.11ax HE40	227	14170.00	46.21	88.20	-41.99	V	PEAK	Pass	Harmonic
63	802.11g	11	2483.56	44.59	54.00	-9.41	H	AVERAGE	Pass	Band Edge
63	802.11g	11	7386.00	42.50	74.00	-31.50	H	PEAK	Pass	Harmonic
1	802.11a	1	5921.20	58.12	68.20	-10.08	H	AVERAGE	Pass	Band Edge
1	802.11a	1	-	-	-	-	-	-	-	Harmonic
13	802.11ax HE20	1	5923.15	51.41	68.20	-16.79	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
19	802.11ax HE40	3	5919.78	56.41	68.20	-11.79	H	AVERAGE	Pass	Band Edge
19	802.11ax HE40	3	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE80	7	5923.24	58.38	68.20	-9.82	H	AVERAGE	Pass	Band Edge
22	802.11ax HE80	7	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE160	15	5918.80	56.24	68.20	-11.96	H	AVERAGE	Pass	Band Edge
25	802.11ax HE160	15	-	-	-	-	-	-	-	Harmonic
50	802.11ax HE20	229	7125.16	53.41	68.20	-14.79	V	AVERAGE	Pass	Band Edge
50	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE40	227	7125.64	62.27	68.20	-5.93	V	AVERAGE	Pass	Band Edge
55	802.11ax HE40	227	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE80	215	7127.30	51.35	68.20	-16.85	V	AVERAGE	Pass	Band Edge
57	802.11ax HE80	215	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE160	207	7129.72	53.13	68.20	-15.07	V	AVERAGE	Pass	Band Edge
58	802.11ax HE160	207	-	-	-	-	-	-	-	Harmonic



Mode	1																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																					
ANT	CDD 6+17																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11910.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>57.44</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.14</td><td>74.00</td><td>-26.86</td><td>54.02</td><td>42.55</td><td>16.20</td><td>65.63</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11910.00	46.51	74.00	-27.49	57.44	39.36	13.18	63.47	---	---	Peak	2	17865.00	47.14	74.00	-26.86	54.02	42.55	16.20	65.63	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11910.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>57.82</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>48.02</td><td>74.00</td><td>-25.98</td><td>54.90</td><td>42.55</td><td>16.20</td><td>65.63</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11910.00	46.89	74.00	-27.11	57.82	39.36	13.18	63.47	---	---	Peak	2	17865.00	48.02	74.00	-25.98	54.90	42.55	16.20	65.63	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																
1	11910.00	46.51	74.00	-27.49	57.44	39.36	13.18	63.47	---	---	Peak																																																																																											
2	17865.00	47.14	74.00	-26.86	54.02	42.55	16.20	65.63	---	---	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																
1	11910.00	46.89	74.00	-27.11	57.82	39.36	13.18	63.47	---	---	Peak																																																																																											
2	17865.00	48.02	74.00	-25.98	54.90	42.55	16.20	65.63	---	---	Peak																																																																																											



Mode	2																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>57.39</td><td>39.58</td><td>13.35</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12350.00	46.75	74.00	-27.25	57.39	39.58	13.35	63.57	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.95</td><td>74.00</td><td>-28.05</td><td>56.59</td><td>39.58</td><td>13.35</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12350.00	45.95	74.00	-28.05	56.59	39.58	13.35	63.57	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12350.00	46.75	74.00	-27.25	57.39	39.58	13.35	63.57	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12350.00	45.95	74.00	-28.05	56.59	39.58	13.35	63.57	---	---	Peak																																																																																	



Mode	3																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.20</td><td>88.20</td><td>-43.00</td><td>55.59</td><td>39.82</td><td>13.50</td><td>63.71</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	45.20	88.20	-43.00	55.59	39.82	13.50	63.71	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.02</td><td>88.20</td><td>-42.18</td><td>56.41</td><td>39.82</td><td>13.50</td><td>63.71</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	46.02	88.20	-42.18	56.41	39.82	13.50	63.71	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12830.00	45.20	88.20	-43.00	55.59	39.82	13.50	63.71	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12830.00	46.02	88.20	-42.18	56.41	39.82	13.50	63.71	---	---	Peak																																																																																	



Mode	4																																																									
	Harmonic																																																									
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																									
ANT	CDD 6+17																																																									
Pol.	Horizontal	Vertical																																																								
Peak Avg	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12870.00</td><td>46.32</td><td>88.20</td><td>-41.88</td><td>56.68</td><td>39.84</td><td>13.52 63.72</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12870.00	46.32	88.20	-41.88	56.68	39.84	13.52 63.72	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12870.00</td><td>47.01</td><td>88.20</td><td>-41.19</td><td>57.37</td><td>39.84</td><td>13.52 63.72</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12870.00	47.01	88.20	-41.19	57.37	39.84	13.52 63.72
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																				
1 12870.00	46.32	88.20	-41.88	56.68	39.84	13.52 63.72																																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																				
1 12870.00	47.01	88.20	-41.19	57.37	39.84	13.52 63.72																																																				



Mode	5																																																																																											
	Harmonic																																																																																											
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.21</td><td>88.20</td><td>-40.99</td><td>57.54</td><td>39.88</td><td>13.54</td><td>63.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	47.21	88.20	-40.99	57.54	39.88	13.54	63.75	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.89</td><td>88.20</td><td>-41.31</td><td>57.22</td><td>39.88</td><td>13.54</td><td>63.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	46.89	88.20	-41.31	57.22	39.88	13.54	63.75	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12950.00	47.21	88.20	-40.99	57.54	39.88	13.54	63.75	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12950.00	46.89	88.20	-41.31	57.22	39.88	13.54	63.75	---	---	Peak																																																																																	



Mode	6																																																																																											
	Harmonic																																																																																											
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>44.90</td><td>88.20</td><td>-43.30</td><td>55.17</td><td>39.92</td><td>13.57</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	44.90	88.20	-43.30	55.17	39.92	13.57	63.76	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.52</td><td>88.20</td><td>-41.68</td><td>56.79</td><td>39.92</td><td>13.57</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	46.52	88.20	-41.68	56.79	39.92	13.57	63.76	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13030.00	44.90	88.20	-43.30	55.17	39.92	13.57	63.76	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13030.00	46.52	88.20	-41.68	56.79	39.92	13.57	63.76	---	---	Peak																																																																																	





Mode	7																																																																																	
	Harmonic																																																																																	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																	
ANT	CDD 6+17																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.36</td><td>88.20</td><td>-41.84</td><td>56.61</td><td>39.94</td><td>13.58</td><td>63.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13070.00	46.36	88.20	-41.84	56.61	39.94	13.58	63.77	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>45.39</td><td>88.20</td><td>-42.81</td><td>55.64</td><td>39.94</td><td>13.58</td><td>63.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13070.00	45.39	88.20	-42.81	55.64	39.94	13.58	63.77	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	13070.00	46.36	88.20	-41.84	56.61	39.94	13.58	63.77	---	---	Peak																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	13070.00	45.39	88.20	-42.81	55.64	39.94	13.58	63.77	---	---	Peak																																																																							



Mode	8																																																																																											
	Harmonic																																																																																											
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>57.52</td><td>40.10</td><td>13.68</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13390.00	47.48	74.00	-26.52	57.52	40.10	13.68	63.82	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.34</td><td>74.00</td><td>-26.66</td><td>57.38</td><td>40.10</td><td>13.68</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13390.00	47.34	74.00	-26.66	57.38	40.10	13.68	63.82	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13390.00	47.48	74.00	-26.52	57.52	40.10	13.68	63.82	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13390.00	47.34	74.00	-26.66	57.38	40.10	13.68	63.82	---	---	Peak																																																																																	



Mode	9																																																																																											
	Harmonic																																																																																											
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-05-29  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.07</td><td>88.20</td><td>-41.13</td><td>56.90</td><td>40.26</td><td>13.78</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.07	88.20	-41.13	56.90	40.26	13.78	63.87	---	---	Peak	Level (dBuV/m) Date: 2024-05-29  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.19</td><td>88.20</td><td>-41.01</td><td>57.02</td><td>40.26</td><td>13.78</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.19	88.20	-41.01	57.02	40.26	13.78	63.87	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.07	88.20	-41.13	56.90	40.26	13.78	63.87	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.19	88.20	-41.01	57.02	40.26	13.78	63.87	---	---	Peak																																																																																	



Mode	10																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-05-30 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.97</td><td>88.20</td><td>-40.23</td><td>57.74</td><td>40.30</td><td>13.81</td><td>63.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13790.00	47.97	88.20	-40.23	57.74	40.30	13.81	63.88	---	---	Peak	Level (dBuV/m) Date: 2024-05-30 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.85</td><td>88.20</td><td>-40.35</td><td>57.62</td><td>40.30</td><td>13.81</td><td>63.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13790.00	47.85	88.20	-40.35	57.62	40.30	13.81	63.88	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13790.00	47.97	88.20	-40.23	57.74	40.30	13.81	63.88	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13790.00	47.85	88.20	-40.35	57.62	40.30	13.81	63.88	---	---	Peak																																																																																	





Mode	11																																																																													
	Harmonic																																																																													
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13990.00</td><td>46.40</td><td>88.20</td><td>-41.80</td><td>56.04</td><td>40.40</td><td>13.87</td><td>63.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	46.40	88.20	-41.80	56.04	40.40	13.87	63.91	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13990.00</td><td>47.33</td><td>88.20</td><td>-40.87</td><td>56.97</td><td>40.40</td><td>13.87</td><td>63.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	47.33	88.20	-40.87	56.97	40.40	13.87	63.91	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 13990.00	46.40	88.20	-41.80	56.04	40.40	13.87	63.91	---	---	Peak																																																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 13990.00	47.33	88.20	-40.87	56.97	40.40	13.87	63.91	---	---	Peak																																																																				







Mode	12																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>46.15</td><td>88.20</td><td>-42.05</td><td>55.70</td><td>40.38</td><td>13.96</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14190.00	46.15	88.20	-42.05	55.70	40.38	13.96	63.89	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>46.09</td><td>88.20</td><td>-42.11</td><td>55.64</td><td>40.38</td><td>13.96</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14190.00	46.09	88.20	-42.11	55.64	40.38	13.96	63.89	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14190.00	46.15	88.20	-42.05	55.70	40.38	13.96	63.89	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14190.00	46.09	88.20	-42.11	55.64	40.38	13.96	63.89	---	---	Peak																																																																																	



Mode	13																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																																																	
ANT	CDD 6+17																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11910.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>57.71</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>54.64</td><td>42.55</td><td>16.20</td><td>65.63</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11910.00	46.78	74.00	-27.22	57.71	39.36	13.18	63.47	---	---	Peak	2	17865.00	47.76	74.00	-26.24	54.64	42.55	16.20	65.63	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11910.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>56.71</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>53.68</td><td>42.55</td><td>16.20</td><td>65.63</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11910.00	45.78	74.00	-28.22	56.71	39.36	13.18	63.47	---	---	Peak	2	17865.00	46.80	74.00	-27.20	53.68	42.55	16.20	65.63	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11910.00	46.78	74.00	-27.22	57.71	39.36	13.18	63.47	---	---	Peak																																																																																																																							
2	17865.00	47.76	74.00	-26.24	54.64	42.55	16.20	65.63	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11910.00	45.78	74.00	-28.22	56.71	39.36	13.18	63.47	---	---	Peak																																																																																																																							
2	17865.00	46.80	74.00	-27.20	53.68	42.55	16.20	65.63	---	---	Peak																																																																																																																							



		14																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU RU26/0_5955MHz																																																																																							
ANT		CDD 6+17																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-05-29  PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2024-05-29  PEAK_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5912.22</td><td>52.85</td><td>88.20</td><td>-35.35</td><td>38.72</td><td>36.48</td><td>10.41</td><td>32.76</td><td>300</td><td>10 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5912.22	52.85	88.20	-35.35	38.72	36.48	10.41	32.76	300	10 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>99.33</td><td>-----</td><td>-----</td><td>85.09</td><td>36.53</td><td>10.49</td><td>32.78</td><td>300</td><td>10 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	99.33	-----	-----	85.09	36.53	10.49	32.78	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5912.22	52.85	88.20	-35.35	38.72	36.48	10.41	32.76	300	10 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	99.33	-----	-----	85.09	36.53	10.49	32.78	300	10 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-05-29  AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2024-05-29  AVG_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5881.84</td><td>43.46</td><td>68.20</td><td>-24.74</td><td>29.43</td><td>36.43</td><td>10.35</td><td>32.75</td><td>300</td><td>10 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5881.84	43.46	68.20	-24.74	29.43	36.43	10.35	32.75	300	10 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>92.23</td><td>-----</td><td>-----</td><td>77.99</td><td>36.53</td><td>10.49</td><td>32.78</td><td>300</td><td>10 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	92.23	-----	-----	77.99	36.53	10.49	32.78	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5881.84	43.46	68.20	-24.74	29.43	36.43	10.35	32.75	300	10 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	92.23	-----	-----	77.99	36.53	10.49	32.78	300	10 AVERAGE																																																																																







	14																																																																									
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU RU26/0_5955MHz																																																																									
ANT	CDD 6+17																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-05-29 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5863.92</td><td>52.85</td><td>88.20</td><td>-35.35</td><td>38.88</td><td>36.41</td><td>10.31</td><td>32.75</td><td>374 360 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5863.92	52.85	88.20	-35.35	38.88	36.41	10.31	32.75	374 360 PEAK	Level (dBuV/m) Date: 2024-05-29 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>102.79</td><td>-----</td><td>-----</td><td>88.55</td><td>36.53</td><td>10.49</td><td>32.78</td><td>374 360 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	102.79	-----	-----	88.55	36.53	10.49	32.78	374 360 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5863.92	52.85	88.20	-35.35	38.88	36.41	10.31	32.75	374 360 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	102.79	-----	-----	88.55	36.53	10.49	32.78	374 360 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-05-29 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5908.72</td><td>43.36</td><td>68.20</td><td>-24.84</td><td>29.25</td><td>36.47</td><td>10.40</td><td>32.76</td><td>374 360 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5908.72	43.36	68.20	-24.84	29.25	36.47	10.40	32.76	374 360 AVERAGE	Level (dBuV/m) Date: 2024-05-29 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>96.54</td><td>-----</td><td>-----</td><td>82.30</td><td>36.53</td><td>10.49</td><td>32.78</td><td>374 360 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	96.54	-----	-----	82.30	36.53	10.49	32.78	374 360 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5908.72	43.36	68.20	-24.84	29.25	36.47	10.40	32.76	374 360 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	96.54	-----	-----	82.30	36.53	10.49	32.78	374 360 AVERAGE																																																																		



Mode	14																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU RU26/0_5955MHz																																																																																																					
ANT	CDD 6+17																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-05-30 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>60.22</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>58.51</td><td>42.55</td><td>16.20</td><td>65.63</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	49.29	74.00	-24.71	60.22	39.36	13.18	63.47	---	---	Peak	2 17865.00	51.63	74.00	-22.37	58.51	42.55	16.20	65.63	---	---	Peak	Level (dBuV/m) Date: 2024-05-30 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>48.37</td><td>74.00</td><td>-25.63</td><td>59.30</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>57.66</td><td>42.55</td><td>16.20</td><td>65.63</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	48.37	74.00	-25.63	59.30	39.36	13.18	63.47	---	---	Peak	2 17865.00	50.78	74.00	-23.22	57.66	42.55	16.20	65.63	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11910.00	49.29	74.00	-24.71	60.22	39.36	13.18	63.47	---	---	Peak																																																																																												
2 17865.00	51.63	74.00	-22.37	58.51	42.55	16.20	65.63	---	---	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11910.00	48.37	74.00	-25.63	59.30	39.36	13.18	63.47	---	---	Peak																																																																																												
2 17865.00	50.78	74.00	-23.22	57.66	42.55	16.20	65.63	---	---	Peak																																																																																												



		15																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU RU52/37_5955MHz																																																																																							
ANT		CDD 6+17																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-05-29  PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2024-05-29  PEAK_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.20</td><td>52.94</td><td>88.20</td><td>-35.26</td><td>38.82</td><td>36.48</td><td>10.41</td><td>32.77</td><td>100 304 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5913.20	52.94	88.20	-35.26	38.82	36.48	10.41	32.77	100 304 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.31</td><td>-----</td><td>-----</td><td>92.07</td><td>36.53</td><td>10.49</td><td>32.78</td><td>100 304 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.31	-----	-----	92.07	36.53	10.49	32.78
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5913.20	52.94	88.20	-35.26	38.82	36.48	10.41	32.77	100 304 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	106.31	-----	-----	92.07	36.53	10.49	32.78	100 304 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-05-29  AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2024-05-29  AVG_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.50</td><td>43.96</td><td>68.20</td><td>-24.24</td><td>29.81</td><td>36.49</td><td>10.43</td><td>32.77</td><td>100 304 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5919.50	43.96	68.20	-24.24	29.81	36.49	10.43	32.77	100 304 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.45</td><td>-----</td><td>-----</td><td>84.21</td><td>36.53</td><td>10.49</td><td>32.78</td><td>100 304 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.45	-----	-----	84.21	36.53	10.49	32.78
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5919.50	43.96	68.20	-24.24	29.81	36.49	10.43	32.77	100 304 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	98.45	-----	-----	84.21	36.53	10.49	32.78	100 304 AVERAGE																																																																																







		15																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU RU52/37_5955MHz																																																																																																				
ANT		CDD 6+17																																																																																																				
Pol.	Vertical										Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2024-05-29 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5839.14</td><td>52.88</td><td>88.20</td><td>-35.32</td><td>38.99</td><td>36.37</td><td>10.26</td><td>32.74</td><td>300</td><td>315 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5839.14	52.88	88.20	-35.32	38.99	36.37	10.26	32.74	300	315 PEAK	Level (dBuV/m) Date: 2024-05-29 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>99.69</td><td>-----</td><td>-----</td><td>85.45</td><td>36.53</td><td>10.49</td><td>32.78</td><td>300</td><td>315 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.69	-----	-----	85.45	36.53	10.49	32.78	300	315 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5839.14	52.88	88.20	-35.32	38.99	36.37	10.26	32.74	300	315 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	99.69	-----	-----	85.45	36.53	10.49	32.78	300	315 PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-05-29 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5885.34</td><td>43.60</td><td>68.20</td><td>-24.60</td><td>29.55</td><td>36.44</td><td>10.36</td><td>32.75</td><td>300</td><td>315 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5885.34	43.60	68.20	-24.60	29.55	36.44	10.36	32.75	300	315 AVERAGE	Level (dBuV/m) Date: 2024-05-29 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>92.44</td><td>-----</td><td>-----</td><td>78.20</td><td>36.53</td><td>10.49</td><td>32.78</td><td>300</td><td>315 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.44	-----	-----	78.20	36.53	10.49	32.78	300	315 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5885.34	43.60	68.20	-24.60	29.55	36.44	10.36	32.75	300	315 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	92.44	-----	-----	78.20	36.53	10.49	32.78	300	315 AVERAGE																																																																																												







Mode	15																																																																																																													
	Harmonic																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU RU52/37_5955MHz																																																																																																													
ANT	CDD 6+17																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-05-30 PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2024-05-30 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>58.33</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>57.01</td><td>42.55</td><td>16.20</td><td>65.63</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	47.40	74.00	-26.60	58.33	39.36	13.18	63.47	---	Peak	2	17865.00	50.13	74.00	-23.87	57.01	42.55	16.20	65.63	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>48.09</td><td>74.00</td><td>-25.91</td><td>59.02</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>56.77</td><td>42.55</td><td>16.20</td><td>65.63</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	48.09	74.00	-25.91	59.02	39.36	13.18	63.47	---	Peak	2	17865.00	49.89	74.00	-24.11	56.77	42.55	16.20	65.63	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	11910.00	47.40	74.00	-26.60	58.33	39.36	13.18	63.47	---	Peak																																																																																																				
2	17865.00	50.13	74.00	-23.87	57.01	42.55	16.20	65.63	---	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	11910.00	48.09	74.00	-25.91	59.02	39.36	13.18	63.47	---	Peak																																																																																																				
2	17865.00	49.89	74.00	-24.11	56.77	42.55	16.20	65.63	---	Peak																																																																																																				



		16																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU RU106/53_5955MHz																																																																																							
ANT		CDD 6+17																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.44</td><td>55.48</td><td>88.20</td><td>-32.72</td><td>41.33</td><td>36.49</td><td>10.43</td><td>32.77</td><td>100</td><td>307 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5922.44	55.48	88.20	-32.72	41.33	36.49	10.43	32.77	100	307 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>106.62</td><td>-----</td><td>-----</td><td>92.36</td><td>36.54</td><td>10.50</td><td>32.78</td><td>100</td><td>307 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	106.62	-----	-----	92.36	36.54	10.50	32.78	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5922.44	55.48	88.20	-32.72	41.33	36.49	10.43	32.77	100	307 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	106.62	-----	-----	92.36	36.54	10.50	32.78	100	307 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>47.00</td><td>68.20</td><td>-21.20</td><td>32.84</td><td>36.49</td><td>10.44</td><td>32.77</td><td>100</td><td>307 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.96	47.00	68.20	-21.20	32.84	36.49	10.44	32.77	100	307 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>98.61</td><td>-----</td><td>-----</td><td>84.35</td><td>36.54</td><td>10.50</td><td>32.78</td><td>100</td><td>307 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	98.61	-----	-----	84.35	36.54	10.50	32.78	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5924.96	47.00	68.20	-21.20	32.84	36.49	10.44	32.77	100	307 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	98.61	-----	-----	84.35	36.54	10.50	32.78	100	307 AVERAGE																																																																																



Mode	16																																																																																					
	Band Edge																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU RU106/53_5955MHz																																																																																					
ANT	CDD 6+17																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	Date: 2024-05-29  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.70</td><td>58.65</td><td>88.20</td><td>-29.55</td><td>44.49</td><td>36.49</td><td>10.44</td><td>32.77</td><td>100</td><td>73 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5923.70	58.65	88.20	-29.55	44.49	36.49	10.44	32.77	100	73 PEAK	Date: 2024-05-29  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>109.72</td><td>-----</td><td>-----</td><td>95.46</td><td>36.54</td><td>10.50</td><td>32.78</td><td>100</td><td>73 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.72	-----	-----	95.46	36.54	10.50	32.78	100	73 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5923.70	58.65	88.20	-29.55	44.49	36.49	10.44	32.77	100	73 PEAK																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5955.00	109.72	-----	-----	95.46	36.54	10.50	32.78	100	73 PEAK																																																																												
Avg	Date: 2024-05-29  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.84</td><td>49.26</td><td>68.20</td><td>-18.94</td><td>35.10</td><td>36.49</td><td>10.44</td><td>32.77</td><td>100</td><td>73 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5923.84	49.26	68.20	-18.94	35.10	36.49	10.44	32.77	100	73 AVERAGE	Date: 2024-05-29  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>101.51</td><td>-----</td><td>-----</td><td>87.27</td><td>36.53</td><td>10.49</td><td>32.78</td><td>100</td><td>73 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.51	-----	-----	87.27	36.53	10.49	32.78	100	73 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5923.84	49.26	68.20	-18.94	35.10	36.49	10.44	32.77	100	73 AVERAGE																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5955.00	101.51	-----	-----	87.27	36.53	10.49	32.78	100	73 AVERAGE																																																																												



Mode	16																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU RU106/53_5955MHz																																																																																																																																	
ANT	CDD 6+17																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-05-30 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-05-30 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11910.00</td><td>48.86</td><td>74.00</td><td>-25.14</td><td>59.79</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>57.00</td><td>42.55</td><td>16.20</td><td>65.63</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11910.00	48.86	74.00	-25.14	59.79	39.36	13.18	63.47	---	---	Peak	2	17865.00	50.12	74.00	-23.88	57.00	42.55	16.20	65.63	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11910.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>57.02</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>49.71</td><td>74.00</td><td>-24.29</td><td>56.59</td><td>42.55</td><td>16.20</td><td>65.63</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11910.00	46.09	74.00	-27.91	57.02	39.36	13.18	63.47	---	---	Peak	2	17865.00	49.71	74.00	-24.29	56.59	42.55	16.20	65.63	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11910.00	48.86	74.00	-25.14	59.79	39.36	13.18	63.47	---	---	Peak																																																																																																																							
2	17865.00	50.12	74.00	-23.88	57.00	42.55	16.20	65.63	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11910.00	46.09	74.00	-27.91	57.02	39.36	13.18	63.47	---	---	Peak																																																																																																																							
2	17865.00	49.71	74.00	-24.29	56.59	42.55	16.20	65.63	---	---	Peak																																																																																																																							