




Antenna 3

Part 27M Mode 86


NR SA n7 40M Ch507000 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.00	-53.09	RMS	33.20	-22.61	0.50	-95.23	31.05	-25.00	-28.09	Horizontal			
2	7551.00	-49.27	RMS	36.00	-20.66	0.57	-95.23	30.05	-25.00	-24.27	Horizontal			
3	10069.00	-44.95	RMS	38.66	-18.07	0.58	-95.23	29.11	-25.00	-19.95	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.00	-53.07	RMS	33.20	-22.61	0.50	-95.23	31.07	-25.00	-28.07	Vertical			
2	7551.00	-49.29	RMS	36.00	-20.66	0.57	-95.23	30.03	-25.00	-24.29	Vertical			
3	10069.00	-44.69	RMS	38.66	-18.07	0.58	-95.23	29.37	-25.00	-19.69	Vertical			




Antenna 3


Part 27M Mode 90

NR SA n41 100M Ch518598 1RB1 BPSK

M



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5185.98	-52.99	RMS	33.13	-22.47	0.51	-95.23	31.07	-25.00	-27.99 Horizontal
2	7778.97	-47.08	RMS	36.57	-20.58	0.57	-95.23	31.59	-25.00	-22.08 Horizontal
3	10371.96	-44.00	RMS	38.80	-17.97	0.57	-95.23	29.83	-25.00	-19.00 Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5185.98	-53.31	RMS	33.13	-22.47	0.51	-95.23	30.75	-25.00	-28.31 Vertical
2	7778.97	-48.13	RMS	36.57	-20.58	0.57	-95.23	30.54	-25.00	-23.13 Vertical
3	10371.96	-43.99	RMS	38.80	-17.97	0.57	-95.23	29.84	-25.00	-18.99 Vertical




Antenna 1

Part 27M Mode 87


NR SA n7 40M Ch507000 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.00	-53.25	RMS	33.20	-22.61	0.50	-95.23	30.89	-25.00	-28.25	Horizontal			
2	7551.00	-49.17	RMS	36.00	-20.66	0.57	-95.23	30.15	-25.00	-24.17	Horizontal			
3	10069.00	-45.02	RMS	38.66	-18.07	0.58	-95.23	29.04	-25.00	-20.02	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5040.00	-53.15	RMS	33.20	-22.60	0.50	-95.23	30.98	-25.00	-28.15	Vertical			
2	7551.00	-49.45	RMS	36.00	-20.66	0.57	-95.23	29.87	-25.00	-24.45	Vertical			
3	10069.00	-45.26	RMS	38.66	-18.07	0.58	-95.23	28.80	-25.00	-20.26	Vertical			




Antenna 1

Part 27M Mode 91


NR SA n41 100M Ch518598 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5185.98	-53.18	RMS	33.13	-22.47	0.51	-95.23	0.00	-25.00	-28.18 Horizontal
2	7778.97	-48.00	RMS	36.57	-20.58	0.57	-95.23	30.67	-25.00	-23.00 Horizontal
3	10371.96	-44.15	RMS	38.80	-17.97	0.57	-95.23	29.68	-25.00	-19.15 Horizontal



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5185.98	-53.35	RMS	33.13	-22.47	0.51	-95.23	30.71	-25.00	-28.35 Vertical
2	7778.97	-48.30	RMS	36.57	-20.58	0.57	-95.23	30.37	-25.00	-23.30 Vertical
3	10371.96	-44.16	RMS	38.80	-17.97	0.57	-95.23	29.67	-25.00	-19.16 Vertical




Antenna 2

Part 27M Mode 88


NR SA n7 40M Ch507000 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.00	-53.22	RMS	33.20	-22.61	0.50	-95.23	30.92	-25.00	-28.22	Horizontal			
2	7551.00	-49.56	RMS	36.00	-20.66	0.57	-95.23	29.76	-25.00	-24.56	Horizontal			
3	10069.00	-44.84	RMS	38.66	-18.07	0.58	-95.23	29.22	-25.00	-19.84	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.00	-53.01	RMS	33.20	-22.61	0.50	-95.23	31.13	-25.00	-28.01	Vertical			
2	7551.00	-49.51	RMS	36.00	-20.66	0.57	-95.23	29.81	-25.00	-24.51	Vertical			
3	10069.00	-44.80	RMS	38.66	-18.07	0.58	-95.23	29.26	-25.00	-19.80	Vertical			




Antenna 2

Part 27M Mode 92


NR SA n41 100M Ch518598 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5185.98	-53.06	RMS	33.13	-22.47	0.51 -95.23	31.00	-25.00	-28.06	Horizontal
2	7778.97	-47.50	RMS	36.57	-20.58	0.57 -95.23	31.17	-25.00	-22.50	Horizontal
3	10371.96	-44.16	RMS	38.80	-17.97	0.57 -95.23	29.67	-25.00	-19.16	Horizontal



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5185.98	-53.12	RMS	33.13	-22.47	0.51 -95.23	30.94	-25.00	-28.12	Vertical
2	7778.97	-47.89	RMS	36.57	-20.58	0.57 -95.23	30.78	-25.00	-22.89	Vertical
3	10371.96	-44.03	RMS	38.80	-17.97	0.57 -95.23	29.80	-25.00	-19.03	Vertical




Antenna 0+2

Part 27M Mode 93


NR SA n7 MIMO 40M Ch504000 1RB1 QPSK

L



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5004.54	-53.35	RMS	33.20	-22.64	0.50	-95.23	30.82	-25.00	-28.35	Horizontal			
2	7506.81	-48.68	RMS	36.17	-20.74	0.59	-95.23	30.53	-25.00	-23.68	Horizontal			
3	10009.08	-44.67	RMS	38.45	-18.09	0.58	-95.23	29.62	-25.00	-19.67	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5004.54	-52.43	RMS	33.20	-22.64	0.50	-95.23	31.74	-25.00	-27.43	Vertical			
2	7506.81	-44.63	RMS	36.17	-20.74	0.59	-95.23	34.58	-25.00	-19.63	Vertical			
3	10009.08	-44.67	RMS	38.45	-18.09	0.58	-95.23	29.62	-25.00	-19.67	Vertical			




Antenna 0+2


Part 27M Mode 93

NR SA n7 MIMO 40M Ch507000 1RB1 QPSK

M



	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5034.54	-53.16	RMS	33.20	-22.61	0.50	-95.23	30.98	-25.00	-28.16	Horizontal
2	7551.81	-49.10	RMS	36.00	-20.66	0.57	-95.23	30.22	-25.00	-24.10	Horizontal
3	10069.08	-44.59	RMS	38.66	-18.07	0.58	-95.23	29.47	-25.00	-19.59	Horizontal



	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5034.54	-49.65	RMS	33.20	-22.61	0.50	-95.23	34.49	-25.00	-24.65	Vertical
2	7551.81	-44.72	RMS	36.00	-20.66	0.57	-95.23	34.60	-25.00	-19.72	Vertical
3	10069.08	-44.56	RMS	38.66	-18.07	0.58	-95.23	29.50	-25.00	-19.56	Vertical




Antenna 0+2

Part 27M Mode 93


NR SA n7 MIMO 40M Ch510000 1RB1 QPSK

H



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch510000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5064.54	-53.36	RMS	33.20	-22.58	0.50	-95.23	30.75	-25.00	-28.36	Horizontal			
2	7596.81	-47.38	RMS	36.09	-20.58	0.54	-95.23	31.80	-25.00	-22.38	Horizontal			
3	10129.08	-44.85	RMS	38.60	-18.05	0.58	-95.23	29.25	-25.00	-19.85	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch510000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5064.54	-50.79	RMS	33.20	-22.58	0.50	-95.23	33.32	-25.00	-25.79	Vertical			
2	7596.81	-42.81	RMS	36.09	-20.58	0.54	-95.23	36.37	-25.00	-17.81	Vertical			
3	10129.08	-44.49	RMS	38.60	-18.05	0.58	-95.23	29.61	-25.00	-19.49	Vertical			




Antenna 0+2

Part 27M Mode 105


NR SA n41 MIMO 100M Ch510000 1RB1 QPSK

L



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch510000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.56	-42.77	RMS	33.18	-22.65	0.51	-95.23	0.00	-25.00	-17.77 Horizontal
2	7491.84	-39.20	RMS	36.22	-20.76	0.60	-95.23	39.97	-25.00	-14.20 Horizontal
3	9989.12	-44.26	RMS	38.36	-18.11	0.58	-95.23	30.14	-25.00	-19.26 Horizontal



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch510000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.56	-45.99	RMS	33.18	-22.65	0.51	-95.23	38.20	-25.00	-20.99 Vertical
2	7491.84	-42.39	RMS	36.22	-20.76	0.60	-95.23	36.78	-25.00	-17.39 Vertical
3	9989.12	-44.53	RMS	38.36	-18.11	0.58	-95.23	29.87	-25.00	-19.53 Vertical




Antenna 0+2

Part 27M Mode 105


NR SA n41 MIMO 100M Ch518598 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5088.52	-42.46	RMS	33.20	-22.56	0.50	-95.23	41.63	-25.00	-17.46 Horizontal
2	7632.78	-39.42	RMS	36.23	-20.57	0.54	-95.23	39.61	-25.00	-14.42 Horizontal
3	10177.04	-44.63	RMS	38.65	-18.03	0.57	-95.23	29.41	-25.00	-19.63 Horizontal



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5088.52	-46.95	RMS	33.20	-22.56	0.50	-95.23	37.14	-25.00	-21.95 Vertical
2	7632.78	-41.30	RMS	36.23	-20.57	0.54	-95.23	37.73	-25.00	-16.30 Vertical
3	10177.04	-44.42	RMS	38.65	-18.03	0.57	-95.23	29.62	-25.00	-19.42 Vertical




Antenna 0+2

Part 27M Mode 105


NR SA n41 MIMO 100M Ch528000 1RB1 QPSK

H



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch528000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5182.54	-46.56	RMS	33.13	-22.47	0.51	-95.23	37.50	-25.00	-21.56 Horizontal
2	7773.81	-42.88	RMS	36.54	-20.58	0.57	-95.23	35.82	-25.00	-17.88 Horizontal
3	10365.08	-43.78	RMS	38.80	-17.97	0.57	-95.23	30.05	-25.00	-18.78 Horizontal



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch528000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5182.54	-48.89	RMS	33.13	-22.47	0.51	-95.23	35.17	-25.00	-23.89 Vertical
2	7773.81	-42.57	RMS	36.54	-20.58	0.57	-95.23	36.13	-25.00	-17.57 Vertical
3	10365.08	-44.24	RMS	38.80	-17.97	0.57	-95.23	29.59	-25.00	-19.24 Vertical




Antenna 0+1

Part 27M Mode 94


NR SA n7 MIMO 40M Ch507000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-51.80	RMS	33.20	-22.61	0.50	-95.23	32.34	-25.00	-26.80	Horizontal			
2	7551.81	-48.67	RMS	36.00	-20.66	0.57	-95.23	30.65	-25.00	-23.67	Horizontal			
3	10069.08	-45.51	RMS	38.66	-18.07	0.58	-95.23	28.55	-25.00	-20.51	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-50.19	RMS	33.20	-22.61	0.50	-95.23	33.95	-25.00	-25.19	Vertical			
2	7551.81	-43.74	RMS	36.00	-20.66	0.57	-95.23	35.58	-25.00	-18.74	Vertical			
3	10069.08	-45.69	RMS	38.66	-18.07	0.58	-95.23	28.37	-25.00	-20.69	Vertical			




Antenna 0+1

Part 27M Mode 106


NR SA n41 MIMO 100M Ch518598 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5088.52	-52.88	RMS	33.20	-22.56	0.50	-95.23	31.21	-25.00	-27.88	Horizontal			
2	7632.78	-48.95	RMS	36.23	-20.57	0.54	-95.23	30.08	-25.00	-23.95	Horizontal			
3	10177.04	-44.70	RMS	38.65	-18.03	0.57	-95.23	29.34	-25.00	-19.70	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5088.52	-52.58	RMS	33.20	-22.56	0.50	-95.23	31.51	-25.00	-27.58	Vertical			
2	7632.78	-47.24	RMS	36.23	-20.57	0.54	-95.23	31.79	-25.00	-22.24	Vertical			
3	10177.04	-44.73	RMS	38.65	-18.03	0.57	-95.23	29.31	-25.00	-19.73	Vertical			




Antenna 0+3

Part 27M Mode 95


NR SA n7 MIMO 40M Ch507000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-53.18	RMS	33.20	-22.61	0.50	-95.23	30.96	-25.00	-28.18	Horizontal			
2	7551.81	-49.96	RMS	36.00	-20.66	0.57	-95.23	29.36	-25.00	-24.96	Horizontal			
3	10069.08	-46.03	RMS	38.66	-18.07	0.58	-95.23	28.03	-25.00	-21.03	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-53.24	RMS	33.20	-22.61	0.50	-95.23	30.90	-25.00	-28.24	Vertical			
2	7551.81	-50.40	RMS	36.00	-20.66	0.57	-95.23	28.92	-25.00	-25.40	Vertical			
3	10069.08	-46.07	RMS	38.66	-18.07	0.58	-95.23	27.99	-25.00	-21.07	Vertical			




Antenna 0+3

Part 27M Mode 107


NR SA n41 MIMO 100M Ch518598 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm								
1	5088.52	-52.78	RMS	33.20	-22.56	0.50	-95.23	31.31	-25.00	-27.78 Horizontal
2	7632.78	-48.38	RMS	36.23	-20.57	0.54	-95.23	30.65	-25.00	-23.38 Horizontal
3	10177.04	-43.85	RMS	38.65	-18.03	0.57	-95.23	30.19	-25.00	-18.85 Horizontal



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm								
1	5088.52	-52.21	RMS	33.20	-22.56	0.50	-95.23	31.88	-25.00	-27.21 Vertical
2	7632.78	-45.32	RMS	36.23	-20.57	0.54	-95.23	33.71	-25.00	-20.32 Vertical
3	10177.04	-44.41	RMS	38.65	-18.03	0.57	-95.23	29.63	-25.00	-19.41 Vertical




Antenna 1+2

Part 27M Mode 96


NR SA n7 MIMO 40M Ch507000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-53.67	RMS	33.20	-22.61	0.50	-95.23	30.47	-25.00	-28.67	Horizontal			
2	7551.81	-50.30	RMS	36.00	-20.66	0.57	-95.23	29.02	-25.00	-25.30	Horizontal			
3	10069.08	-45.90	RMS	38.66	-18.07	0.58	-95.23	28.16	-25.00	-20.90	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-53.45	RMS	33.20	-22.61	0.50	-95.23	30.69	-25.00	-28.45	Vertical			
2	7551.81	-49.63	RMS	36.00	-20.66	0.57	-95.23	29.69	-25.00	-24.63	Vertical			
3	10069.08	-46.06	RMS	38.66	-18.07	0.58	-95.23	28.00	-25.00	-21.06	Vertical			




Antenna 1+2

Part 27M Mode 108


NR SA n41 MIMO 100M Ch518598 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5088.52	-53.01	RMS	33.20	-22.56	0.50	-95.23	31.08	-25.00	-28.01	Horizontal
2	7632.78	-48.78	RMS	36.23	-20.57	0.54	-95.23	30.25	-25.00	-23.78	Horizontal
3	10177.04	-44.55	RMS	38.65	-18.03	0.57	-95.23	29.49	-25.00	-19.55	Horizontal



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5088.52	-52.71	RMS	33.20	-22.56	0.50	-95.23	31.38	-25.00	-27.71	Vertical
2	7632.78	-47.89	RMS	36.23	-20.57	0.54	-95.23	31.14	-25.00	-22.89	Vertical
3	10177.04	-44.40	RMS	38.65	-18.03	0.57	-95.23	29.64	-25.00	-19.40	Vertical




Antenna 1+0

Part 27M Mode 97


NR SA n7 MIMO 40M Ch507000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-53.53	RMS	33.20	-22.61	0.50	-95.23	30.61	-25.00	-28.53	Horizontal			
2	7551.81	-50.22	RMS	36.00	-20.66	0.57	-95.23	29.10	-25.00	-25.22	Horizontal			
3	10069.08	-46.15	RMS	38.66	-18.07	0.58	-95.23	27.91	-25.00	-21.15	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-53.42	RMS	33.20	-22.61	0.50	-95.23	30.72	-25.00	-28.42	Vertical			
2	7551.81	-49.97	RMS	36.00	-20.66	0.57	-95.23	29.35	-25.00	-24.97	Vertical			
3	10069.08	-46.15	RMS	38.66	-18.07	0.58	-95.23	27.91	-25.00	-21.15	Vertical			




Antenna 1+0

Part 27M Mode 109


NR SA n41 MIMO 100M Ch518598 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5088.52	-52.97	RMS	33.20	-22.56	0.50	-95.23	0.00	-25.00	-27.97	Horizontal
2	7632.78	-49.07	RMS	36.23	-20.57	0.54	-95.23	29.96	-25.00	-24.07	Horizontal
3	10177.04	-44.13	RMS	38.65	-18.03	0.57	-95.23	29.91	-25.00	-19.13	Horizontal



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5088.52	-52.60	RMS	33.20	-22.56	0.50	-95.23	31.49	-25.00	-27.60	Vertical
2	7632.78	-48.88	RMS	36.23	-20.57	0.54	-95.23	30.15	-25.00	-23.88	Vertical
3	10177.04	-44.66	RMS	38.65	-18.03	0.57	-95.23	29.38	-25.00	-19.66	Vertical




Antenna 1+3

Part 27M Mode 98


NR SA n7 MIMO 40M Ch507000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	5034.54	-53.01	RMS	33.20	-22.61	0.50	-95.23	31.13	-25.00	-28.01	Horizontal	
2	7551.81	-49.86	RMS	36.00	-20.66	0.57	-95.23	29.46	-25.00	-24.86	Horizontal	
3	10069.08	-45.52	RMS	38.66	-18.07	0.58	-95.23	28.54	-25.00	-20.52	Horizontal	



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	5034.54	-53.36	RMS	33.20	-22.61	0.50	-95.23	30.78	-25.00	-28.36	Vertical	
2	7551.81	-49.95	RMS	36.00	-20.66	0.57	-95.23	29.37	-25.00	-24.95	Vertical	
3	10069.08	-45.43	RMS	38.66	-18.07	0.58	-95.23	28.63	-25.00	-20.43	Vertical	




Antenna 1+3

Part 27M Mode 110


NR SA n41 MIMO 100M Ch518598 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	5088.52	-52.65	RMS	33.20	-22.56	0.50	-95.23	0.00	-25.00	-27.65	Horizontal
2	7632.78	-49.00	RMS	36.23	-20.57	0.54	-95.23	30.03	-25.00	-24.00	Horizontal
3	10177.04	-44.72	RMS	38.65	-18.03	0.57	-95.23	29.32	-25.00	-19.72	Horizontal



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	5088.52	-50.49	RMS	33.20	-22.56	0.50	-95.23	33.60	-25.00	-25.49	Vertical
2	7632.78	-46.75	RMS	36.23	-20.57	0.54	-95.23	32.28	-25.00	-21.75	Vertical
3	10177.04	-44.94	RMS	38.65	-18.03	0.57	-95.23	29.10	-25.00	-19.94	Vertical




Antenna 2+0

Part 27M Mode 99


NR SA n7 MIMO 40M Ch507000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5034.54	-52.29	RMS	33.20	-22.61	0.50	-95.23	31.85	-25.00	-27.29	Horizontal
2	7551.81	-49.05	RMS	36.00	-20.66	0.57	-95.23	30.27	-25.00	-24.05	Horizontal
3	10069.08	-44.43	RMS	38.66	-18.07	0.58	-95.23	29.63	-25.00	-19.43	Horizontal



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5034.54	-51.47	RMS	33.20	-22.61	0.50	-95.23	32.67	-25.00	-26.47	Vertical
2	7551.81	-43.85	RMS	36.00	-20.66	0.57	-95.23	35.47	-25.00	-18.85	Vertical
3	10069.08	-44.43	RMS	38.66	-18.07	0.58	-95.23	29.63	-25.00	-19.43	Vertical




Antenna 2+0

Part 27M Mode 111


NR SA n41 MIMO 100M Ch518598 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5088.52	-46.93	RMS	33.20	-22.56	0.50	-95.23	37.16	-25.00	-21.93	Horizontal			
2	7632.78	-47.98	RMS	36.23	-20.57	0.54	-95.23	31.05	-25.00	-22.98	Horizontal			
3	10177.04	-44.15	RMS	38.65	-18.03	0.57	-95.23	29.89	-25.00	-19.15	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5088.52	-45.96	RMS	33.20	-22.56	0.50	-95.23	38.13	-25.00	-20.96	Vertical			
2	7632.78	-46.05	RMS	36.23	-20.57	0.54	-95.23	32.98	-25.00	-21.05	Vertical			
3	10177.04	-44.49	RMS	38.65	-18.03	0.57	-95.23	29.55	-25.00	-19.49	Vertical			




Antenna 2+1

Part 27M Mode 100


NR SA n7 MIMO 40M Ch507000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dBuV			dBm	dB		
1	5034.54	-53.26	RMS	33.20	-22.61	0.50	-95.23	30.88	-25.00	-28.26	Horizontal			
2	7551.81	-49.69	RMS	36.00	-20.66	0.57	-95.23	29.63	-25.00	-24.69	Horizontal			
3	10069.08	-45.19	RMS	38.66	-18.07	0.58	-95.23	28.87	-25.00	-20.19	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5034.54	-53.32	RMS	33.20	-22.61	0.50	-95.23	30.82	-25.00	-28.32	Vertical
2	7551.81	-49.75	RMS	36.00	-20.66	0.57	-95.23	29.57	-25.00	-24.75	Vertical
3	10069.08	-45.64	RMS	38.66	-18.07	0.58	-95.23	28.42	-25.00	-20.64	Vertical




Antenna 2+1


Part 27M Mode 112

NR SA n41 MIMO 100M Ch518598 1RB1 QPSK

M



	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5088.52	-53.01	RMS	33.20	-22.56	0.50	-95.23	31.08	-25.00	-28.01	Horizontal
2	7632.78	-49.17	RMS	36.23	-20.57	0.54	-95.23	29.86	-25.00	-24.17	Horizontal
3	10177.04	-44.62	RMS	38.65	-18.03	0.57	-95.23	29.42	-25.00	-19.62	Horizontal



	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5088.52	-51.87	RMS	33.20	-22.56	0.50	-95.23	32.22	-25.00	-26.87	Vertical
2	7632.78	-48.83	RMS	36.23	-20.57	0.54	-95.23	30.20	-25.00	-23.83	Vertical
3	10177.04	-44.93	RMS	38.65	-18.03	0.57	-95.23	29.11	-25.00	-19.93	Vertical




Antenna 2+3

Part 27M Mode 101


NR SA n7 MIMO 40M Ch507000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-53.40	RMS	33.20	-22.61	0.50	-95.23	30.74	-25.00	-28.40	Horizontal			
2	7551.81	-49.83	RMS	36.00	-20.66	0.57	-95.23	29.49	-25.00	-24.83	Horizontal			
3	10069.08	-45.87	RMS	38.66	-18.07	0.58	-95.23	28.19	-25.00	-20.87	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-53.13	RMS	33.20	-22.61	0.50	-95.23	31.01	-25.00	-28.13	Vertical			
2	7551.81	-50.16	RMS	36.00	-20.66	0.57	-95.23	29.16	-25.00	-25.16	Vertical			
3	10069.08	-45.32	RMS	38.66	-18.07	0.58	-95.23	28.74	-25.00	-20.32	Vertical			




Antenna 2+3

Part 27M Mode 113


NR SA n41 MIMO 100M Ch518598 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	5088.52	-53.13	RMS	33.20	-22.56	0.50	-95.23	30.96	-25.00	-28.13	Horizontal
2	7632.78	-48.81	RMS	36.23	-20.57	0.54	-95.23	30.22	-25.00	-23.81	Horizontal
3	10177.04	-44.98	RMS	38.65	-18.03	0.57	-95.23	29.06	-25.00	-19.98	Horizontal



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	5088.52	-51.26	RMS	33.20	-22.56	0.50	-95.23	32.83	-25.00	-26.26	Vertical
2	7632.78	-47.35	RMS	36.23	-20.57	0.54	-95.23	31.68	-25.00	-22.35	Vertical
3	10177.04	-44.73	RMS	38.65	-18.03	0.57	-95.23	29.31	-25.00	-19.73	Vertical




Antenna 3+2

Part 27M Mode 102


NR SA n7 MIMO 40M Ch507000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5034.54	-53.26	RMS	33.20	-22.61	0.50	-95.23	30.88	-25.00	-28.26	Horizontal
2	7551.81	-49.52	RMS	36.00	-20.66	0.57	-95.23	29.80	-25.00	-24.52	Horizontal
3	10069.08	-45.51	RMS	38.66	-18.07	0.58	-95.23	28.55	-25.00	-20.51	Horizontal



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5034.54	-52.87	RMS	33.20	-22.61	0.50	-95.23	31.27	-25.00	-27.87	Vertical
2	7551.81	-49.54	RMS	36.00	-20.66	0.57	-95.23	29.78	-25.00	-24.54	Vertical
3	10069.08	-45.62	RMS	38.66	-18.07	0.58	-95.23	28.44	-25.00	-20.62	Vertical




Antenna 3+2

Part 27M Mode 114


NR SA n41 MIMO 100M Ch518598 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5088.52	-53.18	RMS	33.20	-22.56	0.50	-95.23	30.91	-25.00	-28.18	Horizontal			
2	7632.78	-49.12	RMS	36.23	-20.57	0.54	-95.23	29.91	-25.00	-24.12	Horizontal			
3	10177.04	-44.43	RMS	38.65	-18.03	0.57	-95.23	29.61	-25.00	-19.43	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5088.52	-52.13	RMS	33.20	-22.56	0.50	-95.23	31.96	-25.00	-27.13	Vertical			
2	7632.78	-48.83	RMS	36.23	-20.57	0.54	-95.23	30.20	-25.00	-23.83	Vertical			
3	10177.04	-44.62	RMS	38.65	-18.03	0.57	-95.23	29.42	-25.00	-19.62	Vertical			




Antenna 3+0

Part 27M Mode 103


NR SA n7 MIMO 40M Ch507000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-52.96	RMS	33.20	-22.61	0.50	-95.23	31.18	-25.00	-27.96	Horizontal			
2	7551.81	-49.60	RMS	36.00	-20.66	0.57	-95.23	29.72	-25.00	-24.60	Horizontal			
3	10069.08	-45.40	RMS	38.66	-18.07	0.58	-95.23	28.66	-25.00	-20.40	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-53.36	RMS	33.20	-22.61	0.50	-95.23	30.78	-25.00	-28.36	Vertical			
2	7551.81	-49.45	RMS	36.00	-20.66	0.57	-95.23	29.87	-25.00	-24.45	Vertical			
3	10069.08	-45.42	RMS	38.66	-18.07	0.58	-95.23	28.64	-25.00	-20.42	Vertical			




Antenna 3+0

Part 27M Mode 115


NR SA n41 MIMO 100M Ch518598 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5088.52	-53.29	RMS	33.20	-22.56	0.50	-95.23	30.80	-25.00	-28.29	Horizontal
2	7632.78	-49.23	RMS	36.23	-20.57	0.54	-95.23	29.80	-25.00	-24.23	Horizontal
3	10177.04	-44.73	RMS	38.65	-18.03	0.57	-95.23	29.31	-25.00	-19.73	Horizontal



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5088.52	-52.54	RMS	33.20	-22.56	0.50	-95.23	31.55	-25.00	-27.54	Vertical
2	7632.78	-48.37	RMS	36.23	-20.57	0.54	-95.23	30.66	-25.00	-23.37	Vertical
3	10177.04	-44.85	RMS	38.65	-18.03	0.57	-95.23	29.19	-25.00	-19.85	Vertical




Antenna 3+1

Part 27M Mode 104


NR SA n7 MIMO 40M Ch507000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-53.34	RMS	33.20	-22.61	0.50	-95.23	30.80	-25.00	-28.34	Horizontal			
2	7551.81	-49.37	RMS	36.00	-20.66	0.57	-95.23	29.95	-25.00	-24.37	Horizontal			
3	10069.08	-45.31	RMS	38.66	-18.07	0.58	-95.23	28.75	-25.00	-20.31	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5034.54	-52.88	RMS	33.20	-22.61	0.50	-95.23	31.26	-25.00	-27.88	Vertical			
2	7551.81	-49.25	RMS	36.00	-20.66	0.57	-95.23	30.07	-25.00	-24.25	Vertical			
3	10069.08	-45.16	RMS	38.66	-18.07	0.58	-95.23	28.90	-25.00	-20.16	Vertical			




Antenna 3+1

Part 27M Mode 116


NR SA n41 MIMO 100M Ch518598 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5088.52	-52.29	RMS	33.20	-22.56	0.50	-95.23	31.80	-25.00	-27.29	Horizontal			
2	7632.78	-49.00	RMS	36.23	-20.57	0.54	-95.23	30.03	-25.00	-24.00	Horizontal			
3	10177.04	-44.76	RMS	38.65	-18.03	0.57	-95.23	29.28	-25.00	-19.76	Horizontal			



Site : 03CH11-HY
Condition: -25 1m SHF_00993_231124 Vertical
: 5GNR n41 100M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5088.52	-51.03	RMS	33.20	-22.56	0.50	-95.23	33.06	-25.00	-26.03	Vertical			
2	7632.78	-49.22	RMS	36.23	-20.57	0.54	-95.23	29.81	-25.00	-24.22	Vertical			
3	10177.04	-45.00	RMS	38.65	-18.03	0.57	-95.23	29.04	-25.00	-20.00	Vertical			




Antenna 2

Part 27Q Mode 125


NR SA n77 HPUE 90M Ch633000 1RB1 BPSK

L



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6908.00	-48.80	RMS	35.80	-20.62	1.20	-95.23	30.05	-13.00	-35.80	Horizontal	
2	10363.20	-41.68	RMS	38.80	-17.97	0.28	-95.23	32.44	-13.00	-28.68	Horizontal	
3	13817.00	-41.93	RMS	40.10	-16.69	-0.04	-95.23	29.93	-13.00	-28.93	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6908.00	-48.58	RMS	35.80	-20.62	1.20	-95.23	30.27	-13.00	-35.58	Vertical	
2	10363.20	-41.48	RMS	38.80	-17.97	0.28	-95.23	32.64	-13.00	-28.48	Vertical	
3	13817.00	-41.50	RMS	40.10	-16.69	-0.04	-95.23	30.36	-13.00	-28.50	Vertical	




Antenna 2

Part 27Q Mode 125


NR SA n77 HPUE 90M Ch633334 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dBuV	dBm	dB	
1	6922.20	-49.02	RMS	35.80	-20.62	1.18	-95.23	29.85	-13.00	-36.02	Horizontal	
2	10374.30	-43.41	RMS	38.80	-17.97	0.28	-95.23	30.71	-13.00	-30.41	Horizontal	
3	13837.50	-42.32	RMS	40.10	-16.68	-0.05	-95.23	29.54	-13.00	-29.32	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dBuV	dBm	dB	
1	6922.20	-45.48	RMS	35.80	-20.62	1.18	-95.23	33.39	-13.00	-32.48	Vertical	
2	10374.30	-41.63	RMS	38.80	-17.97	0.28	-95.23	32.49	-13.00	-28.63	Vertical	
3	13837.50	-42.18	RMS	40.10	-16.68	-0.05	-95.23	29.68	-13.00	-29.18	Vertical	




Antenna 2

Part 27Q Mode 125

NR SA n77 HPUE 90M Ch633666 1RB1 BPSK

H




Site : 03CH11-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6933.30	-48.75	RMS	35.80	-20.62	1.16	-95.23	30.14	-13.00	-35.75	Horizontal			
2	10385.40	-41.11	RMS	38.80	-17.96	0.28	-95.23	33.00	-13.00	-28.11	Horizontal			
3	13870.80	-42.41	RMS	40.22	-16.68	-0.05	-95.23	29.33	-13.00	-29.41	Horizontal			



Site : 03CH11-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6933.30	-46.56	RMS	35.80	-20.62	1.16	-95.23	32.33	-13.00	-33.56	Vertical			
2	10385.40	-44.05	RMS	38.80	-17.96	0.28	-95.23	30.06	-13.00	-31.05	Vertical			
3	13870.80	-42.26	RMS	40.22	-16.68	-0.05	-95.23	29.48	-13.00	-29.26	Vertical			




Antenna 0

Part 27Q Mode 126


NR SA n77 HPUE 90M Ch633000 1RB1 BPSK

L



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6908.00	-49.11	RMS	35.80	-20.62	1.20	-95.23	29.74	-13.00	-36.11	Horizontal	
2	10363.20	-41.09	RMS	38.80	-17.97	0.28	-95.23	33.03	-13.00	-28.09	Horizontal	
3	13817.00	-41.72	RMS	40.10	-16.69	-0.04	-95.23	30.14	-13.00	-28.72	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6908.00	-48.39	RMS	35.80	-20.62	1.20	-95.23	30.46	-13.00	-35.39	Vertical	
2	10363.20	-40.48	RMS	38.80	-17.97	0.28	-95.23	33.64	-13.00	-27.48	Vertical	
3	13817.00	-41.69	RMS	40.10	-16.69	-0.04	-95.23	30.17	-13.00	-28.69	Vertical	




Antenna 0

Part 27Q Mode 126


NR SA n77 HPUE 90M Ch633334 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6912.86	-45.54	RMS	35.80	-20.62	1.19	-95.23	33.32	-13.00	-32.54	Horizontal	
2	10369.29	-41.58	RMS	38.80	-17.97	0.28	-95.23	32.54	-13.00	-28.58	Horizontal	
3	13825.72	-41.71	RMS	40.10	-16.69	-0.05	-95.23	30.16	-13.00	-28.71	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6912.86	-48.39	RMS	35.80	-20.62	1.19	-95.23	30.47	-13.00	-35.39	Vertical	
2	10369.29	-42.19	RMS	38.80	-17.97	0.28	-95.23	31.93	-13.00	-29.19	Vertical	
3	13825.72	-41.28	RMS	40.10	-16.69	-0.05	-95.23	30.59	-13.00	-28.28	Vertical	




Antenna 0

Part 27Q Mode 126


NR SA n77 HPUE 90M Ch633666 1RB1 BPSK

H



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6933.30	-48.52	RMS	35.80	-20.62	1.16	-95.23	30.37	-13.00	-35.52	Horizontal	
2	10385.40	-41.70	RMS	38.80	-17.96	0.28	-95.23	32.41	-13.00	-28.70	Horizontal	
3	13870.80	-42.22	RMS	40.22	-16.68	-0.05	-95.23	29.52	-13.00	-29.22	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6933.30	-45.85	RMS	35.80	-20.62	1.16	-95.23	33.04	-13.00	-32.85	Vertical	
2	10385.40	-42.05	RMS	38.80	-17.96	0.28	-95.23	32.06	-13.00	-29.05	Vertical	
3	13870.80	-41.26	RMS	40.22	-16.68	-0.05	-95.23	30.48	-13.00	-28.26	Vertical	




Antenna 1

Part 27Q Mode 127


NR SA n77 HPUE 90M Ch633334 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6912.86	-46.54	RMS	35.80	-20.62	1.19	-95.23	32.32	-13.00	-33.54	Horizontal	
2	10369.29	-42.27	RMS	38.80	-17.97	0.28	-95.23	31.85	-13.00	-29.27	Horizontal	
3	13825.72	-41.69	RMS	40.10	-16.69	-0.05	-95.23	30.18	-13.00	-28.69	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6912.86	-48.59	RMS	35.80	-20.62	1.19	-95.23	30.27	-13.00	-35.59	Vertical	
2	10369.29	-41.36	RMS	38.80	-17.97	0.28	-95.23	32.76	-13.00	-28.36	Vertical	
3	13825.72	-41.50	RMS	40.10	-16.69	-0.05	-95.23	30.37	-13.00	-28.50	Vertical	




Antenna 3

Part 27Q Mode 128


NR SA n77 HPUE 90M Ch633334 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6912.86	-47.56	RMS	35.80	-20.62	1.19	-95.23	31.30	-13.00	-34.56	Horizontal	
2	10369.29	-43.12	RMS	38.80	-17.97	0.28	-95.23	31.00	-13.00	-30.12	Horizontal	
3	13825.72	-40.89	RMS	40.10	-16.69	-0.05	-95.23	30.98	-13.00	-27.89	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6912.86	-46.75	RMS	35.80	-20.62	1.19	-95.23	32.11	-13.00	-33.75	Vertical	
2	10369.29	-41.41	RMS	38.80	-17.97	0.28	-95.23	32.71	-13.00	-28.41	Vertical	
3	13825.72	-40.75	RMS	40.10	-16.69	-0.05	-95.23	31.12	-13.00	-27.75	Vertical	




Antenna 2+0

Part 27Q Mode 129


NR SA n77 MIMO HPUE 90M Ch633000 1RB1 QPSK

L



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6908.00	-49.13	RMS	35.80	-20.62	1.20	-95.23	29.72	-13.00	-36.13 Horizontal
2	10363.20	-44.74	RMS	38.80	-17.97	0.28	-95.23	29.38	-13.00	-31.74 Horizontal
3	13817.00	-42.19	RMS	40.10	-16.69	-0.04	-95.23	29.67	-13.00	-29.19 Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6908.00	-48.93	RMS	35.80	-20.62	1.20	-95.23	29.92	-13.00	-35.93 Vertical
2	10363.20	-44.68	RMS	38.80	-17.97	0.28	-95.23	29.44	-13.00	-31.68 Vertical
3	13817.00	-41.82	RMS	40.10	-16.69	-0.04	-95.23	30.04	-13.00	-28.82 Vertical




Antenna 2+0

Part 27Q Mode 129


NR SA n77 MIMO HPUE 90M Ch633334 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6922.20	-49.18	RMS	35.80	-20.62	1.18	-95.23	29.69	-13.00	-36.18	Horizontal	
2	10374.30	-44.65	RMS	38.80	-17.97	0.28	-95.23	29.47	-13.00	-31.65	Horizontal	
3	13837.50	-42.05	RMS	40.10	-16.68	-0.05	-95.23	29.81	-13.00	-29.05	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6922.20	-49.21	RMS	35.80	-20.62	1.18	-95.23	29.66	-13.00	-36.21	Vertical	
2	10374.30	-44.80	RMS	38.80	-17.97	0.28	-95.23	29.32	-13.00	-31.80	Vertical	
3	13837.50	-41.67	RMS	40.10	-16.68	-0.05	-95.23	30.19	-13.00	-28.67	Vertical	




Antenna 2+0

Part 27Q Mode 129


NR SA n77 MIMO HPUE 90M Ch633666 1RB1 QPSK

H



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	6933.30	-48.46	RMS	35.80	-20.62	1.16	-95.23	30.43	-13.00	-35.46	Horizontal
2	10385.40	-44.75	RMS	38.80	-17.96	0.28	-95.23	29.36	-13.00	-31.75	Horizontal
3	13870.80	-42.04	RMS	40.22	-16.68	-0.05	-95.23	29.70	-13.00	-29.04	Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	6933.30	-49.09	RMS	35.80	-20.62	1.16	-95.23	29.80	-13.00	-36.09	Vertical
2	10385.40	-44.56	RMS	38.80	-17.96	0.28	-95.23	29.55	-13.00	-31.56	Vertical
3	13870.80	-42.49	RMS	40.22	-16.68	-0.05	-95.23	29.25	-13.00	-29.49	Vertical




Antenna 2+1

Part 27Q Mode 130


NR SA n77 MIMO HPUE 90M Ch633334 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6922.20	-48.57	RMS	35.80	-20.62	1.18	-95.23	30.30	-13.00	-35.57	Horizontal	
2	10374.30	-44.50	RMS	38.80	-17.97	0.28	-95.23	29.62	-13.00	-31.50	Horizontal	
3	13837.50	-42.17	RMS	40.10	-16.68	-0.05	-95.23	29.69	-13.00	-29.17	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6922.20	-48.67	RMS	35.80	-20.62	1.18	-95.23	30.20	-13.00	-35.67	Vertical	
2	10374.30	-44.41	RMS	38.80	-17.97	0.28	-95.23	29.71	-13.00	-31.41	Vertical	
3	13837.50	-42.00	RMS	40.10	-16.68	-0.05	-95.23	29.86	-13.00	-29.00	Vertical	




Antenna 2+3

Part 27Q Mode 131


NR SA n77 MIMO HPUE 90M Ch633334 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6922.20	-49.03	RMS	35.80	-20.62	1.18	-95.23	29.84	-13.00	-36.03	Horizontal	
2	10374.30	-44.86	RMS	38.80	-17.97	0.28	-95.23	29.26	-13.00	-31.86	Horizontal	
3	13837.50	-42.11	RMS	40.10	-16.68	-0.05	-95.23	29.75	-13.00	-29.11	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6922.20	-49.15	RMS	35.80	-20.62	1.18	-95.23	29.72	-13.00	-36.15	Vertical	
2	10374.30	-44.85	RMS	38.80	-17.97	0.28	-95.23	29.27	-13.00	-31.85	Vertical	
3	13837.50	-42.21	RMS	40.10	-16.68	-0.05	-95.23	29.65	-13.00	-29.21	Vertical	




Antenna 0+1

Part 27Q Mode 132


NR SA n77 MIMO HPUE 90M Ch633334 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6922.20	-48.94	RMS	35.80	-20.62	1.18	-95.23	29.93	-13.00	-35.94	Horizontal	
2	10374.30	-44.89	RMS	38.80	-17.97	0.28	-95.23	29.23	-13.00	-31.89	Horizontal	
3	13837.50	-41.99	RMS	40.10	-16.68	-0.05	-95.23	29.87	-13.00	-28.99	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6922.20	-48.97	RMS	35.80	-20.62	1.18	-95.23	29.90	-13.00	-35.97	Vertical	
2	10374.30	-44.84	RMS	38.80	-17.97	0.28	-95.23	29.28	-13.00	-31.84	Vertical	
3	13837.50	-42.11	RMS	40.10	-16.68	-0.05	-95.23	29.75	-13.00	-29.11	Vertical	




Antenna 0+2

Part 27Q Mode 133


NR SA n77 MIMO HPUE 90M Ch633000 1RB1 QPSK

L



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6908.00	-48.94	RMS	35.80	-20.62	1.20	-95.23	29.91	-13.00	-35.94 Horizontal
2	10363.20	-44.63	RMS	38.80	-17.97	0.28	-95.23	29.49	-13.00	-31.63 Horizontal
3	13817.00	-42.00	RMS	40.10	-16.69	-0.04	-95.23	29.86	-13.00	-29.00 Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6908.00	-48.74	RMS	35.80	-20.62	1.20	-95.23	30.11	-13.00	-35.74 Vertical
2	10363.20	-44.79	RMS	38.80	-17.97	0.28	-95.23	29.33	-13.00	-31.79 Vertical
3	13817.00	-41.53	RMS	40.10	-16.69	-0.04	-95.23	30.33	-13.00	-28.53 Vertical




Antenna 0+2

Part 27Q Mode 133


NR SA n77 MIMO HPUE 90M Ch633334 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6922.20	-49.10	RMS	35.80	-20.62	1.18	-95.23	29.77	-13.00	-36.10 Horizontal
2	10374.30	-44.86	RMS	38.80	-17.97	0.28	-95.23	29.26	-13.00	-31.86 Horizontal
3	13837.50	-41.88	RMS	40.10	-16.68	-0.05	-95.23	29.98	-13.00	-28.88 Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6922.20	-48.72	RMS	35.80	-20.62	1.18	-95.23	30.15	-13.00	-35.72 Vertical
2	10374.30	-44.73	RMS	38.80	-17.97	0.28	-95.23	29.39	-13.00	-31.73 Vertical
3	13837.50	-42.13	RMS	40.10	-16.68	-0.05	-95.23	29.73	-13.00	-29.13 Vertical




Antenna 0+2

Part 27Q Mode 133


NR SA n77 MIMO HPUE 90M Ch633666 1RB1 QPSK

H



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	6933.30	-48.64	RMS	35.80	-20.62	1.16	-95.23	30.25	-13.00	-35.64	Horizontal		
2	10385.40	-44.94	RMS	38.80	-17.96	0.28	-95.23	29.17	-13.00	-31.94	Horizontal		
3	13870.80	-42.21	RMS	40.22	-16.68	-0.05	-95.23	29.53	-13.00	-29.21	Horizontal		



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	6933.30	-48.92	RMS	35.80	-20.62	1.16	-95.23	29.97	-13.00	-35.92	Vertical		
2	10385.40	-43.73	RMS	38.80	-17.96	0.28	-95.23	30.38	-13.00	-30.73	Vertical		
3	13870.80	-42.22	RMS	40.22	-16.68	-0.05	-95.23	29.52	-13.00	-29.22	Vertical		




Antenna 0+3

Part 27Q Mode 134


NR SA n77 MIMO HPUE 90M Ch633334 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6922.20	-49.14	RMS	35.80	-20.62	1.18	-95.23	29.73	-13.00	-36.14 Horizontal
2	10374.30	-44.62	RMS	38.80	-17.97	0.28	-95.23	29.50	-13.00	-31.62 Horizontal
3	13837.50	-42.34	RMS	40.10	-16.68	-0.05	-95.23	29.52	-13.00	-29.34 Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6922.20	-49.03	RMS	35.80	-20.62	1.18	-95.23	29.84	-13.00	-36.03 Vertical
2	10374.30	-44.73	RMS	38.80	-17.97	0.28	-95.23	29.39	-13.00	-31.73 Vertical
3	13837.50	-42.21	RMS	40.10	-16.68	-0.05	-95.23	29.65	-13.00	-29.21 Vertical




Antenna 1+0

Part 27Q Mode 135


NR SA n77 MIMO HPUE 90M Ch633334 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6922.20	-49.03	RMS	35.80	-20.62	1.18	-95.23	29.84	-13.00	-36.03	Horizontal	
2	10374.30	-45.16	RMS	38.80	-17.97	0.28	-95.23	28.96	-13.00	-32.16	Horizontal	
3	13837.50	-41.98	RMS	40.10	-16.68	-0.05	-95.23	29.88	-13.00	-28.98	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6922.20	-48.97	RMS	35.80	-20.62	1.18	-95.23	29.90	-13.00	-35.97	Vertical	
2	10374.30	-45.08	RMS	38.80	-17.97	0.28	-95.23	29.04	-13.00	-32.08	Vertical	
3	13837.50	-41.93	RMS	40.10	-16.68	-0.05	-95.23	29.93	-13.00	-28.93	Vertical	




Antenna 1+2

Part 27Q Mode 136


NR SA n77 MIMO HPUE 90M Ch633334 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6922.20	-48.87	RMS	35.80	-20.62	1.18	-95.23	30.00	-13.00	-35.87	Horizontal	
2	10374.30	-44.63	RMS	38.80	-17.97	0.28	-95.23	29.49	-13.00	-31.63	Horizontal	
3	13837.50	-42.33	RMS	40.10	-16.68	-0.05	-95.23	29.53	-13.00	-29.33	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6922.20	-49.25	RMS	35.80	-20.62	1.18	-95.23	29.62	-13.00	-36.25	Vertical	
2	10374.30	-45.11	RMS	38.80	-17.97	0.28	-95.23	29.01	-13.00	-32.11	Vertical	
3	13837.50	-42.10	RMS	40.10	-16.68	-0.05	-95.23	29.76	-13.00	-29.10	Vertical	




Antenna 1+3

Part 27Q Mode 137


NR SA n77 MIMO HPUE 90M Ch633334 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6922.20	-49.02	RMS	35.80	-20.62	1.18	-95.23	29.85	-13.00	-36.02	Horizontal	
2	10374.30	-44.88	RMS	38.80	-17.97	0.28	-95.23	29.24	-13.00	-31.88	Horizontal	
3	13837.50	-41.98	RMS	40.10	-16.68	-0.05	-95.23	29.88	-13.00	-28.98	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6922.20	-48.98	RMS	35.80	-20.62	1.18	-95.23	29.89	-13.00	-35.98	Vertical	
2	10374.30	-44.78	RMS	38.80	-17.97	0.28	-95.23	29.34	-13.00	-31.78	Vertical	
3	13837.50	-42.46	RMS	40.10	-16.68	-0.05	-95.23	29.40	-13.00	-29.46	Vertical	




Antenna 3+0

Part 27Q Mode 138


NR SA n77 MIMO HPUE 90M Ch633334 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6922.20	-49.19	RMS	35.80	-20.62	1.18	-95.23	29.68	-13.00	-36.19	Horizontal	
2	10374.30	-44.81	RMS	38.80	-17.97	0.28	-95.23	29.31	-13.00	-31.81	Horizontal	
3	13837.50	-41.90	RMS	40.10	-16.68	-0.05	-95.23	29.96	-13.00	-28.90	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6922.20	-49.10	RMS	35.80	-20.62	1.18	-95.23	29.77	-13.00	-36.10	Vertical	
2	10374.30	-44.93	RMS	38.80	-17.97	0.28	-95.23	29.19	-13.00	-31.93	Vertical	
3	13837.50	-42.17	RMS	40.10	-16.68	-0.05	-95.23	29.69	-13.00	-29.17	Vertical	




Antenna 3+1

Part 27Q Mode 139


NR SA n77 MIMO HPUE 90M Ch633334 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6922.20	-48.92	Average	35.80	-20.62	1.18	-95.23	29.95	-13.00	-35.92	Horizontal	
2	10374.30	-44.84	Average	38.80	-17.96	0.28	-95.23	29.27	-13.00	-31.84	Horizontal	
3	13837.50	-42.27	Average	40.10	-16.69	-0.04	-95.23	29.59	-13.00	-29.27	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6922.20	-49.08	Average	35.80	-20.62	1.18	-95.23	29.79	-13.00	-36.08	Vertical	
2	10374.30	-44.99	Average	38.80	-17.97	0.28	-95.23	29.13	-13.00	-31.99	Vertical	
3	13837.50	-42.13	Average	40.10	-16.69	-0.04	-95.23	29.73	-13.00	-29.13	Vertical	




Antenna 3+2

Part 27Q Mode 140


NR SA n77 MIMO HPUE 90M Ch633334 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6922.20	-48.66	RMS	35.80	-20.62	1.18	-95.23	30.21	-13.00	-35.66 Horizontal
2	10374.30	-44.66	RMS	38.80	-17.97	0.28	-95.23	29.46	-13.00	-31.66 Horizontal
3	13837.50	-42.19	RMS	40.10	-16.68	-0.05	-95.23	29.67	-13.00	-29.19 Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6922.20	-49.08	RMS	35.80	-20.62	1.18	-95.23	29.79	-13.00	-36.08 Vertical
2	10374.30	-44.46	RMS	38.80	-17.97	0.28	-95.23	29.66	-13.00	-31.46 Vertical
3	13837.50	-41.79	RMS	40.10	-16.68	-0.05	-95.23	30.07	-13.00	-28.79 Vertical




Antenna 2

Part 270 Mode 149


NR SA n77 HPUE 100M Ch650000 1RB1 BPSK

L



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	7402.54	-45.91	RMS	36.39	-20.92	0.94	-95.23	32.91	-13.00	-32.91 Horizontal
2	11103.81	-38.13	RMS	38.72	-17.95	0.29	-95.23	36.04	-13.00	-25.13 Horizontal
3	14805.08	-40.62	RMS	40.08	-16.12	0.06	-95.23	30.59	-13.00	-27.62 Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	7402.54	-46.35	RMS	36.39	-20.92	0.94	-95.23	32.47	-13.00	-33.35 Vertical
2	11103.81	-34.13	RMS	38.72	-17.95	0.29	-95.23	40.04	-13.00	-21.13 Vertical
3	14805.08	-40.65	RMS	40.08	-16.12	0.06	-95.23	30.56	-13.00	-27.65 Vertical




Antenna 2

Part 270 Mode 149


NR SA n77 HPUE 100M Ch656000 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7588.20	-46.58	RMS	36.08	-20.59	0.78	-95.23	32.38	-13.00	-33.58	Horizontal			
2	11384.40	-34.49	RMS	39.10	-17.87	0.30	-95.23	39.21	-13.00	-21.49	Horizontal			
3	15165.08	-42.19	RMS	38.90	-15.90	0.13	-95.23	29.91	-13.00	-29.19	Horizontal			



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7588.20	-46.64	RMS	36.08	-20.59	0.78	-95.23	32.32	-13.00	-33.64	Vertical			
2	11384.40	-40.85	RMS	39.10	-17.87	0.30	-95.23	32.85	-13.00	-27.85	Vertical			
3	15165.08	-41.87	RMS	38.90	-15.90	0.13	-95.23	30.23	-13.00	-28.87	Vertical			




Antenna 2

Part 270 Mode 149

NR SA n77 HPUE 100M Ch662000 1RB1 BPSK

H




Site : 03CH11-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7762.54	-45.48	RMS	36.48	-20.58	0.72	-95.23	33.13	-13.00	-32.48	Horizontal			
2	11643.81	-35.23	RMS	38.61	-17.78	0.30	-95.23	38.87	-13.00	-22.23	Horizontal			
3	15525.08	-42.62	RMS	38.00	-15.85	0.19	-95.23	30.27	-13.00	-29.62	Horizontal			



Site : 03CH11-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7762.54	-45.43	RMS	36.48	-20.58	0.72	-95.23	33.18	-13.00	-32.43	Vertical			
2	11643.81	-40.40	RMS	38.61	-17.78	0.30	-95.23	33.70	-13.00	-27.40	Vertical			
3	15525.08	-42.74	RMS	38.00	-15.85	0.19	-95.23	30.15	-13.00	-29.74	Vertical			




Antenna 0

Part 270 Mode 150


NR SA n77 HPUE 100M Ch650000 1RB1 BPSK

L



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	7402.54	-46.13	RMS	36.39	-20.92	0.94	-95.23	32.69	-13.00	-33.13 Horizontal
2	11103.81	-38.72	RMS	38.72	-17.95	0.29	-95.23	35.45	-13.00	-25.72 Horizontal
3	14805.08	-40.51	RMS	40.08	-16.12	0.06	-95.23	30.70	-13.00	-27.51 Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	7402.54	-46.56	RMS	36.39	-20.92	0.94	-95.23	32.26	-13.00	-33.56 Vertical
2	11103.81	-35.13	RMS	38.72	-17.95	0.29	-95.23	39.04	-13.00	-22.13 Vertical
3	14805.08	-40.54	RMS	40.08	-16.12	0.06	-95.23	30.67	-13.00	-27.54 Vertical




Antenna 0

Part 270 Mode 150


NR SA n77 HPUE 100M Ch656000 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.54	-49.02	RMS	36.07	-20.60	0.78	-95.23	29.96	-13.00	-36.02 Horizontal
2	11373.81	-35.42	RMS	39.10	-17.87	0.30	-95.23	38.28	-13.00	-22.42 Horizontal
3	15165.08	-40.63	RMS	38.90	-15.90	0.13	-95.23	31.47	-13.00	-27.63 Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7582.54	-46.00	RMS	36.07	-20.60	0.78	-95.23	32.98	-13.00	-33.00 Vertical
2	11373.81	-39.22	RMS	39.10	-17.87	0.30	-95.23	34.48	-13.00	-26.22 Vertical
3	15165.08	-40.59	RMS	38.90	-15.90	0.13	-95.23	31.51	-13.00	-27.59 Vertical




Antenna 0

Part 270 Mode 150


NR SA n77 HPUE 100M Ch662000 1RB1 BPSK

H



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	7762.54	-46.03	RMS	36.48	-20.58	0.72	-95.23	32.58	-13.00	-33.03	Horizontal	
2	11643.81	-34.90	RMS	38.61	-17.78	0.30	-95.23	39.20	-13.00	-21.90	Horizontal	
3	15525.08	-42.71	RMS	38.00	-15.85	0.19	-95.23	30.18	-13.00	-29.71	Horizontal	



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	7762.54	-45.64	RMS	36.48	-20.58	0.72	-95.23	32.97	-13.00	-32.64	Vertical	
2	11643.81	-40.21	RMS	38.61	-17.78	0.30	-95.23	33.89	-13.00	-27.21	Vertical	
3	15525.08	-42.65	RMS	38.00	-15.85	0.19	-95.23	30.24	-13.00	-29.65	Vertical	




Antenna 1

Part 270 Mode 151


NR SA n77 HPUE 100M Ch656000 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7582.54	-46.85	RMS	36.07	-20.60	0.78	-95.23	32.13	-13.00	-33.85	Horizontal			
2	11373.81	-36.85	RMS	39.10	-17.87	0.30	-95.23	36.85	-13.00	-23.85	Horizontal			
3	15165.08	-41.41	RMS	38.90	-15.90	0.13	-95.23	30.69	-13.00	-28.41	Horizontal			



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7577.10	-46.02	RMS	36.05	-20.61	0.79	-95.23	32.98	-13.00	-33.02	Vertical			
2	11373.81	-34.94	RMS	39.10	-17.87	0.30	-95.23	38.76	-13.00	-21.94	Vertical			
3	15165.08	-38.68	RMS	38.90	-15.90	0.13	-95.23	33.42	-13.00	-25.68	Vertical			




Antenna 3

Part 270 Mode 152


NR SA n77 HPUE 100M Ch656000 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7582.54	-45.16	RMS	36.07	-20.60	0.78	-95.23	33.82	-13.00	-32.16	Horizontal			
2	11373.81	-43.22	RMS	39.10	-17.87	0.30	-95.23	30.48	-13.00	-30.22	Horizontal			
3	15165.08	-44.73	RMS	38.90	-15.90	0.13	-95.23	27.37	-13.00	-31.73	Horizontal			



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7582.54	-46.47	RMS	36.07	-20.60	0.78	-95.23	32.51	-13.00	-33.47	Vertical			
2	11373.81	-39.27	RMS	39.10	-17.87	0.30	-95.23	34.43	-13.00	-26.27	Vertical			
3	15165.08	-46.78	RMS	38.90	-15.90	0.13	-95.23	25.32	-13.00	-33.78	Vertical			




Antenna 2+0

Part 270 Mode 153


NR SA n77 MIMO HPUE 100M Ch650000 1RB1 QPSK

L



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch650000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7410.60	-46.37	RMS	36.38	-20.91	0.93	-95.23	32.46	-13.00	-33.37 Horizontal
2	11106.90	-37.30	RMS	38.73	-17.95	0.29	-95.23	36.86	-13.00	-24.30 Horizontal
3	14825.40	-40.94	RMS	40.00	-16.10	0.07	-95.23	30.32	-13.00	-27.94 Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch650000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7410.60	-45.69	RMS	36.38	-20.91	0.93	-95.23	33.14	-13.00	-32.69 Vertical
2	11106.90	-41.89	RMS	38.73	-17.95	0.29	-95.23	32.27	-13.00	-28.89 Vertical
3	14825.40	-40.73	RMS	40.00	-16.10	0.07	-95.23	30.53	-13.00	-27.73 Vertical




Antenna 2+0

Part 270 Mode 153


NR SA n77 MIMO HPUE 100M Ch656000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7588.20	-43.77	RMS	36.08	-20.59	0.78	-95.23	35.19	-13.00	-30.77	Horizontal			
2	11384.40	-40.44	RMS	39.10	-17.87	0.30	-95.23	33.26	-13.00	-27.44	Horizontal			
3	15169.50	-42.18	RMS	38.90	-15.90	0.13	-95.23	29.92	-13.00	-29.18	Horizontal			



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7588.20	-44.63	RMS	36.08	-20.59	0.78	-95.23	34.33	-13.00	-31.63	Vertical			
2	11384.40	-39.28	RMS	39.10	-17.87	0.30	-95.23	34.42	-13.00	-26.28	Vertical			
3	15169.50	-42.04	RMS	38.90	-15.90	0.13	-95.23	30.06	-13.00	-29.04	Vertical			




Antenna 2+0

Part 270 Mode 153


NR SA n77 MIMO HPUE 100M Ch662000 1RB1 QPSK

H



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch662000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7765.80	-41.82	RMS	36.49	-20.58	0.72	-95.23	36.78	-13.00	-28.82	Horizontal
2	11650.80	-37.23	RMS	38.60	-17.78	0.30	-95.23	36.88	-13.00	-24.23	Horizontal
3	15524.70	-42.33	RMS	38.00	-15.85	0.19	-95.23	30.56	-13.00	-29.33	Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch662000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7765.80	-42.94	RMS	36.49	-20.58	0.72	-95.23	35.66	-13.00	-29.94	Vertical
2	11650.80	-37.67	RMS	38.60	-17.78	0.30	-95.23	36.44	-13.00	-24.67	Vertical
3	15524.70	-42.39	RMS	38.00	-15.85	0.19	-95.23	30.50	-13.00	-29.39	Vertical




Antenna 2+1

Part 270 Mode 154


NR SA n77 MIMO HPUE 100M Ch656000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7588.20	-47.87	RMS	36.08	-20.59	0.78	-95.23	31.09	-13.00	-34.87	Horizontal			
2	11384.40	-44.04	RMS	39.10	-17.87	0.30	-95.23	29.66	-13.00	-31.04	Horizontal			
3	15169.50	-41.24	RMS	38.90	-15.90	0.13	-95.23	30.86	-13.00	-28.24	Horizontal			



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7588.20	-47.98	RMS	36.08	-20.59	0.78	-95.23	30.98	-13.00	-34.98	Vertical			
2	11384.40	-43.68	RMS	39.10	-17.87	0.30	-95.23	30.02	-13.00	-30.68	Vertical			
3	15169.50	-41.27	RMS	38.90	-15.90	0.13	-95.23	30.83	-13.00	-28.27	Vertical			




Antenna 2+3

Part 270 Mode 155


NR SA n77 MIMO HPUE 100M Ch656000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7588.20	-47.91	RMS	36.08	-20.59	0.78	-95.23	0.00	-13.00	-34.91
2	11384.40	-43.36	RMS	39.10	-17.87	0.30	-95.23	30.34	-13.00	-30.36
3	15169.50	-42.09	RMS	38.90	-15.90	0.13	-95.23	30.01	-13.00	-29.09



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7588.20	-47.47	RMS	36.08	-20.59	0.78	-95.23	31.49	-13.00	-34.47
2	11384.40	-44.17	RMS	39.10	-17.87	0.30	-95.23	29.53	-13.00	-31.17
3	15169.50	-41.97	RMS	38.90	-15.90	0.13	-95.23	30.13	-13.00	-28.97




Antenna 0+1

Part 270 Mode 156


NR SA n77 MIMO HPUE 100M Ch656000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7588.20	-47.82	RMS	36.08	-20.59	0.78	-95.23	31.14	-13.00	-34.82 Horizontal
2	11384.40	-44.47	RMS	39.10	-17.87	0.30	-95.23	29.23	-13.00	-31.47 Horizontal
3	15169.50	-42.18	RMS	38.90	-15.90	0.13	-95.23	29.92	-13.00	-29.18 Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7588.20	-47.61	RMS	36.08	-20.59	0.78	-95.23	31.35	-13.00	-34.61 Vertical
2	11384.40	-44.50	RMS	39.10	-17.87	0.30	-95.23	29.20	-13.00	-31.50 Vertical
3	15169.50	-41.91	RMS	38.90	-15.90	0.13	-95.23	30.19	-13.00	-28.91 Vertical




Antenna 0+2

Part 270 Mode 157


NR SA n77 MIMO HPUE 100M Ch650000 1RB1 QPSK

L



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch650000 1RB1 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7410.60	-48.92 RMS	36.38	-20.91	0.93	-95.23	29.91	-13.00	-35.92	Horizontal
2	11106.90	-40.35 RMS	38.73	-17.95	0.29	-95.23	33.81	-13.00	-27.35	Horizontal
3	14825.40	-40.77 RMS	40.00	-16.10	0.07	-95.23	30.49	-13.00	-27.77	Horizontal
4	23304.00	-63.53 RMS	38.70	-33.25	-9.54	-95.23	35.79	-13.00	-50.53	Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch650000 1RB1 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7410.60	-48.98 RMS	36.38	-20.91	0.93	-95.23	29.85	-13.00	-35.98	Vertical
2	11106.90	-42.61 RMS	38.73	-17.95	0.29	-95.23	31.55	-13.00	-29.61	Vertical
3	14825.40	-40.54 RMS	40.00	-16.10	0.07	-95.23	30.72	-13.00	-27.54	Vertical
4	23304.00	-62.43 RMS	38.70	-33.25	-9.54	-95.23	36.89	-13.00	-49.43	Vertical




Antenna 0+2

Part 270 Mode 157


NR SA n77 MIMO HPUE 100M Ch656000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7588.20	-48.19	RMS	36.08	-20.59	0.78	-95.23	30.77	-13.00	-35.19 Horizontal
2	11384.40	-44.64	RMS	39.10	-17.87	0.30	-95.23	29.06	-13.00	-31.64 Horizontal
3	15169.50	-41.94	RMS	38.90	-15.90	0.13	-95.23	30.16	-13.00	-28.94 Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7588.20	-48.63	RMS	36.08	-20.59	0.78	-95.23	30.33	-13.00	-35.63 Vertical
2	11384.40	-44.40	RMS	39.10	-17.87	0.30	-95.23	29.30	-13.00	-31.40 Vertical
3	15169.50	-41.87	RMS	38.90	-15.90	0.13	-95.23	30.23	-13.00	-28.87 Vertical




Antenna 0+2

Part 270 Mode 157


NR SA n77 MIMO HPUE 100M Ch662000 1RB1 QPSK

H



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch662000 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7765.80	-43.12	RMS	36.49	-20.58	0.72	-95.23	35.48	-13.00	-30.12	Horizontal
2	11650.80	-44.45	RMS	38.60	-17.78	0.30	-95.23	29.66	-13.00	-31.45	Horizontal
3	15524.70	-42.57	RMS	38.00	-15.85	0.19	-95.23	30.32	-13.00	-29.57	Horizontal
4	23304.00	-62.86	RMS	38.70	-33.25	-9.54	-95.23	36.46	-13.00	-49.86	Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch662000 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7765.80	-48.95	RMS	36.49	-20.58	0.72	-95.23	29.65	-13.00	-35.95	Vertical
2	11650.00	-43.70	RMS	38.60	-17.78	0.30	-95.23	30.41	-13.00	-30.70	Vertical
3	15524.70	-42.78	RMS	38.00	-15.85	0.19	-95.23	30.11	-13.00	-29.78	Vertical
4	23304.00	-65.49	RMS	38.70	-33.25	-9.54	-95.23	33.83	-13.00	-52.49	Vertical




Antenna 0+3

Part 270 Mode 158


NR SA n77 MIMO HPUE 100M Ch656000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	7588.20	-48.76	RMS	36.08	-20.59	0.78	-95.23	30.20	-13.00	-35.76	Horizontal
2	11384.40	-44.45	RMS	39.10	-17.87	0.30	-95.23	29.25	-13.00	-31.45	Horizontal
3	15169.50	-42.28	RMS	38.90	-15.90	0.13	-95.23	29.82	-13.00	-29.28	Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	7588.20	-47.24	RMS	36.08	-20.59	0.78	-95.23	31.72	-13.00	-34.24	Vertical
2	11384.40	-44.33	RMS	39.10	-17.87	0.30	-95.23	29.37	-13.00	-31.33	Vertical
3	15169.50	-41.95	RMS	38.90	-15.90	0.13	-95.23	30.15	-13.00	-28.95	Vertical




Antenna 1+0

Part 270 Mode 159


NR SA n77 MIMO HPUE 100M Ch656000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7588.20	-48.39	RMS	36.08	-20.59	0.78	-95.23	30.57	-13.00	-35.39	Horizontal			
2	11384.40	-44.66	RMS	39.10	-17.87	0.30	-95.23	29.04	-13.00	-31.66	Horizontal			
3	15169.50	-42.17	RMS	38.90	-15.90	0.13	-95.23	29.93	-13.00	-29.17	Horizontal			



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7588.20	-45.24	RMS	36.08	-20.59	0.78	-95.23	33.72	-13.00	-32.24	Vertical			
2	11384.40	-44.46	RMS	39.10	-17.87	0.30	-95.23	29.24	-13.00	-31.46	Vertical			
3	15169.50	-41.72	RMS	38.90	-15.90	0.13	-95.23	30.38	-13.00	-28.72	Vertical			




Antenna 1+2

Part 270 Mode 160


NR SA n77 MIMO HPUE 100M Ch656000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7588.20	-45.13	RMS	36.08	-20.59	0.78	-95.23	33.83	-13.00	-32.13	Horizontal
2	11384.40	-44.07	RMS	39.10	-17.87	0.30	-95.23	29.63	-13.00	-31.07	Horizontal
3	15169.50	-41.95	RMS	38.90	-15.90	0.13	-95.23	30.15	-13.00	-28.95	Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7588.20	-46.95	RMS	36.08	-20.59	0.78	-95.23	32.01	-13.00	-33.95	Vertical
2	11384.40	-44.51	RMS	39.10	-17.87	0.30	-95.23	29.19	-13.00	-31.51	Vertical
3	15169.50	-39.61	RMS	38.90	-15.90	0.13	-95.23	32.49	-13.00	-26.61	Vertical




Antenna 1+3

Part 270 Mode 161


NR SA n77 MIMO HPUE 100M Ch656000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7588.20	-48.83	RMS	36.08	-20.59	0.78	-95.23	30.13	-13.00	-35.83	Horizontal			
2	11384.40	-44.74	RMS	39.10	-17.87	0.30	-95.23	28.96	-13.00	-31.74	Horizontal			
3	15169.50	-41.75	RMS	38.90	-15.90	0.13	-95.23	30.35	-13.00	-28.75	Horizontal			



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7588.20	-45.20	RMS	36.08	-20.59	0.78	-95.23	33.76	-13.00	-32.20	Vertical			
2	11384.40	-44.68	RMS	39.10	-17.87	0.30	-95.23	29.02	-13.00	-31.68	Vertical			
3	15169.50	-41.81	RMS	38.90	-15.90	0.13	-95.23	30.29	-13.00	-28.81	Vertical			




Antenna 3+0

Part 270 Mode 162


NR SA n77 MIMO HPUE 100M Ch656000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7588.20	-49.04	RMS	36.08	-20.59	0.78	-95.23	29.92	-13.00	-36.04	Horizontal
2	11384.40	-44.64	RMS	39.10	-17.87	0.30	-95.23	29.06	-13.00	-31.64	Horizontal
3	15169.50	-41.48	RMS	38.90	-15.90	0.13	-95.23	30.62	-13.00	-28.48	Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7588.20	-48.32	RMS	36.08	-20.59	0.78	-95.23	30.64	-13.00	-35.32	Vertical
2	11384.40	-44.03	RMS	39.10	-17.87	0.30	-95.23	29.67	-13.00	-31.03	Vertical
3	15169.50	-42.11	RMS	38.90	-15.90	0.13	-95.23	29.99	-13.00	-29.11	Vertical




Antenna 3+1

Part 270 Mode 163


NR SA n77 MIMO HPUE 100M Ch656000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7588.20	-48.29	RMS	36.08	-20.59	0.78	-95.23	30.67	-13.00	-35.29	Horizontal
2	11384.40	-44.56	RMS	39.10	-17.87	0.30	-95.23	29.14	-13.00	-31.56	Horizontal
3	15169.50	-42.06	RMS	38.90	-15.90	0.13	-95.23	30.04	-13.00	-29.06	Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7588.20	-48.26	RMS	36.08	-20.59	0.78	-95.23	30.70	-13.00	-35.26	Vertical
2	11384.40	-44.58	RMS	39.10	-17.87	0.30	-95.23	29.12	-13.00	-31.58	Vertical
3	15169.50	-41.73	RMS	38.90	-15.90	0.13	-95.23	30.37	-13.00	-28.73	Vertical




Antenna 3+2

Part 270 Mode 164


NR SA n77 MIMO HPUE 100M Ch656000 1RB1 QPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7588.20	-48.45	RMS	36.08	-20.59	0.78	-95.23	30.51	-13.00	-35.45 Horizontal
2	11384.40	-44.56	RMS	39.10	-17.87	0.30	-95.23	29.14	-13.00	-31.56 Horizontal
3	15169.50	-41.67	RMS	38.90	-15.90	0.13	-95.23	30.43	-13.00	-28.67 Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7588.20	-44.35	RMS	36.08	-20.59	0.78	-95.23	34.61	-13.00	-31.35 Vertical
2	11384.40	-44.47	RMS	39.10	-17.87	0.30	-95.23	29.23	-13.00	-31.47 Vertical
3	15169.50	-41.59	RMS	38.90	-15.90	0.13	-95.23	30.51	-13.00	-28.59 Vertical




Antenna 0

Part 90R Mode 56

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_230817 Horizontal

: NR n14 5M Ch158100 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1577.04	-63.77	RMS	25.37	-28.65	0.43	-95.23	34.31	-42.15	-21.62	Horizontal
2	2365.56	-61.70	RMS	27.30	-26.59	0.23	-95.23	32.59	-13.00	-48.70	Horizontal
3	3154.08	-58.29	RMS	29.90	-25.35	0.27	-95.23	32.12	-13.00	-45.29	Horizontal



Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_230817 Vertical

: NR n14 5M Ch158100 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1577.04	-63.52	RMS	25.37	-28.65	0.43	-95.23	34.56	-42.15	-21.37	Vertical
2	2365.56	-61.36	RMS	27.30	-26.59	0.23	-95.23	32.93	-13.00	-48.36	Vertical
3	3154.08	-58.12	RMS	29.90	-25.35	0.27	-95.23	32.29	-13.00	-45.12	Vertical




Antenna 0

Part 90R Mode 56

NR SA n14 5M Ch158600 1RB1 BPSK

M




Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_230817 Horizontal

NR n14 5M Ch158600 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1584.00	-63.62	RMS	25.40	-28.62	0.42	-95.23	34.41	-42.15	-21.47	Horizontal
2	2373.06	-61.52	RMS	27.33	-26.58	0.23	-95.23	32.73	-13.00	-48.52	Horizontal
3	3164.08	-58.12	RMS	29.90	-25.33	0.27	-95.23	32.27	-13.00	-45.12	Horizontal



Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_230817 Vertical

NR n14 5M Ch158600 1RB1 QPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm	dB	
1	1582.04	-63.92	RMS	25.40	-28.63	0.43	-95.23	34.11	-42.15	-21.77	Vertical
2	2373.06	-60.94	RMS	27.33	-26.58	0.23	-95.23	33.31	-13.00	-47.94	Vertical
3	3164.08	-58.13	RMS	29.90	-25.33	0.27	-95.23	32.26	-13.00	-45.13	Vertical




Antenna 0

Part 90R Mode 56

NR SA n14 5M Ch159100 1RB1 BPSK

H




Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_230817 Horizontal

NR n14 5M Ch159100 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol	
	MHz	dBm		Factor	1		dB	dBuV			dBm
1	1587.04	-63.96	RMS	25.40	-28.61	0.42	-95.23	34.06	-42.15	-21.81	Horizontal
2	2380.56	-61.39	RMS	27.41	-26.57	0.23	-95.23	32.77	-13.00	-48.39	Horizontal
3	3174.08	-57.97	RMS	29.90	-25.31	0.27	-95.23	32.40	-13.00	-44.97	Horizontal



Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_230817 Vertical

NR n14 5M Ch159100 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1587.04	-64.28	RMS	25.40	-28.61	0.42	-95.23	33.74	-42.15	-22.13	Vertical
2	2380.56	-61.41	RMS	27.41	-26.57	0.23	-95.23	32.75	-13.00	-48.41	Vertical
3	3174.08	-58.26	RMS	29.90	-25.31	0.27	-95.23	32.11	-13.00	-45.26	Vertical




Antenna 0

Part 90S Mode 68


NR SA n26 5M Ch163300 1RB1 BPSK

L



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_230817 Horizontal
: 5GNR n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.04	-64.29	RMS	25.40	-28.48	0.37	-95.23	33.65	-13.00	-51.29
2	2443.56	-60.58	RMS	27.56	-26.45	0.22	-95.23	33.32	-13.00	-47.58
3	3258.08	-58.41	RMS	29.68	-25.17	0.27	-95.23	32.04	-13.00	-45.41



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_230817 Vertical
: 5GNR n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.04	-64.14	RMS	25.40	-28.48	0.37	-95.23	33.80	-13.00	-51.14
2	2443.56	-61.21	RMS	27.56	-26.45	0.22	-95.23	32.69	-13.00	-48.21
3	3258.08	-58.12	RMS	29.68	-25.17	0.27	-95.23	32.33	-13.00	-45.12




Antenna 0

Part 90S Mode 68

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH11-HY

Condition: -13 3m 9120D_01620_230817 Horizontal

: 5GNR n26 5M Ch163800 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
	MHz	dBm		Factor	1					
1	1634.04	-63.70	RMS	25.36	-28.46	0.37	-95.23	34.26	-13.00	-50.70 Horizontal
2	2451.06	-60.30	RMS	27.50	-26.44	0.22	-95.23	33.65	-13.00	-47.30 Horizontal
3	3268.08	-57.67	RMS	29.66	-25.15	0.26	-95.23	32.79	-13.00	-44.67 Horizontal



Site : 03CH11-HY

Condition: -13 3m 9120D_01620_230817 Vertical

: 5GNR n26 5M Ch163800 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
	MHz	dBm		Factor	1					
1	1634.04	-63.64	RMS	25.36	-28.46	0.37	-95.23	34.32	-13.00	-50.64 Vertical
2	2451.06	-60.79	RMS	27.50	-26.44	0.22	-95.23	33.16	-13.00	-47.79 Vertical
3	3268.08	-58.16	RMS	29.66	-25.15	0.26	-95.23	32.30	-13.00	-45.16 Vertical




Antenna 0

Part 90S Mode 68

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH11-HY

Condition: -13 3m 9120D_01620_230817 Horizontal

: 5GNR n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1640.00	-62.88	RMS	25.30	-28.45	0.36	-95.23	35.14	-13.00	-49.88	Horizontal
2	2458.56	-60.77	RMS	27.50	-26.42	0.22	-95.23	33.16	-13.00	-47.77	Horizontal
3	3278.08	-58.15	RMS	29.64	-25.14	0.26	-95.23	32.32	-13.00	-45.15	Horizontal



Site : 03CH11-HY

Condition: -13 3m 9120D_01620_230817 Vertical

: 5GNR n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1640.00	-63.64	RMS	25.30	-28.45	0.36	-95.23	34.38	-13.00	-50.64	Vertical
2	2458.56	-59.05	RMS	27.50	-26.42	0.22	-95.23	34.88	-13.00	-46.05	Vertical
3	3278.08	-57.96	RMS	29.64	-25.14	0.26	-95.23	32.51	-13.00	-44.96	Vertical




Antenna 0

Part 27D Mode 61


NR SA n30 5M Ch462000 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -40 3m 9120D_01620_230817 Horizontal
: NR n30 5M Ch462000 1RB1 BPSK
: #1 is fundamental signal which can be ignored.
: #2 is down link signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
1	2310.00	-18.21	RMS	27.30	-26.67	0.00	-95.23	76.39	-40.00	21.79	Horizontal	
2	2354.00	-27.48	RMS	27.30	-26.61	0.00	-95.23	67.06	-40.00	12.52	Horizontal	



Site : 03CH11-HY
Condition: -40 3m 9120D_01620_230817 Vertical
: NR n30 5M Ch462000 1RB1 BPSK
: #1 is fundamental signal which can be ignored.
: #2 is down link signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
1	2310.00	-21.43	RMS	27.30	-26.67	0.00	-95.23	73.17	-40.00	18.57	Vertical	
2	2356.00	-32.43	RMS	27.30	-26.60	0.00	-95.23	62.10	-40.00	7.57	Vertical	