



Label and label location



TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	± 10°
16~63	0.1	0.2	0.4	0.6	± 15°
63~150	0.15	0.25	0.5	0.8	± 30°
150~250	0.2	0.3	0.6	1	± 1°
250~500	0.4	0.6	0.8	1.5	±

白色底




1. IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE TABLE FOR TOLERANCE.
2. USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
3. UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
4. □ REPRESENTS REVISIONS OR NEW DIMENSIONS.
5. ○ REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
6. THE MOULD NUMBER: **NO**
7. TEXTURE NUMBER: **NO**
8. ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
9. WILL USE $\pm 0.05\text{MM}$ INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000030AA		DATE: 06-15-2015	
		B	1/ 1	UNIT: MM		SCALE: 1:1	
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO. K1203-0006152		APPROVAL.	CHECKED.	DESIGN.	
COLOR.	見備注說明	DRAWER.: PENGCHENG ZHU		POBBY	YONG WANG	PENGCHENG ZHU	
Zylux Acoustic Corporation							

TOLERANCES	A	B	C	D	ANGLE
~16	° 0.05	° 0.1	° 0.2	° 0.4	± 10°
16~63	° 0.1	° 0.2	° 0.4	° 0.6	± 15°
63~150	° 0.15	° 0.25	° 0.5	° 0.8	± 30°
150~250	° 0.2	° 0.3	° 0.6	° 1	± 1°
250~500	° 0.4	° 0.6	° 0.8	° 1.5	± °

白色底



1. IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE TABLE FOR TOLERANCE.
2. USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
3. UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
4. □ REPRESENTS REVISIONS OR NEW DIMENSIONS.
5. ○ REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
6. THE MOULD NUMBER: **NO**
7. TEXTURE NUMBER: **NO**
8. ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
9. WILL USE $\pm 0.05\text{MM}$ INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.


E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000030AA	DATE: 06-15-2015	
		B	1/ 1		UNIT: MM	
MATERIAL.	200#合成紙+光膜 +背壓克力膠	NO. K1203-0006152		APPROVAL.	CHECKED.	DESIGN.
COLOR.	見備注說明	DRAWER.: PENGCHENG ZHU		POBBY	YONG WANG	PENGCHENG ZHU
Zylux Acoustic Corporation						

Zylux Acoustic Corporation

TOLERANCES	A	B	C	D	ANGLE
~16	° 0.05	° 0.1	° 0.2	° 0.4	± 10°
16~63	° 0.1	° 0.2	° 0.4	° 0.6	± 15°
63~150	° 0.15	° 0.25	° 0.5	° 0.8	± 30°
150~250	° 0.2	° 0.3	° 0.6	° 1	± 1°
250~500	° 0.4	° 0.6	° 0.8	° 1.5	± °

白色底



1. IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE TABLE FOR TOLERANCE.
2. USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
3. UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
4. □ REPRESENTS REVISIONS OR NEW DIMENSIONS.
5. ○ REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
6. THE MOULD NUMBER: **NO**
7. TEXTURE NUMBER: **NO**
8. ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
9. WILL USE $\pm 0.05\text{MM}$ INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.


E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000030AA		DATE: 06-15-2015	
		B	1/ 1	UNIT: MM		SCALE: 1:1	
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO. K1203-0006152		APPROVAL.	CHECKED.	DESIGN.	
COLOR.	見備注說明	DRAWER.: PENGCHENG ZHU		POBBY	YONG WANG	PENGCHENG ZHU	
Zylux Acoustic Corporation							

Zylux Acoustic Corporation

TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	± 10°
16~63	0.1	0.2	0.4	0.6	± 15°
63~150	0.15	0.25	0.5	0.8	± 30°
150~250	0.2	0.3	0.6	1	± 1°
250~500	0.4	0.6	0.8	1.5	±

白色底



1. IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE TABLE FOR TOLERANCE.
2. USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
3. UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
4. □ REPRESENTS REVISIONS OR NEW DIMENSIONS.
5. ○ REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
6. THE MOULD NUMBER: **NO**
7. TEXTURE NUMBER: **NO**
8. ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
9. WILL USE $\pm 0.05\text{MM}$ INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.


E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000030AA		DATE: 06-15-2015	
		B	1/ 1	UNIT: MM		SCALE: 1:1	
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO. K1203-0006152		APPROVAL.	CHECKED.	DESIGN.	
COLOR.	見備注說明	DRAWER.: PENGCHENG ZHU		POBBY	YONG WANG	PENGCHENG ZHU	
Zylux Acoustic Corporation							

Zylux Acoustic Corporation

TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	± 10°
16~63	0.1	0.2	0.4	0.6	± 15°
63~150	0.15	0.25	0.5	0.8	± 30°
150~250	0.2	0.3	0.6	1	± 1°
250~500	0.4	0.6	0.8	1.5	± °

白色底



1. IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE TABLE FOR TOLERANCE.
2. USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
3. UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
4. □ REPRESENTS REVISIONS OR NEW DIMENSIONS.
5. ○ REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
6. THE MOULD NUMBER: **NO**
7. TEXTURE NUMBER: **NO**
8. ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
9. WILL USE $\pm 0.05\text{MM}$ INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000031AA		DATE: 06-15-2015	
		B	1/ 1	UNIT: MM		SCALE: 1:1	
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO. K1203-0006217		APPROVAL.	CHECKED.	DESIGN.	
COLOR.	見備注說明	DRAWER.: PENGCHENG ZHU		POBBY	YONG WANG	PENGCHENG ZHU	
Zylux Acoustic Corporation							

Zylux Acoustic Corporation

顏色說明：

字: Pantone Cool Gray 8C

白色底

5MM

A black and white photograph of a portable projector. The device is rectangular with a lens on the left side and a handle on the right. The brand name 'dashbon' is printed in a stylized font on the top right. Below the product name, the model number 'BK02DW45AR' and the FCC ID 'XN6-BKDW45' are visible. The text 'Input (輸入/輸入): 19V===4.74A' is also present. The background is a plain, light-colored surface.

$$55.00^{+0.5}_{-0.5}$$

65.00 $\begin{matrix} +0.5 \\ -0.5 \end{matrix}$

1. IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE TABLE FOR TOLERANCE.
2. USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
3. UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
4. □ REPRESENTS REVISIONS OR NEW DIMENSIONS.
5. ○ REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
6. THE MOULD NUMBER: **NO**
7. TEXTURE NUMBER: **NO**
8. ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
9. WILL USE $\pm 0.05\text{MM}$ INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000031AA		DATE: 06-15-2015	
		B	1/ 1	UNIT: MM		SCALE: 1:1	
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO. K1203-0006217		APPROVAL.	CHECKED.	DESIGN.	
COLOR.	見備注說明	DRAWER.: PENGCHENG ZHU		POBBY	YONG WANG	PENGCHENG ZHU	
Zylux Acoustic Corporation							

Zylux Acoustic Corporation

