



Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.22	0.15	2.37	11.00	Complies
116	5580	7.64	0.15	7.79	11.00	Complies
140	5700	0.97	0.15	1.12	11.00	Complies



Date: 19.DEC.2020 11:29:47




Date: 19.DEC.2020 12:41:56




Date: 19.DEC.2020 12:43:24

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.31	0.29	-3.02	11.00	Complies
110	5550	2.34	0.29	2.63	11.00	Complies
134	5670	3.90	0.29	4.19	11.00	Complies



Date: 19.DEC.2020 13:20:23



Date: 19.DEC.2020 13:21:44




Date: 19.DEC.2020 13:23:15

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-6.51	0.56	-5.95	11.00	Complies
122	5610	-3.02	0.56	-2.46	11.00	Complies

CH106



Date: 19.DEC.2020 13:57:40


CH122




Date: 19.DEC.2020 13:59:28

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.70	0.15	6.85	30.00	Complies
157	5785	6.74	0.15	6.89	30.00	Complies
165	5825	6.55	0.15	6.70	30.00	Complies



Date: 19 DEC 2020 12:45:17




Date: 19 DEC 2020 12:46:44




Date: 19 DEC 2020 12:48:33

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.02	0.29	2.31	30.00	Complies
159	5795	1.82	0.29	2.11	30.00	Complies




Date: 19 DEC 2020 13:25:37



Date: 19 DEC 2020 13:27:08

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-5.16	0.56	-4.60	30.00	Complies



Date: 19 DEC 2020 14:01:09

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
4.45	5179.9896
3.87	5179.9888
3.6	5179.9884
Maximum Deviation (MHz)	0.0116
Maximum Deviation (ppm)	2.2394

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9876
10	5179.9872
20	5179.9868
30	5179.9864
35	5179.9860
Maximum Deviation (MHz)	0.0140
Maximum Deviation (ppm)	2.7027

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
4.45	5259.9860
3.87	5259.9856
3.6	5259.9856
Maximum Deviation (MHz)	0.0144
Maximum Deviation (ppm)	2.7376

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9856
10	5259.9852
20	5259.9852
30	5259.9852
35	5259.9848
Maximum Deviation (MHz)	0.0152
Maximum Deviation (ppm)	2.8897

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
4.45	5499.9840
3.87	5499.9832
3.6	5499.9828
Maximum Deviation (MHz)	0.0172
Maximum Deviation (ppm)	3.1273

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9824
10	5499.9820
20	5499.9820
30	5499.9820
35	5499.9824
Maximum Deviation (MHz)	0.0180
Maximum Deviation (ppm)	3.2727

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
4.45	5744.9824
3.87	5744.9824
3.6	5744.9824
Maximum Deviation (MHz)	0.0176
Maximum Deviation (ppm)	3.0635

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9824
10	5744.9820
20	5744.9820
30	5744.9820
35	5744.9820
Maximum Deviation (MHz)	0.0180
Maximum Deviation (ppm)	3.1332

End of Test Report