

#### **PCTEST**

7185 Oakland Mills Road, Columbia, MD 21046 USA Tel. 410.290.6652 / Fax 410.290.6654 http://www.pctest.com



## PART 24 MEASUREMENT REPORT

**Applicant Name:** LG Electronics USA, Inc. 111 Sylvan Avenue, North Building Englewood Cliffs, NJ 07632 **United States** 

**Date of Testing:** 8/26/2020 - 9/28/2020 **Test Site/Location:** PCTEST Lab. Columbia, MD, USA **Test Report Serial No.:** 1M2009170151-09.ZNF

FCC ID: ZNFK200TM

LG Electronics USA, Inc. Applicant Name:

**Application Type:** Certification Model: LM-K200TM

LMK200TM, K200TM Additional Model(s): **EUT Type:** Portable Handset

**FCC Classification:** PCS Licensed Transmitter Held to Ear (PCE)

**FCC Rule Part:** 

Test Procedure(s): ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168

D01 v03r01

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

President





FCC ID: ZNFK200TM	PCTEST* Proud to be part of ** element	PART 24 MEASUREMENT REPORT	€ LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 1 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		rage 10191



# TABLE OF CONTENTS

INTR	ODUCTION	4
1.1	Scope	4
1.2	PCTEST Test Location	4
1.3	Test Facility / Accreditations	4
PROI	DUCT INFORMATION	5
2.1	Equipment Description	5
2.2	Device Capabilities	5
2.3	Test Configuration	5
2.4	EMI Suppression Device(s)/Modifications	5
DESC	CRIPTION OF TESTS	6
3.1	Evaluation Procedure	6
3.2	Radiated Power and Radiated Spurious Emissions	6
MEAS	SUREMENT UNCERTAINTY	7
TEST	EQUIPMENT CALIBRATION DATA	8
SAM	PLE CALCULATIONS	9
TEST	RESULTS	11
7.1	Summary	11
7.2	Occupied Bandwidth	12
7.3	Spurious and Harmonic Emissions at Antenna Terminal	24
7.4	Band Edge Emissions at Antenna Terminal	40
7.5	Peak-Average Ratio	63
7.6	Radiated Power (ERP/EIRP)	75
7.7	Radiated Spurious Emissions Measurements	78
7.8	Frequency Stability / Temperature Variation	87
CON	CLUSION	91
	1.1 1.2 1.3 PROD 2.1 2.2 2.3 2.4 DESC 3.1 3.2 MEAS TEST 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8	1.1 Scope

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @ element	PART 24 MEASUREMENT REPORT	<b>⊕</b> LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 2 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Page 2 of 91





# **PART 24 MEASUREMENT REPORT**



			Tx Frequency	EII	RP	Emission
Mode	Bandwidth	Modulation	Range [MHz]		Max. Power [dBm]	Designator
GSM/GPRS	N/A	GMSK	1850.2 - 1909.8	0.778	28.91	246KGXW
EDGE	IN/A	8-PSK	1850.2 - 1909.8	0.311	24.93	240KG7W
WCDMA	N/A	Spread Spectrum	1852.4 - 1907.6	0.197	22.95	4M12F9W
		QPSK	1860 - 1905	0.269	24.30	18M0G7D
	20 MHz	16QAM	1860 - 1905	0.234	23.69	18M0W7D
		64QAM	1860 - 1905	0.181	22.58	18M0W7D
		QPSK	1857.5 - 1907.5	0.275	24.39	13M5G7D
	15 MHz	16QAM	1857.5 - 1907.5	0.227	23.55	13M5W7D
		64QAM	1857.5 - 1907.5	0.150	21.75	13M5W7D
		QPSK	1855 - 1910	0.271	24.33	9M01G7D
	10 MHz	16QAM	1855 - 1910	0.252	24.01	9M01W7D
LTE Band 25/2		64QAM	1855 - 1910	0.156	21.94	9M03W7D
LIE Band 25/2		QPSK	1852.5 - 1912.5	0.285	24.55	4M56G7D
	5 MHz	16QAM	1852.5 - 1912.5	0.223	23.47	4M56W7D
		64QAM	1852.5 - 1912.5	0.173	22.37	4M56W7D
		QPSK	1851.5 - 1913.5	0.266	24.24	2M71G7D
	3 MHz	16QAM	1851.5 - 1913.5	0.216	23.35	2M71W7D
		64QAM	1851.5 - 1913.5	0.171	22.33	2M71W7D
		QPSK	1850.7 - 1914.3	0.262	24.18	1M10G7D
	1.4 MHz	16QAM	1850.7 - 1914.3	0.206	23.13	1M10W7D
		64QAM	1850.7 - 1914.3	0.149	21.74	1M10W7D

**EUT Overview** 

FCC ID: ZNFK200TM	PCTEST* Proud to be part of \$\mathbb{B}\$ element	PART 24 MEASUREMENT REPORT	① LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 3 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		raye 3 01 91



## 1.0 INTRODUCTION

## 1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

#### 1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

## 1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

FCC ID: ZNFK200TM	Pout to be part of element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 4 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 4 01 91
© 2020 PCTEST	-	·	



## 2.0 PRODUCT INFORMATION

## 2.1 Equipment Description

The Equipment Under Test (EUT) is the **LG Portable Handset FCC ID:ZNFK200TM**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 24.

Test Device Serial No.: 18852, 19322, 18860, 19330

## 2.2 Device Capabilities

This device contains the following capabilities:

850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, 802.11b/g/n WLAN, Bluetooth (1x, EDR, LE)

## 2.3 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

## 2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	① LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 5 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		rage 3 of 91



#### **DESCRIPTION OF TESTS** 3.0

#### 3.1 **Evaluation Procedure**

The measurement procedures described in the "Land Mobile FM or PM - Communications Equipment -Measurements and Performance Standards" (ANSI/TIA-603-E-2016) and "Measurement Guidance for Certification of Licensed Digital Transmitters" (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

Deviation from Measurement Procedure......None

#### 3.2 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.

For radiated power measurements, substitution method is used per the guidance of ANSI/TIA-603-E-2016. A halfwave dipole is substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

 $P_{d [dBm]} = P_{g [dBm]} - cable loss [dB] + antenna gain [dBd/dBi];$ 

where Pd is the dipole equivalent power, Pg is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to Pg [dBm] - cable loss [dB].

For radiated spurious emissions measurements and calculations, conversion method is used per the formulas in KDB 971168 Section 5.8.4. Field Strength (EIRP) is calculated using the following formulas:

E[dBuV/m] = Measured amplitude level[dBm] + 107 + Cable Loss[dB] + Antenna Factor[dB/m]

 $EIRP_{[dBm]} = E_{[dB\mu V/m]} + 20logD - 104.8; \ where \ D \ is the measurement \ distance \ in \ meters.$ 

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 474788 D01.

Radiated power and radiated spurious emission levels are investigated with the receive antenna horizontally and vertically polarized per ANSI/TIA-603-E-2016.

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	① LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 6 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Page 6 of 91



## 4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of k=2 to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the  $U_{CISPR}$  measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty (±dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: ZNFK200TM	PCTEST Proud to be part of @ element	PART 24 MEASUREMENT REPORT	① LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 7 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		rage / UI 91
© 2020 PCTEST		<u>.</u>		



## 5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	LTx2	Licensed Transmitter Cable Set	4/9/2020	Annual	4/9/2021	LTx2
-	LTx3	Licensed Transmitter Cable Set	10/30/2019	Annual	10/30/2020	LTx3
Anritsu	MT8821C	Radio Communication Analyzer	3/10/2020	Annual	3/10/2021	6200901190
Com-Power	AL-130	9kHz - 30MHz Loop Antenna	10/10/2019	Biennial	10/10/2021	121034
Emco	3115	Horn Antenna (1-18GHz)	6/18/2020	Biennial	6/18/2022	9704-5182
ETS Lindgren	3117	1-18 GHz DRG Horn (Medium)	2/14/2019	Biennial	2/14/2021	125518
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	3/12/2020	Biennial	3/12/2022	128337
ETS-Lindgren	3115	Double Ridged Guide Horn 750MHz - 18GHz	3/12/2020	Biennial	3/12/2022	150693
Hewlett-Packard	8648D	(9kHz-4GHz) Signal Generator	6/23/2020	Annual	6/23/2021	3613A00315
Keysight Technologies	N9020A	MXA Signal Analyzer	8/14/2020	Annual	8/14/2021	US46470561
Keysight Technologies	N9038A	MXE EMI Receiver	8/11/2020	Annual	8/11/2021	MY51210133
Mini Circuits	TVA-11-422	RF Power Amp		N/A	-	QA1317001
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator	N/A			11208010032
Rohde & Schwarz	CMU200	Base Station Simulator		N/A		107826
Rohde & Schwarz	CMU200	Base Station Simulator		N/A		836536/0005
Rohde & Schwarz	TS-PR26	18-26.5 GHz Pre-Amplifier	11/1/2019	Annual	11/1/2020	100040
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	7/15/2020	Annual	7/15/2021	100342
Rohde & Schwarz	TC-TA18	Cross-Pol Antenna 400MHz-18GHz	7/8/2020	Biennial	7/8/2022	101058
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	2/10/2020	Annual	2/10/2021	102134
Sunol	DRH-118	Horn Antenna (1-18GHz)	10/3/2019	Biennial	10/3/2021	A050307
Sunol	DRH-118	Horn Antenna (1-18 GHz)	8/27/2019	Biennial	8/27/2021	A042511
Sunol Science	JB5	Bi-Log Antenna (30M - 5GHz)	7/27/2020	Biennial	7/27/2022	A051107

**Table 5-1. Test Equipment** 

### Notes:

- 1. For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
- 2. Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dago 9 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 8 of 91
© 2020 PCTEST			



## 6.0 SAMPLE CALCULATIONS

## **GSM Emission Designator**

### Emission Designator = 250KGXW

GSM BW = 250 kHz G = Phase Modulation X = Cases not otherwise covered W = Combination (Audio/Data)

## **EDGE Emission Designator**

#### **Emission Designator = 250KG7W**

EDGE BW = 250 kHz G = Phase Modulation 7 = Quantized/Digital Info W = Combination (Audio/Data)

## **WCDMA Emission Designator**

#### Emission Designator = 4M16F9W

WCDMA BW = 4.16 MHz F = Frequency Modulation 9 = Composite Digital Info W = Combination (Audio/Data)

## **QPSK Modulation**

#### Emission Designator = 8M62G7D

LTE BW = 8.62 MHz
G = Phase Modulation
7 = Quantized/Digital Info
D = Data transmission, telemetry, telecommand

## **QAM Modulation**

#### **Emission Designator = 8M45W7D**

LTE BW = 8.45 MHz W = Amplitude/Angle Modulated 7 = Quantized/Digital Info D = Data transmission, telemetry, telecommand

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	(LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 9 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		rage 9 01 91



## **Spurious Radiated Emission**

Example: Spurious emission at 3700.40 MHz

The receive spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 3700.40 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.50 dBm so this harmonic was 25.50 dBm - (-24.80) = 50.3 dBc.

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 10 of 01	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 10 of 91	
© 2020 PCTEST	•	•		



## 7.0 TEST RESULTS

## 7.1 Summary

Company Name: <u>LG Electronics USA, Inc.</u>

FCC ID: ZNFK200TM

FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)

Mode(s): <u>GSM/GPRS/EDGE/WCDMA/LTE</u>

Test Condition	Test Description	FCC Part Section(s)	RSS Section(s)	Test Limit	Test Result	Reference
0	Occupied Bandwidth	2.1049	RSS-133(2.3)	N/A	PASS	Section 7.2
JCTED	Conducted Band Edge / Spurious Emissions	2.1051, 24.238(a)	RSS-133(6.5)	> 43 + 10log10(P[Watts]) at Band Edge and for all out-of- band emissions	PASS	Sections 7.3, 7.4
CONDUC	Transmitter Conducted Output Power	2.1046	RSS-133(4.1)	N/A	PASS	See RF Exposure Report
O	Frequency Stability	2.1055, 24.235	RSS-133(6.3)	Fundamental emissions stay within authorized frequency block	PASS	Section 7.8
ATED	Effective Radiated Power / Equivalent Isotropic Radiated Power	24.232(c)	RSS-132(5.4)	< 7 Watts max. ERP	PASS	Section 7.6
RADIA	Radiated Spurious Emissions	2.1053, 24.238(a)	RSS-133(6.5)	> 43 + 10 log10 (P[Watts]) for all out-of-band emissions	PASS	Section 7.7

Table 7-1. Summary of Test Results

#### Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) All conducted emissions measurements are performed with automated test software to capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST 2G/3G Automation Version 4.5, LTE Automation Version 5.3.

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	€ LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 11 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Page 11 of 91



### 7.2 Occupied Bandwidth

#### **Test Overview**

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

#### **Test Procedure Used**

KDB 971168 D01 v03r01 - Section 4.2

#### **Test Settings**

- 1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
- 2. RBW = 1 5% of the expected OBW
- 3. VBW ≥ 3 x RBW
- 4. Detector = Peak
- 5. Trace mode = max hold
- 6. Sweep = auto couple
- 7. The trace was allowed to stabilize
- 8. If necessary, steps 2-7 were repeated after changing the RBW such that it would be within
  - 1 5% of the 99% occupied bandwidth observed in Step 7

#### **Test Setup**

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-1. Test Instrument & Measurement Setup

#### **Test Notes**

None.

FCC ID: ZNFK200TM	PCTEST* Proud to be part of ® element	PART 24 MEASUREMENT REPORT	€ LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 12 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		rage 12 01 91



#### LTE Band 25/2



Plot 7-1. Occupied Bandwidth Plot (LTE Band 25/2 - 20MHz QPSK - Full RB Configuration)



Plot 7-2. Occupied Bandwidth Plot (LTE Band 25/2 - 20MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFK200TM	Provide to be paret of (§) element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 13 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	raye 13 01 91
@ 2020 DCTECT			





Plot 7-3. Occupied Bandwidth Plot (LTE Band 25/2 - 20MHz 64-QAM - Full RB Configuration)



Plot 7-4. Occupied Bandwidth Plot (LTE Band 25/2 - 15MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 14 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 14 01 91
© 2020 PCTEST			





Plot 7-5. Occupied Bandwidth Plot (LTE Band 25/2 - 15MHz 16-QAM - Full RB Configuration)



Plot 7-6. Occupied Bandwidth Plot (LTE Band 25/2 - 15MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFK200TM	Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 15 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 15 of 91
© 2020 PCTEST	•		





Plot 7-7. Occupied Bandwidth Plot (LTE Band 25/2 - 10MHz QPSK - Full RB Configuration)



Plot 7-8. Occupied Bandwidth Plot (LTE Band 25/2 - 10MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST. Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 16 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 16 of 91
© 2020 PCTEST			





Plot 7-9. Occupied Bandwidth Plot (LTE Band 25/2 - 10MHz 64-QAM - Full RB Configuration)



Plot 7-10. Occupied Bandwidth Plot (LTE Band 25/2 - 5MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 17 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 17 01 91
© 2020 PCTEST			





Plot 7-11. Occupied Bandwidth Plot (LTE Band 25/2 - 5MHz 16-QAM - Full RB Configuration)



Plot 7-12. Occupied Bandwidth Plot (LTE Band 25/2 - 5MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST. Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 19 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 18 of 91
© 2020 PCTEST			





Plot 7-13. Occupied Bandwidth Plot (LTE Band 25/2 - 3MHz QPSK - Full RB Configuration)



Plot 7-14. Occupied Bandwidth Plot (LTE Band 25/2 - 3MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST. Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 10 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 19 of 91
© 2020 PCTEST	•		





Plot 7-15. Occupied Bandwidth Plot (LTE Band 25/2 - 3MHz 64-QAM - Full RB Configuration)




Plot 7-16. Occupied Bandwidth Plot (LTE Band 25/2 - 1.4MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	<b>(1)</b> LG	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogg 20 of 04	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Page 20 of 91	
© 2020 PCTEST					





Plot 7-17. Occupied Bandwidth Plot (LTE Band 25/2 - 1.4MHz 16-QAM - Full RB Configuration)



Plot 7-18. Occupied Bandwidth Plot (LTE Band 25/2 - 1.4MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFK200TM	Pout to be part of element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 24 of 04	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 21 of 91	
© 2020 PCTEST	•			



## **GSM/GPRS PCS**



Plot 7-19. Occupied Bandwidth Plot (GPRS, Ch. 661)



Plot 7-20. Occupied Bandwidth Plot (EDGE, Ch. 661)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	🕒 LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 22 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Fage 22 01 91



#### **WCDMA PCS**



Plot 7-21. Occupied Bandwidth Plot (WCDMA, Ch. 9400)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of \$\mathbb{B}\$ element	PART 24 MEASUREMENT REPORT	① LG	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 22 of 01	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Page 23 of 91	



## 7.3 Spurious and Harmonic Emissions at Antenna Terminal

#### **Test Overview**

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10<sup>th</sup> harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is 43 + 10  $log_{10}(P_{[Watts]})$ , where P is the transmitter power in Watts.

#### **Test Procedure Used**

KDB 971168 D01 v03r01 - Section 6.0

#### **Test Settings**

- 1. Start frequency was set to 30MHz and stop frequency was set to 20GHz (separated into at least two plots per channel)
- 2. Detector = RMS
- 3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
- 4. Sweep time = auto couple
- The trace was allowed to stabilize
- 6. Please see test notes below for RBW and VBW settings

#### **Test Setup**

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-2. Test Instrument & Measurement Setup

#### **Test Notes**

1. Per Part 24 and RSS-133, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth 100 kHz or greater for measurements below 1GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.


FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	(LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 24 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Faye 24 01 91



#### LTE Band 25/2



Plot 7-22. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-23. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: ZNFK200TM	Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 25 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 25 of 91
© 2020 PCTEST		<u> </u>	





Plot 7-24. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-25. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 20 of 04
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 26 of 91
© 2020 PCTEST			





Plot 7-26. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-27. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ZNFK200TM	Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 27 of 04	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 27 of 91	
© 2020 PCTEST				





Plot 7-28. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-29. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ZNFK200TM	PCTEST. Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 20 of 04	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 28 of 91	
© 2020 PCTEST				






Plot 7-30. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


FCC ID: ZNFK200TM	PCTEST* Proud to be part of ® element	PART 24 MEASUREMENT REPORT	<b>⊕</b> LG	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Page 29 of 91	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Fage 29 01 91	



#### **GSM/GPRS PCS**




Plot 7-37. Conducted Spurious Plot (GPRS Ch. 512)



Plot 7-38. Conducted Spurious Plot (GPRS Ch. 512)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of ® element	PART 24 MEASUREMENT REPORT	€ LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 30 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		rage 30 01 91






Plot 7-39. Conducted Spurious Plot (GPRS Ch. 512)




Plot 7-40. Conducted Spurious Plot (GPRS Ch. 661)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	<b>⊕</b> LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 31 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		rage 31 01 91






Plot 7-41. Conducted Spurious Plot (GPRS Ch. 661)




Plot 7-42. Conducted Spurious Plot (GPRS Ch. 661)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	<b>⊕</b> LG	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Page 32 of 91	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset			






Plot 7-43. Conducted Spurious Plot (GPRS Ch. 810)



Plot 7-44. Conducted Spurious Plot (GPRS Ch. 810)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	€ LG	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Page 33 of 91	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset			






Plot 7-45. Conducted Spurious Plot (GPRS Ch. 810)


FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	① LG	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Page 34 of 91	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset			



#### **WCDMA PCS**




Plot 7-46. Conducted Spurious Plot (WCDMA Ch. 9262)




Plot 7-47. Conducted Spurious Plot (WCDMA Ch. 9262)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	€ LG	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Page 35 of 91	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset			






Plot 7-48. Conducted Spurious Plot (WCDMA Ch. 9262)




Plot 7-49. Conducted Spurious Plot (WCDMA Ch. 9400)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	€ LG	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Page 36 of 91	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset			






Plot 7-50. Conducted Spurious Plot (WCDMA Ch. 9400)



Plot 7-51. Conducted Spurious Plot (WCDMA Ch. 9400)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	<b>⊕</b> LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 37 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		rage 37 01 91






Plot 7-52. Conducted Spurious Plot (WCDMA Ch. 9538)



Plot 7-53. Conducted Spurious Plot (WCDMA Ch. 9538)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	(LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 38 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		rage 30 01 91





Plot 7-54. Conducted Spurious Plot (WCDMA Ch. 9538)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of \$\mathbb{B}\$ element	PART 24 MEASUREMENT REPORT	€ LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 39 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Fage 33 01 91



## 7.4 Band Edge Emissions at Antenna Terminal

### **Test Overview**

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is  $43 + 10 \log_{10}(P_{[Watts]})$ , where P is the transmitter power in Watts.

### **Test Procedure Used**

KDB 971168 D01 v03r01 - Section 6.0

### **Test Settings**

- 1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
- 2. Span was set large enough so as to capture all out of band emissions near the band edge
- 3. RBW  $\geq$  1% of the emission bandwidth
- 4.  $VBW > 3 \times RBW$
- 5. Detector = RMS
- 6. Number of sweep points ≥ 2 x Span/RBW
- 7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
- 8. Sweep time = auto couple
- 9. The trace was allowed to stabilize

### **Test Setup**

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-3. Test Instrument & Measurement Setup


#### **Test Notes**

1. Per 22.917(b) and RSS-132(5.5), in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.


FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	€ LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 40 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Faye 40 01 91



## LTE Band 25/2



Plot 7-55. Lower Band Edge Plot (LTE Band 25/2 - 20MHz QPSK - Full RB Configuration)




Plot 7-56. Extended Lower Band Edge Plot (LTE Band 25/2 - 20MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	<b>⊕</b> LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 41 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Fage 41 01 91





Plot 7-57. Upper Band Edge Plot (LTE Band 2 - 20MHz QPSK - Full RB Configuration)




Plot 7-58. Extended Upper Band Edge Plot (LTE Band 2 - 20MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 42 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Fage 42 01 91
© 2020 PCTEST			





Plot 7-59. Upper Band Edge Plot (LTE Band 25 - 20MHz QPSK - Full RB Configuration)




Plot 7-60. Extended Upper Band Edge Plot (LTE Band 25 - 20MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 42 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 43 of 91
© 2020 PCTEST			






Plot 7-61. Lower Band Edge Plot (LTE Band 25/2 - 15MHz QPSK - Full RB Configuration)




Plot 7-62. Extended Lower Band Edge Plot (LTE Band 25/2 - 15MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST. Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 44 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 44 of 91
© 2020 PCTEST			





Plot 7-63. Upper Band Edge Plot (LTE Band 2 - 15MHz QPSK - Full RB Configuration)




Plot 7-64. Extended Upper Band Edge Plot (LTE Band 2 - 15MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST. Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 45 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 45 of 91
© 2020 PCTEST		<u> </u>	





Plot 7-65. Upper Band Edge Plot (LTE Band 25 - 15MHz QPSK - Full RB Configuration)




Plot 7-66. Extended Upper Band Edge Plot (LTE Band 25 - 15MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @ element	PART 24 MEASUREMENT REPORT LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 46 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 46 of 91
© 2020 PCTEST			





Plot 7-67. Lower Band Edge Plot (LTE Band 25/2 - 10MHz QPSK - Full RB Configuration)




Plot 7-68. Extended Lower Band Edge Plot (LTE Band 25/2 - 10MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 47 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	raye 47 01 91
© 2020 PCTEST			





Plot 7-69. Upper Band Edge Plot (LTE Band 2 - 10MHz QPSK - Full RB Configuration)




Plot 7-70. Extended Upper Band Edge Plot (LTE Band 2 - 10MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST. Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 48 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 46 01 91
© 2020 PCTEST			





Plot 7-71. Upper Band Edge Plot (LTE Band 25 - 10MHz QPSK - Full RB Configuration)




Plot 7-72. Extended Upper Band Edge Plot (LTE Band 25 - 10MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST. Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 49 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 49 01 91
© 2020 PCTEST		<u> </u>	





Plot 7-73. Lower Band Edge Plot (LTE Band 25/2 - 5MHz QPSK - Full RB Configuration)




Plot 7-74. Extended Lower Band Edge Plot (LTE Band 25/2 - 5MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 50 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	rage 50 01 91
© 2020 PCTEST		•	





Plot 7-75. Upper Band Edge Plot (LTE Band 2 - 5MHz QPSK - Full RB Configuration)




Plot 7-76. Extended Upper Band Edge Plot (LTE Band 2 - 5MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	<b>LG</b>	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 51 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		rage 51 01 91
© 2020 PCTEST				






Plot 7-77. Upper Band Edge Plot (LTE Band 25 - 5MHz QPSK - Full RB Configuration)



Plot 7-78. Extended Upper Band Edge Plot (LTE Band 25 - 5MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST. Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo F2 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 52 of 91
© 2020 PCTEST		<u> </u>	





Plot 7-79. Lower Band Edge Plot (LTE Band 25/2 - 3MHz QPSK - Full RB Configuration)




Plot 7-80. Extended Lower Band Edge Plot (LTE Band 25/2 - 3MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	Poud to be part of element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 52 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 53 of 91
© 2020 PCTEST	•		





Plot 7-81. Upper Band Edge Plot (LTE Band 2 - 3MHz QPSK - Full RB Configuration)




Plot 7-82. Extended Upper Band Edge Plot (LTE Band 2 - 3MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	Proud to be port of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 54 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 54 of 91
© 2020 PCTEST		<u> </u>	





Plot 7-83. Upper Band Edge Plot (LTE Band 25 - 3MHz QPSK - Full RB Configuration)



Plot 7-84. Extended Upper Band Edge Plot (LTE Band 25 - 3MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	Proud to be port of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo EE of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 55 of 91
© 2020 PCTEST	•	•	





Plot 7-85. Lower Band Edge Plot (LTE Band 25/2 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-86. Extended Lower Band Edge Plot (LTE Band 25/2 – 1.4MHz QPSK – Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST. Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo E6 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 56 of 91
© 2020 PCTEST		<u> </u>	





Plot 7-87. Upper Band Edge Plot (LTE Band 2 – 1.4MHz QPSK – Full RB Configuration)




Plot 7-88. Extended Upper Band Edge Plot (LTE Band 2 - 1.4MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 57 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 57 01 91
© 2020 PCTEST			





Plot 7-89. Upper Band Edge Plot (LTE Band 25 – 1.4MHz QPSK – Full RB Configuration)




Plot 7-90. Extended Upper Band Edge Plot (LTE Band 25 - 1.4MHz QPSK - Full RB Configuration)


FCC ID: ZNFK200TM	Proud to be port of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 59 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 58 of 91
© 2020 PCTEST		<u> </u>	



# **GSM/GPRS PCS**




Plot 7-91. Lower Band Edge Plot (GSM PCS - Ch. 512)




Plot 7-92. Extended Lower Band Edge Plot (GSM PCS - Ch. 512)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	€ LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 50 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Page 59 of 91





Plot 7-93. Upper Band Edge Plot (GPRS PCS - Ch. 810)




Plot 7-94. Extended Upper Band Edge Plot (GPRS PCS - Ch. 810)


FCC ID: ZNFK200TM	Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 60 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	rage 60 01 91
© 2020 PCTEST			



## **WCDMA PCS**



Plot 7-95. Lower Band Edge Plot (WCDMA PCS - Ch. 9262)




Plot 7-96. Extended Lower Band Edge Plot (WCDMA PCS - Ch. 9262)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	€ LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 61 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		rage of or 91





Plot 7-97. Upper Band Edge Plot (WCDMA PCS - Ch. 9538)



Plot 7-98. Extended Upper Band Edge Plot (WCDMA PCS - Ch. 9538)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	€ LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 62 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Fage 02 01 91



# 7.5 Peak-Average Ratio

### **Test Overview**

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

### **Test Procedure Used**

KDB 971168 D01 v03r01 - Section 5.7.1

### **Test Settings**

- 1. The signal analyzer's CCDF measurement profile is enabled
- 2. Frequency = carrier center frequency
- 3. Measurement BW ≥ OBW or specified reference bandwidth
- 4. The signal analyzer was set to collect one million samples to generate the CCDF curve
- 5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power

### **Test Setup**

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-4. Test Instrument & Measurement Setup


#### **Test Notes**

None.


FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 63 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		raye 03 01 91



## LTE Band 25/2




Plot 7-99. PAR Plot (LTE Band 25/2 - 20MHz QPSK - Full RB Configuration)




Plot 7-100. PAR Plot (LTE Band 25/2 - 20MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFK200TM	Proud to be port of (§ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 64 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Fage 04 01 91
© 2020 PCTEST			






Plot 7-101. PAR Plot (LTE Band 25/2 - 20MHz 64-QAM - Full RB Configuration)




Plot 7-102. PAR Plot (LTE Band 25/2 - 15MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	🕒 LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 65 of 91
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		rage 03 01 91






Plot 7-103. PAR Plot (LTE Band 25/2 - 15MHz 16-QAM - Full RB Configuration)




Plot 7-104. PAR Plot (LTE Band 25/2 - 15MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 66 of 01	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 66 of 91	
© 2020 PCTEST				






Plot 7-105. PAR Plot (LTE Band 25/2 - 10MHz QPSK - Full RB Configuration)




Plot 7-106. PAR Plot (LTE Band 25/2 - 10MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 67 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 67 of 91
© 2020 PCTEST			






Plot 7-107. PAR Plot (LTE Band 25/2 - 10MHz 64-QAM - Full RB Configuration)




Plot 7-108. PAR Plot (LTE Band 25/2 - 5MHz QPSK - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 69 of 01	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 68 of 91	
© 2020 PCTEST				






Plot 7-109. PAR Plot (LTE Band 25/2 - 5MHz 16-QAM - Full RB Configuration)




Plot 7-110. PAR Plot (LTE Band 25/2 - 5MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST* Proud to be part of @ element	PART 24 MEASUREMENT REPORT	<b>(1)</b> LG	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 60 of 01	
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset		Page 69 of 91	
© 2020 PCTEST	•				





Plot 7-111. PAR Plot (LTE Band 25/2 - 3MHz QPSK - Full RB Configuration)



Plot 7-112. PAR Plot (LTE Band 25/2 - 3MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFK200TM	PCTEST. Proud to be part of @ element	PART 24 MEASUREMENT REPORT	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 70 of 01
1M2009170151-09.ZNF	8/26/2020 - 9/28/2020	Portable Handset	Page 70 of 91
© 2020 PCTEST			