Appendix I: Test Data for E-UTRA Band 17

Product Name: Tablet PC

HYUNDAI

Trade Mark:

Test Model: 10LC1

Environmental Conditions

Temperature:	24.6° C
Relative Humidity:	54.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Li Huan
Supervised by:	Tom Liu

I.1 Conducted Output Power

Conducted Output Power Test Result (Channel Bandwidth: 5 MHz)						
Modulation	Channel	RB Configuration		Average Power [dBm]	Average Power [dBm]	\
Modulation Channel	Channel	Size	Offset	QPSK	16QAM	Verdict
		1	0	19.43	17.98	PASS
		1	12	20.45	18.73	PASS
		1	24	20.96	19.74	PASS
	LCH	12	0	18.87	17.88	PASS
		12	6	19.30	18.00	PASS
		12	13	19.68	18.68	PASS
		25	0	19.33	18.39	PASS
		1	0	20.52	19.55	PASS
		1	12	21.39	20.02	PASS
QPSK /		1	24	21.82	20.58	PASS
16QAM	MCH	12	0	19.90	18.92	PASS
		12	6	20.02	19.00	PASS
		12	13	20.43	19.31	PASS
		25	0	20.15	19.23	PASS
		1	0	21.35	20.19	PASS
	НСН	1	12	21.67	20.82	PASS
		1	24	21.84	20.42	PASS
	поп	12	0	20.70	19.25	PASS
		12	6	20.79	19.39	PASS
		12	13	20.87	19.66	PASS


SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.		RY LTD. FCC ID: 2AVTH-10	LC1-2 Report No.: LCS20	Report No.: LCS201026153AEG		
		25	0	20.69	19.67	PASS


		Conducted	Output Pow	er Test Result (Channel Band	lwidth: 10 MHz)	
Madulation Channel		RB Configuration		Average Power [dBm]	Average Power [dBm]	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Modulation	Channel	Size	Offset	QPSK	16QAM	Verdict
		1	0	19.54	19.22	PASS
		1	24	20.74	20.22	PASS
		1	49	21.72	20.91	PASS
	LCH	25	0	19.37	18.31	PASS
		25	12	19.85	18.75	PASS
		25	25	20.61	19.38	PASS
		50	0	19.92	18.89	PASS
		1	0	19.62	19.05	PASS
	MCH	1	24	20.89	20.67	PASS
		1	49	21.85	21.21	PASS
QPSK / 16QAM		25	0	19.59	18.46	PASS
IOQAW		25	12	20.06	18.96	PASS
		25	25	20.70	19.70	PASS
		50	0	20.05	18.95	PASS
		1	0	20.01	18.44	PASS
		1	24	21.31	19.86	PASS
		1	49	21.91	20.45	PASS
	HCH	25	0	19.85	18.90	PASS
		25	12	20.33	19.17	PASS
		25	25	20.86	19.75	PASS
		50	0	20.19	18.99	PASS


I.2 Peak-to-Average Ratio


Peak-to Average Ratio Test Result (Channel Bandwidth: 5 MHz)						
Modulation	Channel	Peak-to-Average Ratio	Limit	Verdict		
Modulation	Grianne	[dB]	[dB]			
	LCH	4.95	<13	PASS		
QPSK	MCH	4.36	<13	PASS		
	HCH	4.62	<13	PASS		
16QAM	LCH	5.87	<13	PASS		
	MCH	5.18	<13	PASS		
	HCH	5.33	<13	PASS		


Peak-to Average Ratio Test Result (Channel Bandwidth: 10 MHz)					
Modulation	Channal	Peak-to-Average Ratio	Limit	Vordict	
Modulation	Channel	[dB]	[dB]	Verdict	
	LCH	4.48	<13	PASS	
QPSK	MCH	4.57	<13	PASS	
	HCH	4.63	<13	PASS	
16QAM	LCH	5.36	<13	PASS	
	MCH	5.36	<13	PASS	
	HCH	5.42	<13	PASS	



































I.3 26dB Bandwidth and Occupied Bandwidth


EBW & OBW Test Result (Channel Bandwidth: 5 MHz)					
Modulation	Channel	Occupied Bandwidth	26dB Bandwidth	Verdict	
Modulation	Grianner	(MHz)	(MHz)		
	LCH	4.4717	4.791	PASS	
QPSK	MCH	4.4749	4.777	PASS	
	HCH	4.4885	4.857	PASS	
16QAM	LCH	4.4613	4.782	PASS	
	MCH	4.4691	4.811	PASS	
	HCH	4.4816	4.780	PASS	


EBW & OBW Test Result (Channel Bandwidth: 10 MHz)					
Mandadada	Ohamad	Occupied Bandwidth	26dB Bandwidth	Verdict	
Modulation	Channel	(MHz)	(MHz)		
QPSK	LCH	8.8753	9.332	PASS	
	MCH	8.8922	9.412	PASS	
	HCH	8.9080	9.384	PASS	
16QAM	LCH	8.8676	9.340	PASS	
	MCH	8.8889	9.367	PASS	
	HCH	8.8892	9.418	PASS	





































A.4 Band Edge
























I.5 Conducted Spurious Emission


Channel Bandwidth: 5 MHz























Channel Bandwidth: 10 MHz

