


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10580.000	47.76	51.24	-3.48	68.20	-20.44	200	279 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10580.000	53.53	57.01	-3.48	68.20	-14.67	112	360 Peak	Vertical	


802.11ax HE160

CH 50 (Horizontal)

CH 50 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10500.000	44.46	47.99	-3.53	68.20	-23.74	200	354 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10500.000	52.26	55.79	-3.53	68.20	-15.94	118	360 Peak	Vertical	

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11800.00	36.71	39.34	-2.63	54.00	-17.29	100	190	Average	Horizontal
2	11800.00	51.09	53.72	-2.63	74.00	-22.91	100	190	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11800.00	42.21	44.84	-2.63	54.00	-11.79	309	357	Average	Vertical
2	11800.00	57.02	59.65	-2.63	74.00	-16.98	309	357	Peak	Vertical


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	35.92	38.45	-2.53	54.00	-18.08	100	273	Average	Horizontal	
2	11160.00	50.45	52.98	-2.53	74.00	-23.55	100	273	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	39.28	41.81	-2.53	54.00	-14.72	336	11	Average	Vertical	
2	11160.00	52.81	55.34	-2.53	74.00	-21.19	336	11	Peak	Vertical	


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	34.97	37.23	-2.26	54.00	-19.03	400	360	Average	Horizontal
2	11400.00	48.16	50.42	-2.26	74.00	-25.84	400	360	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	41.12	43.38	-2.26	54.00	-12.88	334	360	Average	Vertical
2	11400.00	55.33	57.59	-2.26	74.00	-18.67	334	360	Peak	Vertical


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	43.12	45.75	-2.63	54.00	-10.88	100	269 Average	Horizontal	
2	11000.00	57.33	59.96	-2.63	74.00	-16.67	100	269 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	51.00	53.63	-2.63	54.00	-3.00	375	360 Average	Vertical	
2	11000.00	66.91	69.54	-2.63	74.00	-7.09	375	360 Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	11160.00	46.85	49.38	-2.53	54.00	-7.15	100	277 Average	Horizontal	
2	11160.00	61.27	63.80	-2.53	74.00	-12.73	100	277 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	11160.00	50.54	53.07	-2.53	54.00	-3.46	120	360 Average	Vertical	
2	11160.00	68.30	70.83	-2.53	74.00	-5.70	120	360 Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11483.00	45.21	47.47	-2.26	54.00	-8.79	100	265	Average	Horizontal	
2	11483.00	57.61	59.87	-2.26	74.00	-16.39	100	265	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11480.00	51.17	53.43	-2.26	54.00	-2.83	392	360	Average	Vertical	
2	11480.00	65.70	67.96	-2.26	74.00	-8.30	392	360	Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	39.38	42.00	-2.62	54.00	-14.62	100	198 Average	Horizontal	
2	11020.00	47.40	50.02	-2.62	74.00	-26.60	100	198 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	44.03	46.65	-2.62	54.00	-9.97	383	253 Average	Vertical	
2	11020.00	53.29	55.91	-2.62	74.00	-20.71	383	253 Peak	Vertical	

802.11ax HE40

CH 110 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.00	44.02	46.59	-2.57	54.00	-9.98	100	271 Average	Horizontal	
2	11100.00	52.16	54.73	-2.57	74.00	-21.84	100	271 Peak	Horizontal	
3	16650.00	51.39	47.16	4.23	68.20	-16.81	100	210 Peak	Horizontal	

CH 110 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.00	51.56	54.13	-2.57	54.00	-2.44	400	160 Average	Vertical	
2	11100.00	62.12	64.69	-2.57	74.00	-11.88	400	160 Peak	Vertical	
3	16650.00	55.28	51.05	4.23	68.20	-12.92	200	33 Peak	Vertical	


802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11348.00	42.58	44.88	-2.30	54.00	-11.42	292	297 Average	Horizontal	
2	11348.00	51.40	53.70	-2.30	74.00	-22.60	292	297 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11348.00	51.66	53.96	-2.30	54.00	-2.34	371	3 Average	Vertical	
2	11348.00	62.30	64.60	-2.30	74.00	-11.70	371	3 Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11860.000	35.48	38.07	-2.59	54.00	-18.52	200	277	Average	Horizontal	
2	11860.000	43.94	46.53	-2.59	74.00	-30.06	200	277	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11860.000	39.05	41.64	-2.59	54.00	-14.95	187	19	Average	Vertical	
2	11860.000	45.53	48.12	-2.59	74.00	-28.47	187	19	Peak	Vertical	


802.11ax HE80

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11220.000	38.20	40.67	-2.47	54.00	-15.80	100	308 Average	Horizontal	
2 11220.000	48.70	51.17	-2.47	74.00	-25.30	100	308 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11220.000	44.63	47.10	-2.47	54.00	-9.37	397	2 Average	Vertical	
2 11220.000	55.36	57.83	-2.47	74.00	-18.64	397	2 Peak	Vertical	


802.11ax HE160

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11140.000	34.90	37.44	-2.54	54.00	-19.10	100	245 Average	Horizontal	
2	11140.000	46.96	49.50	-2.54	74.00	-27.04	100	245 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11140.000	35.87	38.41	-2.54	54.00	-18.13	100	360 Average	Vertical	
2	11140.000	47.11	49.65	-2.54	74.00	-26.89	100	360 Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	45.46	47.58	-2.12	54.00	-8.54	397	230 Average	Horizontal	
2	11490.00	56.51	58.63	-2.12	74.00	-17.49	397	230 Peak	Horizontal	
3	17235.00	55.84	58.74	5.10	68.20	-12.36	400	244 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	51.07	53.19	-2.12	54.00	-2.93	400	185 Average	Vertical	
2	11490.00	66.38	68.50	-2.12	74.00	-7.62	400	185 Peak	Vertical	
3	17235.00	63.91	58.81	5.10	68.20	-4.29	100	287 Peak	Vertical	

802.11a

CH 157 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	46.12	40.11	-1.99	54.00	-7.88	100	130 Average	Horizontal	
2	11570.00	56.12	50.11	-1.99	74.00	-17.88	100	130 Peak	Horizontal	
3	17355.00	57.27	51.87	5.40	68.20	-10.93	400	99 Peak	Horizontal	

CH 157 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	51.25	53.24	-1.99	54.00	-2.75	392	81 Average	Vertical	
2	11570.00	67.63	69.62	-1.99	74.00	-6.37	392	81 Peak	Vertical	
3	17355.00	65.45	60.05	5.40	68.20	-2.75	305	320 Peak	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	43.50	45.22	-1.72	54.00	-10.50	100	52 Average	Horizontal	
2	11650.00	53.68	55.40	-1.72	74.00	-20.32	100	52 Peak	Horizontal	
3	17475.00	54.84	49.28	5.56	68.20	-13.36	400	241 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	48.32	50.04	-1.72	54.00	-5.68	384	305 Average	Vertical	
2	11650.00	64.93	66.65	-1.72	74.00	-9.07	384	305 Peak	Vertical	
3	17475.00	63.41	57.85	5.56	68.20	-4.79	100	190 Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	43.04	45.16	-2.12	54.00	-10.96	100	268 Average	Horizontal	
2	11490.00	58.64	60.76	-2.12	74.00	-15.36	100	268 Peak	Horizontal	
3	17235.00	58.33	53.23	5.10	68.20	-9.87	100	147 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	50.39	52.51	-2.12	54.00	-3.61	205	360 Average	Vertical	
2	11490.00	65.33	67.45	-2.12	74.00	-8.67	205	360 Peak	Vertical	
3	17235.00	65.65	60.55	5.10	68.20	-2.55	392	206 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	43.76	45.75	-1.99	54.00	-10.24	100	55 Average	Horizontal	
2	11570.00	62.11	64.10	-1.99	74.00	-11.89	100	55 Peak	Horizontal	
3	17355.00	59.85	54.45	5.40	68.20	-8.35	185	305 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	51.32	53.31	-1.99	54.00	-2.68	213	322 Average	Vertical	
2	11570.00	67.71	69.70	-1.99	74.00	-6.29	213	322 Peak	Vertical	
3	17355.00	60.74	55.34	5.40	68.20	-7.46	100	170 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	46.67	48.39	-1.72	54.00	-7.33	100	54 Average	Horizontal	
2	11650.00	63.53	65.25	-1.72	74.00	-10.47	100	54 Peak	Horizontal	
3	17475.00	61.98	56.42	5.56	68.20	-6.22	192	303 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	50.79	52.51	-1.72	54.00	-3.21	100	130 Average	Vertical	
2	11650.00	66.31	68.03	-1.72	74.00	-7.69	100	130 Peak	Vertical	
3	17475.00	62.72	57.16	5.56	68.20	-5.48	100	283 Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	11510.00	42.91	44.99	-2.08	54.00	-11.09	100	150 Average	Horizontal	
2	11510.00	53.86	55.94	-2.08	74.00	-20.14	100	150 Peak	Horizontal	
3	17265.00	52.78	47.68	5.10	68.20	-15.42	400	215 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	11510.00	50.63	52.71	-2.08	54.00	-3.37	397	260 Average	Vertical	
2	11510.00	59.29	61.37	-2.08	74.00	-14.71	397	260 Peak	Vertical	
3	17265.00	57.31	52.21	5.10	68.20	-10.89	100	233 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11590.00	47.84	49.80	-1.96	54.00	-6.16	100	54 Average	Horizontal	
2	11590.00	54.55	56.51	-1.96	74.00	-19.45	100	54 Peak	Horizontal	
3	17385.00	51.39	45.84	5.55	68.20	-16.81	400	241 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11590.00	51.30	53.34	-1.96	54.00	-2.62	100	130 Average	Vertical	
2	11590.00	61.34	63.30	-1.96	74.00	-12.66	100	130 Peak	Vertical	
3	17385.00	55.44	49.89	5.55	68.20	-12.76	399	360 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.000	36.24	38.26	-2.02	54.00	-17.76	100	248 Average	Horizontal	
2	11550.000	44.25	46.27	-2.02	74.00	-29.75	100	248 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.000	40.55	42.57	-2.02	54.00	-13.45	300	360 Average	Vertical	
2	11550.000	51.22	53.24	-2.02	74.00	-22.78	300	360 Peak	Vertical	


Mains Conducted Emission, (150kHz ~ 30MHz)

Worst Band

(Line)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	dB	dBuV	dB		
1	0.15	32.09	22.47	9.62	55.92	-23.83	Average	line1
2	0.15	45.47	35.85	9.62	65.92	-20.45	QP	line1
3	0.44	36.82	27.19	9.63	47.14	-10.32	Average	line1
4	0.44	46.20	36.57	9.63	57.14	-10.94	QP	line1
5	1.13	15.18	5.54	9.64	46.00	-30.82	Average	line1
6	1.13	27.41	17.77	9.64	56.00	-28.59	QP	line1
7	2.13	16.05	6.39	9.66	46.00	-29.95	Average	line1
8	2.13	25.43	15.77	9.66	56.00	-30.57	QP	line1
9	11.29	19.47	9.71	9.76	50.00	-30.53	Average	line1
10	11.29	25.99	16.23	9.76	60.00	-34.01	QP	line1
11	22.92	25.94	16.18	9.76	50.00	-24.06	Average	line1
12	22.92	31.54	21.78	9.76	60.00	-28.46	QP	line1

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	dB	dBuV	dB		
1	0.16	13.08	3.46	9.62	55.42	-42.34	Average	neutral
2	0.16	35.93	26.31	9.62	65.42	-29.49	QP	neutral
3	0.44	34.34	24.71	9.63	47.14	-12.80	Average	neutral
4	0.44	44.49	34.86	9.63	57.14	-12.65	QP	neutral
5	1.36	16.19	6.55	9.64	46.00	-29.81	Average	neutral
6	1.36	28.58	18.94	9.64	56.00	-27.42	QP	neutral
7	3.15	16.56	6.88	9.68	46.00	-29.44	Average	neutral
8	3.15	26.76	17.08	9.68	56.00	-29.24	QP	neutral
9	13.99	12.02	2.20	9.82	50.00	-37.98	Average	neutral
10	13.99	19.00	9.18	9.82	60.00	-41.00	QP	neutral
11	22.92	24.33	14.46	9.87	50.00	-25.67	Average	neutral
12	22.92	30.01	20.14	9.87	60.00	-29.99	QP	neutral