



Shenzhen Yuhong Industrial Co., Ltd

Part specifications

Customer name:	Dongguan Hele Electronics Co., Ltd
Product Model:	DT10 (Jerry)
Risuntek P/N:	10.157.000107
Version:	A1
Prodcut Name:	FPC antenna
Description:	FPC Antenna HJ DT10_JL-V1.1 Yuhong
Date:	2023/4/20

(Customer Signatures)

(PM)	(ME)	(QE)

(Inner Signatures)

(QE)	(ME)	(RF)

Address: 1308, Block A, Zhantao Technology Building, intersection of Minzhi Avenue and Gongye West Road, Longhua New District, Shenzhen

telephone: 0755-21031946

<http://www.yuhong-co.com/>


catalogue

- 一、 Prepare/revise the resume
- 二、 Product drawing
- 三、 Specification of electrical
and mechanical properties

一、Prepare/revise the resume


version	Revision page	Change time	Change of person	Reason and content of change	remarks
A0	—	2022/10/12	Cindy	First version of the antenna form	
A1	—	2022/11/1	Cindy	Increase touch	
A2					
A3					
A4					
A5					
A6					

二、Product drawing




三、 Specification of electrical and mechanical properties


1、 Match the circuit diagram



Element	Value
E1	N/A
E2	0Ω
E3	2.2PF






2、 S11 parameters




3、Passive efficiency


Freq[MHz]	Gain(dBi)	效率值(dB)	Efficiency
	Free space	Free space	Free space
2400	0.54	-5.16	30.48
2410	0.76	-5.08	31.05
2420	0.9	-5.06	31.18
2430	0.99	-5.1	30.87
2440	1.04	-5.18	30.37
2450	1.13	-5.22	30.07
2460	1.2	-5.26	29.78
2470	1.22	-5.34	29.26
2480	1.12	-5.48	28.31
2490	1.06	-5.6	27.55
2500	0.68	-5.94	27.47




Theta=90 freq=2400MHz



Phi=90 freq=2400MHz



Phi=0 freq=2400MHz



4、 Active OTA data

L	channel	TRP (dbm)	TRP (dBm)
Free space	0	4.7	-88.24
	39	5.05	-89.25
	78	5.24	-90.19
L	channel	TRP (dbm)	TIS (dbm)
Second generation head die	0	-5.87	-79.78
	39	-5.25	-80.63
	78	-4.29	-81.14
R	channel	TRP (dbm)	TRP (dBm)
Free space	0	3.46	-88.37
	39	4.68	-89.07
	78	4.39	-90.29
R	channel	TRP (dbm)	TIS (dbm)
Second generation head die	0	-5.18	-79.41
	39	-5.3	-80.24
	78	-4.6	-81.83

5、 Measured effect

Test cell phone	Samsung S6/ Apple 5S
distance	15M/15M
Test site	Huawei walkway
tester	Long