


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band25

1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.66	-13	Pass	2985
30	1000	0.1	RMS	900.19	-55.31	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.74	-13	Pass	830
1830	1925	1	RMS	1850.267	23.72	60	Pass	601
1925	3000	1	RMS	2668.692	-38.94	-13	Pass	1075
3000	12000	1	RMS	11907.99	-46.76	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.81	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.32	-13	Pass	2985
30	1000	0.1	RMS	989.999	-55.44	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.72	-13	Pass	830
1830	1925	1	RMS	1851.217	23.65	60	Pass	601
1925	3000	1	RMS	2669.693	-38.91	-13	Pass	1075
3000	12000	1	RMS	11902.989	-46.76	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.87	-13	Pass	8000



1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.15	-13	Pass	2985
30	1000	0.1	RMS	897.689	-55.26	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.71	-13	Pass	830
1830	1925	1	RMS	1850.267	22.78	60	Pass	601
1925	3000	1	RMS	2669.693	-38.9	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.81	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.87	-13	Pass	8000



1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.81	-13	Pass	2985
30	1000	0.1	RMS	936.893	-55.39	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.69	-13	Pass	830
1830	1925	1	RMS	1851.217	22.7	60	Pass	601
1925	3000	1	RMS	2666.69	-38.93	-13	Pass	1075
3000	12000	1	RMS	5743.305	-45.16	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.86	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.35	-13	Pass	2985
30	1000	0.1	RMS	902.99	-55.29	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.75	-13	Pass	830
1830	1925	1	RMS	1882.092	23.35	60	Pass	601
1925	3000	1	RMS	2670.694	-38.9	-13	Pass	1075
3000	12000	1	RMS	5751.306	-45.56	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.81	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.55	-13	Pass	2985
30	1000	0.1	RMS	872.287	-55.33	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.73	-13	Pass	830
1830	1925	1	RMS	1882.883	23.48	60	Pass	601
1925	3000	1	RMS	2669.693	-38.9	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.72	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.83	-13	Pass	8000



1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.29	-13	Pass	2985
30	1000	0.1	RMS	905.29	-55.21	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.71	-13	Pass	830
1830	1925	1	RMS	1882.092	22.81	60	Pass	601
1925	3000	1	RMS	2666.69	-38.94	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.77	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.73	-13	Pass	2985
30	1000	0.1	RMS	992.199	-55.25	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.69	-13	Pass	830
1830	1925	1	RMS	1882.883	22.74	60	Pass	601
1925	3000	1	RMS	2670.694	-38.9	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.81	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.81	-13	Pass	8000



1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.76	-13	Pass	2985
30	1000	0.1	RMS	902.49	-55.28	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.7	-13	Pass	830
1830	1925	1	RMS	1913.917	23.21	60	Pass	601
1925	3000	1	RMS	2669.693	-38.93	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.81	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.81	-13	Pass	8000



1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.33	-13	Pass	2985
30	1000	0.1	RMS	987.399	-55.3	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.73	-13	Pass	830
1830	1925	1	RMS	1914.708	23.04	60	Pass	601
1925	3000	1	RMS	2669.693	-38.93	-13	Pass	1075
3000	12000	1	RMS	11899.989	-46.73	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.85	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.13	-13	Pass	2985
30	1000	0.1	RMS	917.792	-55.32	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.7	-13	Pass	830
1830	1925	1	RMS	1913.917	22.29	60	Pass	601
1925	3000	1	RMS	2668.692	-38.9	-13	Pass	1075
3000	12000	1	RMS	11906.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.84	-13	Pass	8000



1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.07	-13	Pass	2985
30	1000	0.1	RMS	908.891	-55.32	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.73	-13	Pass	830
1830	1925	1	RMS	1914.708	21.83	60	Pass	601
1925	3000	1	RMS	2670.694	-38.95	-13	Pass	1075
3000	12000	1	RMS	11900.989	-46.79	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.86	-13	Pass	8000



1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.64	-13	Pass	2985
30	1000	0.1	RMS	983.098	-55.35	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.72	-13	Pass	830
1830	1925	1	RMS	1850.267	23.38	60	Pass	601
1925	3000	1	RMS	2673.696	-38.93	-13	Pass	1075
3000	12000	1	RMS	11901.989	-46.79	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.83	-13	Pass	8000



1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.05	-13	Pass	2985
30	1000	0.1	RMS	997.6	-55.35	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.69	-13	Pass	830
1830	1925	1	RMS	1852.8	23.46	60	Pass	601
1925	3000	1	RMS	2673.696	-38.93	-13	Pass	1075
3000	12000	1	RMS	11911.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.82	-13	Pass	8000



1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.53	-13	Pass	2985
30	1000	0.1	RMS	985.198	-55.39	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.71	-13	Pass	830
1830	1925	1	RMS	1850.267	22.07	60	Pass	601
1925	3000	1	RMS	2670.694	-38.9	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.75	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.79	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.57	-13	Pass	2985
30	1000	0.1	RMS	995.099	-55.31	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.72	-13	Pass	830
1830	1925	1	RMS	1852.8	21.92	60	Pass	601
1925	3000	1	RMS	2668.692	-38.91	-13	Pass	1075
3000	12000	1	RMS	11903.989	-46.79	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.82	-13	Pass	8000



1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.98	-13	Pass	2985
30	1000	0.1	RMS	989.199	-55.21	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.72	-13	Pass	830
1830	1925	1	RMS	1881.3	23.71	60	Pass	601
1925	3000	1	RMS	2667.691	-38.95	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.82	-13	Pass	8000



1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.02	-13	Pass	2985
30	1000	0.1	RMS	918.292	-55.37	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.69	-13	Pass	830
1830	1925	1	RMS	1883.833	23.56	60	Pass	601
1925	3000	1	RMS	2669.693	-38.93	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.75	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.85	-13	Pass	8000



1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.94	-13	Pass	2985
30	1000	0.1	RMS	932.093	-55.28	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.75	-13	Pass	830
1830	1925	1	RMS	1881.3	23.1	60	Pass	601
1925	3000	1	RMS	2667.691	-38.91	-13	Pass	1075
3000	12000	1	RMS	11907.99	-46.75	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.83	-13	Pass	8000



1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.76	-13	Pass	2985
30	1000	0.1	RMS	893.589	-55.27	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.72	-13	Pass	830
1830	1925	1	RMS	1883.833	23.5	60	Pass	601
1925	3000	1	RMS	2671.695	-38.94	-13	Pass	1075
3000	12000	1	RMS	11907.99	-46.75	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.83	-13	Pass	8000



1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.47	-13	Pass	2985
30	1000	0.1	RMS	995.3	-55.33	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.73	-13	Pass	830
1830	1925	1	RMS	1912.175	23.14	60	Pass	601
1925	3000	1	RMS	2532.565	-38.02	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.77	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.76	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.37	-13	Pass	2985
30	1000	0.1	RMS	996.3	-55.39	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.75	-13	Pass	830
1830	1925	1	RMS	1914.708	23.36	60	Pass	601
1925	3000	1	RMS	2668.692	-38.91	-13	Pass	1075
3000	12000	1	RMS	11915.991	-46.72	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.88	-13	Pass	8000



1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.66	-13	Pass	2985
30	1000	0.1	RMS	899.09	-55.41	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.73	-13	Pass	830
1830	1925	1	RMS	1912.333	22.41	60	Pass	601
1925	3000	1	RMS	2670.694	-38.92	-13	Pass	1075
3000	12000	1	RMS	11897.989	-46.77	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.84	-13	Pass	8000



1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.42	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.66	-13	Pass	2985
30	1000	0.1	RMS	982.798	-55.1	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.75	-13	Pass	830
1830	1925	1	RMS	1914.708	21.87	60	Pass	601
1925	3000	1	RMS	2668.692	-38.94	-13	Pass	1075
3000	12000	1	RMS	11921.991	-46.85	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.84	-13	Pass	8000



1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.15	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.3	-13	Pass	2985
30	1000	0.1	RMS	898.089	-55.37	-13	Pass	9700
1000	1830	1	RMS	1801.966	-43.75	-13	Pass	830
1830	1925	1	RMS	1850.267	23.15	60	Pass	601
1925	3000	1	RMS	2669.693	-38.88	-13	Pass	1075
3000	12000	1	RMS	11907.99	-46.73	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.82	-13	Pass	8000



1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.04	-13	Pass	2985
30	1000	0.1	RMS	897.389	-55.4	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.7	-13	Pass	830
1830	1925	1	RMS	1854.7	23.29	60	Pass	601
1925	3000	1	RMS	2668.692	-38.96	-13	Pass	1075
3000	12000	1	RMS	11917.991	-46.82	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.81	-13	Pass	8000



1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.73	-13	Pass	2985
30	1000	0.1	RMS	922.992	-55.35	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.7	-13	Pass	830
1830	1925	1	RMS	1850.425	21.84	60	Pass	601
1925	3000	1	RMS	2669.693	-38.9	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.89	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.65	-13	Pass	2985
30	1000	0.1	RMS	984.798	-55.41	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.76	-13	Pass	830
1830	1925	1	RMS	1854.7	22.09	60	Pass	601
1925	3000	1	RMS	2674.697	-38.95	-13	Pass	1075
3000	12000	1	RMS	11915.991	-46.79	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.84	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.45	-13	Pass	2985
30	1000	0.1	RMS	898.69	-55.31	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.7	-13	Pass	830
1830	1925	1	RMS	1880.35	23.44	60	Pass	601
1925	3000	1	RMS	2669.693	-38.93	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.78	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.83	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.83	-13	Pass	2985
30	1000	0.1	RMS	896.289	-55.22	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.74	-13	Pass	830
1830	1925	1	RMS	1884.625	23.51	60	Pass	601
1925	3000	1	RMS	2668.692	-38.92	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.81	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.94	-13	Pass	2985
30	1000	0.1	RMS	909.091	-55.26	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.69	-13	Pass	830
1830	1925	1	RMS	1880.35	22.77	60	Pass	601
1925	3000	1	RMS	2671.695	-38.92	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.8	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.86	-13	Pass	8000



1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.39	-13	Pass	2985
30	1000	0.1	RMS	998.3	-55.35	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.7	-13	Pass	830
1830	1925	1	RMS	1884.625	23.06	60	Pass	601
1925	3000	1	RMS	2671.695	-38.93	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.8	-13	Pass	8000



1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.72	-13	Pass	2985
30	1000	0.1	RMS	998.5	-55.38	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.73	-13	Pass	830
1830	1925	1	RMS	1910.275	23.52	60	Pass	601
1925	3000	1	RMS	2669.693	-38.91	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.78	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.84	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.24	-13	Pass	2985
30	1000	0.1	RMS	900.49	-55.28	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.72	-13	Pass	830
1830	1925	1	RMS	1914.708	23.2	60	Pass	601
1925	3000	1	RMS	2669.693	-38.92	-13	Pass	1075
3000	12000	1	RMS	11915.991	-46.77	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.85	-13	Pass	8000



1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.24	-13	Pass	2985
30	1000	0.1	RMS	902.49	-55.3	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.72	-13	Pass	830
1830	1925	1	RMS	1910.275	21.78	60	Pass	601
1925	3000	1	RMS	2669.693	-38.9	-13	Pass	1075
3000	12000	1	RMS	11906.99	-46.77	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.85	-13	Pass	8000



1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.26	-13	Pass	2985
30	1000	0.1	RMS	922.492	-55.33	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.73	-13	Pass	830
1830	1925	1	RMS	1914.708	22.19	60	Pass	601
1925	3000	1	RMS	2667.691	-38.94	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.73	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.82	-13	Pass	8000



1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.81	-13	Pass	2985
30	1000	0.1	RMS	936.493	-55.3	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.73	-13	Pass	830
1830	1925	1	RMS	1850.583	23.52	60	Pass	601
1925	3000	1	RMS	2670.694	-38.91	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.76	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.86	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.13	-13	Pass	2985
30	1000	0.1	RMS	905.49	-55.4	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.68	-13	Pass	830
1830	1925	1	RMS	1859.45	23.54	60	Pass	601
1925	3000	1	RMS	2669.693	-38.92	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.77	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.9	-13	Pass	8000



1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.42	-13	Pass	2985
30	1000	0.1	RMS	910.191	-55.39	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.69	-13	Pass	830
1830	1925	1	RMS	1850.583	22.37	60	Pass	601
1925	3000	1	RMS	2665.689	-38.94	-13	Pass	1075
3000	12000	1	RMS	11906.99	-46.78	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.81	-13	Pass	8000



1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.36	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.68	-13	Pass	2985
30	1000	0.1	RMS	965.396	-55.36	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.73	-13	Pass	830
1830	1925	1	RMS	1859.45	22.42	60	Pass	601
1925	3000	1	RMS	2667.691	-38.9	-13	Pass	1075
3000	12000	1	RMS	11901.989	-46.79	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.82	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.81	-13	Pass	2985
30	1000	0.1	RMS	940.294	-55.34	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.72	-13	Pass	830
1830	1925	1	RMS	1878.133	23.64	60	Pass	601
1925	3000	1	RMS	2670.694	-38.96	-13	Pass	1075
3000	12000	1	RMS	11905.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.84	-13	Pass	8000



1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.79	-13	Pass	2985
30	1000	0.1	RMS	931.593	-55.4	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.7	-13	Pass	830
1830	1925	1	RMS	1886.842	23.6	60	Pass	601
1925	3000	1	RMS	2669.693	-38.89	-13	Pass	1075
3000	12000	1	RMS	11911.99	-46.8	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.89	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.28	-13	Pass	2985
30	1000	0.1	RMS	903.19	-55.19	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.73	-13	Pass	830
1830	1925	1	RMS	1878.133	22.35	60	Pass	601
1925	3000	1	RMS	2671.695	-38.94	-13	Pass	1075
3000	12000	1	RMS	11906.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.81	-13	Pass	8000



1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.97	-13	Pass	2985
30	1000	0.1	RMS	898.79	-55.37	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.73	-13	Pass	830
1830	1925	1	RMS	1886.842	22.8	60	Pass	601
1925	3000	1	RMS	2673.696	-38.89	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.78	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.8	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.83	-13	Pass	2985
30	1000	0.1	RMS	987.799	-55.18	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.73	-13	Pass	830
1830	1925	1	RMS	1905.525	23.5	60	Pass	601
1925	3000	1	RMS	2673.696	-38.91	-13	Pass	1075
3000	12000	1	RMS	11915.991	-46.78	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.85	-13	Pass	8000



1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.48	-13	Pass	2985
30	1000	0.1	RMS	999.7	-55.2	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.71	-13	Pass	830
1830	1925	1	RMS	1914.392	23.32	60	Pass	601
1925	3000	1	RMS	2674.697	-38.97	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.77	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.85	-13	Pass	8000



1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.29	-13	Pass	2985
30	1000	0.1	RMS	994.399	-55.25	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.72	-13	Pass	830
1830	1925	1	RMS	1905.525	22.15	60	Pass	601
1925	3000	1	RMS	2669.693	-38.94	-13	Pass	1075
3000	12000	1	RMS	11899.989	-46.76	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.86	-13	Pass	8000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.29	-13	Pass	2985
30	1000	0.1	RMS	993.799	-55.35	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.7	-13	Pass	830
1830	1925	1	RMS	1914.392	22.54	60	Pass	601
1925	3000	1	RMS	2671.695	-38.92	-13	Pass	1075
3000	12000	1	RMS	11899.989	-46.79	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.91	-13	Pass	8000



1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.74	-13	Pass	2985
30	1000	0.1	RMS	914.391	-55.3	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.71	-13	Pass	830
1830	1925	1	RMS	1850.9	23.45	60	Pass	601
1925	3000	1	RMS	2668.692	-38.93	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.82	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.85	-13	Pass	8000



1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.48	-13	Pass	2985
30	1000	0.1	RMS	881.988	-55.25	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.69	-13	Pass	830
1830	1925	1	RMS	1864.2	23.39	60	Pass	601
1925	3000	1	RMS	2671.695	-38.89	-13	Pass	1075
3000	12000	1	RMS	11907.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.85	-13	Pass	8000



1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.62	-13	Pass	2985
30	1000	0.1	RMS	895.689	-55.4	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.74	-13	Pass	830
1830	1925	1	RMS	1850.9	22.11	60	Pass	601
1925	3000	1	RMS	2671.695	-38.94	-13	Pass	1075
3000	12000	1	RMS	11904.989	-46.77	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.86	-13	Pass	8000



1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.42	-13	Pass	2985
30	1000	0.1	RMS	993.199	-55.35	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.76	-13	Pass	830
1830	1925	1	RMS	1864.2	21.73	60	Pass	601
1925	3000	1	RMS	2675.698	-38.93	-13	Pass	1075
3000	12000	1	RMS	11907.99	-46.77	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.84	-13	Pass	8000



1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.36	-13	Pass	2985
30	1000	0.1	RMS	916.491	-55.37	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.72	-13	Pass	830
1830	1925	1	RMS	1875.917	23.32	60	Pass	601
1925	3000	1	RMS	2668.692	-38.92	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.83	-13	Pass	8000



1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.78	-13	Pass	2985
30	1000	0.1	RMS	975.297	-55.45	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.73	-13	Pass	830
1830	1925	1	RMS	1889.217	23.3	60	Pass	601
1925	3000	1	RMS	2671.695	-38.89	-13	Pass	1075
3000	12000	1	RMS	11907.99	-46.8	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.85	-13	Pass	8000



1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.3	-13	Pass	2985
30	1000	0.1	RMS	991.099	-55.38	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.76	-13	Pass	830
1830	1925	1	RMS	1875.917	22.07	60	Pass	601
1925	3000	1	RMS	2669.693	-38.89	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.78	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.81	-13	Pass	8000



1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.45	-13	Pass	2985
30	1000	0.1	RMS	983.398	-55.39	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.67	-13	Pass	830
1830	1925	1	RMS	1889.217	22.34	60	Pass	601
1925	3000	1	RMS	2668.692	-38.94	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.72	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.8	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.96	-13	Pass	2985
30	1000	0.1	RMS	960.296	-55.33	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.74	-13	Pass	830
1830	1925	1	RMS	1900.775	23.25	60	Pass	601
1925	3000	1	RMS	2669.693	-38.92	-13	Pass	1075
3000	12000	1	RMS	11903.989	-46.78	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.8	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.58	-13	Pass	2985
30	1000	0.1	RMS	999.7	-55.32	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.73	-13	Pass	830
1830	1925	1	RMS	1914.233	23.19	60	Pass	601
1925	3000	1	RMS	2671.695	-38.89	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.7	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.87	-13	Pass	8000



1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.77	-13	Pass	2985
30	1000	0.1	RMS	899.19	-55.19	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.7	-13	Pass	830
1830	1925	1	RMS	1900.775	21.78	60	Pass	601
1925	3000	1	RMS	2668.692	-38.92	-13	Pass	1075
3000	12000	1	RMS	11911.99	-46.73	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.84	-13	Pass	8000



1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.87	-13	Pass	2985
30	1000	0.1	RMS	939.394	-55.37	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.7	-13	Pass	830
1830	1925	1	RMS	1914.233	22.27	60	Pass	601
1925	3000	1	RMS	2672.696	-38.92	-13	Pass	1075
3000	12000	1	RMS	11914.991	-46.8	-13	Pass	9000
12000	20000	1	RMS	19855.982	-28.88	-13	Pass	8000



1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.91	-13	Pass	2985
30	1000	0.1	RMS	903.59	-55.21	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.7	-13	Pass	830
1830	1925	1	RMS	1851.058	23.21	60	Pass	601
1925	3000	1	RMS	2665.689	-38.92	-13	Pass	1075
3000	12000	1	RMS	11915.991	-46.79	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.8	-13	Pass	8000



1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.19	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.78	-13	Pass	2985
30	1000	0.1	RMS	905.19	-55.36	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.7	-13	Pass	830
1830	1925	1	RMS	1868.95	23.28	60	Pass	601
1925	3000	1	RMS	2669.693	-38.91	-13	Pass	1075
3000	12000	1	RMS	5751.306	-46.36	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.83	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.24	-13	Pass	2985
30	1000	0.1	RMS	941.694	-55.29	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.74	-13	Pass	830
1830	1925	1	RMS	1851.058	22.57	60	Pass	601
1925	3000	1	RMS	2668.692	-38.9	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.74	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.84	-13	Pass	8000



1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.42	-13	Pass	2985
30	1000	0.1	RMS	892.089	-55.16	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.69	-13	Pass	830
1830	1925	1	RMS	1868.95	22.55	60	Pass	601
1925	3000	1	RMS	2668.692	-38.86	-13	Pass	1075
3000	12000	1	RMS	11900.989	-46.78	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.86	-13	Pass	8000



1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.36	-13	Pass	2985
30	1000	0.1	RMS	903.89	-55.37	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.7	-13	Pass	830
1830	1925	1	RMS	1873.542	23.23	60	Pass	601
1925	3000	1	RMS	2668.692	-38.88	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.8	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.85	-13	Pass	8000



1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.77	-13	Pass	2985
30	1000	0.1	RMS	966.497	-55.31	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.71	-13	Pass	830
1830	1925	1	RMS	1891.433	23.28	60	Pass	601
1925	3000	1	RMS	2667.691	-38.9	-13	Pass	1075
3000	12000	1	RMS	11900.989	-46.81	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.81	-13	Pass	8000



1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.06	-13	Pass	2985
30	1000	0.1	RMS	998.1	-55.21	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.74	-13	Pass	830
1830	1925	1	RMS	1873.542	22.87	60	Pass	601
1925	3000	1	RMS	2669.693	-38.86	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.85	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.84	-13	Pass	2985
30	1000	0.1	RMS	887.688	-55.39	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.66	-13	Pass	830
1830	1925	1	RMS	1891.433	22.54	60	Pass	601
1925	3000	1	RMS	2670.694	-38.86	-13	Pass	1075
3000	12000	1	RMS	11905.99	-46.77	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.87	-13	Pass	8000



1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.01	-13	Pass	2985
30	1000	0.1	RMS	928.793	-55.29	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.71	-13	Pass	830
1830	1925	1	RMS	1896.025	23.21	60	Pass	601
1925	3000	1	RMS	2668.692	-38.89	-13	Pass	1075
3000	12000	1	RMS	11918.991	-46.74	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.8	-13	Pass	8000



1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.39	-13	Pass	2985
30	1000	0.1	RMS	999.8	-55.05	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.73	-13	Pass	830
1830	1925	1	RMS	1913.917	23.16	60	Pass	601
1925	3000	1	RMS	2671.695	-38.92	-13	Pass	1075
3000	12000	1	RMS	11915.991	-46.78	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.81	-13	Pass	8000



1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.82	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.37	-13	Pass	2985
30	1000	0.1	RMS	904.69	-55.28	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.73	-13	Pass	830
1830	1925	1	RMS	1896.183	22.77	60	Pass	601
1925	3000	1	RMS	2671.695	-38.9	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.84	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.13	-13	Pass	2985
30	1000	0.1	RMS	966.897	-55.14	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.71	-13	Pass	830
1830	1925	1	RMS	1913.917	22.35	60	Pass	601
1925	3000	1	RMS	2670.694	-38.93	-13	Pass	1075
3000	12000	1	RMS	11905.99	-46.76	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.83	-13	Pass	8000



END