

Report No.: AR/2021/5000402

Page: 1 of 107

FCC TEST REPORT

Application No.: AR/2021/50004

Applicant: Xiaomi Communications Co., Ltd.

Address of Applicant #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China,

100085

Manufacturer: Xiaomi Communications Co., Ltd.

Address of Manufacturer #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China,

100085

EUT Description: Mobile Phone **Model No.:** 21081111RG

Trade Mark: XIAOMI FCC ID: 2AFZZ11RG

Standards: 47 CFR FCC Part 2, Subpart J

47 CFR Part 15, Subpart C

Date of Receipt: 2021/6/10

Date of Test: 2021/6/29 to 2021/7/19

Date of Issue: 2021/7/23

Test Result : PASS *

* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Simon Ling Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/lengas.and-Conditions.aspx.and-for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/lengas.and-for-ditions/Terms-e-Document.aspx.http://www.sgs.com/en/lengas.and-for-ditions/Terms-e-Document.aspx.attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document on exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the esuits shown in this test report refer only to the sample(s) are retained for 30 days only.



Report No.: AR/2021/5000402

Page: 2 of 107

1 Version

Revision Record								
Version Chapter Date Modifier Remark								
01		2021/7/23		Original				

Authorized for issue by:	
Prepared By	(Leah Chen) / Engineer
Checked By	Daniel Wang (Daniel Wang) / Reviewer





Report No.: AR/2021/5000402

Page: 3 of 107

2 **Test Summary**

Test Item	Test Requirement	Test Method	Test Result	Result
AC Power Line Conducted Emission	15.207	ANSI C63.10 (2013)	Clause 4.3	PASS
Conducted Peak Output Power	15.247 (b)(1)	ANSI C63.10 (2013)	Clause 4.4	PASS
20dB Emission Bandwidth	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.5	PASS
Carrier Frequencies Separation	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.6	PASS
Hopping Channel Number	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.7	PASS
Dwell Time	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.8	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.9	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.10	PASS
Radiated Spurious emissions	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.11	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.12	PASS





Report No.: AR/2021/5000402

Page: 4 of 107

Contents

1	Versio	n	2
2	Test S	Summary	3
3	Gener	al Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	6
	3.4	General Description of EUT	7
	3.5	Test Environment	9
	3.6	Description of Support Units	9
4	Test re	esults and Measurement Data	10
	4.1	Antenna Requirement	10
	4.2	Other requirements Frequency Hopping Spread Spectrum System I	Hopping
	Seque	ence	11
	4	.2.1 Test Requirement:	11
	4	.2.2 Conclusion	11
	4.3	AC Power Line Conducted Emissions	13
	4.4	Conducted Output Power	17
	4.5	20dB Emission Bandwidth	18
	4.6	Carrier Frequencies Separationy	19
	4.7	Hopping Channel Number	20
	4.8	Dwell Time	21
	4.9	Band-edge for RF Conducted Emissions	22
	4.10	Spurious RF Conducted Emissions	23
	4.11	Radiated Spurious Emissions	24
	4.12	Restricted bands around fundamental frequency	27
5	Measu	urement Uncertainty (95% confidence levels, k=2)	29
6	Equipr	ment List	30
7	Photog	graphs - EUT Constructional Details	32





Report No.: AR/2021/5000402

Page: 5 of 107

General Information 3

3.1 Details of Client

Applicant:	Xiaomi Communications Co., Ltd.			
Address of Applicant	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085			
Manufacturer:	Xiaomi Communications Co., Ltd.			
Address of Manufacturer	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085			

3.2 Test Location

Company:	SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD.
Address:	1/F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, Xi'an, Shaanxi China
Post code:	710086
Test engineer:	Leah Chen,Ken Liu,Andy Yao



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443.



Report No.: AR/2021/5000402

Page: 6 of 107

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 4854.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

FCC-Designation Number: CN1271.





Report No.: AR/2021/5000402

Page: 7 of 107

3.4 General Description of EUT

EUT Description:	Mobile Phone
Model No.:	21081111RG
Trade Mark:	XIAOMI
Hardware Version:	P2
Software Version:	MIUI 12.5
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.
Bluetooth version:	Bluetooth V5.2
Modulation Technique:	Frequency Hopping Spread Spectrum(FHSS)
Modulation Type:	GFSK, π/4DQPSK, 8DPSK
Number of Channel:	79
Hopping Channel Type:	Adaptive Frequency Hopping systems
Sample Type:	⊠ Portable Device, ☐Module
Antenna Type:	PIFA
Antenna Gain:	-2.9dBi





Report No.: AR/2021/5000402

Page: 8 of 107

	Operation Frequency of each channel							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency	
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz	
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz	
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz	
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz	
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz	
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz	
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz	
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz	
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz	
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz	
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz	
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz	
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz	
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz	
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz	
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz	
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz	
17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz	
18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz	
19	2421MHz	39	2441MHz	59	2461MHz			

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH39)	2441MHz
The Highest channel(CH78)	2480MHz





Report No.: AR/2021/5000402

Page: 9 of 107

3.5 Test Environment

Operating Environment:				
Temperature:	25.0 °C			
Humidity:	50 % RH			
Atmospheric Pressure:	101.30 KPa			

3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fasification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,



Report No.: AR/2021/5000402

Page: 10 of 107

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is -2.9dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificats, please contact us at telephone: (85-755) 8307 1446.

1/F, Unit D, Bulding 1, Kanginong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xrian, Steamd, China 710086 中国 - 西安 - 沣东新城科源三路137号康鴻橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: AR/2021/5000402

Page: 11 of 107

4.2 Other requirements Frequency Hopping Spread Spectrum System Hopping Sequence

4.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudorandom ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.


Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.

- > Number of shift register stages: 9
- > Length of pseudo-random sequence: 29 -1 = 511 bits
- > Longest sequence of zeros: 8 (non-inverted signal)


Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:





Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Decuments.at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Decuments.at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Decument.aspx.ttention is defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of intervention of intervention only and within the limits of intervention of intervention only and within the limits of intervention of one exercising all their rights and obligations under the transaction document ones not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ppearance of this document is unlawful and offenders may be prosecuted to the fullest extend to the law. Unless otherwise stated the substance of the decument of the law. Unless otherwise stated the substance of the check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xfan, Shaarvi, China 710086

中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 www.sgsgroup.com.cr t (86–29) 6282 7885 sgs.china@sgs.com



Report No.: AR/2021/5000402

Page: 12 of 107

Each frequency used equally on the average by each transmitter.

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system.

Compliance for section 15.247(h): According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-a-Document.aspx that the first of the imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated it results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & cartificate, please contact us at telephone: (86-75) 8307 144



Report No.: AR/2021/5000402

Page: 13 of 107

4.3 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207					
Test Method:	ANSI C63.10: 2013					
Test Frequency Range:	150kHz to 30MHz					
Limit:	Frequency range (MHz)	Limit (dBuV)				
	Frequency range (MHZ)	Quasi-peak	Average			
	0.15-0.5	66 to 56*	56 to 46*			
	0.5-5	56	46			
	5-30	60	50			
	* Decreases with the log	arithm of the frequency.				
Test Procedure:	The mains terminal coroom.	listurbance voltage test was	conducted in a shielded			
	i '					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terma-d-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authernicity of testing /inspection report & certificities, please contact us at telephone: (86-755) 8307 1443.**

or email: CML02cetteck@388.com |Yikult0,Buldgit_Karghong Orangs Soore Park, No.137, Repan 3rd Road, Fengdong New Town, Xian, Steami, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: AR/2021/5000402

Page: 14 of 107





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overteaf, available on request or accessible at <a href="http://www.sgs.com/en/farms-and-Conditions.aspx.and.or-lectronic format documents.subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/farms-and-Conditions-and-Conditions-and-Conditions/farms-and-Conditions

1/F, Unit D, Building 1, Kanghong Charge Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xiran, Shaenci, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: AR/2021/5000402

Page: 15 of 107

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live Line:



Test Graph

Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2694	10.10	16.82	61.14	44.32	9.63	51.14	41.51	PASS
2	0.4557	10.10	20.74	56.77	36.03	11.15	46.77	35.62	PASS
3	1.1284	10.10	18.93	56.00	37.07	11.04	46.00	34.96	PASS
4	3.0404	10.10	23.04	56.00	32.96	14.34	46.00	31.66	PASS
5	6.5406	10.10	29.86	60.00	30.14	21.67	50.00	28.33	PASS
6	22.8949	10.11	41.72	60.00	18.28	32.88	50.00	17.12	PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: AR/2021/5000402

Page: 16 of 107

Neutral Line:



Test Graph

Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2340	10.10	18.62	62.31	43.69	11.71	52.31	40.60	PASS
2	0.6367	10.10	21.22	56.00	34.78	15.17	46.00	30.83	PASS
3	1.9752	10.10	28.04	56.00	27.96	21.70	46.00	24.30	PASS
4	4.2169	10.10	26.69	56.00	29.31	19.37	46.00	26.63	PASS
5	6.7132	10.10	33.80	60.00	26.20	26.59	50.00	23.41	PASS
6	14.7076	10.11	35.47	60.00	24.53	27.50	50.00	22.50	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Terms-an

1/F, Unit D, Building 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xiran, Shaenci, China 710086 中国•西安•沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885


www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: AR/2021/5000402

Page: 17 of 107

4.4 Conducted Output Power



The detailed test data see: Appendix




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-appy.aspy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.aspy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy



Report No.: AR/2021/5000402

Page: 18 of 107

4.5 20dB Emission Bandwidth



The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-appy.aspy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.aspy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy



Report No.: AR/2021/5000402

Page: 19 of 107

4.6 Carrier Frequencies Separationy

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)		
Test Method:	ANSI C63.10:2013 Section 7.8.2		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Test Instruments:	Refer to section 6 for details		
Exploratory Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.		
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.		
Limit:	2/3 of the 20dB bandwidth		
Remark: the transmission power is less than 0.125W.			
Test Results:	Pass		

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,



Report No.: AR/2021/5000402

Page: 20 of 107

4.7 Hopping Channel Number

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)			
Test Method:	ANSI C63.10:2013 Section 7.8.3			
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table			
	Ground Reference Plane			
Instruments Used:	Refer to section 6 for details			
Test Mode:	Hopping transmitting with all kind of modulation			
Limit:	At least 15 channels			
Test Results: Pass				

The detailed test data see: Appendix






Report No.: AR/2021/5000402

Page: 21 of 107

4.8 Dwell Time



The detailed test data see: Appendix





Report No.: AR/2021/5000402

Page: 22 of 107

4.9 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)			
Test Method:	ANSI C63.10:2013 Section 7.8.6			
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane			
Instruments Used:	Refer to section 6 for details			
Exploratory Test Mode:	Hopping and Non-hopping transmitting with all kind of modulation and all kind of data type.			
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.			
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.			
Test Results:	Pass			

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



Report No.: AR/2021/5000402

Page: 23 of 107

4.10 Spurious RF Conducted Emissions



The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-appy.aspy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.aspy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy



Report No.: AR/2021/5000402

Page: 24 of 107

4.11 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10 :2013 Section 11.12					
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)					
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark	
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak	
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average	
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak	
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak	
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average	
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak	
	30MHz-1GHz	Quasi-peak	120kHz	300kHz	Quasi-peak	
	Ab 21/2 4 CH =	Peak	1MHz	3MHz	Peak	
	Above 1GHz	Peak	1MHz	3MHz	RMS	
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)	
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300	
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30	
	1.705MHz-30MHz	30	-	-	30	
	30MHz-88MHz	100	40.0	Quasi-peak	3	
	88MHz-216MHz	150	43.5	Quasi-peak	3	
	216MHz-960MHz	200	46.0	Quasi-peak	3	
	960MHz-1GHz	500	54.0	Quasi-peak	3	
	Above 1GHz	500	54.0	Average	3	
Remark: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.					nit	

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (85-75) 8307 1443.



Report No.: AR/2021/5000402

Page: 25 of 107

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- Use the following spectrum analyzer settings:
 - (1) Span shall wide enough to fully capture the emission being measured;
 - (2) Set RBW=100 kHz for f < 1 GHz, RBW=1MHz for f>1GHz ; VBW \geqslant RBW; Sweep = auto;
 - Detector function = peak; Trace = max hold for peak
 - (3) For average measurement: use duty cycle correction factor method per 15.35(c).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-appy.aspy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.aspy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy



Report No.: AR/2021/5000402

Page: 26 of 107

Duty cycle = On time/100 milliseconds				
On time = N 1 *L 1 +N 2 *L 2 ++N n-1 *LN n-1 +N n *L n				
Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc.	Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc.			
Average Emission Level = Peak Emission Level + 20*log(Duty cycle)				
f. For each suspected emission, the EUT was arranged to its worst case then the antenna was tuned to heights from 1 meter to 4 meters(for the the frequency of below 30MHz, the antenna was tuned to heights 1 meters the rotatable table was turned from 0 degrees to 360 degrees to find maximum reading.	ne test) and			
g. The test-receiver system was set to Peak Detect Function and Sp Bandwidth with Maximum Hold Mode.	ecified			
h. If the emission level of the EUT in peak mode was 10dB lower than the specified, then testing could be stopped and the peak values of the would be reported. Otherwise the emissions that did not have 10dB would be re-tested one by one using peak, quasi-peak or average met specified and then reported in a data sheet.	e EUT nargin			
 i. Test the EUT in the lowest channel, the middle channel ,the Highest channel. j. The radiation measurements are performed in X, Y, Z axis position Transmitting mode, And found the X axis positioning which it is worse c. k. Repeat above procedures until all frequencies measured was complete. 	ng for ase.			
Exploratory Test Mode: Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.				
Final Test Mode: Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode For below 1GHz part, through pre-scan, the worst case is the lowest channel Only the worst case is recorded in the report.	ıl.			
Instruments Used: Refer to section 6 for details				
Test Results: Pass				

The detailed test data see: Appendix






Report No.: AR/2021/5000402

Page: 27 of 107

4.12 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 1	47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10: 2013	ANSI C63.10: 2013					
Test Site:	Measurement Distance: 3m	(Semi-Anechoic Cham	ber)				
Limit:	Frequency Limit (dBuV/m) Remark						
	30MHz-88MHz	40.0	Quasi-peak Quasi-peak				
	88MHz-216MHz	43.5					
	216MHz-960MHz	46.0	Quasi-peak				
	960MHz-1GHz	54.0	Quasi-peak				
	Above 1GHz	54.0	Average Value				
	Peak Value						
Test Setup:							






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz





Report No.: AR/2021/5000402

Page:	28 of 107

b c d d e	Bandwidth with Maximum Hold Mode. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel Test the EUT in the lowest channel, the Highest channel The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.		
Exploratory Test Mode: d	Non-hopping transmitting mode with all kind of modulation and all kind of lata type Charge + Transmitting mode.		
T	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst		
	case.		
P	Pretest the EUT at Charge + Transmitting mode,		
C	Only the worst case is recorded in the report.		
Instruments Used: R	Refer to section 6 for details		
Test Results:	Pass		

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, exemiled.



Report No.: AR/2021/5000402

Page: 29 of 107

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.35dB
2	RF power density, conducted	±1.96dB
3	Spurious emissions, conducted	±0.41dB
4	Radio Frequency	±7.10 x 10 ⁻⁸
5	Duty Cycle	±0.49%
6	Occupied Bandwidth	±0.2%
7	Frquency Stability	±0.2ppm
8	Conduction Emission	± 3.0dB (150kHz to 30MHz)
		± 4.8dB (Below 1GHz)
9	Radiated Emission	± 4.8dB (1GHz to 6GHz)
9	Naulateu Emission	± 4.5dB (6GHz to 18GHz)
		± 5.02dB (Above 18GHz)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test read and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



Report No.: AR/2021/5000402

Page: 30 of 107

Equipment List 6

RF conducted						
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date (yyyy-mm-dd)	Cal. Due date (yyyy-mm-dd)	
Temperature and humidity meter	MingGao	T809	XAW01-01-04	2020/11/6	2021/11/5	
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	XAW01-03-07	2020/10/26	2021/10/25	
Spectrum Analyzer	ROHDE&SCHWARZ	FSU	100366	2021/6/8	2022/6/7	
Spectrum Analyzer	ROHDE&SCHWARZ	FSV3044	101146	2021/6/8	2022/6/7	
temperature chamber	Votsch	VT4002	XAW01-18-01	2021/4/1	2022/3/31	
Filter bank	Tonscend	JS0806-F	19C8060147	NCR	NCR	
RF control unit	Tonscend	JS0806-1	NCR	NCR	NCR	
Test Software	Tonscend	JS1120-3 (v2.6.77.0518)	NCR	NCR	NCR	

CE Test System						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
Shielding Room	Brilliant-emc	N/A	XAW03-35-01	2019-09-11	2022-09-10	
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2020-09-11	2021-09-10	
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-01	2020-08-04	2021-08-03	
Temperature and humidity meter	MingGao	TH101B	XAW01-01-01	2020-11-06	2021-11-05	
Measurement Software	Tonscend	TS+ CE V2.5	XAW02-05-02	NCR	NCR	





Report No.: AR/2021/5000402

31 of 107 Page:

Page: 31 01 107											
RSE Test System											
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date						
Semi-Anechoic Chamber	Brilliant-emc	N/A	XAW03-35-01	2019-09-11	09-11 2022-09-10						
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2021-04-01	2022-03-31						
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2020-09-11	2021-09-10						
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	XAW01-09-01	2019-10-13	2021-10-12						
Receiving antenna (1GHz~18GHz)	Schwarzbeck	BBHA 9120D	XAW01-09-02	2019-10-13	2021-10-12						
Receiving antenna (15GHz~40GHz)	Schwarzbeck	BBHA 9170	XAW01-09-03	2019-10-13	2021-10-12						
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR						
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR						
Filter bank	Tonscend	JS0806-F	XAW03-05-01	NCR	NCR						
Filter bank	Tonscend	JS0806s	XAW03-05-02	NCR	NCR						
Amplifier	olifier Tonscend		XAW01-41-01	2020-10-26	2021-10-25						
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2020-10-26	2021-10-25						
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2020-10-27	2021-10-26						
Amplifier	Shanghai Steed	YX28980930	XAW01-41-06	2020-10-26	2021-10-25						
Temperature and humidity meter	MingGao	TH101B	XAW01-01-01	2020-11-06	2021-11-05						
Measurement Software Tonscend		TS+ RSE V3.0.0.2	XAW02-05-01	NCR	NCR						





Report No.: AR/2021/5000402

Page: 32 of 107

7 Photographs - EUT Constructional Details

Refer to Appendix A Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,



Report No.: AR/2021/5000402

Page: 33 of 107

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this lest report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: AR/2021/5000402

Page: 34 of 107

20dB Emission Bandwidth Test Result


TestMode	Antenna	Channel	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.846	2401.571	2402.417		PASS
		2441	0.861	2440.553	2441.414		PASS
		2480	0.864	2479.550	2480.414		PASS
2DH5	Ant1	2402	1.299	2401.364	2402.663		PASS
		2441	1.299	2440.364	2441.663		PASS
		2480	1.323	2479.340	2480.663		PASS
3DH5	Ant1	2402	1.299	2401.355	2402.654		PASS
		2441	1.299	2440.355	2441.654		PASS
		2480	1.299	2479.352	2480.651		PASS



Report No.: AR/2021/5000402

Page: 35 of 107

Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, exemiled.



Report No.: AR/2021/5000402






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, exemiled.



Report No.: AR/2021/5000402






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, exemiled.



Report No.: AR/2021/5000402





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, exemiled.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepuan 3rd Road, Fengatong New Town, Xian, Shearwi, China 710086 中国。西安。沣东新城科源三路137号康鸿橙方科按园1号楼D单元1层 邮编:710086

t (86-29) 6282 7885 t (86-29) 6282 7885

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: AR/2021/5000402

Page: 39 of 107





Report No.: AR/2021/5000402

Page: 40 of 107

Occupied Channel Bandwidth Test Result

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.753	2401.633	2402.386		PASS
		2441	0.754	2440.630	2441.384		PASS
		2480	0.758	2479.627	2480.384		PASS
2DH5	Ant1	2402	1.177	2401.416	2402.593		PASS
		2441	1.177	2440.415	2441.592		PASS
		2480	1.176	2479.413	2480.589		PASS
3DH5	Ant1	2402	1.174	2401.420	2402.594		PASS
		2441	1.176	2440.418	2441.593		PASS
		2480	1.177	2479.415	2480.592		PASS






Report No.: AR/2021/5000402

Page: 41 of 107

Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fasification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,



Report No.: AR/2021/5000402





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, exemiled.


1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepuan 3rd Road, Fengatong New Town, Xian, Shearwi, China 710086 中国。西安。沣东新城科源三路137号康鸿橙方科按园1号楼D单元1层 邮编:710086

t (86-29) 6282 7885 t (86-29) 6282 7885

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: AR/2021/5000402






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, exemiled.



Report No.: AR/2021/5000402





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, exemiled.

or email: CM.Docchock@ags.com |UF, Lint D, Building T, Kanghong Crange Science Park, No.137, Keyasa 3rd Road, Fengotong New Town, Xirat, Stearni, China 710086 |中国・西安・洋东新城科頭三路137号康鸿推方科技园日号楼D单元1层 邮第: 710086


t (86–29) 6282 7885 www t (86–29) 6282 7885 sgs

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: AR/2021/5000402

Page: 45 of 107





Report No.: AR/2021/5000402

Page: 46 of 107

Maximum conducted output power Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
		2402	12.76	≤30	PASS
DH5	Ant1	2441	14.29	≤30	PASS
		2480	13.75	≤30	PASS
2DH5	Ant1	2402	12.35	≤20.97	PASS
		2441	14.11	≤20.97	PASS
		2480	13.23	≤20.97	PASS
3DH5	Ant1	2402	12.21	≤20.97	PASS
		2441	13.95	≤20.97	PASS
		2480	13.35	≤20.97	PASS






Report No.: AR/2021/5000402

Page: 47 of 107


Test Graphs








Report No.: AR/2021/5000402







Report No.: AR/2021/5000402






08:34:45 19.07.2021

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fasification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,



Report No.: AR/2021/5000402






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fasification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,



Report No.: AR/2021/5000402

Page: 51 of 107





Report No.: AR/2021/5000402

Page: 52 of 107

Carrier frequency separation Test Result


TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
DH5	Ant1	Нор	1	>=0.864	PASS
2DH5	Ant1	Нор	0.98	>=0.882	PASS
3DH5	Ant1	Нор	1.04	>=0.866	PASS



Report No.: AR/2021/5000402

Page: 53 of 107

Test Graphs








Report No.: AR/2021/5000402

Page: 54 of 107





Report No.: AR/2021/5000402

Page: 55 of 107

Time of occupancy **Test Result**

TestMode	Antenna	Channel	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH1	Ant1	Нор	0.37	320	0.12	<=0.4	PASS
DH3	Ant1	Нор	1.63	190	0.31	<=0.4	PASS
DH5	Ant1	Нор	2.88	90	0.259	<=0.4	PASS
2DH1	Ant1	Нор	0.38	330	0.126	<=0.4	PASS
2DH3	Ant1	Нор	1.63	190	0.31	<=0.4	PASS
2DH5	Ant1	Нор	2.88	100	0.288	<=0.4	PASS
3DH1	Ant1	Нор	0.38	320	0.122	<=0.4	PASS
3DH3	Ant1	Нор	1.63	150	0.245	<=0.4	PASS
3DH5	Ant1	Нор	2.88	90	0.26	<=0.4	PASS






Report No.: AR/2021/5000402

56 of 107 Page:


Test Graphs








Report No.: AR/2021/5000402








Report No.: AR/2021/5000402








Report No.: AR/2021/5000402 Page: 59 of 107








Report No.: AR/2021/5000402








Report No.: AR/2021/5000402








Report No.: AR/2021/5000402







Report No.: AR/2021/5000402





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms


1/F. Unit D. Building 1, Kanghong Orange Science Park, No.137, Kewian 3rd Road, Fenodong New Town, X'an, Shaansi, China 710086 中国·西安·沣东新城科源三路137号康鴻橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885

t (86-29) 6282 7885 www.sgsgroup.com.cn sas.china@sas.com



Report No.: AR/2021/5000402







Report No.: AR/2021/5000402

Page: 65 of 107

Number of hopping channels Test Result


TestMode	Antenna	Channel	Result[Num]	Limit[Num]	Verdict
DH5	Ant1	Нор	79	>=15	PASS
2DH5	Ant1	Нор	79	>=15	PASS
3DH5	Ant1	Нор	79	>=15	PASS



Report No.: AR/2021/5000402

Page: 66 of 107

Test Graphs








Report No.: AR/2021/5000402

Page: 67 of 107





Report No.: AR/2021/5000402

Page: 68 of 107

Band edge measurements Test Result

TestMode	Antenna	ChName	Channel	RefLevel	Result [dBm]	Limit [dBm]	Verdict
	Ant1	Low	2402	15.52	-48.51	<=-4.48	PASS
		High	2480	16.38	-48.81	<=-3.62	PASS
DH5		Low	Hop_2402	15.59	-49.21	<=-4.41	PASS
		High	Hop_2480	17.11	-48.33	<=-2.89	PASS
	Ant1	Low	2402	12.79	-40.49	<=-7.21	PASS
		High	2480	12.61	-48.8	<=-7.39	PASS
2DH5		Low	Hop_2402	11.57	-48.2	<=-8.43	PASS
		High	Hop_2480	13.65	-48.76	<=-6.35	PASS
	Ant1	Low	2402	12.80	-39.92	<=-7.2	PASS
3DH5		High	2480	12.00	-48.19	<=-8	PASS
		Low	Hop_2402	11.59	-48.82	<=-8.41	PASS
		High	Hop_2480	12.87	-48.65	<=-7.13	PASS





Report No.: AR/2021/5000402

Page: 69 of 107


Test Graphs







Report No.: AR/2021/5000402






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms

1/F, Unit D, Bulding T, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, X7an, Shaamid, China 710086 中国。西安·沣东新城科源三路137号康鴻櫃方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: AR/2021/5000402







Report No.: AR/2021/5000402 Page: 72 of 107





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms


or email: CM.Docchock@ags.com |UF, Lint D, Building T, Kanghong Crange Science Park, No.137, Keyasa 3rd Road, Fengotong New Town, Xirat, Stearni, China 710086 |中国・西安・洋东新城科頭三路137号康鸿推方科技园日号楼D单元1层 邮第: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: AR/2021/5000402 Page: 73 of 107





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, exemiled.

or email: CM.Docchock@ags.com |UF, Lint D, Building T, Kanghong Crange Science Park, No.137, Keyasa 3rd Road, Fengstong New Town, Xirat, Stearni, China 710086 |中国・西安・洋东新城科頭三路137号康鸿推方科技园日号楼D单元1层 邮第: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: AR/2021/5000402







Report No.: AR/2021/5000402

Page: 75 of 107

Conducted Spurious Emission Test Result

T 114			FreqRange	RefLevel	Result	Limit	V
TestMode	Antenna	Channel	[MHz]	[dBm]	[dBm]	[dBm]	Verdict
			Reference	15.51	15.51		PASS
		2402	30~1000	15.51	-64.21	<=-4.49	PASS
			1000~26500	15.51	-40.5	<=-4.49	PASS
			Reference	17.19	17.19		PASS
DH5	Ant1	2441	30~1000	17.19	-63.8	<=-2.81	PASS
			1000~26500	17.19	-39.05	<=-2.81	PASS
			Reference	16.17	16.17		PASS
		2480	30~1000	16.17	-64.51	<=-3.83	PASS
			1000~26500	16.17	-37.52	<=-3.83	PASS
			Reference	12.65	12.65		PASS
		2402	30~1000	12.65	-64.3	<=-7.35	PASS
			1000~26500	12.65	-43.25	<=-7.35	PASS
		2441	Reference	14.19	14.19		PASS
2DH5	Ant1		30~1000	14.19	-64.27	<=-5.81	PASS
			1000~26500	14.19	-44.74	<=-5.81	PASS
			Reference	13.25	13.25		PASS
		2480	30~1000	13.25	-64.42	<=-6.75	PASS
			1000~26500	13.25	-40.32	<=-6.75	PASS
			Reference	12.81	12.81		PASS
		2402	30~1000	12.81	-64.24	<=-7.19	PASS
			1000~26500	12.81	-44.77	<=-7.19	PASS
			Reference	14.23	14.23		PASS
3DH5	Ant1	2441	30~1000	14.23	-64.26	<=-5.77	PASS
			1000~26500	14.23	-44.61	<=-5.77	PASS
			Reference	13.30	13.30		PASS
		2480	30~1000	13.30	-65.12	<=-6.7	PASS
			1000~26500	13.30	-40.86	<=-6.7	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, XYan, Shaarui, China 710086 中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86–29) 6282 7885 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: AR/2021/5000402

Page: 76 of 107


Test Graphs







Report No.: AR/2021/5000402






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms

1/F, Unit D, Bulding T, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, X7an, Shaamid, China 710086 中国・西安・沣东新城科源三路137号康鴻櫃方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: AR/2021/5000402







Report No.: AR/2021/5000402






04:59:27 29.06.2021



Report No.: AR/2021/5000402






05:04:34 29.06.2021



Report No.: AR/2021/5000402 Page: 81 of 107






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms

or email: CM.Docchock@ags.com |UF, Lint D, Building T, Kanghong Crange Science Park, No.137, Keyasa 3rd Road, Fengstong New Town, Xirat, Stearni, China 710086 |中国・西安・洋东新城科頭三路137号康鸿推方科技园日号楼D单元1层 邮第: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: AR/2021/5000402





05:07:46 29.06.2021


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms

or email: CM.Docchock@ags.com |UF, Lint D, Building T, Kanghong Crange Science Park, No.137, Keyasa 3rd Road, Fengstong New Town, Xirat, Stearni, China 710086 |中国・西安・洋东新城科頭三路137号康鸿推方科技园日号楼D单元1层 邮第: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: AR/2021/5000402 Page: 83 of 107







Report No.: AR/2021/5000402 Page: 84 of 107








Report No.: AR/2021/5000402


Page: 85 of 107








Report No.: AR/2021/5000402







Report No.: AR/2021/5000402 Page: 87 of 107








Report No.: AR/2021/5000402

Page: 88 of 107





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms

1/F. Unit D. Building 1, Kanghong Orange Science Park, No. 137, Keyuan 3rd Road, Fenodong New Town, Xi'an, Shaansi, China 710086 中国·西安·沣东新城科源三路137号康鴻橙方科技园1号楼D单元1层 邮编: 710086

1 (86-29) 6282 7885 t (86-29) 6282 7885

www.sasaroup.com.cn sas.china@sas.com



Report No.: AR/2021/5000402

Page: 89 of 107





Report No.: AR/2021/5000402

Page: 90 of 107

Duty Cycle Test Result

TestMode	Antenna	Channel	ON Time [ms]	Period [ms]	Х	DC [%]	xFactor	Limit	Verdict
		2402	2.88	3.75	0.7680	76.80	1.15		PASS
DH5	Ant1	2441	2.88	3.75	0.7680	76.80	1.15		PASS
		2480	2.88	3.75	0.7680	76.80	1.15		PASS
		2402	2.88	3.75	0.7680	76.80	1.15		PASS
2DH5	Ant1	2441	2.88	3.75	0.7680	76.80	1.15		PASS
		2480	2.88	3.75	0.7680	76.80	1.15		PASS
		2402	2.88	3.75	0.7680	76.80	1.15		PASS
3DH5	Ant1	2441	2.88	3.75	0.7680	76.80	1.15		PASS
		2480	2.88	3.75	0.7680	76.80	1.15		PASS






Report No.: AR/2021/5000402

Page: 91 of 107

Test Graphs








Report No.: AR/2021/5000402 Page: 92 of 107







Report No.: AR/2021/5000402






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms

1/F, Unit D, Bulding T, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, X7an, Shaamid, China 710086 中国・西安・沣东新城科源三路137号康鴻櫃方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: AR/2021/5000402 Page: 94 of 107








Report No.: AR/2021/5000402

Page: 95 of 107






Report No.: AR/2021/5000402

Page: 96 of 107

Radiated Spurious Emission Radiated Emission below 1GHz Charge + Transmitting Test Graph



QP Detector

Suspected List

Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	34.8510	26.87	-23.95	40.00	13.13	241	108	Horizontal			
2	40.4781	31.74	-22.26	40.00	8.26	258	35	Horizontal			
3	54.6429	22.96	-22.05	40.00	17.04	229	264	Horizontal			
4	157.289	26.49	-25.62	43.50	17.01	284	250	Horizontal			
5	296.415	19.82	-19.43	46.00	26.18	269	53	Horizontal			
6	949.938	31.31	-7.23	46.00	14.69	231	144	Horizontal			

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an


1/F, Unit D, Bulding 1, Kanghong Change Solanze Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shearui, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: AR/2021/5000402

Page: 97 of 107

Test Graph



QP Detector

Suspected List

Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	35.4331	26.90	-23.81	40.00	13.10	178	332	Vertical			
2	49.4039	25.82	-21.37	40.00	14.18	195	332	Vertical			
3	54.6429	28.76	-22.05	40.00	11.24	184	10	Vertical			
4	156.319	22.79	-25.65	43.50	20.71	187	329	Vertical			
5	203.082	24.02	-22.28	43.50	19.48	201	308	Vertical			
6	850.202	26.83	-8.54	46.00	19.17	236	219	Vertical			

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authernicity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

or email: CMLOcethock@sas.com If Full D. Budding (Manghong Chang-Some Park, Mol.37), Keyara 3rd Road, Fengtong New Town, Xia, Shearni, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: AR/2021/5000402

Page: 98 of 107

Transmitter Emission above 1GHz

GFSK_Channel 0

Test Graph



Suspected List

PK Detector

* AV Detector

dopeoted Elot											
Susp	ected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2963.29	38.68	7.84	74.00	35.32	362	110	Horizontal			
2	3017.40	28.48	-23.82	54.00	25.52	222	88	Horizontal			
3	4804.27	51.70	-18.29	74.00	22.30	185	218	Horizontal			
4	4804.87	47.65	-18.29	54.00	6.35	252	203	Horizontal			
5	7206.00	34.84	-10.65	54.00	19.16	169	160	Horizontal			
6	7206.00	45.41	-10.65	74.00	28.59	188	291	Horizontal			

Final Data List






Report No.: AR/2021/5000402

Page: 99 of 107

GFSK _Channel 0

Test Graph



→ PK Detector

→ AV Detector

Suspected List

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2920.69	38.77	7.86	74.00	35.23	263	359	Vertical
2	2949.29	28.98	7.98	54.00	25.02	242	136	Vertical
3	4803.67	52.49	-18.29	74.00	21.51	288	174	Vertical
4	4804.87	48.33	-18.29	54.00	5.67	212	188	Vertical
5	7206.00	35.96	-10.65	54.00	18.04	263	277	Vertical
6	7206.00	45.10	-10.65	74.00	28.90	272	305	Vertical

Final Data List






Report No.: AR/2021/5000402

Page: 100 of 107

GFSK_Channel 39

Test Graph



Suspected List

PK Detector

* AV Detector

Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	3347.41	39.07	-23.15	74.00	34.93	154	131	Horizontal			
2	3541.82	28.68	-22.73	54.00	25.32	241	275	Horizontal			
3	4882.27	53.64	-17.99	74.00	20.36	246	217	Horizontal			
4	4882.87	50.08	-17.99	54.00	3.92	195	231	Horizontal			
5	7323.00	44.51	-10.41	74.00	29.49	177	348	Horizontal			
6	7323.00	35.24	-10.41	54.00	18.76	249	56	Horizontal			

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.com/en/Terms-and-Conditions/Terms-e-Document.aspx.com/en/Terms-and-Conditions/Terms-e-Document.aspx.com/en/Terms-and-Conditions/Terms-e-Document.aspx.com/en/Terms-and-Conditions/Terms-e-Document.aspx.com/en/Terms-and-Conditions/Terms-e-Document.aspx.com/en/Terms-and-Conditions/Terms-e-Document.aspx.com/en/Terms-and-Conditions/Terms-e-Document.aspx.com/en/Terms-and-Conditions/Terms-e-Document.aspx.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-e-Document.aspx.com/en/Terms-e-Document.aspx.com/en/Terms-e-Document.aspx.com/en/Terms-e-Document.aspx.com/en/Terms-e-Document.aspx.com/en/Terms-e-Document.aspx.com/en/Terms-e-Document.aspx.com/e




Report No.: AR/2021/5000402

Page: 101 of 107

GFSK_Channel 39

Test Graph



◆ PK Detector

* AV Detector

Suspected List

Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	3526.22	38.70	-22.55	74.00	35.30	152	305	Vertical			
2	3540.62	28.50	-22.72	54.00	25.50	218	187	Vertical			
3	4881.67	54.11	-17.99	74.00	19.89	342	187	Vertical			
4	4882.27	50.69	-17.99	54.00	3.31	330	187	Vertical			
5	7323.00	44.83	-10.41	74.00	29.17	215	332	Vertical			
6	7323.00	35.24	-10.41	54.00	18.76	118	334	Vertical			

Final Data List






Report No.: AR/2021/5000402

Page: 102 of 107

GFSK _Channel 78

Test Graph



Suspected List

PK Detector

* AV Detector

Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2979.89	39.39	7.90	74.00	34.61	302	174	Horizontal			
2	3005.40	28.29	-23.86	54.00	25.71	182	247	Horizontal			
3	4959.67	53.18	-17.38	74.00	20.82	252	218	Horizontal			
4	4960.27	49.44	-17.38	54.00	4.56	186	232	Horizontal			
5	7440.00	38.63	-9.00	54.00	15.37	122	44	Horizontal			
6	7440.00	46.17	-9.00	74.00	27.83	163	290	Horizontal			

Final Data List






Report No.: AR/2021/5000402

Page: 103 of 107

GFSK _Channel 78

Test Graph



Suspected List

PK Detector

* AV Detector

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2924.19	28.23	7.92	54.00	25.77	172	277	Vertical
2	2934.59	39.04	7.97	74.00	34.96	163	163	Vertical
3	4960.27	54.53	-17.38	74.00	19.47	263	189	Vertical
4	4960.87	50.61	-17.38	54.00	3.39	284	189	Vertical
5	7440.00	37.57	-9.00	54.00	16.43	209	358	Vertical
6	7440.00	47.84	-9.00	74.00	26.16	274	277	Vertical

Final Data List

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Factor = Antenna Factor + Cable Factor - Preamplifier Factor

Final Test Level =Receiver Reading + Factor

- 2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz and 18GHz to 25GHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3)As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-appy.aspy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.aspy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy



Report No.: AR/2021/5000402

Page: 104 of 107


Restricted bands around fundamental frequency

Test plots

Worst Case Mode (GFSK(DH5))

GFSK _Channel 0

Test Graph



Suspected List

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2387.06	47.31	9.52	74.00	26.69	187	145	Horizontal
2	2387.51	32.90	9.54	54.00	21.10	156	25	Horizontal
3	2390.00	45.82	9.60	74.00	28.18	214	60	Horizontal
4	2390.00	33.10	9.60	54.00	20.90	204	145	Horizontal
5	2402.00	110.15	9.87	0.00	-110.15	189	211	Horizontal
6	2402.00	87.86	9.87	0.00	-87.86	144	156	Horizontal

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.




Report No.: AR/2021/5000402

Page: 105 of 107

GFSK _Channel 0

Test Graph



★ PK Detector
★ AV Detector

Suspected List

Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2387.66	46.34	9.54	74.00	27.66	235	117	Vertical			
2	2388.41	32.96	9.56	54.00	21.04	224	18	Vertical			
3	2390.00	32.91	9.60	54.00	21.09	215	125	Vertical			
4	2390.00	45.40	9.60	74.00	28.60	241	127	Vertical			
5	2402.00	102.58	9.87	0.00	-102.58	274	15	Vertical			
6	2402.00	87.79	9.87	0.00	-87.79	231	23	Vertical			

Final Data List






Report No.: AR/2021/5000402

Page: 106 of 107

GFSK _Channel 78

Test Graph



★ PK Detector
★ AV Detector

Suspected List

Suspected List												
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2480.00	111.22	8.47	0.00	-111.22	189	187	Horizontal				
2	2480.00	87.70	8.47	0.00	-87.70	254	142	Horizontal				
3	2483.50	48.68	8.48	74.00	25.32	144	14	Horizontal				
4	2483.50	33.56	8.48	54.00	20.44	166	78	Horizontal				
5	2485.44	49.56	8.49	74.00	24.44	125	125	Horizontal				
6	2486.59	33.70	8.49	54.00	20.30	204	264	Horizontal				

Final Data List






Report No.: AR/2021/5000402

Page: 107 of 107

GFSK _Channel 78

Test Graph



★ PK Detector

AV Detector

Suspected List

Suspected List												
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2480.00	101.69	8.47	0.00	-101.69	322	145	Vertical				
2	2480.00	88.57	8.47	0.00	-88.57	305	254	Vertical				
3	2483.50	45.90	8.48	74.00	28.10	340	233	Vertical				
4	2483.50	32.42	8.48	54.00	21.58	146	145	Vertical				
5	2484.44	55.11	8.49	74.00	18.89	285	199	Vertical				
6	2485.44	32.24	8.49	54.00	21.76	325	204	Vertical				

Final Data List

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Factor= Antenna Factor + Cable Factor - Preamplifier Factor

Final Test Level =Receiver Reading + Factor

All Modes have been tested, but only the worst case data displayed in this report.

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-en-Document.aspy.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-appy.aspy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.aspy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy.com/en/Terms-and-Conditions-appy