


15:51:20 OCT 04, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 21.2 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



CENTER 890.0 MHz
#IF BW 30 kHz

AVG BW 30 kHz

SPAN 100.0 MHz
SWP 333 msec

15:53:36 OCT 04, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800


ACTV DET: PEAK
MEAS DET: PEAK QP AVG

2

LOG REF 21.2 dBm
REF OFFST 21.2 dB

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 30 MHz

#IF BW 30 kHz

AVG BW 30 kHz

STOP 2.694 GHz

SWP 8.88 sec

2


15:55:04 OCT 04, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 21.2 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 2.694 GHz

#IF BW 30 kHz

AVG BW 30 kHz

STOP 9.000 GHz

SWP 21.0 sec

3

3

16:01:08 OCT 04, 2000
HP FOXCOM LITENNA CDMA/TDMA/AMPS 800


4

ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 891.40 MHz
-53.74 dBm

REF OFFST 21.2 dB
LOG REF 21.2 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



4

15:58:37 OCT 04, 2000
hp FOXCOM LITENNA CDMA/TDMA/AMPS 800


5

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 21.2 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 30 MHz
#IF BW 30 kHz

AVG BW 30 kHz

STOP 2.694 GHz
SWP 8.88 sec

HA 5

15:57:30 OCT 04, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

6


ACTV DET: PEAK
MEAS DET: PEAK QP AVG

REF OFFST 21.2 dB

LOG REF 21.2 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 2.694 GHz

#IF BW 30 kHz

AVG BW 30 kHz

STOP 9.000 GHz

SWP 21.0 sec

16


10:58:00 OCT 05, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 15.0 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



CENTER 892.970 MHz
#IF BW 1.0 KHz

AVG BW 1 KHz

SPAN 1.000 MHz
SWP 3.00 sec


10:59:47 OCT 05, 2000
HP FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 15.0 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR




CENTER 870.030 MHz
#IF BW 1.0 kHz

AVG BW 1 kHz

SPAN 1.000 MHz
SWP 3.00 sec

11:01:21 OCT 05, 2000
 FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
 MEAS DET: PEAK QP AVG



CENTER 870.50 MHz SPAN 10.00 MHz
 #IF BW 30 kHz AVG BW 30 kHz SWP 33.3 msec

11:05:18 OCT 05, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

10

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 15.0 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



CENTER 892.50 MHz

#IF BW 30 KHz


AVG BW 30 KHz

SPAN 10.00 MHz

SWP 33.3 msec

11:06:27 OCT 05, 2000
 FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
 MEAS DET: PEAK QP AVG




11:07:26 OCT 05, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 15.0 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR




START 2.694 GHz STOP 9.000 GHz
#IF BW 30 KHz AVG BW 30 KHz SWP 21.0 sec

11:09:23 OCT 05, 2000
 HP FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
 MEAS DET: PEAK QP AVG


LOG REF OFFST 21.2 dB
 REF 15.0 dBm



START 2.694 GHz STOP 9.000 GHz
 #IF BW 30 kHz AVG BW 30 kHz SWP 21.0 sec

11: 10: 12 OCT 05, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
MEAS DET: PEAK QP AVG



11:54:36 OCT 05, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800


15

ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 892.00988 MHz
-1.84 dBm

LOG REF 11.0 dBm
REF OFFST 21.2 dB

10
dB/
ATN
10 dB

VA SB
SC FC
CORR



CENTER 892.00000 MHz
#IF BW 300 Hz


AVG BW 300 Hz

SPAN 50.00 kHz
SWP 1.67 sec

11:58:46 OCT 05, 2000
hp FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 892.00988 MHz
-17.92 dBm

LOG REF OFFST 21.2 dB
REF -3.0 dBm



CENTER 892.00000 MHz SPAN 50.00 kHz
#IF BW 300 Hz AVG BW 300 Hz SWP 1.67 sec


10:38:17 OCT 10, 2000
 FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
 MEAS DET: PEAK QP AVG

LOG REF 21.2 dBm
 REF OFFST 21.2 dB

10
 dB/
 ATN
 10 dB

DL
 -13.0
 dBm
 VA SB
 SC FC
 CORR



CENTER 890.05 MHz
 #IF BW 30 KHz

AVG BW 30 KHz

SPAN 50.00 MHz
 SWP 167 msec


10: 47: 31 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF 21.2 dBm
REF OFFST 21.2 dB

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR




START 30 MHz
#IF BW 30 kHz
AVG BW 30 kHz
STOP 2.679 GHz
SWP 8.83 sec

10: 49: 46 OCT 10, 2000
 / FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
 MEAS DET: PEAK QP AVG

LOG REF 21.2 dBm
 REF OFFST 21.2 dB



START 2.679 GHz STOP 9.000 GHz
 #IF BW 30 KHz AVG BW 30 KHz SWP 21.1 sec

11:00:12 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK

MEAS DET: PEAK QP AVG

MKR 873.18 MHz

-37.11 dBm


REF OFFST 21.2 dB

LOG REF 21.2 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm

VA SB
SC FC
CORR



CENTER 873.18 MHz

#IF BW 30 kHz

AVG BW 30 kHz

SPAN 50.00 MHz

SWP 167 msec

22 21


10:55:05 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 21.2 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 30 MHz

STOP 2.679 GHz

#IF BW 30 kHz


AVG BW 30 kHz

SWP 8.83 sec

10: 54: 15 OCT 10, 2000
hp FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 21.2 dBm



START 2.679 GHz STOP 9.000 GHz
#IF BW 30 KHz AVG BW 30 KHz SWP 21.1 sec

11:15:27 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

23

ACTV DET: PEAK

MEAS DET: PEAK QP AVG


MKR 870.993 MHz

17.26 dBm

LOG REF 21.2 dBm
REF OFFST 21.2 dB

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



CENTER 871.005 MHz
#IF BW 30 kHz

AVG BW 30 kHz

SPAN 1.000 MHz
SWP 20.0 msec

11:19:13 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800


24

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 21.2 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 30 MHz

#IF BW 30 kHz

AVG BW 30 kHz

STOP 2.679 GHz

SWP 8.83 sec


11:20:50 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 21.2 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 2.679 GHz

#IF BW 30 kHz

AVG BW 30 kHz

STOP 9.000 GHz


SWP 21.1 sec

11:24:25 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

26

ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 892.993 MHz
18.27 dBm

REF OFFST 21.2 dB
LOG REF 21.2 dBm



CENTER 892.960 MHz
#IF BW 30 kHz

AVG BW 30 kHz

SPAN 1.000 MHz
SWP 20.0 msec

11:25:55 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800


27

ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 1.441 GHz
-54.15 dBm

REF OFFST 21.2 dB
LOG REF 21.2 dBm

10
dB/
ATN
10 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 30 MHz

#IF BW 30 kHz

AVG BW 30 kHz


STOP 2.679 GHz

SWP 8.83 sec

11:27:03 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 6.045 GHz
-55.63 dBm

LOG REF 21.2 dBm
REF OFFST 21.2 dB



START 2.679 GHz STOP 9.000 GHz
#IF BW 30 KHz AVG BW 30 KHz SWP 21.1 sec

11:37:39 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

29

ACTV DET: PEAK

MEAS DET: PEAK QP AVG

MKR 852.998 MHz

18.48 dBm


REF OFFST 21.2 dB

LOG REF 31.2 dBm

10
dB/
ATN
20 dB

DL
-13.0
dBm

VA SB
SC FC
CORR



CENTER 853.055 MHz

#IF BW 30 kHz

AVG BW 30 kHz

SPAN 1.000 MHz

SWP 20.0 msec

11:39:22 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800


ACTV DET: PEAK
MEAS DET: PEAK QP AVG

30

LOG REF 31.2 dBm
REF OFFST 21.2 dB

10
dB/
ATN
20 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 30 MHz

#IF BW 30 kHz

AVG BW 30 kHz

STOP 2.679 GHz

SWP 8.83 sec

11: 41: 32 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800


31

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 31.2 dBm

10
dB/
ATN
20 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 2.679 GHz

#IF BW 30 KHz

AVG BW 30 KHz

STOP 9.000 GHz

SWP 21.1 sec

11:50:07 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

32

ACTV DET: PEAK

MEAS DET: PEAK QP AVG


MKR 866.998 MHz

19.51 dBm

LOG REF OFFST 21.2 dB
REF 31.2 dBm

10
dB/
ATN
20 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



CENTER 866.948 MHz

#IF BW 30 kHz

AVG BW 30 kHz

SPAN 1.000 MHz

SWP 20.0 msec


11:46:39 OCT 10, 2000
 FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
 MEAS DET: PEAK QP AVG

LOG REF 31.2 dBm
 REF OFFST 21.2 dB

10
 dB/
 ATN
 20 dB

DL
 -13.0
 dBm
 VA SB
 SC FC
 CORR



START 30 MHz

#IF BW 30 kHz

AVG BW 30 kHz

STOP 2.679 GHz

SWP 8.83 sec

11:44:40 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
MEAS DET: PEAK QP AVG


34

REF OFFST 21.2 dB

LOG REF 31.2 dBm

10
dB/
ATN
20 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 2.679 GHz

#IF BW 30 KHz

AVG BW 30 KHz

STOP 9.000 GHz

SWP 21.1 sec

11:53:32 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800


35

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF 17.2 dBm
REF OFFST 21.2 dB

10
dB/
ATN
10 dB

VA SB
SC FC
CORR



CENTER 866.8960 MHz

#IF BW 1.0 kHz

AVG BW 1 kHz

SPAN 100.0 kHz

SWP 300 msec

11:59:13 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800


29

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 1.2 dB
REF 1.2 dBm

10
dB/
ATN
10 dB

VA SB
SC FC
CORR



CENTER 866.8960 MHz
#IF BW 1.0 kHz


AVG BW 1 kHz

SPAN 100.0 kHz
SWP 300 msec

12:01:34 OCT 10, 2000
 HP FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK
 MEAS DET: PEAK QP AVG

LOG REF OFFST 1.2 dB
 REF 1.2 dBm




CENTER 893.0000 MHz SPAN 100.0 kHz
 #IF BW 1.0 kHz AVG BW 1 kHz SWP 300 msec

12:04:46 OCT 10, 2000
 FOXCOM LITENNA CDMA/TDMA/AMPS 800

ACTV DET: PEAK

MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
 LOG REF 15.2 dBm



CENTER 893.0000 MHz
 #IF BW 1.0 kHz

AVG BW 1 kHz


SPAN 100.0 kHz
 SWP 300 msec

12:07:32 OCT 10, 2000
FOXCOM LITENNA CDMA/TDMA/AMPS 800

39

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF 2.2 dBm
REF OFFST 21.2 dB



CENTER 892.000 MHz
#IF BW 10 KHz

AVG BW 10 KHz

SPAN 5.000 MHz
SWP 150 msec

12:09:35 OCT 10, 2000
hp FOXCOM LITENNA CDMA/TDMA/AMPS 800

40

ACTV DET: PEAK


MEAS DET: PEAK QP AVG

REF OFFST 1.2 dB

LOG REF -9.8 dBm

10
dB/
ATN
10 dB

VA SB
SC FC
CORR



CENTER 892.000 MHz

#IF BW 10 KHz

AVG BW 10 KHz

SPAN 5.000 MHz

SWP 150 msec

13:45:57 OCT 10, 2000
FOXCOM LITENNA IDEN/LMR


91

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF 30.2 dBm
REF OFFST 21.2 dB

10
dB/
ATN
20 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



CENTER 867.000 MHz
#IF BW 30 KHz


AVG BW 30 KHz

SPAN 5.000 MHz
SWP 20.0 msec

13: 48: 10 OCT 10, 2000
FOXCOM LITENNA IDEN/LMR

42


ACTV DET: PEAK
MEAS DET: PEAK QP AVG



13: 51: 41 OCT 10, 2000
FOXCOM LITENNA IDEN/LMR

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 30.2 dBm




START 2.679 GHz STOP 9.000 GHz
#IF BW 30 kHz AVG BW 30 kHz SWP 21.1 sec

13: 54: 25 OCT 10, 2000
/P FOXCOM LITENNA IDEN/LMR

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 30.2 dBm



CENTER 853.000 MHz SPAN 5.000 MHz
#IF BW 30 KHz AVG BW 30 KHz SWP 20.0 msec

13:57:41 OCT 10, 2000
FOXCOM LITENNA IDEN/LMR


45

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 30.2 dBm

10
dB/
ATN
20 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 30 MHz

#IF BW 30 kHz

AVG BW 30 kHz

STOP 2.679 GHz

SWP 8.83 sec

13: 59: 07 OCT 10, 2000
FOXCOM LITENNA IDEN/LMR


46

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 30.2 dBm

10
dB/
ATN
20 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 2.679 GHz

#IF BW 30 kHz


AVG BW 30 kHz

STOP 9.000 GHz

SWP 21.1 sec

14:23:52 OCT 10, 2000
FOXCOM LITENNA IDEN/LMR

ACTV DET: PEAK
MEAS DET: PEAK QP AVG



14:25:43 OCT 10, 2000
FOXCOM LITENNA IDEN/LMR


48

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 1.2 dB
REF 3.2 dBm

10
dB/
ATN
20 dB

VA SB
SC FC
CORR



CENTER 853.07400 MHz

#IF BW 300 Hz

AVG BW 300 Hz


SPAN 50.00 kHz

SWP 1.67 sec

14:35:04 OCT 10, 2000
HP FOXCOM LITENNA PAGING/SMR

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF 23.2 dBm
REF OFFST 21.2 dB




CENTER 939.950 MHz SPAN 2.000 MHz
#IF BW 30 kHz AVG BW 30 kHz SWP 20.0 msec

14:41:46 OCT 10, 2000
 /~~17~~ FOXCOM LITENNA PAGING/SMR

ACTV DET: PEAK
 MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
 REF 23.2 dBm



START 30 MHz STOP 2.679 GHz
 #IF BW 30 kHz AVG BW 30 kHz SWP 8.83 sec


14: 42: 55 OCT 10, 2000
 FOXCOM LITENNA PAGING/SMR

ACTV DET: PEAK
 MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
 REF 23.2 dBm

10
 dB/
 ATN
 20 dB

 DL
 -13.0
 dBm
 VA SB
 SC FC
 CORR



START 2.679 GHz

STOP 9.000 GHz

#IF BW 30 kHz

AVG BW 30 kHz

SWP 21.1 sec


14:45:29 OCT 10, 2000
HP FOXCOM LITENNA PAGING/SMR

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 23.2 dBm

10
dB/
ATN
20 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



CENTER 936.950 MHz
#IF BW 30 kHz


AVG BW 30 kHz

SPAN 2.000 MHz
SWP 20.0 msec

14: 46: 44 OCT 10, 2000
 HP FOXCOM LITENNA PAGING/SMR

ACTV DET: PEAK
 MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
 REF 23.2 dBm




START 30 MHz STOP 2.679 GHz
 #IF BW 30 kHz AVG BW 30 kHz SWP 8.83 sec

14: 47: 46 OCT 10, 2000
HP FOXCOM LITENNA PAGING/SMR

ACTV DET: PEAK
MEAS DET: PEAK QP AVG


LOG REF OFFST 21.2 dB
REF 23.2 dBm



85

14:55:39 OCT 10, 2000
HP FOXCOM LITENNA PAGING/SMR


ACTV DET: PEAK
MEAS DET: PEAK QP AVG



14:53:33 OCT 10, 2000
HP FOXCOM LITENNA PAGING/SMR

56

ACTV DET: PEAK
MEAS DET: PEAK QP AVG



14: 49: 50 OCT 10, 2000
FOXCOM LITENNA PAGING/SMR


57

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 23.2 dBm

10
dB/
ATN
20 dB

DL
-13.0
dBm
VA SB
SC FC
CORR



START 2.679 GHz

#IF BW 30 kHz

AVG BW 30 kHz

STOP 9.000 GHz

SWP 21.1 sec

14:57:52 OCT 10, 2000
FOXCOM LITENNA PAGING/SMR


58

ACTV DET: PEAK
MEAS DET: PEAK QP AVG

LOG REF OFFST 21.2 dB
REF 15.2 dBm

10
dB/
ATN
10 dB

VA SB
SC FC
CORR



CENTER 938.00000 MHz

#IF BW 300 Hz

AVG BW 300 Hz


SPAN 50.00 kHz

SWP 1.67 sec

15:00:05 OCT 10, 2000
 FOXCOM LITENNA PAGING/SMR

ACTV DET: PEAK
 MEAS DET: PEAK QP AVG

LOG REF OFFST 1.2 dB
 REF 2.2 dBm



CENTER 938.00000 MHz SPAN 50.00 kHz
 #IF BW 300 Hz AVG BW 300 Hz SWP 1.67 sec