

*ATTEN 40dB VAVG 25 ΔMKR -1.50dB
RL 26.0dBm 10dB/ 1.296MHz

QUALCOMM INC
QCT 7200

D
OCCUPIED BW
%OCC 99.00
1.300MHz

CENTER 1.8800000GHz SPAN 2.500MHz
*RBW 30kHz *VBW 30kHz *SWP 5.00sec

23: 46: 38 OCT 27, 1998
~~HP~~ QUALCOMM INC OCT 7200
 REF 26.0 dBm AT 40 dB

SMPL
LOG
10
dB/

MARKER
NORMAL

MARKER
△

MARKER
AMPTD


AVG
25

SELECT
1 2 3 4

WA SB
SC FC
CORR

MARKER 1
ON OFF

More
1 of 2



CENTER 1.88000 GHz
 #RES BW 30 KHz

#VBW 30 KHz

SPAN 10.00 MHz
 SWP 33.3 msec

23: 40: 40 OCT 27, 1998
QUALCOMM INC OCT 7200
REF 26.0 dBm AT 40 dB

PEAK
LOG
10
dB/

MA SE
SC FO
CORR

MARKER
NORMAL


MARKER
Δ

MARKER
AMPTD

SELECT
1 2 3 4

MARKER 1
ON OFF

More
1 of 2



CENTER 1.88000 GHz SPAN 10.00 MHz
#RES BW 30 kHz #VBW 30 kHz SWP 33.3 msec

23: 33: 24 OCT 27, 1998
 QUALCOMM INC QCT 7200
 REF 26.0 dBm AT 40 dB

PEAK
 LOG
 10
 dB/

VA SE
 SC FC
 CORR

MARKER
 NORMAL


MARKER
 Δ

MARKER
 AMPTD

SELECT
 1 2 3 4


MARKER 1
 ON OFF

More
 1 of 2



START 0 Hz STOP 2.000 GHz
 #RES BW 30 kHz #VBW 30 kHz SWP 6.67 sec

22:36:04 OCT 27, 1998
 QUALCOMM INC QCT 7200
 REF 26.0 dBm AT 40 dB



START 2.900 GHz

#RES BW 30 kHz

#VBW 30 kHz

STOP 4.000 GHz


#SWP 5.00 sec

CDMA
Channel 600

20:39:09 OCT 27, 1998
QUALCOMM INC QCT 7200
REF 26.0 dBm AT 40 dB

PEAK
LOG
10
dB/

WA SB
SC FC
CORR



START 1.800 GHz

#RES BW 30 kHz

#VBW 30 kHz

STOP 2.900 GHz

#SWP 5.00 sec