











11. SETUP PHOTOS

RADIATED AND LINE CONDUCTED EMISSIONS MEASUREMENT SETUP	
	
RADIATED FRONT PHOTO (BELOW 30 MHz)	RADIATED BACK PHOTO (BELOW 30 MHz)
	
RADIATED FRONT PHOTO (BELOW 1 GHz)	RADIATED BACK PHOTO (BELOW 1 GHz)
	
LINE CONDUCTED EMISSIONS (FRONT)	LINE CONDUCTED EMISSIONS (BACK)

RADIATED EMISSIONS MEASUREMENT CONFIGURATION AND FREQUENCY TOLERANCE OVER EXTREME CONDITIONS	
 A photograph showing a device labeled '11785223' in a horizontal orientation on a test surface. A smartphone is placed on top of the device, displaying a test menu. Cables and a red cloth are visible in the background.	 A photograph showing the device '11785223' in a vertical orientation. A smartphone is mounted on top, displaying the test menu. The setup is on a white surface with blue tape.
X-AXIS ORIENTATION	Y-AXIS ORIENTATION
 A photograph showing the device '11785223' in a vertical orientation, similar to the Y-axis setup, with a smartphone on top displaying the test menu.	 A photograph of an anechoic chamber with a metal mesh floor. A small sign with the number '11785223' is placed on the floor. Various tools and equipment are visible inside the chamber.
Z-AXIS ORIENTATION	FREQUENCY TOLERANCE OVER EXTREME CONDITIONS

END OF REPORT