
































**For Partial RU:****Maximum conducted output power****Test Result Average**


Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Set Power	Average power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20	Ant6	2412	26Tone	RU0	10	9.23	96.23	0.17	9.40	≤30.00	-1.30	8.10	≤36.00	PASS
			52Tone	RU37	12	11.38	96.23	0.17	11.55	≤30.00	-1.30	10.25	≤36.00	PASS
			106Tone	RU53	14.5	14.10	96.23	0.17	14.27	≤30.00	-1.30	12.97	≤36.00	PASS
		2462	26Tone	RU8	9.5	8.67	96.23	0.17	8.84	≤30.00	-1.30	7.54	≤36.00	PASS
			52Tone	RU40	12	11.42	96.23	0.17	11.59	≤30.00	-1.30	10.29	≤36.00	PASS
			106Tone	RU54	14.5	14.23	96.23	0.17	14.40	≤30.00	-1.30	13.10	≤36.00	PASS


Maximum power spectral density**Test Result**



TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20	Ant6	2412	26Tone	RU0	-7.28	≤8.00	PASS
			52Tone	RU37	-7.52	≤8.00	PASS
			106Tone	RU53	-7.54	≤8.00	PASS
		2462	26Tone	RU8	-7.30	≤8.00	PASS
			52Tone	RU40	-7.25	≤8.00	PASS
			106Tone	RU54	-7.29	≤8.00	PASS



Test Graphs











Appendix B. AC Conducted Emission Test Results





Test Engineer :	TaoZhang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15C_QP LISN_2024-N-1 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.24	35.43	-16.65	52.08	15.60	9.68	10.15	Average
2	0.24	48.03	-14.05	62.08	28.20	9.68	10.15	QP
3	0.27	36.03	-15.17	51.20	16.20	9.68	10.15	Average
4 *	0.27	48.53	-12.67	61.20	28.70	9.68	10.15	QP
5	0.39	32.08	-15.91	47.99	12.20	9.70	10.18	Average
6	0.39	42.68	-15.31	57.99	22.80	9.70	10.18	QP
7	0.59	29.41	-16.59	46.00	9.50	9.69	10.22	Average
8	0.59	36.51	-19.49	56.00	16.60	9.69	10.22	QP
9	0.77	23.41	-22.59	46.00	3.50	9.68	10.23	Average
10	0.77	36.21	-19.79	56.00	16.30	9.68	10.23	QP
11	29.06	29.58	-20.42	50.00	9.10	9.96	10.52	Average
12	29.06	40.08	-19.92	60.00	19.60	9.96	10.52	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Reid Huang	Relative Humidity :	44~50%
		Temperature :	22-24℃

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	6	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	6	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	6	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	6	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	6	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	6	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	6	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 8	2400-2483.5	6	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 9	2400-2483.5	6	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 10	2400-2483.5	6	802.11ax HE40	03	2422	MCS0	Full RU	-
Mode 11	2400-2483.5	6	802.11ax HE40	09	2452	MCS0	Full RU	-
Mode 12	2400-2483.5	6	802.11ax HE20	01	2412	MCS0	Partial_RU 26/0	-
Mode 13	2400-2483.5	6	802.11ax HE20	11	2462	MCS0	Partial_RU 52/40	-
Mode 14	2400-2483.5	6	802.11ax HE40	09	2452	MCS0	-	LF
Mode 15	CO_TX	6	802.11ax HE40	09	2452	MCS0	Full RU	-
		1	LTE Band48 Link					-
Mode 16	2400-2483.5	6	802.11ax HE20	10	2457	MCS0	Full RU	-
Mode 17	2400-2483.5	6	802.11ax HE40	06	2437	MCS0	Full RU	-
Mode 18	2400-2483.5	6	802.11ax HE40	08	2447	MCS0	Full RU	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2387.22	39.20	54.00	-14.80	V	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	46.21	54.00	-7.79	H	Average	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	4874.00	46.57	54.00	-7.43	H	Average	Pass	Harmonic
3	802.11b	11	2483.51	41.84	54.00	-12.16	H	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.00	45.30	54.00	-8.70	H	Average	Pass	Harmonic
4	802.11g	01	2389.95	49.86	54.00	-4.14	V	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	42.83	74.00	-31.17	H	Peak	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
5	802.11g	06	7311.00	44.75	74.00	-29.25	V	Peak	Pass	Harmonic
6	802.11g	11	2483.55	49.49	54.00	-4.51	V	AVERAGE	Pass	Band Edge
6	802.11g	11	7386.00	43.56	74.00	-30.44	H	Peak	Pass	Harmonic
7	802.11ax HE20	01	2389.43	49.22	54.00	-4.78	V	AVERAGE	Pass	Band Edge
7	802.11ax HE20	01	4824.00	41.90	74.00	-32.10	H	Peak	Pass	Harmonic
8	802.11ax HE20	06	2483.62	40.84	54.00	-13.16	H	AVERAGE	Pass	Band Edge
8	802.11ax HE20	06	7311.00	43.52	74.00	-30.48	H	Peak	Pass	Harmonic
9	802.11ax HE20	11	2483.51	49.51	54.00	-4.49	H	AVERAGE	Pass	Band Edge
9	802.11ax HE20	11	7386.00	44.30	74.00	-29.70	V	Peak	Pass	Harmonic
10	802.11ax HE40	03	2389.52	50.21	54	-3.79	V	AVERAGE	Pass	Band Edge
10	802.11ax HE40	03	-	-	-	-	-	-	-	Harmonic
11	802.11ax HE40	09	2483.54	50.72	54.00	-3.28	H	AVERAGE	Pass	Band Edge
11	802.11ax HE40	09	7356.00	44.66	74.00	-29.34	V	Peak	Pass	Harmonic
12	802.11ax HE20	01	2388.91	38.97	54.00	-15.03	V	AVERAGE	Pass	Band Edge
12	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
13	802.11ax HE20	11	2483.51	50.34	54.00	-3.66	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE40	09	844.80	30.81	46.00	-15.19	V	Peak	Pass	LF
15	CO_TX	-	2484.18	47.37	54.00	-6.63	H	Average	Pass	Band Edge
		-	7356.00	42.97	74.00	-31.03	V	Peak	Pass	Harmonic
16	802.11ax HE20	10	2483.57	50.48	54.00	-3.52	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	10	-	-	-	-	-	-	-	Harmonic
17	802.11ax HE40	06	2483.56	50.53	54.00	-3.47	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	06	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE40	08	2483.68	50.66	54.00	-3.34	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	08	-	-	-	-	-	-	-	Harmonic



Mode	1																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11b_CH01_2412MHz																																																																																											
ANT	6																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2370.84</td><td>49.28</td><td>74.00</td><td>-24.72</td><td>47.82</td><td>30.42</td><td>4.78</td><td>33.74</td><td>293</td><td>327</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2370.84	49.28	74.00	-24.72	47.82	30.42	4.78	33.74	293	327	PEAK	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>98.27</td><td>-----</td><td>-----</td><td>96.66</td><td>30.45</td><td>4.82</td><td>33.66</td><td>293</td><td>327</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	98.27	-----	-----	96.66	30.45	4.82	33.66	293	327	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2370.84	49.28	74.00	-24.72	47.82	30.42	4.78	33.74	293	327	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	98.27	-----	-----	96.66	30.45	4.82	33.66	293	327	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.96</td><td>39.04</td><td>54.00</td><td>-14.96</td><td>37.53</td><td>30.43</td><td>4.79</td><td>33.71</td><td>293</td><td>327</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2386.96	39.04	54.00	-14.96	37.53	30.43	4.79	33.71	293	327	AVERAGE	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>95.88</td><td>-----</td><td>-----</td><td>94.27</td><td>30.45</td><td>4.82</td><td>33.66</td><td>293</td><td>327</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	95.88	-----	-----	94.27	30.45	4.82	33.66	293	327	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2386.96	39.04	54.00	-14.96	37.53	30.43	4.79	33.71	293	327	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	95.88	-----	-----	94.27	30.45	4.82	33.66	293	327	AVERAGE																																																																																	





Mode	1																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11b_CH01_2412MHz																																																																																										
ANT	6																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.97</td><td>49.19</td><td>74.00</td><td>-24.81</td><td>47.69</td><td>30.43</td><td>4.79</td><td>33.72</td><td>255</td><td>267</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2383.97	49.19	74.00	-24.81	47.69	30.43	4.79	33.72	255	267	PEAK	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>100.11</td><td>-----</td><td>-----</td><td>98.50</td><td>30.45</td><td>4.82</td><td>33.66</td><td>255</td><td>267</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	100.11	-----	-----	98.50	30.45	4.82	33.66	255	267	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2383.97	49.19	74.00	-24.81	47.69	30.43	4.79	33.72	255	267	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2412.00	100.11	-----	-----	98.50	30.45	4.82	33.66	255	267	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>39.20</td><td>54.00</td><td>-14.80</td><td>37.69</td><td>30.43</td><td>4.79</td><td>33.71</td><td>255</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2387.22	39.20	54.00	-14.80	37.69	30.43	4.79	33.71	255	267	AVERAGE	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>97.76</td><td>-----</td><td>-----</td><td>96.15</td><td>30.45</td><td>4.82</td><td>33.66</td><td>255</td><td>267</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	97.76	-----	-----	96.15	30.45	4.82	33.66	255	267	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2387.22	39.20	54.00	-14.80	37.69	30.43	4.79	33.71	255	267	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2412.00	97.76	-----	-----	96.15	30.45	4.82	33.66	255	267	AVERAGE																																																																																







Mode	1																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																			
ANT	6																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>49.31</td><td>74.00</td><td>-24.69</td><td>72.96</td><td>33.83</td><td>7.75</td><td>65.23</td><td>100</td><td>339</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>46.21</td><td>54.00</td><td>-7.79</td><td>69.86</td><td>33.83</td><td>7.75</td><td>65.23</td><td>100</td><td>339</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	49.31	74.00	-24.69	72.96	33.83	7.75	65.23	100	339	Peak	2	4824.00	46.21	54.00	-7.79	69.86	33.83	7.75	65.23	100	339	Average	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>69.86</td><td>33.83</td><td>7.75</td><td>65.23</td><td>105</td><td>352</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>44.20</td><td>54.00</td><td>-9.80</td><td>67.85</td><td>33.83</td><td>7.75</td><td>65.23</td><td>105</td><td>352</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	46.21	74.00	-27.79	69.86	33.83	7.75	65.23	105	352	Peak	2	4824.00	44.20	54.00	-9.80	67.85	33.83	7.75	65.23	105	352	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	4824.00	49.31	74.00	-24.69	72.96	33.83	7.75	65.23	100	339	Peak																																																																																																									
2	4824.00	46.21	54.00	-7.79	69.86	33.83	7.75	65.23	100	339	Average																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	4824.00	46.21	74.00	-27.79	69.86	33.83	7.75	65.23	105	352	Peak																																																																																																									
2	4824.00	44.20	54.00	-9.80	67.85	33.83	7.75	65.23	105	352	Average																																																																																																									



Mode	2																																																																										
	Harmonic																																																																										
	2400-2483.5_802.11b_CH06_2437MHz																																																																										
ANT	6																																																																										
Pol.	Horizontal																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-01-02  PEAK_74 AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>48.61</td><td>74.00</td><td>-25.39</td><td>72.24</td><td>33.85</td><td>7.77</td><td>65.25</td><td>123</td><td>341</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>46.57</td><td>54.00</td><td>-7.43</td><td>70.20</td><td>33.85</td><td>7.77</td><td>65.25</td><td>123</td><td>341</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>44.60</td><td>74.00</td><td>-29.40</td><td>64.02</td><td>36.30</td><td>8.93</td><td>64.65</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	48.61	74.00	-25.39	72.24	33.85	7.77	65.25	123	341	Peak	2	4874.00	46.57	54.00	-7.43	70.20	33.85	7.77	65.25	123	341	Average	3	7311.00	44.60	74.00	-29.40	64.02	36.30	8.93	64.65	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																	
	1	4874.00	48.61	74.00	-25.39	72.24	33.85	7.77	65.25	123	341	Peak																																																															
2	4874.00	46.57	54.00	-7.43	70.20	33.85	7.77	65.25	123	341	Average																																																																
3	7311.00	44.60	74.00	-29.40	64.02	36.30	8.93	64.65	--	--	Peak																																																																
Vertical																																																																											
Level (dBuV/m) Date: 2025-01-02  PEAK_74 AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>70.98</td><td>33.85</td><td>7.77</td><td>65.25</td><td>100</td><td>352</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>68.91</td><td>33.85</td><td>7.77</td><td>65.25</td><td>100</td><td>352</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>44.47</td><td>74.00</td><td>-29.53</td><td>63.89</td><td>36.30</td><td>8.93</td><td>64.65</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	47.35	74.00	-26.65	70.98	33.85	7.77	65.25	100	352	Peak	2	4874.00	45.28	54.00	-8.72	68.91	33.85	7.77	65.25	100	352	Average	3	7311.00	44.47	74.00	-29.53	63.89	36.30	8.93	64.65	--	--	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	4874.00	47.35	74.00	-26.65	70.98	33.85	7.77	65.25	100	352	Peak																																																																
2	4874.00	45.28	54.00	-8.72	68.91	33.85	7.77	65.25	100	352	Average																																																																
3	7311.00	44.47	74.00	-29.53	63.89	36.30	8.93	64.65	--	--	Peak																																																																



Mode	3																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11b_CH11_2462MHz																																																																																										
ANT	6																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-01-02  PEAK_BE_74						Level (dBuV/m) Date: 2025-01-02  PEAK_74																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>50.50</td><td>74.00</td><td>-23.50</td><td>48.62</td><td>30.49</td><td>4.92</td><td>33.53</td><td>157</td><td>310</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	50.50	74.00	-23.50	48.62	30.49	4.92	33.53	157	310	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>98.18</td><td>-----</td><td>-----</td><td>96.38</td><td>30.48</td><td>4.89</td><td>33.57</td><td>157</td><td>310</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	98.18	-----	-----	96.38	30.48	4.89	33.57	157	310
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.51	50.50	74.00	-23.50	48.62	30.49	4.92	33.53	157	310	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	98.18	-----	-----	96.38	30.48	4.89	33.57	157	310	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-01-02  AVG_BE_54						Level (dBuV/m) Date: 2025-01-02  AVG_54																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>41.84</td><td>54.00</td><td>-12.16</td><td>39.96</td><td>30.49</td><td>4.92</td><td>33.53</td><td>157</td><td>310</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	41.84	54.00	-12.16	39.96	30.49	4.92	33.53	157	310	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>95.72</td><td>-----</td><td>-----</td><td>93.92</td><td>30.48</td><td>4.89</td><td>33.57</td><td>157</td><td>310</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	95.72	-----	-----	93.92	30.48	4.89	33.57	157	310
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.51	41.84	54.00	-12.16	39.96	30.49	4.92	33.53	157	310	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	95.72	-----	-----	93.92	30.48	4.89	33.57	157	310	AVERAGE																																																																																



Mode	3																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11b_CH11_2462MHz																																																																																											
ANT	6																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-02 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.27</td><td>50.62</td><td>74.00</td><td>-23.38</td><td>48.73</td><td>30.49</td><td>4.93</td><td>33.53</td><td>234</td><td>271</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2487.27	50.62	74.00	-23.38	48.73	30.49	4.93	33.53	234	271	PEAK	Level (dBuV/m) Date: 2025-01-02 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.00</td><td>-----</td><td>-----</td><td>96.20</td><td>30.48</td><td>4.89</td><td>33.57</td><td>234</td><td>271</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	98.00	-----	-----	96.20	30.48	4.89	33.57	234	271	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2487.27	50.62	74.00	-23.38	48.73	30.49	4.93	33.53	234	271	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2462.00	98.00	-----	-----	96.20	30.48	4.89	33.57	234	271	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-02 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>41.55</td><td>54.00</td><td>-12.45</td><td>39.67</td><td>30.49</td><td>4.92</td><td>33.53</td><td>234</td><td>271</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	41.55	54.00	-12.45	39.67	30.49	4.92	33.53	234	271	AVERAGE	Level (dBuV/m) Date: 2025-01-02 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.67</td><td>-----</td><td>-----</td><td>93.87</td><td>30.48</td><td>4.89</td><td>33.57</td><td>234</td><td>271</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	95.67	-----	-----	93.87	30.48	4.89	33.57	234	271	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.51	41.55	54.00	-12.45	39.67	30.49	4.92	33.53	234	271	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2462.00	95.67	-----	-----	93.87	30.48	4.89	33.57	234	271	AVERAGE																																																																																	







Mode	3																																																																												
	Harmonic																																																																												
	2400-2483.5_802.11b_CH11_2462MHz																																																																												
ANT	6																																																																												
Pol.	Horizontal																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>70.91</td><td>33.87</td><td>7.79</td><td>65.27</td><td>106</td><td>330</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>45.30</td><td>54.00</td><td>-8.70</td><td>68.91</td><td>33.87</td><td>7.79</td><td>65.27</td><td>106</td><td>330</td><td>Average</td></tr><tr><td>3</td><td>7386.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>63.81</td><td>36.30</td><td>9.17</td><td>64.59</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	47.30	74.00	-26.70	70.91	33.87	7.79	65.27	106	330	Peak	2	4924.00	45.30	54.00	-8.70	68.91	33.87	7.79	65.27	106	330	Average	3	7386.00	44.69	74.00	-29.31	63.81	36.30	9.17	64.59	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
	1	4924.00	47.30	74.00	-26.70	70.91	33.87	7.79	65.27	106	330	Peak																																																																	
2	4924.00	45.30	54.00	-8.70	68.91	33.87	7.79	65.27	106	330	Average																																																																		
3	7386.00	44.69	74.00	-29.31	63.81	36.30	9.17	64.59	--	--	Peak																																																																		
Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>69.91</td><td>33.87</td><td>7.79</td><td>65.27</td><td>105</td><td>320</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>44.39</td><td>54.00</td><td>-9.61</td><td>68.00</td><td>33.87</td><td>7.79</td><td>65.27</td><td>105</td><td>320</td><td>Average</td></tr><tr><td>3</td><td>7386.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>64.44</td><td>36.30</td><td>9.17</td><td>64.59</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	46.30	74.00	-27.70	69.91	33.87	7.79	65.27	105	320	Peak	2	4924.00	44.39	54.00	-9.61	68.00	33.87	7.79	65.27	105	320	Average	3	7386.00	45.32	74.00	-28.68	64.44	36.30	9.17	64.59	--	--	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	4924.00	46.30	74.00	-27.70	69.91	33.87	7.79	65.27	105	320	Peak																																																																		
2	4924.00	44.39	54.00	-9.61	68.00	33.87	7.79	65.27	105	320	Average																																																																		
3	7386.00	45.32	74.00	-28.68	64.44	36.30	9.17	64.59	--	--	Peak																																																																		





Mode	4																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11g_CH01_2412MHz																																																																																											
ANT	6																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>62.62</td><td>74.00</td><td>-11.38</td><td>61.08</td><td>30.44</td><td>4.80</td><td>33.70</td><td>312</td><td>209</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.69	62.62	74.00	-11.38	61.08	30.44	4.80	33.70	312	209	PEAK	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>97.20</td><td>-----</td><td>-----</td><td>95.57</td><td>30.45</td><td>4.83</td><td>33.65</td><td>312</td><td>209</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	97.20	-----	-----	95.57	30.45	4.83	33.65	312	209	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.69	62.62	74.00	-11.38	61.08	30.44	4.80	33.70	312	209	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	97.20	-----	-----	95.57	30.45	4.83	33.65	312	209	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>46.45</td><td>54.00</td><td>-7.55</td><td>44.91</td><td>30.44</td><td>4.80</td><td>33.70</td><td>312</td><td>209</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	46.45	54.00	-7.55	44.91	30.44	4.80	33.70	312	209	AVERAGE	Level (dBuV/m) Date: 2025-01-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>90.54</td><td>-----</td><td>-----</td><td>88.93</td><td>30.45</td><td>4.82</td><td>33.66</td><td>312</td><td>209</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	90.54	-----	-----	88.93	30.45	4.82	33.66	312	209	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.95	46.45	54.00	-7.55	44.91	30.44	4.80	33.70	312	209	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	90.54	-----	-----	88.93	30.45	4.82	33.66	312	209	AVERAGE																																																																																	



Mode	4																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11g_CH01_2412MHz																																																																																											
ANT	6																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-02  130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2310 2336 2362 2388 2414 2440 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>65.64</td><td>74.00</td><td>-8.36</td><td>64.10</td><td>30.44</td><td>4.80</td><td>33.70</td><td>134</td><td>243</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.69	65.64	74.00	-8.36	64.10	30.44	4.80	33.70	134	243	PEAK	Level (dBuV/m) Date: 2025-01-02  130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>98.67</td><td>-----</td><td>-----</td><td>97.06</td><td>30.45</td><td>4.82</td><td>33.66</td><td>134</td><td>243</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	98.67	-----	-----	97.06	30.45	4.82	33.66	134	243	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.69	65.64	74.00	-8.36	64.10	30.44	4.80	33.70	134	243	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	98.67	-----	-----	97.06	30.45	4.82	33.66	134	243	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-02  130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2310 2336 2362 2388 2414 2440 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>49.86</td><td>54.00</td><td>-4.14</td><td>48.32</td><td>30.44</td><td>4.80</td><td>33.70</td><td>134</td><td>243</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	49.86	54.00	-4.14	48.32	30.44	4.80	33.70	134	243	AVERAGE	Level (dBuV/m) Date: 2025-01-02  130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>91.52</td><td>-----</td><td>-----</td><td>89.91</td><td>30.45</td><td>4.82</td><td>33.66</td><td>134</td><td>243</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	91.52	-----	-----	89.91	30.45	4.82	33.66	134	243	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.95	49.86	54.00	-4.14	48.32	30.44	4.80	33.70	134	243	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	91.52	-----	-----	89.91	30.45	4.82	33.66	134	243	AVERAGE																																																																																	







Mode	4																																																																																												
	Harmonic																																																																																												
	2400-2483.5_802.11g_CH01_2412MHz																																																																																												
ANT	6																																																																																												
Pol.	Horizontal										Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-01-03  Frequency (MHz)										Level (dBuV/m) Date: 2025-01-03  Frequency (MHz)																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.83</td><td>74.00</td><td>-31.17</td><td>66.48</td><td>33.83</td><td>7.75</td><td>65.23</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	42.83	74.00	-31.17	66.48	33.83	7.75	65.23	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.32</td><td>74.00</td><td>-33.68</td><td>63.97</td><td>33.83</td><td>7.75</td><td>65.23</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.32	74.00	-33.68	63.97	33.83	7.75	65.23	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	4824.00	42.83	74.00	-31.17	66.48	33.83	7.75	65.23	--	--	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	4824.00	40.32	74.00	-33.68	63.97	33.83	7.75	65.23	--	--	Peak																																																																																		







Mode	5																																																																																																																		
	Harmonic																																																																																																																		
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																		
ANT	6																																																																																																																		
Pol.	Horizontal										Vertical																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-01-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>42.79</td><td>74.00</td><td>-31.21</td><td>66.42</td><td>33.85</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>43.45</td><td>74.00</td><td>-30.55</td><td>62.87</td><td>36.30</td><td>8.93</td><td>64.65</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.79	74.00	-31.21	66.42	33.85	7.77	65.25	--	--	Peak	2	7311.00	43.45	74.00	-30.55	62.87	36.30	8.93	64.65	--	--	Peak	Level (dBuV/m) Date: 2025-01-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>40.54</td><td>74.00</td><td>-33.46</td><td>64.17</td><td>33.85</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>44.75</td><td>74.00</td><td>-29.25</td><td>64.17</td><td>36.30</td><td>8.93</td><td>64.65</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	40.54	74.00	-33.46	64.17	33.85	7.77	65.25	--	--	Peak	2	7311.00	44.75	74.00	-29.25	64.17	36.30	8.93	64.65	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	4874.00	42.79	74.00	-31.21	66.42	33.85	7.77	65.25	--	--	Peak																																																																																																								
2	7311.00	43.45	74.00	-30.55	62.87	36.30	8.93	64.65	--	--	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	4874.00	40.54	74.00	-33.46	64.17	33.85	7.77	65.25	--	--	Peak																																																																																																								
2	7311.00	44.75	74.00	-29.25	64.17	36.30	8.93	64.65	--	--	Peak																																																																																																								



Mode	6																																																																																					
	Band Edge																																																																																					
	2400-2483.5_802.11g_CH11_2462MHz																																																																																					
ANT	6																																																																																					
Pol.	Horizontal					Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-01-02  PEAK_BE_74 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.81</td><td>66.55</td><td>74.00</td><td>-7.45</td><td>64.67</td><td>30.49</td><td>4.92</td><td>33.53</td><td>131</td><td>342 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.81	66.55	74.00	-7.45	64.67	30.49	4.92	33.53	131	342 PEAK	Level (dBuV/m) Date: 2025-01-02  PEAK_74 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2462.00</td><td>98.14</td><td>-----</td><td>-----</td><td>96.36</td><td>30.48</td><td>4.88</td><td>33.58</td><td>131</td><td>342 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	98.14	-----	-----	96.36	30.48	4.88	33.58	131	342 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2483.81	66.55	74.00	-7.45	64.67	30.49	4.92	33.53	131	342 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2462.00	98.14	-----	-----	96.36	30.48	4.88	33.58	131	342 PEAK																																																																													
Avg	Level (dBuV/m) Date: 2025-01-02  AVG_BE_54 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.70</td><td>48.38</td><td>54.00</td><td>-5.62</td><td>46.50</td><td>30.49</td><td>4.92</td><td>33.53</td><td>131</td><td>342 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.70	48.38	54.00	-5.62	46.50	30.49	4.92	33.53	131	342 AVERAGE	Level (dBuV/m) Date: 2025-01-02  AVG_54 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2462.00</td><td>90.24</td><td>-----</td><td>-----</td><td>88.46</td><td>30.48</td><td>4.88</td><td>33.58</td><td>131</td><td>342 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	90.24	-----	-----	88.46	30.48	4.88	33.58	131	342 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2483.70	48.38	54.00	-5.62	46.50	30.49	4.92	33.53	131	342 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2462.00	90.24	-----	-----	88.46	30.48	4.88	33.58	131	342 AVERAGE																																																																													



Mode	6																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11g_CH11_2462MHz																																																																																											
ANT	6																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-02  1 PEAK_BE_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.58</td><td>64.70</td><td>74.00</td><td>-9.30</td><td>62.82</td><td>30.49</td><td>4.92</td><td>33.53</td><td>276</td><td>273</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.58	64.70	74.00	-9.30	62.82	30.49	4.92	33.53	276	273	PEAK	Level (dBuV/m) Date: 2025-01-02  1 PEAK_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>98.06</td><td>74.00</td><td>24.06</td><td>96.28</td><td>30.48</td><td>4.88</td><td>33.58</td><td>276</td><td>273</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	98.06	74.00	24.06	96.28	30.48	4.88	33.58	276	273	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.58	64.70	74.00	-9.30	62.82	30.49	4.92	33.53	276	273	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2462.00	98.06	74.00	24.06	96.28	30.48	4.88	33.58	276	273	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-02  1 AVG_BE_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.55</td><td>49.49</td><td>54.00</td><td>-4.51</td><td>47.61</td><td>30.49</td><td>4.92</td><td>33.53</td><td>276</td><td>273</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.55	49.49	54.00	-4.51	47.61	30.49	4.92	33.53	276	273	AVERAGE	Level (dBuV/m) Date: 2025-01-02  1 AVG_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>91.38</td><td>-----</td><td>-----</td><td>89.59</td><td>30.48</td><td>4.89</td><td>33.58</td><td>276</td><td>273</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	91.38	-----	-----	89.59	30.48	4.89	33.58	276	273	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.55	49.49	54.00	-4.51	47.61	30.49	4.92	33.53	276	273	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2462.00	91.38	-----	-----	89.59	30.48	4.89	33.58	276	273	AVERAGE																																																																																	



Mode	6																																																																																																						
	Harmonic																																																																																																						
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																						
ANT	6																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-01-03 Frequency (MHz)						Level (dBuV/m) Date: 2025-01-03 Frequency (MHz)																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>42.21</td><td>74.00</td><td>-31.79</td><td>65.82</td><td>33.87</td><td>7.79</td><td>65.27</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7386.00</td><td>43.56</td><td>74.00</td><td>-30.44</td><td>62.68</td><td>36.30</td><td>9.17</td><td>64.59</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4924.00	42.21	74.00	-31.79	65.82	33.87	7.79	65.27	-- -- Peak	2	7386.00	43.56	74.00	-30.44	62.68	36.30	9.17	64.59	-- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>41.28</td><td>74.00</td><td>-32.72</td><td>64.89</td><td>33.87</td><td>7.79</td><td>65.27</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7386.00</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>62.52</td><td>36.30</td><td>9.17</td><td>64.59</td><td>-- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4924.00	41.28	74.00	-32.72	64.89	33.87	7.79	65.27	-- -- Peak	2	7386.00	43.40	74.00	-30.60	62.52	36.30	9.17	64.59	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																
1	4924.00	42.21	74.00	-31.79	65.82	33.87	7.79	65.27	-- -- Peak																																																																																														
2	7386.00	43.56	74.00	-30.44	62.68	36.30	9.17	64.59	-- -- Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																
1	4924.00	41.28	74.00	-32.72	64.89	33.87	7.79	65.27	-- -- Peak																																																																																														
2	7386.00	43.40	74.00	-30.60	62.52	36.30	9.17	64.59	-- -- Peak																																																																																														



Mode	7																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																											
ANT	6																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-03 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>64.95</td><td>74.00</td><td>-9.05</td><td>63.41</td><td>30.44</td><td>4.80</td><td>33.70</td><td>131</td><td>304</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.69	64.95	74.00	-9.05	63.41	30.44	4.80	33.70	131	304	PEAK	Level (dBuV/m) Date: 2025-01-03 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>98.64</td><td>-----</td><td>-----</td><td>97.01</td><td>30.45</td><td>4.83</td><td>33.65</td><td>131</td><td>304</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	98.64	-----	-----	97.01	30.45	4.83	33.65	131	304	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.69	64.95	74.00	-9.05	63.41	30.44	4.80	33.70	131	304	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	98.64	-----	-----	97.01	30.45	4.83	33.65	131	304	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-03 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>48.90</td><td>54.00</td><td>-5.10</td><td>47.36</td><td>30.44</td><td>4.80</td><td>33.70</td><td>131</td><td>304</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.82	48.90	54.00	-5.10	47.36	30.44	4.80	33.70	131	304	AVERAGE	Level (dBuV/m) Date: 2025-01-03 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>91.30</td><td>-----</td><td>-----</td><td>89.68</td><td>30.45</td><td>4.83</td><td>33.66</td><td>131</td><td>304</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	91.30	-----	-----	89.68	30.45	4.83	33.66	131	304	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.82	48.90	54.00	-5.10	47.36	30.44	4.80	33.70	131	304	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	91.30	-----	-----	89.68	30.45	4.83	33.66	131	304	AVERAGE																																																																																	







Mode	7	
	Band Edge	
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz	
ANT	6	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) <	





Mode	8																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																											
ANT	6																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.74</td><td>49.69</td><td>74.00</td><td>-24.31</td><td>48.18</td><td>30.43</td><td>4.79</td><td>33.71</td><td>255</td><td>321</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.74	49.69	74.00	-24.31	48.18	30.43	4.79	33.71	255	321	PEAK	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>102.76</td><td>-----</td><td>-----</td><td>101.07</td><td>30.46</td><td>4.85</td><td>33.62</td><td>255</td><td>321</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2437.00	102.76	-----	-----	101.07	30.46	4.85	33.62	255	321	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2388.74	49.69	74.00	-24.31	48.18	30.43	4.79	33.71	255	321	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2437.00	102.76	-----	-----	101.07	30.46	4.85	33.62	255	321	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.38</td><td>39.59</td><td>54.00</td><td>-14.41</td><td>38.06</td><td>30.44</td><td>4.80</td><td>33.71</td><td>255</td><td>321</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.38	39.59	54.00	-14.41	38.06	30.44	4.80	33.71	255	321	AVERAGE	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>93.64</td><td>-----</td><td>-----</td><td>91.95</td><td>30.46</td><td>4.85</td><td>33.62</td><td>255</td><td>321</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2437.00	93.64	-----	-----	91.95	30.46	4.85	33.62	255	321	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.38	39.59	54.00	-14.41	38.06	30.44	4.80	33.71	255	321	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2437.00	93.64	-----	-----	91.95	30.46	4.85	33.62	255	321	AVERAGE																																																																																	



Mode	8																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																											
ANT	6																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2365.88</td><td>48.78</td><td>74.00</td><td>-25.22</td><td>47.34</td><td>30.42</td><td>4.77</td><td>33.75</td><td>389</td><td>232</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2365.88	48.78	74.00	-25.22	47.34	30.42	4.77	33.75	389	232	PEAK	Level (dBuV/m) Date: 2025-01-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>98.47</td><td>-----</td><td>-----</td><td>96.78</td><td>30.46</td><td>4.85</td><td>33.62</td><td>389</td><td>232</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2437.00	98.47	-----	-----	96.78	30.46	4.85	33.62	389	232	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2365.88	48.78	74.00	-25.22	47.34	30.42	4.77	33.75	389	232	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2437.00	98.47	-----	-----	96.78	30.46	4.85	33.62	389	232	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.95</td><td>38.27</td><td>54.00</td><td>-15.73</td><td>36.76</td><td>30.43</td><td>4.79</td><td>33.71</td><td>389</td><td>232</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2385.95	38.27	54.00	-15.73	36.76	30.43	4.79	33.71	389	232	AVERAGE	Level (dBuV/m) Date: 2025-01-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>89.99</td><td>-----</td><td>-----</td><td>88.30</td><td>30.46</td><td>4.85</td><td>33.62</td><td>389</td><td>232</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2437.00	89.99	-----	-----	88.30	30.46	4.85	33.62	389	232	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2385.95	38.27	54.00	-15.73	36.76	30.43	4.79	33.71	389	232	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2437.00	89.99	-----	-----	88.30	30.46	4.85	33.62	389	232	AVERAGE																																																																																	



Mode	8																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																		
ANT	6																																																		
Pol.	Vertical						Fundamental																																												
Peak	Date: 2025-01-14  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.63</td><td>50.18</td><td>74.00</td><td>-23.82</td><td>48.30</td><td>30.49</td><td>4.92</td><td>33.53</td><td>389</td><td>232</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.63	50.18	74.00	-23.82	48.30	30.49	4.92	33.53	389	232	PEAK	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2484.63	50.18	74.00	-23.82	48.30	30.49	4.92	33.53	389	232	PEAK																																								
Avg	Date: 2025-01-14  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.06</td><td>39.81</td><td>54.00</td><td>-14.19</td><td>37.93</td><td>30.49</td><td>4.92</td><td>33.53</td><td>389</td><td>232</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.06	39.81	54.00	-14.19	37.93	30.49	4.92	33.53	389	232	AVERAGE	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2484.06	39.81	54.00	-14.19	37.93	30.49	4.92	33.53	389	232	AVERAGE																																								



Mode	8																																																																																															
	Harmonic																																																																																															
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																															
ANT	6																																																																																															
Pol.	Horizontal												Vertical																																																																																			
Peak Avg	Date: 2025-01-06												Date: 2025-01-06																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4874.00</td><td>43.05</td><td>74.00</td><td>-30.95</td><td>66.68</td><td>33.85</td><td>7.77 65.25</td></tr><tr><td>2</td><td>7311.00</td><td>43.52</td><td>74.00</td><td>-30.48</td><td>62.94</td><td>36.30</td><td>8.93 64.65</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4874.00	43.05	74.00	-30.95	66.68	33.85	7.77 65.25	2	7311.00	43.52	74.00	-30.48	62.94	36.30	8.93 64.65	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4874.00</td><td>41.54</td><td>74.00</td><td>-32.46</td><td>65.17</td><td>33.85</td><td>7.77 65.25</td></tr><tr><td>2</td><td>7311.00</td><td>43.11</td><td>74.00</td><td>-30.89</td><td>62.53</td><td>36.30</td><td>8.93 64.65</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4874.00	41.54	74.00	-32.46	65.17	33.85	7.77 65.25	2	7311.00	43.11	74.00	-30.89	62.53	36.30	8.93 64.65
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	4874.00	43.05	74.00	-30.95	66.68	33.85	7.77 65.25																																																																																									
2	7311.00	43.52	74.00	-30.48	62.94	36.30	8.93 64.65																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	4874.00	41.54	74.00	-32.46	65.17	33.85	7.77 65.25																																																																																									
2	7311.00	43.11	74.00	-30.89	62.53	36.30	8.93 64.65																																																																																									



Mode	9																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																			
ANT	6																																																																																			
Pol.	Horizontal					Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2025-01-03 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2483.85</td><td>65.31</td><td>74.00</td><td>-8.69</td><td>63.43</td><td>30.49</td><td>4.92</td><td>33.53</td><td>273 311 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	2483.85	65.31	74.00	-8.69	63.43	30.49	4.92	33.53	273 311 PEAK	Level (dBuV/m) Date: 2025-01-03 PEAK_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.60</td><td>-----</td><td>-----</td><td>96.84</td><td>30.47</td><td>4.88</td><td>33.59</td><td>273 311 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	2462.00	98.60	-----	-----	96.84	30.47	4.88	33.59	273 311 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																												
1	2483.85	65.31	74.00	-8.69	63.43	30.49	4.92	33.53	273 311 PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																												
1	2462.00	98.60	-----	-----	96.84	30.47	4.88	33.59	273 311 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-01-03 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2483.51</td><td>49.51</td><td>54.00</td><td>-4.49</td><td>47.63</td><td>30.49</td><td>4.92</td><td>33.53</td><td>273 311 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	2483.51	49.51	54.00	-4.49	47.63	30.49	4.92	33.53	273 311 AVERAGE	Level (dBuV/m) Date: 2025-01-03 AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2462.00</td><td>90.20</td><td>-----</td><td>-----</td><td>88.41</td><td>30.48</td><td>4.89</td><td>33.58</td><td>273 311 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	2462.00	90.20	-----	-----	88.41	30.48	4.89	33.58	273 311 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																												
1	2483.51	49.51	54.00	-4.49	47.63	30.49	4.92	33.53	273 311 AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																												
1	2462.00	90.20	-----	-----	88.41	30.48	4.89	33.58	273 311 AVERAGE																																																																											



Mode	9																																																	
	Band Edge																																																	
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																	
ANT	6																																																	
Pol.	Vertical																																																	
Peak	Level (dBuV/m) Date: 2025-01-03 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2484.04</td><td>61.68</td><td>74.00</td><td>-12.32</td><td>59.80</td><td>30.49</td><td>4.92</td><td>33.53</td><td>104</td><td>226</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2484.04	61.68	74.00	-12.32	59.80	30.49	4.92	33.53	104	226	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																										
1	2484.04	61.68	74.00	-12.32	59.80	30.49	4.92	33.53	104	226	PEAK																																							
Fundamental	Level (dBuV/m) Date: 2025-01-03 PEAK_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2462.00</td><td>98.34</td><td>-----</td><td>-----</td><td>96.56</td><td>30.48</td><td>4.88</td><td>33.58</td><td>104</td><td>226</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2462.00	98.34	-----	-----	96.56	30.48	4.88	33.58	104	226	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																										
1	2462.00	98.34	-----	-----	96.56	30.48	4.88	33.58	104	226	PEAK																																							
Avg	Level (dBuV/m) Date: 2025-01-03 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2483.51</td><td>48.59</td><td>54.00</td><td>-5.41</td><td>46.71</td><td>30.49</td><td>4.92</td><td>33.53</td><td>104</td><td>226</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2483.51	48.59	54.00	-5.41	46.71	30.49	4.92	33.53	104	226	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																										
1	2483.51	48.59	54.00	-5.41	46.71	30.49	4.92	33.53	104	226	AVERAGE																																							
Avg	Level (dBuV/m) Date: 2025-01-03 AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2462.00</td><td>89.00</td><td>-----</td><td>-----</td><td>87.22</td><td>30.48</td><td>4.88</td><td>33.58</td><td>104</td><td>226</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2462.00	89.00	-----	-----	87.22	30.48	4.88	33.58	104	226	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																										
1	2462.00	89.00	-----	-----	87.22	30.48	4.88	33.58	104	226	AVERAGE																																							



Mode	9																																																																																															
	Harmonic																																																																																															
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																															
ANT	6																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-01-06 Frequency (MHz)								Level (dBuV/m) Date: 2025-01-06 Frequency (MHz)																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>4924.00</td><td>42.58</td><td>74.00</td><td>-31.42</td><td>66.19</td><td>33.87</td><td>7.79 65.27</td></tr><tr><td>2</td><td>7386.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>63.41</td><td>36.30</td><td>9.17 64.59</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	4924.00	42.58	74.00	-31.42	66.19	33.87	7.79 65.27	2	7386.00	44.29	74.00	-29.71	63.41	36.30	9.17 64.59	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>4924.00</td><td>42.17</td><td>74.00</td><td>-31.83</td><td>65.78</td><td>33.87</td><td>7.79 65.27</td></tr><tr><td>2</td><td>7386.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>63.42</td><td>36.30</td><td>9.17 64.59</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	4924.00	42.17	74.00	-31.83	65.78	33.87	7.79 65.27	2	7386.00	44.30	74.00	-29.70	63.42	36.30	9.17 64.59
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	4924.00	42.58	74.00	-31.42	66.19	33.87	7.79 65.27																																																																																									
2	7386.00	44.29	74.00	-29.71	63.41	36.30	9.17 64.59																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	4924.00	42.17	74.00	-31.83	65.78	33.87	7.79 65.27																																																																																									
2	7386.00	44.30	74.00	-29.70	63.42	36.30	9.17 64.59																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>4924.00</td><td>42.58</td><td>74.00</td><td>-31.42</td><td>66.19</td><td>33.87</td><td>7.79 65.27</td></tr><tr><td>2</td><td>7386.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>63.41</td><td>36.30</td><td>9.17 64.59</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	4924.00	42.58	74.00	-31.42	66.19	33.87	7.79 65.27	2	7386.00	44.29	74.00	-29.71	63.41	36.30	9.17 64.59	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>4924.00</td><td>42.17</td><td>74.00</td><td>-31.83</td><td>65.78</td><td>33.87</td><td>7.79 65.27</td></tr><tr><td>2</td><td>7386.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>63.42</td><td>36.30</td><td>9.17 64.59</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	4924.00	42.17	74.00	-31.83	65.78	33.87	7.79 65.27	2	7386.00	44.30	74.00	-29.70	63.42	36.30	9.17 64.59	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	4924.00	42.58	74.00	-31.42	66.19	33.87	7.79 65.27																																																																																									
2	7386.00	44.29	74.00	-29.71	63.41	36.30	9.17 64.59																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	4924.00	42.17	74.00	-31.83	65.78	33.87	7.79 65.27																																																																																									
2	7386.00	44.30	74.00	-29.70	63.42	36.30	9.17 64.59																																																																																									







Mode	10																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																																																											
ANT	6																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-01-03 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2310 2332.4 2354.8 2377.2 2399.6 2422 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.41</td><td>62.01</td><td>74.00</td><td>-11.99</td><td>60.48</td><td>30.44</td><td>4.80</td><td>33.71</td><td>261</td><td>7</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.41	62.01	74.00	-11.99	60.48	30.44	4.80	33.71	261	7	PEAK	Level (dBuV/m) Date: 2025-01-03 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>97.92</td><td>-----</td><td>-----</td><td>96.26</td><td>30.46</td><td>4.84</td><td>33.64</td><td>261</td><td>7</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	97.92	-----	-----	96.26	30.46	4.84	33.64	261	7	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.41	62.01	74.00	-11.99	60.48	30.44	4.80	33.71	261	7	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2422.00	97.92	-----	-----	96.26	30.46	4.84	33.64	261	7	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-03 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2310 2332.4 2354.8 2377.2 2399.6 2422 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.41</td><td>49.84</td><td>54.00</td><td>-4.16</td><td>48.31</td><td>30.44</td><td>4.80</td><td>33.71</td><td>261</td><td>7</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.41	49.84	54.00	-4.16	48.31	30.44	4.80	33.71	261	7	AVERAGE	Level (dBuV/m) Date: 2025-01-03 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>88.17</td><td>-----</td><td>-----</td><td>86.54</td><td>30.45</td><td>4.83</td><td>33.65</td><td>261</td><td>7</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	88.17	-----	-----	86.54	30.45	4.83	33.65	261	7	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.41	49.84	54.00	-4.16	48.31	30.44	4.80	33.71	261	7	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2422.00	88.17	-----	-----	86.54	30.45	4.83	33.65	261	7	AVERAGE																																																																																	



Mode	10									
	Band Edge - R									
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz									
ANT	6									
Pol.	Horizontal					Fundamental				
Peak										







Mode	10																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																																																											
ANT	6																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2025-01-03 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2310 2332.4 2354.8 2377.2 2399.6 2422 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.06</td><td>62.70</td><td>74.00</td><td>-11.30</td><td>61.19</td><td>30.43</td><td>4.79</td><td>33.71</td><td>100</td><td>210</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.06	62.70	74.00	-11.30	61.19	30.43	4.79	33.71	100	210	PEAK	 Level (dBuV/m) Date: 2025-01-03 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>98.33</td><td>-----</td><td>-----</td><td>96.72</td><td>30.45</td><td>4.82</td><td>33.66</td><td>100</td><td>210</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	98.33	-----	-----	96.72	30.45	4.82	33.66	100	210	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2388.06	62.70	74.00	-11.30	61.19	30.43	4.79	33.71	100	210	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2422.00	98.33	-----	-----	96.72	30.45	4.82	33.66	100	210	PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2025-01-03 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2310 2332.4 2354.8 2377.2 2399.6 2422 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.52</td><td>50.21</td><td>54.00</td><td>-3.79</td><td>48.67</td><td>30.44</td><td>4.80</td><td>33.70</td><td>100</td><td>210</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.52	50.21	54.00	-3.79	48.67	30.44	4.80	33.70	100	210	AVERAGE	 Level (dBuV/m) Date: 2025-01-03 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>89.32</td><td>-----</td><td>-----</td><td>87.71</td><td>30.45</td><td>4.82</td><td>33.66</td><td>100</td><td>210</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	89.32	-----	-----	87.71	30.45	4.82	33.66	100	210	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.52	50.21	54.00	-3.79	48.67	30.44	4.80	33.70	100	210	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2422.00	89.32	-----	-----	87.71	30.45	4.82	33.66	100	210	AVERAGE																																																																																	



Mode	10									
	Band Edge - R									
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz									
ANT	6									
Pol.	Vertical					Fundamental				
Peak										



Mode	11																																																																																										
	Band Edge - L																																																																																										
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																																																										
ANT	6																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-01-03  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.96</td><td>48.89</td><td>74.00</td><td>-25.11</td><td>47.38</td><td>30.43</td><td>4.79</td><td>33.71</td><td>156</td><td>321</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.96	48.89	74.00	-25.11	47.38	30.43	4.79	33.71	156	321	PEAK	Level (dBuV/m) Date: 2025-01-06  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>91.67</td><td>-----</td><td>-----</td><td>89.89</td><td>30.48</td><td>4.88</td><td>33.58</td><td>156</td><td>321</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	91.67	-----	-----	89.89	30.48	4.88	33.58	156	321	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2387.96	48.89	74.00	-25.11	47.38	30.43	4.79	33.71	156	321	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2452.00	91.67	-----	-----	89.89	30.48	4.88	33.58	156	321	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-01-03  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.09</td><td>39.14</td><td>54.00</td><td>-14.86</td><td>37.63</td><td>30.43</td><td>4.79</td><td>33.71</td><td>156</td><td>321</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.09	39.14	54.00	-14.86	37.63	30.43	4.79	33.71	156	321	AVERAGE	Level (dBuV/m) Date: 2025-01-06  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>83.42</td><td>-----</td><td>-----</td><td>81.67</td><td>30.47</td><td>4.87</td><td>33.59</td><td>156</td><td>321</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	83.42	-----	-----	81.67	30.47	4.87	33.59	156	321	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.09	39.14	54.00	-14.86	37.63	30.43	4.79	33.71	156	321	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2452.00	83.42	-----	-----	81.67	30.47	4.87	33.59	156	321	AVERAGE																																																																																



Mode	11																																																			
	Band Edge - R																																																			
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																			
ANT	6																																																			
Pol.	Horizontal						Fundamental																																													
Peak	Level (dBuV/m) Date: 2025-01-03 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.78</td><td>62.89</td><td>74.00</td><td>-11.11</td><td>61.01</td><td>30.49</td><td>4.92</td><td>33.53</td><td>156</td><td>321</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.78	62.89	74.00	-11.11	61.01	30.49	4.92	33.53	156	321	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2483.78	62.89	74.00	-11.11	61.01	30.49	4.92	33.53	156	321	PEAK																																									
Avg	Level (dBuV/m) Date: 2025-01-03 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>50.72</td><td>54.00</td><td>-3.28</td><td>48.84</td><td>30.49</td><td>4.92</td><td>33.53</td><td>156</td><td>321</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	50.72	54.00	-3.28	48.84	30.49	4.92	33.53	156	321	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2483.54	50.72	54.00	-3.28	48.84	30.49	4.92	33.53	156	321	AVERAGE																																									





Mode	11																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																																																											
ANT	6																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-03 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2310 2338.4 2366.8 2395.2 2423.6 2452 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2353.88</td><td>49.31</td><td>74.00</td><td>-24.69</td><td>47.91</td><td>30.41</td><td>4.76</td><td>33.77</td><td>100</td><td>216</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2353.88	49.31	74.00	-24.69	47.91	30.41	4.76	33.77	100	216	PEAK	Level (dBuV/m) Date: 2025-01-06 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>91.16</td><td>-----</td><td>-----</td><td>89.40</td><td>30.47</td><td>4.88</td><td>33.59</td><td>100</td><td>216</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	91.16	-----	-----	89.40	30.47	4.88	33.59	100	216	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2353.88	49.31	74.00	-24.69	47.91	30.41	4.76	33.77	100	216	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2452.00	91.16	-----	-----	89.40	30.47	4.88	33.59	100	216	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-03 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2310 2338.4 2366.8 2395.2 2423.6 2452 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.82</td><td>39.26</td><td>54.00</td><td>-14.74</td><td>37.75</td><td>30.43</td><td>4.79</td><td>33.71</td><td>100</td><td>216</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2387.82	39.26	54.00	-14.74	37.75	30.43	4.79	33.71	100	216	AVERAGE	Level (dBuV/m) Date: 2025-01-06 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>82.39</td><td>-----</td><td>-----</td><td>80.63</td><td>30.47</td><td>4.88</td><td>33.59</td><td>100</td><td>216</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	82.39	-----	-----	80.63	30.47	4.88	33.59	100	216	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2387.82	39.26	54.00	-14.74	37.75	30.43	4.79	33.71	100	216	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2452.00	82.39	-----	-----	80.63	30.47	4.88	33.59	100	216	AVERAGE																																																																																	



Mode	11										
	Band Edge - R										
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz										
ANT	6										
Pol.	Vertical										Fundamental
Peak											







Mode	11																																																																																	
	Harmonic																																																																																	
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	Date: 2025-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>41.34</td><td>74.00</td><td>-32.66</td><td>64.96</td><td>33.86</td><td>7.78 65.26</td></tr><tr><td>2</td><td>7356.00</td><td>43.44</td><td>74.00</td><td>-30.56</td><td>62.68</td><td>36.30</td><td>9.07 64.61</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4904.00	41.34	74.00	-32.66	64.96	33.86	7.78 65.26	2	7356.00	43.44	74.00	-30.56	62.68	36.30	9.07 64.61	Date: 2025-01-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>41.49</td><td>74.00</td><td>-32.51</td><td>65.11</td><td>33.86</td><td>7.78 65.26</td></tr><tr><td>2</td><td>7356.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>63.90</td><td>36.30</td><td>9.07 64.61</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4904.00	41.49	74.00	-32.51	65.11	33.86	7.78 65.26	2	7356.00	44.66	74.00	-29.34	63.90	36.30	9.07 64.61
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	4904.00	41.34	74.00	-32.66	64.96	33.86	7.78 65.26																																																																											
2	7356.00	43.44	74.00	-30.56	62.68	36.30	9.07 64.61																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	4904.00	41.49	74.00	-32.51	65.11	33.86	7.78 65.26																																																																											
2	7356.00	44.66	74.00	-29.34	63.90	36.30	9.07 64.61																																																																											



Mode	12																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11ax HE20_CH01_Partial_RU 26/0_2412MHz																																																																																											
ANT	6																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-03 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2348.74</td><td>48.70</td><td>74.00</td><td>-25.30</td><td>47.32</td><td>30.41</td><td>4.75</td><td>33.78</td><td>300</td><td>23</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2348.74	48.70	74.00	-25.30	47.32	30.41	4.75	33.78	300	23	PEAK	Level (dBuV/m) Date: 2025-01-03 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>92.28</td><td>-----</td><td>-----</td><td>90.71</td><td>30.44</td><td>4.81</td><td>33.68</td><td>300</td><td>23</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	92.28	-----	-----	90.71	30.44	4.81	33.68	300	23	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2348.74	48.70	74.00	-25.30	47.32	30.41	4.75	33.78	300	23	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	92.28	-----	-----	90.71	30.44	4.81	33.68	300	23	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-03 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2367.07</td><td>38.90</td><td>54.00</td><td>-15.10</td><td>37.46</td><td>30.42</td><td>4.77</td><td>33.75</td><td>300</td><td>23</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2367.07	38.90	54.00	-15.10	37.46	30.42	4.77	33.75	300	23	AVERAGE	Level (dBuV/m) Date: 2025-01-03 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>84.87</td><td>-----</td><td>-----</td><td>83.30</td><td>30.44</td><td>4.81</td><td>33.68</td><td>300</td><td>23</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	84.87	-----	-----	83.30	30.44	4.81	33.68	300	23	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2367.07	38.90	54.00	-15.10	37.46	30.42	4.77	33.75	300	23	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	84.87	-----	-----	83.30	30.44	4.81	33.68	300	23	AVERAGE																																																																																	







Mode	12																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11ax HE20_CH01_Partial_RU 26/0_2412MHz																																																																																											
ANT	6																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-03 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2329.24</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>47.97</td><td>30.40</td><td>4.73</td><td>33.81</td><td>149</td><td>263</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2329.24	49.29	74.00	-24.71	47.97	30.40	4.73	33.81	149	263	PEAK	Level (dBuV/m) Date: 2025-01-03 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>92.31</td><td>-----</td><td>-----</td><td>90.74</td><td>30.44</td><td>4.81</td><td>33.68</td><td>149</td><td>263</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	92.31	-----	-----	90.74	30.44	4.81	33.68	149	263	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2329.24	49.29	74.00	-24.71	47.97	30.40	4.73	33.81	149	263	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	92.31	-----	-----	90.74	30.44	4.81	33.68	149	263	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-03 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>38.97</td><td>54.00</td><td>-15.03</td><td>37.46</td><td>30.43</td><td>4.79</td><td>33.71</td><td>149</td><td>263</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.91	38.97	54.00	-15.03	37.46	30.43	4.79	33.71	149	263	AVERAGE	Level (dBuV/m) Date: 2025-01-03 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>84.59</td><td>-----</td><td>-----</td><td>83.02</td><td>30.44</td><td>4.81</td><td>33.68</td><td>149</td><td>263</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	84.59	-----	-----	83.02	30.44	4.81	33.68	149	263	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2388.91	38.97	54.00	-15.03	37.46	30.43	4.79	33.71	149	263	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	84.59	-----	-----	83.02	30.44	4.81	33.68	149	263	AVERAGE																																																																																	





		13																																																																																									
Mode		Band Edge																																																																																									
		2400-2483.5_802.11ax HE20_CH11_Partial_RU 52/40_2462MHz																																																																																									
ANT		6																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak		Level (dBuV/m) Date: 2025-01-03 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peaking around 2462 MHz and a limit line at 81.3 dBuV/m labeled PEAK_BE_74. Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>66.89</td><td>74.00</td><td>-7.11</td><td>65.01</td><td>30.49</td><td>4.92</td><td>33.53</td><td>300</td><td>297</td><td>PEAK</td></tr></table> Level (dBuV/m) Date: 2025-01-03 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peaking around 2462 MHz and a limit line at 81.3 dBuV/m labeled PEAK_74. Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.39</td><td>-----</td><td>-----</td><td>103.57</td><td>30.48</td><td>4.90</td><td>33.56</td><td>300</td><td>297</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	66.89	74.00	-7.11	65.01	30.49	4.92	33.53	300	297	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	105.39	-----	-----	103.57	30.48	4.90	33.56	300	297	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.51	66.89	74.00	-7.11	65.01	30.49	4.92	33.53	300	297	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	105.39	-----	-----	103.57	30.48	4.90	33.56	300	297	PEAK																																																																																
Avg		Level (dBuV/m) Date: 2025-01-03 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peaking around 2462 MHz and a limit line at 81.3 dBuV/m labeled AVG_BE_54. Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>50.34</td><td>54.00</td><td>-3.66</td><td>48.46</td><td>30.49</td><td>4.92</td><td>33.53</td><td>300</td><td>297</td><td>AVERAGE</td></tr></table> Level (dBuV/m) Date: 2025-01-03 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peaking around 2462 MHz and a limit line at 81.3 dBuV/m labeled AVG_54. Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>97.96</td><td>-----</td><td>-----</td><td>96.14</td><td>30.48</td><td>4.90</td><td>33.56</td><td>300</td><td>297</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	50.34	54.00	-3.66	48.46	30.49	4.92	33.53	300	297	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	97.96	-----	-----	96.14	30.48	4.90	33.56	300	297	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.51	50.34	54.00	-3.66	48.46	30.49	4.92	33.53	300	297	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	97.96	-----	-----	96.14	30.48	4.90	33.56	300	297	AVERAGE																																																																																



Mode	13																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11ax HE20_CH11_Partial_RU 52/40_2462MHz																																																																																											
ANT	6																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-03  PEAK_BE_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>64.23</td><td>74.00</td><td>-9.77</td><td>62.35</td><td>30.49</td><td>4.92</td><td>33.53</td><td>300</td><td>263</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.62	64.23	74.00	-9.77	62.35	30.49	4.92	33.53	300	263	PEAK	Level (dBuV/m) Date: 2025-01-03  PEAK_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>103.83</td><td>-----</td><td>-----</td><td>102.01</td><td>30.48</td><td>4.90</td><td>33.56</td><td>300</td><td>263</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	103.83	-----	-----	102.01	30.48	4.90	33.56	300	263	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.62	64.23	74.00	-9.77	62.35	30.49	4.92	33.53	300	263	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2462.00	103.83	-----	-----	102.01	30.48	4.90	33.56	300	263	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-03  AVG_BE_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>48.96</td><td>54.00</td><td>-5.04</td><td>47.08</td><td>30.49</td><td>4.92</td><td>33.53</td><td>300</td><td>263</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.62	48.96	54.00	-5.04	47.08	30.49	4.92	33.53	300	263	AVERAGE	Level (dBuV/m) Date: 2025-01-03  AVG_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>94.98</td><td>-----</td><td>-----</td><td>93.16</td><td>30.48</td><td>4.90</td><td>33.56</td><td>300</td><td>263</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	94.98	-----	-----	93.16	30.48	4.90	33.56	300	263	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.62	48.96	54.00	-5.04	47.08	30.49	4.92	33.53	300	263	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2462.00	94.98	-----	-----	93.16	30.48	4.90	33.56	300	263	AVERAGE																																																																																	



Mode	14																																																																																																																																																																																																																											
	30M~1G(LF)																																																																																																																																																																																																																											
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																																																																																																																																											
ANT	6																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																					
Peak																																																																																																																																																																																																																												
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>38.73</td><td>22.31</td><td>40.00</td><td>-17.69</td><td></td><td>37.43</td><td>19.16</td><td>0.62</td><td>34.90</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>142.52</td><td>26.81</td><td>43.50</td><td>-16.69</td><td></td><td>41.93</td><td>18.35</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>265.71</td><td>26.40</td><td>46.00</td><td>-19.60</td><td></td><td>41.32</td><td>18.06</td><td>1.69</td><td>34.67</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>349.13</td><td>27.91</td><td>46.00</td><td>-18.09</td><td></td><td>40.37</td><td>20.20</td><td>1.94</td><td>34.60</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>695.42</td><td>27.71</td><td>46.00</td><td>-18.29</td><td></td><td>32.30</td><td>27.02</td><td>2.80</td><td>34.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>767.20</td><td>28.19</td><td>46.00</td><td>-17.81</td><td></td><td>31.90</td><td>27.68</td><td>2.98</td><td>34.37</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	38.73	22.31	40.00	-17.69		37.43	19.16	0.62	34.90	--	--	Peak	2	142.52	26.81	43.50	-16.69		41.93	18.35	1.25	34.72	--	--	Peak	3	265.71	26.40	46.00	-19.60		41.32	18.06	1.69	34.67	--	--	Peak	4	349.13	27.91	46.00	-18.09		40.37	20.20	1.94	34.60	--	--	Peak	5	695.42	27.71	46.00	-18.29		32.30	27.02	2.80	34.41	--	--	Peak	6	767.20	28.19	46.00	-17.81		31.90	27.68	2.98	34.37	--	--	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>33.88</td><td>22.98</td><td>40.00</td><td>-17.02</td><td></td><td>38.82</td><td>18.46</td><td>0.57</td><td>34.87</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>51.34</td><td>23.63</td><td>40.00</td><td>-16.37</td><td></td><td>38.29</td><td>19.58</td><td>0.73</td><td>34.97</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>98.87</td><td>24.67</td><td>43.50</td><td>-18.83</td><td></td><td>43.65</td><td>14.78</td><td>1.04</td><td>34.80</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>232.73</td><td>24.92</td><td>46.00</td><td>-21.08</td><td></td><td>41.02</td><td>17.02</td><td>1.58</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>561.56</td><td>26.41</td><td>46.00</td><td>-19.59</td><td></td><td>33.78</td><td>24.63</td><td>2.52</td><td>34.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>844.80</td><td>30.81</td><td>46.00</td><td>-15.19</td><td></td><td>33.31</td><td>28.71</td><td>3.09</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	33.88	22.98	40.00	-17.02		38.82	18.46	0.57	34.87	--	--	Peak	2	51.34	23.63	40.00	-16.37		38.29	19.58	0.73	34.97	--	--	Peak	3	98.87	24.67	43.50	-18.83		43.65	14.78	1.04	34.80	--	--	Peak	4	232.73	24.92	46.00	-21.08		41.02	17.02	1.58	34.70	--	--	Peak	5	561.56	26.41	46.00	-19.59		33.78	24.63	2.52	34.52	--	--	Peak	6	844.80	30.81	46.00	-15.19		33.31	28.71	3.09	34.30	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																	
1	38.73	22.31	40.00	-17.69		37.43	19.16	0.62	34.90	--	--	Peak																																																																																																																																																																																																																
2	142.52	26.81	43.50	-16.69		41.93	18.35	1.25	34.72	--	--	Peak																																																																																																																																																																																																																
3	265.71	26.40	46.00	-19.60		41.32	18.06	1.69	34.67	--	--	Peak																																																																																																																																																																																																																
4	349.13	27.91	46.00	-18.09		40.37	20.20	1.94	34.60	--	--	Peak																																																																																																																																																																																																																
5	695.42	27.71	46.00	-18.29		32.30	27.02	2.80	34.41	--	--	Peak																																																																																																																																																																																																																
6	767.20	28.19	46.00	-17.81		31.90	27.68	2.98	34.37	--	--	Peak																																																																																																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																	
1	33.88	22.98	40.00	-17.02		38.82	18.46	0.57	34.87	--	--	Peak																																																																																																																																																																																																																
2	51.34	23.63	40.00	-16.37		38.29	19.58	0.73	34.97	--	--	Peak																																																																																																																																																																																																																
3	98.87	24.67	43.50	-18.83		43.65	14.78	1.04	34.80	--	--	Peak																																																																																																																																																																																																																
4	232.73	24.92	46.00	-21.08		41.02	17.02	1.58	34.70	--	--	Peak																																																																																																																																																																																																																
5	561.56	26.41	46.00	-19.59		33.78	24.63	2.52	34.52	--	--	Peak																																																																																																																																																																																																																
6	844.80	30.81	46.00	-15.19		33.31	28.71	3.09	34.30	--	--	Peak																																																																																																																																																																																																																



Mode	15																																																																																										
	Band Edge - L																																																																																										
	Co-TX																																																																																										
ANT	6																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2370.78</td><td>48.99</td><td>74.00</td><td>-25.01</td><td>47.53</td><td>30.42</td><td>4.78</td><td>33.74</td><td>163</td><td>123</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2370.78	48.99	74.00	-25.01	47.53	30.42	4.78	33.74	163	123	Peak	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>93.78</td><td>-----</td><td>-----</td><td>92.02</td><td>30.47</td><td>4.88</td><td>33.59</td><td>163</td><td>123</td><td>PEAK_74</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	93.78	-----	-----	92.02	30.47	4.88	33.59	163	123	PEAK_74
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2370.78	48.99	74.00	-25.01	47.53	30.42	4.78	33.74	163	123	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2452.00	93.78	-----	-----	92.02	30.47	4.88	33.59	163	123	PEAK_74																																																																																
Avg	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.52</td><td>39.16</td><td>54.00</td><td>-14.84</td><td>37.62</td><td>30.44</td><td>4.80</td><td>33.70</td><td>163</td><td>123</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.52	39.16	54.00	-14.84	37.62	30.44	4.80	33.70	163	123	Average	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>83.50</td><td>-----</td><td>-----</td><td>81.74</td><td>30.47</td><td>4.88</td><td>33.59</td><td>163</td><td>123</td><td>AVG_54</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	83.50	-----	-----	81.74	30.47	4.88	33.59	163	123	AVG_54
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2389.52	39.16	54.00	-14.84	37.62	30.44	4.80	33.70	163	123	Average																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2452.00	83.50	-----	-----	81.74	30.47	4.88	33.59	163	123	AVG_54																																																																																



Mode	15																																								
	Band Edge - R																																								
	Co-TX																																								
ANT	6																																								
Pol.	Horizontal	Fundamental																																							
Peak	Date: 2025-01-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.55</td><td>59.57</td><td>74.00</td><td>-14.43</td><td>57.69</td><td>30.49</td><td>4.92</td><td>33.53</td><td>163</td><td>123 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.55	59.57	74.00	-14.43	57.69	30.49	4.92	33.53	163	123 Peak	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	2483.55	59.57	74.00	-14.43	57.69	30.49	4.92	33.53	163	123 Peak																															
Avg	Date: 2025-01-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.18</td><td>47.37</td><td>54.00</td><td>-6.63</td><td>45.49</td><td>30.49</td><td>4.92</td><td>33.53</td><td>163</td><td>123 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.18	47.37	54.00	-6.63	45.49	30.49	4.92	33.53	163	123 Average	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	2484.18	47.37	54.00	-6.63	45.49	30.49	4.92	33.53	163	123 Average																															





Mode	15	
	Band Edge - L	
	Co-TX	
ANT	6	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-01-14 1 2358.14 48.85 74.00 -25.15 47.43 30.42 4.76 33.76 119 117 Peak	Level (dBuV/m) Date: 2025-01-14 1 2452.00 87.48 ----- 85.72 30.47 4.88 33.59 119 117 Peak
	Level (dBuV/m) Date: 2025-01-14 1 2387.11 38.89 54.00 -15.11 37.38 30.43 4.79 33.71 119 117 Average	Level (dBuV/m) Date: 2025-01-14 1 2452.00 77.55 ----- 75.79 30.47 4.88 33.59 119 117 Average



Mode	15																																																
	Band Edge - R																																																
	Co-TX																																																
ANT	6																																																
Pol.	Vertical					Fundamental																																											
Peak	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.18</td><td>54.83</td><td>74.00</td><td>-19.17</td><td>52.95</td><td>30.49</td><td>4.92</td><td>33.53</td><td>119</td><td>117 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.18	54.83	74.00	-19.17	52.95	30.49	4.92	33.53	119	117 Peak	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	2484.18	54.83	74.00	-19.17	52.95	30.49	4.92	33.53	119	117 Peak																																							
Avg	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.90</td><td>43.09</td><td>54.00</td><td>-10.91</td><td>41.21</td><td>30.49</td><td>4.92</td><td>33.53</td><td>119</td><td>117 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.90	43.09	54.00	-10.91	41.21	30.49	4.92	33.53	119	117 Average	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	2483.90	43.09	54.00	-10.91	41.21	30.49	4.92	33.53	119	117 Average																																							



Mode	15																																																																																																									
	Harmonic																																																																																																									
	Co-TX																																																																																																									
ANT	6																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>41.61</td><td>74.00</td><td>-32.39</td><td>65.23</td><td>33.86</td><td>7.78</td><td>65.26</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7356.00</td><td>42.93</td><td>74.00</td><td>-31.07</td><td>62.17</td><td>36.30</td><td>9.07</td><td>64.61</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4904.00	41.61	74.00	-32.39	65.23	33.86	7.78	65.26	--	--	Peak	2	7356.00	42.93	74.00	-31.07	62.17	36.30	9.07	64.61	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>41.25</td><td>74.00</td><td>-32.75</td><td>64.87</td><td>33.86</td><td>7.78</td><td>65.26</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7356.00</td><td>42.97</td><td>74.00</td><td>-31.03</td><td>62.21</td><td>36.30</td><td>9.07</td><td>64.61</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4904.00	41.25	74.00	-32.75	64.87	33.86	7.78	65.26	--	--	Peak	2	7356.00	42.97	74.00	-31.03	62.21	36.30	9.07	64.61	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	4904.00	41.61	74.00	-32.39	65.23	33.86	7.78	65.26	--	--	Peak																																																																																															
2	7356.00	42.93	74.00	-31.07	62.17	36.30	9.07	64.61	--	--	Peak																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	4904.00	41.25	74.00	-32.75	64.87	33.86	7.78	65.26	--	--	Peak																																																																																															
2	7356.00	42.97	74.00	-31.03	62.21	36.30	9.07	64.61	--	--	Peak																																																																																															

Note: The frequency point over limit line is LTE Band 48 RF signal which can be ignored.







Mode	16																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11ax HE20_CH10_Full RU_2457MHz																																																																																			
ANT	6																																																																																			
Pol.	Horizontal					Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2025-01-14 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2457 2465.6 2474.2 2482.8 2491.4 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2483.53</td><td>68.48</td><td>74.00</td><td>-5.52</td><td>66.60</td><td>30.49</td><td>4.92</td><td>33.53</td><td>198 328 PEAK</td></tr></table> PEAK_BE_74						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2483.53	68.48	74.00	-5.52	66.60	30.49	4.92	33.53	198 328 PEAK	Level (dBuV/m) Date: 2025-01-14 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2457.00</td><td>101.36</td><td>-----</td><td>-----</td><td>99.58</td><td>30.48</td><td>4.88</td><td>33.58</td><td>198 328 PEAK</td></tr></table> PEAK_74						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2457.00	101.36	-----	-----	99.58	30.48	4.88	33.58	198 328 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																												
1	2483.53	68.48	74.00	-5.52	66.60	30.49	4.92	33.53	198 328 PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																												
1	2457.00	101.36	-----	-----	99.58	30.48	4.88	33.58	198 328 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-01-14 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2457 2465.6 2474.2 2482.8 2491.4 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2483.57</td><td>50.48</td><td>54.00</td><td>-3.52</td><td>48.60</td><td>30.49</td><td>4.92</td><td>33.53</td><td>198 328 AVERAGE</td></tr></table> AVG_BE_54						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2483.57	50.48	54.00	-3.52	48.60	30.49	4.92	33.53	198 328 AVERAGE	Level (dBuV/m) Date: 2025-01-14 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2457.00</td><td>91.47</td><td>-----</td><td>-----</td><td>89.69</td><td>30.48</td><td>4.88</td><td>33.58</td><td>198 328 AVERAGE</td></tr></table> AVG_54						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2457.00	91.47	-----	-----	89.69	30.48	4.88	33.58	198 328 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																												
1	2483.57	50.48	54.00	-3.52	48.60	30.49	4.92	33.53	198 328 AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																												
1	2457.00	91.47	-----	-----	89.69	30.48	4.88	33.58	198 328 AVERAGE																																																																											



Mode	16																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11ax HE20_CH10_Full RU_2457MHz																																																																																									
ANT	6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.57</td><td>61.50</td><td>74.00</td><td>-12.50</td><td>59.62</td><td>30.49</td><td>4.92</td><td>33.53</td><td>348</td><td>230</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.57	61.50	74.00	-12.50	59.62	30.49	4.92	33.53	348	230	PEAK	PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>98.45</td><td>-----</td><td>-----</td><td>96.69</td><td>30.47</td><td>4.88</td><td>33.59</td><td>348</td><td>230</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	98.45	-----	-----	96.69	30.47	4.88	33.59	348	230	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2483.57	61.50	74.00	-12.50	59.62	30.49	4.92	33.53	348	230	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2457.00	98.45	-----	-----	96.69	30.47	4.88	33.59	348	230	PEAK																																																																															
Avg	AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.53</td><td>45.95</td><td>54.00</td><td>-8.05</td><td>44.07</td><td>30.49</td><td>4.92</td><td>33.53</td><td>348</td><td>230</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.53	45.95	54.00	-8.05	44.07	30.49	4.92	33.53	348	230	AVERAGE	AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>89.86</td><td>-----</td><td>-----</td><td>88.08</td><td>30.48</td><td>4.88</td><td>33.58</td><td>348</td><td>230</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	89.86	-----	-----	88.08	30.48	4.88	33.58	348	230	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2483.53	45.95	54.00	-8.05	44.07	30.49	4.92	33.53	348	230	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2457.00	89.86	-----	-----	88.08	30.48	4.88	33.58	348	230	AVERAGE																																																																															



Mode	17																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_802.11ax HE40_CH06_Full RU_2437MHz																																																																																											
ANT	6																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.99</td><td>56.05</td><td>74.00</td><td>-17.95</td><td>54.54</td><td>30.43</td><td>4.79</td><td>33.71</td><td>200</td><td>323</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.99	56.05	74.00	-17.95	54.54	30.43	4.79	33.71	200	323	PEAK	 Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>98.62</td><td>-----</td><td>-----</td><td>96.92</td><td>30.46</td><td>4.86</td><td>33.62</td><td>200</td><td>323</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	98.62	-----	-----	96.92	30.46	4.86	33.62	200	323	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2388.99	56.05	74.00	-17.95	54.54	30.43	4.79	33.71	200	323	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2437.00	98.62	-----	-----	96.92	30.46	4.86	33.62	200	323	PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.12</td><td>44.98</td><td>54.00</td><td>-9.02</td><td>43.47</td><td>30.43</td><td>4.79</td><td>33.71</td><td>200</td><td>323</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.12	44.98	54.00	-9.02	43.47	30.43	4.79	33.71	200	323	AVERAGE	 Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>89.92</td><td>-----</td><td>-----</td><td>88.23</td><td>30.46</td><td>4.85</td><td>33.62</td><td>200</td><td>323</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	89.92	-----	-----	88.23	30.46	4.85	33.62	200	323	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2389.12	44.98	54.00	-9.02	43.47	30.43	4.79	33.71	200	323	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2437.00	89.92	-----	-----	88.23	30.46	4.85	33.62	200	323	AVERAGE																																																																																	







Mode	17																																																																									
	Band Edge - L																																																																									
	2400-2483.5_802.11ax HE40_CH06_Full RU_2437MHz																																																																									
ANT	6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-01-14 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2310 2335.4 2360.8 2386.2 2411.6 2437 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2389.50</td><td>54.64</td><td>74.00</td><td>-19.36</td><td>53.10</td><td>30.44</td><td>4.80</td><td>33.70</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2389.50	54.64	74.00	-19.36	53.10	30.44	4.80	33.70	Level (dBuV/m) Date: 2025-01-14 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2437.00</td><td>96.33</td><td>-----</td><td>-----</td><td>94.60</td><td>30.47</td><td>4.87</td><td>33.61</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2437.00	96.33	-----	-----	94.60	30.47	4.87	33.61
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	2389.50	54.64	74.00	-19.36	53.10	30.44	4.80	33.70																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	2437.00	96.33	-----	-----	94.60	30.47	4.87	33.61																																																																		
Avg	Level (dBuV/m) Date: 2025-01-14 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2310 2335.4 2360.8 2386.2 2411.6 2437 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2389.25</td><td>43.36</td><td>54.00</td><td>-10.64</td><td>41.84</td><td>30.44</td><td>4.79</td><td>33.71</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2389.25	43.36	54.00	-10.64	41.84	30.44	4.79	33.71	Level (dBuV/m) Date: 2025-01-14 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2437.00</td><td>87.34</td><td>-----</td><td>-----</td><td>85.65</td><td>30.46</td><td>4.85</td><td>33.62</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2437.00	87.34	-----	-----	85.65	30.46	4.85	33.62
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	2389.25	43.36	54.00	-10.64	41.84	30.44	4.79	33.71																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	2437.00	87.34	-----	-----	85.65	30.46	4.85	33.62																																																																		



Mode	18																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_802.11ax HE40_CH08_Full RU_2447MHz																																																																																											
ANT	6																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.81</td><td>52.64</td><td>74.00</td><td>-21.36</td><td>51.13</td><td>30.43</td><td>4.79</td><td>33.71</td><td>191</td><td>324</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.81	52.64	74.00	-21.36	51.13	30.43	4.79	33.71	191	324	PEAK	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>97.17</td><td>-----</td><td>-----</td><td>95.41</td><td>30.47</td><td>4.88</td><td>33.59</td><td>191</td><td>324</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2447.00	97.17	-----	-----	95.41	30.47	4.88	33.59	191	324	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2388.81	52.64	74.00	-21.36	51.13	30.43	4.79	33.71	191	324	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2447.00	97.17	-----	-----	95.41	30.47	4.88	33.59	191	324	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.24</td><td>42.83</td><td>54.00</td><td>-11.17</td><td>41.31</td><td>30.44</td><td>4.79</td><td>33.71</td><td>191</td><td>324</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.24	42.83	54.00	-11.17	41.31	30.44	4.79	33.71	191	324	AVERAGE	Level (dBuV/m) Date: 2025-01-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>88.82</td><td>-----</td><td>-----</td><td>87.04</td><td>30.48</td><td>4.88</td><td>33.58</td><td>191</td><td>324</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2447.00	88.82	-----	-----	87.04	30.48	4.88	33.58	191	324	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.24	42.83	54.00	-11.17	41.31	30.44	4.79	33.71	191	324	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2447.00	88.82	-----	-----	87.04	30.48	4.88	33.58	191	324	AVERAGE																																																																																	



Mode	18																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_802.11ax HE40_CH08_Full RU_2447MHz																																																																																											
ANT	6																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-01-14  130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 23102338.42366.82395.22423.62452 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2373.19</td><td>48.84</td><td>74.00</td><td>-25.16</td><td>47.36</td><td>30.43</td><td>4.78</td><td>33.73</td><td>353</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2373.19	48.84	74.00	-25.16	47.36	30.43	4.78	33.73	353	240	PEAK	Level (dBuV/m) Date: 2025-01-14  130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 100014001800220026003000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2447.00</td><td>97.26</td><td>-----</td><td>-----</td><td>95.50</td><td>30.47</td><td>4.88</td><td>33.59</td><td>353</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2447.00	97.26	-----	-----	95.50	30.47	4.88	33.59	353	240	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2373.19	48.84	74.00	-25.16	47.36	30.43	4.78	33.73	353	240	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2447.00	97.26	-----	-----	95.50	30.47	4.88	33.59	353	240	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-01-14  130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 23102338.42366.82395.22423.62452 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>39.91</td><td>54.00</td><td>-14.09</td><td>38.37</td><td>30.44</td><td>4.80</td><td>33.70</td><td>353</td><td>240</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	39.91	54.00	-14.09	38.37	30.44	4.80	33.70	353	240	AVERAGE	Level (dBuV/m) Date: 2025-01-14  130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 100014001800220026003000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2447.00</td><td>86.45</td><td>-----</td><td>-----</td><td>84.69</td><td>30.47</td><td>4.88</td><td>33.59</td><td>353</td><td>240</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2447.00	86.45	-----	-----	84.69	30.47	4.88	33.59	353	240	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.95	39.91	54.00	-14.09	38.37	30.44	4.80	33.70	353	240	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2447.00	86.45	-----	-----	84.69	30.47	4.88	33.59	353	240	AVERAGE																																																																																	




Mode	18																																					
	Band Edge - R																																					
	2400-2483.5_802.11ax HE40_CH08_Full RU_2447MHz																																					
ANT	6																																					
Pol.	Vertical	Fundamental																																				
Peak	Date: 2025-01-14 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2483.73</td><td>56.70</td><td>74.00</td><td>-17.30</td><td>54.82</td><td>30.49</td><td>4.92</td><td>33.53</td><td>353</td><td>240</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.73	56.70	74.00	-17.30	54.82	30.49	4.92	33.53	353	240	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2483.73	56.70	74.00	-17.30	54.82	30.49	4.92	33.53	353	240	PEAK																											
Avg	Date: 2025-01-14 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2483.62</td><td>45.63</td><td>54.00</td><td>-8.37</td><td>43.75</td><td>30.49</td><td>4.92</td><td>33.53</td><td>353</td><td>240</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.62	45.63	54.00	-8.37	43.75	30.49	4.92	33.53	353	240	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2483.62	45.63	54.00	-8.37	43.75	30.49	4.92	33.53	353	240	AVERAGE																											


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	99.53	-	-	10Hz
802.11g	96.50	1.38	0.725	1KHz
802.11ax HE20	96.23	1.02	0.981	1KHz
802.11ax HE40	92.98	0.53	1.887	3KHz


802.11b



802.11g



802.11ax HE20



802.11ax HE40

