



Appendix A:

Test Results of Radiated Spurious Emissions for Ant No. 4

Band Edges, 2.31GHz ~ 2.9GHz


802.11b

Low Channel (Horizontal) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.52	53.82	16.27	37.55	74.00	-20.18		280	21	Peak	Horizontal	
2 *	2412.00	97.81	60.16	37.65	74.00	23.81		280	21	Peak	Horizontal	
3	2884.54	55.25	16.91	38.34	74.00	-18.75		280	21	Peak	Horizontal	

Low Channel (Vertical) Peak




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2328.53	53.59	16.28	37.31	74.00	-20.41		398	139	Peak	Vertical	
2 *	2412.00	92.31	54.66	37.65	74.00	18.31		398	139	Peak	Vertical	
3	2898.70	54.91	16.50	38.41	74.00	-19.09		398	139	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.35	42.65	5.08	37.57	54.00	-11.35	280	21	Average	Horizontal		
2 *	2412.00	94.23	56.58	37.65	54.00	40.23	280	21	Average	Horizontal		
3	2867.90	41.05	2.80	38.25	54.00	-12.95	280	21	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.23	40.20	2.64	37.56	54.00	-13.80	398	139	Average	Vertical		
2 *	2412.00	88.94	51.29	37.65	54.00	34.94	398	139	Average	Vertical		
3	2899.41	40.72	2.30	38.42	54.00	-13.28	398	139	Average	Vertical		

802.11b

High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2353.42	54.28	16.89	37.39	74.00	-19.72	270	23	Peak	Horizontal		
2 *	2462.00	97.73	60.00	37.73	74.00	23.73	270	23	Peak	Horizontal		
3	2900.00	55.11	16.69	38.42	74.00	-18.89	270	23	Peak	Horizontal		

High Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2336.67	53.05	15.72	37.33	74.00	-20.95	336	326	Peak	Vertical		
2 *	2462.00	91.33	53.60	37.73	74.00	17.33	336	326	Peak	Vertical		
3	2899.41	55.01	16.59	38.42	74.00	-18.99	336	326	Peak	Vertical		

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2337.97	39.31	1.97	37.34	54.00	-14.69		270	23	Average	Horizontal	
2 *	2462.00	94.12	56.39	37.73	54.00	40.12		270	23	Average	Horizontal	
3	2818.11	41.32	3.13	38.19	54.00	-12.68		270	23	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2382.81	39.33	1.79	37.54	54.00	-14.67		336	326	Average	Vertical	
2 *	2462.00	87.45	49.72	37.73	54.00	33.45		336	326	Average	Vertical	
3	2896.58	40.72	2.31	38.41	54.00	-13.28		336	326	Average	Vertical	


802.11g

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	59.78	22.20	37.58	74.00	-14.22	278	20	Peak	Horizontal		
2 *	2412.00	96.88	59.23	37.65	74.00	22.88	278	20	Peak	Horizontal		
3	2787.19	54.92	16.73	38.19	74.00	-19.08	278	20	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	58.16	20.58	37.58	74.00	-15.84	400	321	Peak	Vertical		
2 *	2412.00	90.24	52.59	37.65	74.00	16.24	400	321	Peak	Vertical		
3	2846.78	54.89	16.72	38.17	74.00	-19.11	400	321	Peak	Vertical		

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	42.62	5.04	37.58	54.00	-11.38	278	20	Average	Horizontal		
2 *	2412.00	86.24	40.59	37.65	54.00	32.24	278	20	Average	Horizontal		
3	2867.90	41.60	3.35	38.25	54.00	-12.40	278	20	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	41.04	3.46	37.58	54.00	-12.96	400	321	Average	Vertical		
2 *	2412.00	79.87	42.22	37.65	54.00	25.87	400	321	Average	Vertical		
3	2893.63	41.45	3.07	38.38	54.00	-12.55	400	321	Average	Vertical		


802.11g

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2316.02	53.44	16.18	37.26	74.00	-20.56	269	22	Peak	Horizontal		
2 *	2462.00	95.02	57.29	37.73	74.00	21.02	269	22	Peak	Horizontal		
3	2795.45	54.93	16.73	38.20	74.00	-19.07	269	22	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2359.21	53.71	16.29	37.42	74.00	-20.29	385	328	Peak	Vertical		
2 *	2462.00	89.10	51.37	37.73	74.00	15.10	385	328	Peak	Vertical		
3	2863.54	55.06	16.83	38.23	74.00	-18.94	385	328	Peak	Vertical		

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2337.97	40.15	2.81	37.34	54.00	-13.85	269	22	Average	Horizontal		
2 *	2462.00	84.75	47.02	37.73	54.00	30.75	269	22	Average	Horizontal		
3	2817.99	42.40	4.21	38.19	54.00	-11.60	269	22	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2358.62	40.05	2.64	37.41	54.00	-13.95	385	328	Average	Vertical		
2 *	2462.00	78.19	40.46	37.73	54.00	24.19	385	328	Average	Vertical		
3	2817.87	41.54	3.35	38.19	54.00	-12.46	385	328	Average	Vertical		

802.11n HT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.65	59.61	22.03	37.58	74.00	-14.39		397	10	Peak	Horizontal	
2 *	2412.00	96.16	50.51	37.65	74.00	22.16		397	10	Peak	Horizontal	
3	2885.01	55.25	16.91	38.34	74.00	-18.75		397	10	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.30	57.13	19.55	37.58	74.00	-16.87		400	320	Peak	Vertical	
2 *	2412.00	90.37	52.72	37.65	74.00	16.37		400	320	Peak	Vertical	
3	2839.82	55.07	16.90	38.17	74.00	-18.93		400	320	Peak	Vertical	

802.11n HT20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	42.75	5.17	37.58	54.00	-11.25		397	10	Average	Horizontal	
2 *	2412.00	85.87	40.22	37.65	54.00	31.87		397	10	Average	Horizontal	
3	2827.19	41.56	3.37	38.19	54.00	-12.44		397	10	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	41.66	4.08	37.58	54.00	-12.34		400	320	Average	Vertical	
2 *	2412.00	79.50	41.05	37.65	54.00	25.50		400	320	Average	Vertical	
3	2805.13	41.54	3.34	38.20	54.00	-12.46		400	320	Average	Vertical	


802.11n HT20

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2379.03	53.82	16.29	37.53	74.00	-20.18		270	24	Peak	Horizontal	
2 *	2462.00	95.43	57.70	37.73	74.00	21.43		270	24	Peak	Horizontal	
3	2483.93	55.89	18.09	37.80	74.00	-18.11		270	24	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2356.73	54.51	17.10	37.41	74.00	-19.49		384	327	Peak	Vertical	
2 *	2462.00	89.72	51.99	37.73	74.00	15.72		384	327	Peak	Vertical	
3	2895.75	55.77	17.37	38.40	74.00	-18.23		384	327	Peak	Vertical	

802.11n HT20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2369.71	40.06	2.58	37.48	54.00	-13.94	270	24	Average	Horizontal		
2 *	2462.00	83.91	46.18	37.73	54.00	29.91	270	24	Average	Horizontal		
3	2817.87	42.11	3.92	38.19	54.00	-11.89	270	24	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.04	40.06	2.52	37.54	54.00	-13.94	384	327	Average	Vertical		
2 *	2462.00	77.85	40.12	37.73	54.00	23.85	384	327	Average	Vertical		
3	2819.08	41.52	3.32	38.20	54.00	-12.48	384	327	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11n HT20

Middle Channel 9kHz~150kHz(Open)

Middle Channel 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.01	49.33	31.62	17.71	127.60	-78.27	100	146	QP	Open		
2	0.03	60.14	40.95	19.19	119.13	-58.99	100	83	QP	Open		
3	0.05	38.19	18.95	19.24	113.11	-74.92	100	285	QP	Open		
4	0.06	41.54	22.48	19.06	111.62	-70.28	100	99	QP	Open		
5	0.08	36.63	18.06	18.57	109.14	-72.51	100	301	QP	Open		
6	0.09	31.70	13.31	18.39	108.34	-76.64	100	314	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.15	43.56	25.16	18.40	104.08	-60.52	100	44	QP	Open		
2	0.51	56.05	37.10	18.95	73.48	-17.43	100	177	QP	Open		
3	1.05	50.06	30.79	19.27	67.22	-17.16	100	179	QP	Open		
4	1.55	45.27	25.92	19.35	63.78	-18.51	100	183	QP	Open		
5	2.09	41.08	21.66	19.42	69.50	-28.42	100	176	QP	Open		
6	2.63	35.67	16.19	19.48	69.50	-33.83	100	186	QP	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11n HT20

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	56.19	29.41	36.09	-6.68	40.00	-10.59	100	298	QP		Horizontal	
2	79.47	29.84	40.11	-10.27	40.00	-10.16	300	38	QP		Horizontal	
3	194.90	31.53	40.11	-8.58	43.50	-11.97	100	129	QP		Horizontal	
4	240.49	36.26	42.98	-6.72	46.00	-9.74	100	140	QP		Horizontal	
5	269.59	32.39	38.18	-5.79	46.00	-13.61	100	147	QP		Horizontal	
6	921.43	35.48	30.43	5.05	46.00	-10.52	300	99	QP		Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	46.49	34.24	40.11	-5.87	40.00	-5.76	100	118	QP		Vertical	
2	57.16	34.64	41.35	-6.71	40.00	-5.36	100	294	QP		Vertical	
3	74.62	36.38	45.88	-9.50	40.00	-3.62	100	31	QP		Vertical	
4	79.47	36.41	46.68	-10.27	40.00	-3.59	100	0	QP		Vertical	
5	240.49	33.99	40.71	-6.72	46.00	-12.01	100	49	QP		Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	49.33	59.14	-9.81	74.00	-24.67	100	166	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	44.69	54.50	-9.81	74.00	-29.31	300	33	Peak	Vertical	


802.11b

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4874.00	38.84	48.61	-9.77	74.00	-35.16		200	110	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4874.00	32.24	42.01	-9.77	74.00	-41.76		328	360	Peak	Vertical	


802.11b

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4924.00	37.06	46.74	-9.68	74.00	-36.94	100	225	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4924.00	33.72	43.40	-9.68	74.00	-40.28	300	223	Peak	Vertical		


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4824.00	38.74	48.55	-9.81	74.00	-35.26	200	255	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4824.00	31.59	41.40	-9.81	74.00	-42.41	100	181	Peak	Vertical		


802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4874.00	37.69	47.46	-9.77	74.00	-36.31		100	114	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4874.00	32.22	41.99	-9.77	74.00	-41.78		400	300	Peak	Vertical	


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4924.00	38.80	48.48	-9.68	74.00	-35.20		300	284	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4924.00	32.67	42.35	-9.68	74.00	-41.33		275	233	Peak	Vertical	


802.11n HT20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4824.00	38.43	48.24	-9.81	74.00	-35.57		100	332	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4824.00	33.00	42.81	-9.81	74.00	-41.00		382	360	Peak	Vertical	

802.11n HT20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4874.00	37.47	47.24	-9.77	74.00	-36.53		400	112	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4874.00	31.62	41.39	-9.77	74.00	-42.38		173	298	Peak	Vertical	


802.11n HT20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4924.00	38.17	47.85	-9.68	74.00	-35.83	100	43	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4924.00	32.59	42.27	-9.68	74.00	-41.41	400	1	Peak	Vertical		

Appendix B:



Test Results of Radiated Spurious Emissions for Ant No. 6

Band Edges, 2.31GHz ~ 2.9GHz

802.11b

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2361.09	53.67	16.24	37.43	74.00	-20.33	186	29	Peak	Horizontal	
2 *	2412.00	93.66	56.01	37.65	74.00	19.66	186	29	Peak	Horizontal	
3	2655.98	54.96	16.95	38.01	74.00	-19.04	186	29	Peak	Horizontal	


Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2364.75	53.26	15.81	37.45	74.00	-20.74	400	338	Peak	Vertical	
2 *	2412.00	102.85	65.20	37.65	74.00	28.85	400	338	Peak	Vertical	
3	2796.63	54.47	16.27	38.20	74.00	-19.53	400	338	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.00	40.10	2.53	37.57	54.00	-13.90	186	29	Average	Horizontal		
2 *	2412.00	90.76	53.11	37.65	54.00	36.76	186	29	Average	Horizontal		
3	2898.23	41.27	2.86	38.41	54.00	-12.73	186	29	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.00	41.62	4.05	37.57	54.00	-12.38	400	338	Average	Vertical		
2 *	2412.00	99.86	62.21	37.65	54.00	45.86	400	338	Average	Vertical		
3	2897.64	41.65	3.24	38.41	54.00	-12.35	400	338	Average	Vertical		

802.11b

High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2363.81	52.74	15.29	37.45	74.00	-21.26		222	31	Peak	Horizontal	
2 *	2462.00	94.98	57.25	37.73	74.00	20.98		222	31	Peak	Horizontal	
3	2633.79	54.33	16.32	38.01	74.00	-19.67		222	31	Peak	Horizontal	

High Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2323.45	53.85	16.56	37.29	74.00	-20.15		341	170	Peak	Vertical	
2 *	2462.00	102.41	64.68	37.73	74.00	28.41		341	170	Peak	Vertical	
3	2598.27	54.99	17.02	37.97	74.00	-19.01		341	170	Peak	Vertical	

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.34	40.01	2.46	37.55	54.00	-13.99	222	31	Average	Horizontal		
2 *	2462.00	92.04	54.31	37.73	54.00	38.04	222	31	Average	Horizontal		
3	2896.11	41.42	3.02	38.40	54.00	-12.58	222	31	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2337.85	41.68	4.34	37.34	54.00	-12.32	341	170	Average	Vertical		
2 *	2462.00	99.45	61.72	37.73	54.00	45.45	341	170	Average	Vertical		
3	2818.11	41.68	3.49	38.19	54.00	-12.32	341	170	Average	Vertical		


802.11g

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2379.86	52.84	15.31	37.53	74.00	-21.16	164	28	Peak	Horizontal		
2 *	2412.00	93.77	56.12	37.65	74.00	19.77	164	28	Peak	Horizontal		
3	2871.33	54.35	16.07	38.28	74.00	-19.65	164	28	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	55.37	17.79	37.58	74.00	-18.63	366	166	Peak	Vertical		
2 *	2412.00	101.82	64.17	37.65	74.00	27.82	366	166	Peak	Vertical		
3	2818.23	54.27	16.08	38.19	74.00	-19.73	366	166	Peak	Vertical		


802.11g

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2378.44	40.20	2.68	37.52	54.00	-13.80	164	28	Average	Horizontal		
2 *	2412.00	83.42	45.77	37.65	54.00	29.42	164	28	Average	Horizontal		
3	2784.48	41.41	3.22	38.19	54.00	-12.59	164	28	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.00	44.55	6.98	37.57	54.00	-9.45	366	166	Average	Vertical		
2 *	2412.00	91.82	54.17	37.65	54.00	37.82	366	166	Average	Vertical		
3	2899.17	41.41	2.99	38.42	54.00	-12.59	366	166	Average	Vertical		


802.11g

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2313.49	54.17	16.84	37.33	74.00	-19.83	222	21	Peak	Horizontal		
2 *	2462.00	93.77	56.04	37.73	74.00	19.77	222	21	Peak	Horizontal		
3	2792.38	55.07	16.87	38.20	74.00	-18.93	222	21	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2313.30	52.50	15.24	37.26	74.00	-21.50	341	173	Peak	Vertical		
2 *	2462.00	93.09	55.36	37.73	74.00	19.09	341	173	Peak	Vertical		
3	2895.16	54.63	16.23	38.40	74.00	-19.37	341	173	Peak	Vertical		

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2375.96	40.03	2.53	37.50	54.00	-13.97	222	21	Average	Horizontal		
2 *	2462.00	83.39	45.66	37.73	54.00	29.39	222	21	Average	Horizontal		
3	2617.99	41.67	3.48	38.19	54.00	-12.33	222	21	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	40.02	2.44	37.58	54.00	-13.98	341	173	Average	Vertical		
2 *	2462.00	82.79	45.06	37.73	54.00	28.79	341	173	Average	Vertical		
3	2617.87	41.57	3.38	38.19	54.00	-12.43	341	173	Average	Vertical		

802.11n HT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2327.94	53.67	16.36	37.31	74.00	-20.33		279	36	Peak	Horizontal	
2 *	2412.00	92.91	55.26	37.65	74.00	18.91		279	36	Peak	Horizontal	
3	2774.57	54.84	16.67	38.17	74.00	-19.16		279	36	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.65	55.19	17.61	37.58	74.00	-18.81		309	169	Peak	Vertical	
2 *	2412.00	103.53	65.88	37.65	74.00	29.53		309	169	Peak	Vertical	
3	2867.08	55.66	17.41	38.25	74.00	-18.34		309	169	Peak	Vertical	

802.11n HT20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.71	40.17	2.60	37.57	54.00	-13.83		279	36	Average	Horizontal	
2 *	2412.00	82.89	45.24	37.65	54.00	28.89		279	36	Average	Horizontal	
3	2818.91	41.46	3.26	38.20	54.00	-12.54		279	36	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.76	43.59	6.02	37.57	54.00	-10.41		309	169	Average	Vertical	
2 *	2412.00	93.69	56.04	37.65	54.00	39.69		309	169	Average	Vertical	
3	2868.02	41.95	3.70	38.25	54.00	-12.05		309	169	Average	Vertical	

802.11n HT20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2312.48	53.48	16.23	37.25	74.00	-20.52	299	18	Peak	Horizontal		
2 *	2462.00	95.72	57.99	37.73	74.00	21.72	299	18	Peak	Horizontal		
3	2668.22	54.78	16.78	38.00	74.00	-19.22	299	18	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2366.76	52.82	15.36	37.46	74.00	-21.18	339	169	Peak	Vertical		
2 *	2462.00	100.82	63.09	37.73	74.00	26.82	339	169	Peak	Vertical		
3	2745.89	55.02	16.90	38.12	74.00	-18.98	339	169	Peak	Vertical		

802.11n HT20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2337.49	40.12	2.79	37.33	54.00	-13.88		299	18	Average	Horizontal	
2 *	2462.00	85.89	40.16	37.73	54.00	31.89		299	18	Average	Horizontal	
3	2823.89	41.52	3.34	38.18	54.00	-12.48		299	18	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2337.97	42.76	5.42	37.34	54.00	-11.24		339	169	Average	Vertical	
2 *	2462.00	91.02	53.29	37.73	54.00	37.02		339	169	Average	Vertical	
3	2838.76	41.80	3.63	38.17	54.00	-12.20		339	169	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11n HT20

Middle Channel 9kHz~150kHz(Open)

Middle Channel 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	0.03	58.80	39.61	19.19	119.13	-60.33		100	51	QP	Open	
2	0.03	38.45	18.96	19.49	117.38	-78.93		100	18	QP	Open	
3	0.06	41.06	22.00	19.06	111.82	-70.76		100	276	QP	Open	
4	0.08	33.20	14.51	18.69	109.74	-76.54		100	75	QP	Open	
5	0.10	40.95	21.82	18.23	107.42	-67.37		100	129	QP	Open	
6	0.13	31.58	13.24	18.34	105.01	-73.43		100	113	QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	0.30	46.79	27.85	18.94	98.08	-51.29		100	272	QP	Open	
2	0.63	40.00	20.97	19.03	71.65	-31.65		100	110	QP	Open	
3	1.25	34.04	14.73	19.31	65.64	-31.60		100	110	QP	Open	
4	4.75	32.59	13.20	19.39	69.50	-36.91		100	276	QP	Open	
5	14.57	35.66	13.84	21.82	69.50	-33.84		100	223	QP	Open	
6	23.46	36.03	13.68	22.35	69.50	-33.47		100	260	QP	Open	