







Mode	72																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484_5570MHz																																																																																																																													
ANT	CDD 1+2																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.60</td><td>61.07</td><td>74.00</td><td>-12.93</td><td>45.26</td><td>34.46</td><td>10.97</td><td>29.62</td><td>0.00</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>2</td><td>5469.52</td><td>61.30</td><td>68.30</td><td>-7.00</td><td>45.47</td><td>34.47</td><td>10.99</td><td>29.63</td><td>0.00</td><td>100</td><td>120</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	61.07	74.00	-12.93	45.26	34.46	10.97	29.62	0.00	100	120	Peak	2	5469.52	61.30	68.30	-7.00	45.47	34.47	10.99	29.63	0.00	100	120	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5554.00</td><td>101.14</td><td>-----</td><td>-----</td><td>85.28</td><td>34.45</td><td>11.11</td><td>29.70</td><td>0.00</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>2</td><td>5554.00</td><td>91.60</td><td>-----</td><td>-----</td><td>75.74</td><td>34.45</td><td>11.11</td><td>29.70</td><td>0.00</td><td>100</td><td>120</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5554.00	101.14	-----	-----	85.28	34.45	11.11	29.70	0.00	100	120	Peak	2	5554.00	91.60	-----	-----	75.74	34.45	11.11	29.70	0.00	100	120	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5459.60	61.07	74.00	-12.93	45.26	34.46	10.97	29.62	0.00	100	120	Peak																																																																																																																		
2	5469.52	61.30	68.30	-7.00	45.47	34.47	10.99	29.63	0.00	100	120	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5554.00	101.14	-----	-----	85.28	34.45	11.11	29.70	0.00	100	120	Peak																																																																																																																		
2	5554.00	91.60	-----	-----	75.74	34.45	11.11	29.70	0.00	100	120	Average																																																																																																																		
Avg							Blank																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.72</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>34.87</td><td>34.44</td><td>10.96</td><td>29.61</td><td>0.00</td><td>100</td><td>120</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.72	50.66	54.00	-3.34	34.87	34.44	10.96	29.61	0.00	100	120	Average																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5448.72	50.66	54.00	-3.34	34.87	34.44	10.96	29.61	0.00	100	120	Average																																																																																																																		




Mode	72																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484_5570MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.12</td><td>64.62</td><td>68.30</td><td>-3.68</td><td>48.70</td><td>34.60</td><td>11.32</td><td>30.00</td><td>0.00</td><td>100</td><td>120</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.12	64.62	68.30	-3.68	48.70	34.60	11.32	30.00	0.00	100	120	Peak	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.12	64.62	68.30	-3.68	48.70	34.60	11.32	30.00	0.00	100	120	Peak																																												






Mode	72																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484_5570MHz																																																																			
ANT	CDD 1+2																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5409.84</td><td>59.03</td><td>74.00</td><td>-14.97</td><td>43.30</td><td>34.41</td><td>10.90</td><td>29.58</td><td>0.00</td><td>308</td><td>72 Peak</td></tr><tr><td>2</td><td>5467.44</td><td>59.81</td><td>68.30</td><td>-8.49</td><td>44.00</td><td>34.46</td><td>10.98</td><td>29.63</td><td>0.00</td><td>308</td><td>72 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5409.84	59.03	74.00	-14.97	43.30	34.41	10.90	29.58	0.00	308	72 Peak	2	5467.44	59.81	68.30	-8.49	44.00	34.46	10.98	29.63	0.00	308	72 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5409.84	59.03	74.00	-14.97	43.30	34.41	10.90	29.58	0.00	308	72 Peak																																																									
2	5467.44	59.81	68.30	-8.49	44.00	34.46	10.98	29.63	0.00	308	72 Peak																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5536.00</td><td>98.18</td><td>-----</td><td>-----</td><td>82.31</td><td>34.47</td><td>11.09</td><td>29.69</td><td>0.00</td><td>308</td><td>72 Peak</td></tr><tr><td>2</td><td>5536.00</td><td>88.99</td><td>-----</td><td>-----</td><td>73.12</td><td>34.47</td><td>11.09</td><td>29.69</td><td>0.00</td><td>308</td><td>72 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5536.00	98.18	-----	-----	82.31	34.47	11.09	29.69	0.00	308	72 Peak	2	5536.00	88.99	-----	-----	73.12	34.47	11.09	29.69	0.00	308	72 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5536.00	98.18	-----	-----	82.31	34.47	11.09	29.69	0.00	308	72 Peak																																																									
2	5536.00	88.99	-----	-----	73.12	34.47	11.09	29.69	0.00	308	72 Average																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5434.48</td><td>48.74</td><td>54.00</td><td>-5.26</td><td>32.97</td><td>34.43</td><td>10.94</td><td>29.60</td><td>0.00</td><td>308</td><td>72 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5434.48	48.74	54.00	-5.26	32.97	34.43	10.94	29.60	0.00	308	72 Average												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5434.48	48.74	54.00	-5.26	32.97	34.43	10.94	29.60	0.00	308	72 Average																																																									
Blank																																																																				



Mode	72																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484_5570MHz																																					
ANT	CDD 1+2																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5742.36</td><td>61.92</td><td>68.30</td><td>-6.38</td><td>45.98</td><td>34.65</td><td>11.33</td><td>30.04</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5742.36	61.92	68.30	-6.38	45.98	34.65	11.33	30.04	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5742.36	61.92	68.30	-6.38	45.98	34.65	11.33	30.04																														



Mode	73																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996*2_5570MHz																																																																																																												
ANT	CDD 1+2																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																							
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5439.76</td><td>64.31</td><td>74.00</td><td>-9.69</td><td>48.53</td><td>34.44</td><td>10.94</td><td>29.60</td><td>0.00</td><td>100 120 Peak</td></tr><tr><td>2 5467.12</td><td>59.59</td><td>68.30</td><td>-8.71</td><td>43.78</td><td>34.46</td><td>10.98</td><td>29.63</td><td>0.00</td><td>100 120 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5439.76	64.31	74.00	-9.69	48.53	34.44	10.94	29.60	0.00	100 120 Peak	2 5467.12	59.59	68.30	-8.71	43.78	34.46	10.98	29.63	0.00	100 120 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5596.00</td><td>99.36</td><td>-----</td><td>-----</td><td>83.52</td><td>34.41</td><td>11.17</td><td>29.74</td><td>0.00</td><td>100 120 Peak</td></tr><tr><td>2 5596.00</td><td>89.60</td><td>-----</td><td>-----</td><td>73.76</td><td>34.41</td><td>11.17</td><td>29.74</td><td>0.00</td><td>100 120 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5596.00	99.36	-----	-----	83.52	34.41	11.17	29.74	0.00	100 120 Peak	2 5596.00	89.60	-----	-----	73.76	34.41	11.17	29.74	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																				
1 5439.76	64.31	74.00	-9.69	48.53	34.44	10.94	29.60	0.00	100 120 Peak																																																																																																				
2 5467.12	59.59	68.30	-8.71	43.78	34.46	10.98	29.63	0.00	100 120 Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																				
1 5596.00	99.36	-----	-----	83.52	34.41	11.17	29.74	0.00	100 120 Peak																																																																																																				
2 5596.00	89.60	-----	-----	73.76	34.41	11.17	29.74	0.00	100 120 Average																																																																																																				
Avg						Blank																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5450.64</td><td>48.78</td><td>54.00</td><td>-5.22</td><td>32.98</td><td>34.45</td><td>10.96</td><td>29.61</td><td>0.00</td><td>100 120 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5450.64	48.78	54.00	-5.22	32.98	34.45	10.96	29.61	0.00	100 120 Average																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																				
1 5450.64	48.78	54.00	-5.22	32.98	34.45	10.96	29.61	0.00	100 120 Average																																																																																																				




Mode	73																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996*2_5570MHz																																					
ANT	CDD 1+2																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5728.36</td><td>64.83</td><td>68.30</td><td>-3.47</td><td>48.90</td><td>34.61</td><td>11.32</td><td>30.00</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5728.36	64.83	68.30	-3.47	48.90	34.61	11.32	30.00	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5728.36	64.83	68.30	-3.47	48.90	34.61	11.32	30.00																														







Mode	73																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996*2_5570MHz																																																																			
ANT	CDD 1+2																																																																			
Pol.	Vertical																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5434.00</td><td>60.79</td><td>74.00</td><td>-13.21</td><td>45.02</td><td>34.43</td><td>10.94</td><td>29.60</td><td>0.00</td><td>310</td><td>71 Peak</td></tr><tr><td>2</td><td>5465.52</td><td>58.17</td><td>68.30</td><td>-10.13</td><td>42.36</td><td>34.46</td><td>10.98</td><td>29.63</td><td>0.00</td><td>310</td><td>71 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.00	60.79	74.00	-13.21	45.02	34.43	10.94	29.60	0.00	310	71 Peak	2	5465.52	58.17	68.30	-10.13	42.36	34.46	10.98	29.63	0.00	310	71 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5434.00	60.79	74.00	-13.21	45.02	34.43	10.94	29.60	0.00	310	71 Peak																																																									
2	5465.52	58.17	68.30	-10.13	42.36	34.46	10.98	29.63	0.00	310	71 Peak																																																									
Fundamental	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5536.00</td><td>95.63</td><td>-----</td><td>-----</td><td>79.76</td><td>34.47</td><td>11.09</td><td>29.69</td><td>0.00</td><td>310</td><td>71 Peak</td></tr><tr><td>2</td><td>5536.00</td><td>85.99</td><td>-----</td><td>-----</td><td>70.12</td><td>34.47</td><td>11.09</td><td>29.69</td><td>0.00</td><td>310</td><td>71 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5536.00	95.63	-----	-----	79.76	34.47	11.09	29.69	0.00	310	71 Peak	2	5536.00	85.99	-----	-----	70.12	34.47	11.09	29.69	0.00	310	71 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5536.00	95.63	-----	-----	79.76	34.47	11.09	29.69	0.00	310	71 Peak																																																									
2	5536.00	85.99	-----	-----	70.12	34.47	11.09	29.69	0.00	310	71 Average																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.84</td><td>47.44</td><td>54.00</td><td>-6.56</td><td>31.64</td><td>34.45</td><td>10.96</td><td>29.61</td><td>0.00</td><td>310</td><td>71 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.84	47.44	54.00	-6.56	31.64	34.45	10.96	29.61	0.00	310	71 Average												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5453.84	47.44	54.00	-6.56	31.64	34.45	10.96	29.61	0.00	310	71 Average																																																									
Blank																																																																				







Mode	73																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996*2_5570MHz																																																				
ANT	CDD 1+2																																																				
Pol.	Vertical						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.12</td><td>61.76</td><td>68.30</td><td>-6.54</td><td>45.83</td><td>34.61</td><td>11.32</td><td>30.00</td><td>0.00</td><td>310</td><td>71 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.12	61.76	68.30	-6.54	45.83	34.61	11.32	30.00	0.00	310	71 Peak	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5728.12	61.76	68.30	-6.54	45.83	34.61	11.32	30.00	0.00	310	71 Peak																																										





		75																																																																																																													
Mode	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																														
ANT	CDD 1+2																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.39</td><td>59.53</td><td>74.00</td><td>-14.47</td><td>43.82</td><td>34.40</td><td>10.62</td><td>29.31</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.39	59.53	74.00	-14.47	43.82	34.40	10.62	29.31	0.00	100	122	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.78</td><td>-----</td><td>-----</td><td>94.04</td><td>34.45</td><td>10.63</td><td>29.34</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.78	-----	-----	94.04	34.45	10.63	29.34	0.00	100	122
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.39	59.53	74.00	-14.47	43.82	34.40	10.62	29.31	0.00	100	122	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	109.78	-----	-----	94.04	34.45	10.63	29.34	0.00	100	122	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.97</td><td>47.68</td><td>54.00</td><td>-6.32</td><td>31.97</td><td>34.40</td><td>10.62</td><td>29.31</td><td>0.00</td><td>100</td><td>122</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.97	47.68	54.00	-6.32	31.97	34.40	10.62	29.31	0.00	100	122	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.26</td><td>-----</td><td>-----</td><td>86.51</td><td>34.46</td><td>10.63</td><td>29.34</td><td>0.00</td><td>100</td><td>122</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.26	-----	-----	86.51	34.46	10.63	29.34	0.00	100	122
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.97	47.68	54.00	-6.32	31.97	34.40	10.62	29.31	0.00	100	122	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	102.26	-----	-----	86.51	34.46	10.63	29.34	0.00	100	122	AVERAGE																																																																																																			







Mode	75																																																																																																																
	Band Edge																																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																
ANT	CDD 1+2																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5113.43</td><td>59.46</td><td>74.00</td><td>-14.54</td><td>43.79</td><td>34.33</td><td>10.61</td><td>29.27</td><td>0.00</td><td>337</td><td>63</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5113.43	59.46	74.00	-14.54	43.79	34.33	10.61	29.27	0.00	337	63	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5177.20</td><td>107.58</td><td>68.30</td><td>39.28</td><td>91.84</td><td>34.45</td><td>10.63</td><td>29.34</td><td>0.00</td><td>337</td><td>63</td><td>Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5177.20	107.58	68.30	39.28	91.84	34.45	10.63	29.34	0.00	337	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5113.43	59.46	74.00	-14.54	43.79	34.33	10.61	29.27	0.00	337	63	PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5177.20	107.58	68.30	39.28	91.84	34.45	10.63	29.34	0.00	337	63	Peak																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.24</td><td>46.73</td><td>54.00</td><td>-7.27</td><td>31.03</td><td>34.39</td><td>10.62</td><td>29.31</td><td>0.00</td><td>337</td><td>63</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.24	46.73	54.00	-7.27	31.03	34.39	10.62	29.31	0.00	337	63	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.34</td><td>68.30</td><td>32.04</td><td>84.59</td><td>34.46</td><td>10.63</td><td>29.34</td><td>0.00</td><td>337</td><td>63</td><td>Average</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	100.34	68.30	32.04	84.59	34.46	10.63	29.34	0.00	337	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5147.24	46.73	54.00	-7.27	31.03	34.39	10.62	29.31	0.00	337	63	AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5180.00	100.34	68.30	32.04	84.59	34.46	10.63	29.34	0.00	337	63	Average																																																																																																					



		75																																																									
Mode		Harmonic																																																									
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																									
ANT		CDD 1+2																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>44.38</td><td>68.30</td><td>-23.92</td><td>57.91</td><td>37.40</td><td>15.55</td><td>66.48</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr></tbody></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10360.00	44.38	68.30	-23.92	57.91	37.40	15.55	66.48	0.00	300	360 PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10360.00	44.38	68.30	-23.92	57.91	37.40	15.55	66.48	0.00	300	360 PEAK																																																
<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>44.38</td><td>68.30</td><td>-23.92</td><td>57.91</td><td>37.40</td><td>15.55</td><td>66.48</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr></tbody></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10360.00	44.38	68.30	-23.92	57.91	37.40	15.55	66.48	0.00	300	360 PEAK	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10360.00	44.38	68.30	-23.92	57.91	37.40	15.55	66.48	0.00	300	360 PEAK																																																
		Vertical																																																									
Peak Avg																																																											
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>44.45</td><td>68.30</td><td>-23.85</td><td>57.98</td><td>37.40</td><td>15.55</td><td>66.48</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr></tbody></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10360.00	44.45	68.30	-23.85	57.98	37.40	15.55	66.48	0.00	100	360 PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10360.00	44.45	68.30	-23.85	57.98	37.40	15.55	66.48	0.00	100	360 PEAK																																																
<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>44.45</td><td>68.30</td><td>-23.85</td><td>57.98</td><td>37.40</td><td>15.55</td><td>66.48</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr></tbody></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10360.00	44.45	68.30	-23.85	57.98	37.40	15.55	66.48	0.00	100	360 PEAK	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10360.00	44.45	68.30	-23.85	57.98	37.40	15.55	66.48	0.00	100	360 PEAK																																																



Mode	75																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																		
ANT	18																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>57.37</td><td>74.00</td><td>-16.63</td><td>42.60</td><td>32.13</td><td>7.29</td><td>30.65</td><td>6.00</td><td>138</td><td>139</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	57.37	74.00	-16.63	42.60	32.13	7.29	30.65	6.00	138	139	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.33</td><td>-----</td><td>-----</td><td>81.59</td><td>32.12</td><td>7.28</td><td>30.66</td><td>6.00</td><td>138</td><td>139</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.33	-----	-----	81.59	32.12	7.28	30.66	6.00	138	139
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.56	57.37	74.00	-16.63	42.60	32.13	7.29	30.65	6.00	138	139	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	96.33	-----	-----	81.59	32.12	7.28	30.66	6.00	138	139	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.38</td><td>46.24</td><td>54.00</td><td>-7.76</td><td>31.40</td><td>32.14</td><td>7.31</td><td>30.61</td><td>6.00</td><td>138</td><td>139</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.38	46.24	54.00	-7.76	31.40	32.14	7.31	30.61	6.00	138	139	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.32</td><td>-----</td><td>-----</td><td>79.58</td><td>32.12</td><td>7.28</td><td>30.66</td><td>6.00</td><td>138</td><td>139</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.32	-----	-----	79.58	32.12	7.28	30.66	6.00	138	139
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2495.38	46.24	54.00	-7.76	31.40	32.14	7.31	30.61	6.00	138	139	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	94.32	-----	-----	79.58	32.12	7.28	30.66	6.00	138	139	AVERAGE																																																																																							



Mode	75																																																						
	Band Edge																																																						
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																						
ANT	18																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>57.76</td><td>74.00</td><td>-16.24</td><td>42.99</td><td>32.13</td><td>7.29</td><td>30.65</td><td>6.00</td><td>379</td><td>98</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	57.76	74.00	-16.24	42.99	32.13	7.29	30.65	6.00	379	98
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.74	57.76	74.00	-16.24	42.99	32.13	7.29	30.65	6.00	379	98	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.25</td><td>-----</td><td>-----</td><td>80.51</td><td>32.12</td><td>7.28</td><td>30.66</td><td>6.00</td><td>379</td><td>98</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.25	-----	-----	80.51	32.12	7.28	30.66	6.00	379	98
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	95.25	-----	-----	80.51	32.12	7.28	30.66	6.00	379	98	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.44</td><td>46.37</td><td>54.00</td><td>-7.63</td><td>31.59</td><td>32.13</td><td>7.29</td><td>30.64</td><td>6.00</td><td>379</td><td>98</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.44	46.37	54.00	-7.63	31.59	32.13	7.29	30.64	6.00	379	98
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2486.44	46.37	54.00	-7.63	31.59	32.13	7.29	30.64	6.00	379	98	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.31</td><td>-----</td><td>-----</td><td>78.57</td><td>32.12</td><td>7.28</td><td>30.66</td><td>6.00</td><td>379</td><td>98</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.31	-----	-----	78.57	32.12	7.28	30.66	6.00	379	98
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	93.31	-----	-----	78.57	32.12	7.28	30.66	6.00	379	98	AVERAGE																																											




75

Harmonic

2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz


18

Horizontal







Freq	Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg			
1	4960.00	41.94	74.00	-32.06	62.79	34.10	10.50	65.45	0.00	300	360	PEAK					
2	7440.00	44.19	74.00	-29.81	60.85	35.80	12.87	65.33	0.00	300	360	PEAK					

Vertical







Freq	Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg			
1	4960.00	41.09	74.00	-32.11	62.74	34.10	10.50	65.45	0.00	100	360	PEAK					
2	7440.00	43.46	74.00	-30.54	60.12	35.80	12.87	65.33	0.00	100	360	PEAK					



		76																																																						
Mode		Band Edge																																																						
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT		CDD 1+2																																																						
Pol.		Horizontal																																																						
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.97</td><td>60.02</td><td>74.00</td><td>-13.98</td><td>44.31</td><td>34.39</td><td>10.62</td><td>29.30</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.97	60.02	74.00	-13.98	44.31	34.39	10.62	29.30	0.00	100	114	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5144.97	60.02	74.00	-13.98	44.31	34.39	10.62	29.30	0.00	100	114	PEAK																																												
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.64</td><td>-----</td><td>-----</td><td>93.89</td><td>34.46</td><td>10.63</td><td>29.34</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.64	-----	-----	93.89	34.46	10.63	29.34	0.00	100	114	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5180.00	109.64	-----	-----	93.89	34.46	10.63	29.34	0.00	100	114	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>48.80</td><td>54.00</td><td>-5.20</td><td>33.09</td><td>34.40</td><td>10.62</td><td>29.31</td><td>0.00</td><td>100</td><td>114</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	48.80	54.00	-5.20	33.09	34.40	10.62	29.31	0.00	100	114	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5149.99	48.80	54.00	-5.20	33.09	34.40	10.62	29.31	0.00	100	114	AVERAGE																																												
AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.42</td><td>-----</td><td>-----</td><td>85.67</td><td>34.46</td><td>10.63</td><td>29.34</td><td>0.00</td><td>100</td><td>114</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.42	-----	-----	85.67	34.46	10.63	29.34	0.00	100	114	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5180.00	101.42	-----	-----	85.67	34.46	10.63	29.34	0.00	100	114	AVERAGE																																												







	76																																																							
Mode	Band Edge																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.66</td><td>58.01</td><td>74.00</td><td>-15.99</td><td>42.32</td><td>34.37</td><td>10.61</td><td>29.29</td><td>0.00</td><td>306</td><td>65</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.66	58.01	74.00	-15.99	42.32	34.37	10.61	29.29	0.00	306	65	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5134.66	58.01	74.00	-15.99	42.32	34.37	10.61	29.29	0.00	306	65	PEAK																																												
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.83</td><td>68.30</td><td>40.53</td><td>93.08</td><td>34.46</td><td>10.63</td><td>29.34</td><td>0.00</td><td>306</td><td>65</td><td>Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.83	68.30	40.53	93.08	34.46	10.63	29.34	0.00	306	65
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5180.00	108.83	68.30	40.53	93.08	34.46	10.63	29.34	0.00	306	65	Peak																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.64</td><td>47.78</td><td>54.00</td><td>-6.22</td><td>32.08</td><td>34.39</td><td>10.62</td><td>29.31</td><td>0.00</td><td>306</td><td>65</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.64	47.78	54.00	-6.22	32.08	34.39	10.62	29.31	0.00	306	65	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5146.64	47.78	54.00	-6.22	32.08	34.39	10.62	29.31	0.00	306	65	AVERAGE																																												
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.87</td><td>68.30</td><td>32.57</td><td>85.12</td><td>34.46</td><td>10.63</td><td>29.34</td><td>0.00</td><td>306</td><td>65</td><td>Average</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.87	68.30	32.57	85.12	34.46	10.63	29.34	0.00	306	65
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5180.00	108.87	68.30	32.57	85.12	34.46	10.63	29.34	0.00	306	65	Average																																												







		76																																																																																																																	
Mode		Harmonic																																																																																																																	
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																	
ANT		CDD 1+2																																																																																																																	
Pol.		Horizontal											Vertical																																																																																																						
Peak Avg																																																																																																																			
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 10360.00</td><td>44.88</td><td>68.30</td><td>-23.42</td><td>58.41</td><td>37.40</td><td>15.55</td><td>66.48</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10360.00	44.88	68.30	-23.42	58.41	37.40	15.55	66.48	0.00	300	360	PEAK	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 10360.00</td><td>45.53</td><td>68.30</td><td>-22.77</td><td>59.06</td><td>37.40</td><td>15.55</td><td>66.48</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10360.00	45.53	68.30	-22.77	59.06	37.40	15.55	66.48	0.00	100	360
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1 10360.00	44.88	68.30	-23.42	58.41	37.40	15.55	66.48	0.00	300	360	PEAK																																																																																																								
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1 10360.00	45.53	68.30	-22.77	59.06	37.40	15.55	66.48	0.00	100	360	PEAK																																																																																																								




		76																																																																																				
Mode		Band Edge																																																																																				
		2400-2483.5_802.11g_CH01_2412MHz																																																																																				
ANT		CDD 1+2 1S2T																																																																																				
Pol.		Horizontal					Fundamental																																																																															
Peak																																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	62.22	74.00	-11.78	48.02	31.98	7.11	30.89	6.00	100	132 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>108.84</td><td>-----</td><td>-----</td><td>94.53</td><td>32.01</td><td>7.15</td><td>30.85</td><td>6.00</td><td>100</td><td>132 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.84	-----	-----	94.53	32.01	7.15	30.85	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2389.82	62.22	74.00	-11.78	48.02	31.98	7.11	30.89	6.00	100	132 PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2412.00	108.84	-----	-----	94.53	32.01	7.15	30.85	6.00	100	132 PEAK																																																																											
Avg																																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.26	54.00	-4.74	35.06	31.98	7.11	30.89	6.00	100	132 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.51</td><td>-----</td><td>-----</td><td>85.20</td><td>32.01</td><td>7.15</td><td>30.85</td><td>6.00</td><td>100</td><td>132 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.51	-----	-----	85.20	32.01	7.15	30.85	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2389.95	49.26	54.00	-4.74	35.06	31.98	7.11	30.89	6.00	100	132 AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2412.00	99.51	-----	-----	85.20	32.01	7.15	30.85	6.00	100	132 AVERAGE																																																																											





	76																																																																																																														
Mode	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																														
ANT	CDD 1+2 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>58.51</td><td>74.00</td><td>-15.49</td><td>44.31</td><td>31.98</td><td>7.11</td><td>30.89</td><td>6.00</td><td>277</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	58.51	74.00	-15.49	44.31	31.98	7.11	30.89	6.00	277	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>101.85</td><td>-----</td><td>-----</td><td>87.55</td><td>32.01</td><td>7.15</td><td>30.86</td><td>6.00</td><td>277</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.85	-----	-----	87.55	32.01	7.15	30.86	6.00	277	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.82	58.51	74.00	-15.49	44.31	31.98	7.11	30.89	6.00	277	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	101.85	-----	-----	87.55	32.01	7.15	30.86	6.00	277	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>45.46</td><td>54.00</td><td>-8.54</td><td>31.26</td><td>31.98</td><td>7.11</td><td>30.89</td><td>6.00</td><td>277</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	45.46	54.00	-8.54	31.26	31.98	7.11	30.89	6.00	277	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>93.35</td><td>-----</td><td>-----</td><td>79.05</td><td>32.01</td><td>7.15</td><td>30.86</td><td>6.00</td><td>277</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	93.35	-----	-----	79.05	32.01	7.15	30.86	6.00	277	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.43	45.46	54.00	-8.54	31.26	31.98	7.11	30.89	6.00	277	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	93.35	-----	-----	79.05	32.01	7.15	30.86	6.00	277	360	AVERAGE																																																																																																			



		76																																																								
Mode		Harmonic																																																								
		2400-2483.5_802.11g_CH01_2412MHz																																																								
ANT		CDD 1+2 1S2T																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.92</td><td>74.00</td><td>-34.08</td><td>60.93</td><td>34.10</td><td>10.32</td><td>65.43</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.92	74.00	-34.08	60.93	34.10	10.32	65.43	0.00	300	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	4824.00	39.92	74.00	-34.08	60.93	34.10	10.32	65.43	0.00	300	360	PEAK																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.19</td><td>74.00</td><td>-33.81</td><td>61.20</td><td>34.10</td><td>10.32</td><td>65.43</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.19	74.00	-33.81	61.20	34.10	10.32	65.43	0.00	100	360	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	4824.00	40.19	74.00	-33.81	61.20	34.10	10.32	65.43	0.00	100	360	PEAK																																														



Mode	-	
	Emission above 18GHz	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 The Horizontal polarization plot shows the emission level in dBuV/m versus frequency in MHz from 18000 to 40000. The y-axis ranges from 0 to 130 dBuV/m. A solid red line represents the 5G BAND 1-3 limit, and a dashed red line represents the 5G BAND 1-3 (AVG) limit. The blue trace shows the measured emission, which is below the limits.	 The Vertical polarization plot shows the emission level in dBuV/m versus frequency in MHz from 18000 to 40000. The y-axis ranges from 0 to 130 dBuV/m. A solid red line represents the 5G BAND 1-3 limit, and a dashed red line represents the 5G BAND 1-3 (AVG) limit. The blue trace shows the measured emission, which is below the limits.

Note: For 18GHz to 40GHz, only wore case is verified in this report.



Mode	77																																																																																																																																																																																																											
	Emission below 1GHz																																																																																																																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																																																																											
ANT	CDD 1+2																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
Peak QP	Data: 1 Level (dBuV/m) Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot includes a red limit line and a blue test signal. Peaks are labeled 1 through 6. A red line indicates 5G BAND 1. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.00</td><td>21.92</td><td>40.00</td><td>-18.08</td><td>28.54</td><td>25.08</td><td>0.50</td><td>32.20</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>95.96</td><td>23.54</td><td>43.50</td><td>-19.96</td><td>38.94</td><td>15.39</td><td>1.41</td><td>32.20</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>186.17</td><td>26.01</td><td>43.50</td><td>-17.49</td><td>41.44</td><td>14.68</td><td>1.99</td><td>32.10</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>208.48</td><td>24.68</td><td>43.50</td><td>-18.82</td><td>39.76</td><td>14.93</td><td>2.11</td><td>32.12</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>334.58</td><td>27.16</td><td>46.00</td><td>-18.84</td><td>36.72</td><td>19.94</td><td>2.67</td><td>32.17</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>442.25</td><td>32.40</td><td>46.00</td><td>-13.60</td><td>38.96</td><td>22.60</td><td>3.06</td><td>32.22</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table> Data: 2 Level (dBuV/m) Graph showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot includes a red limit line and a blue test signal. Peaks are labeled 1 through 6. A red line indicates 5G BAND 1. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>48.43</td><td>31.50</td><td>40.00</td><td>-8.50</td><td>47.78</td><td>15.17</td><td>0.75</td><td>32.20</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>65.89</td><td>27.70</td><td>40.00</td><td>-12.30</td><td>46.70</td><td>12.13</td><td>0.99</td><td>32.12</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>95.96</td><td>23.32</td><td>43.50</td><td>-20.18</td><td>38.72</td><td>15.39</td><td>1.41</td><td>32.20</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>170.65</td><td>24.90</td><td>43.50</td><td>-18.60</td><td>40.62</td><td>14.49</td><td>1.89</td><td>32.10</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>250.19</td><td>25.66</td><td>46.00</td><td>-20.34</td><td>37.19</td><td>18.37</td><td>2.30</td><td>32.20</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>334.58</td><td>27.72</td><td>46.00</td><td>-18.28</td><td>37.28</td><td>19.94</td><td>2.67</td><td>32.17</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>													Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	21.92	40.00	-18.08	28.54	25.08	0.50	32.20	0.00	---	Peak	2	95.96	23.54	43.50	-19.96	38.94	15.39	1.41	32.20	0.00	---	Peak	3	186.17	26.01	43.50	-17.49	41.44	14.68	1.99	32.10	0.00	---	Peak	4	208.48	24.68	43.50	-18.82	39.76	14.93	2.11	32.12	0.00	---	Peak	5	334.58	27.16	46.00	-18.84	36.72	19.94	2.67	32.17	0.00	---	Peak	6	442.25	32.40	46.00	-13.60	38.96	22.60	3.06	32.22	0.00	---	Peak		Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	48.43	31.50	40.00	-8.50	47.78	15.17	0.75	32.20	0.00	---	Peak	2	65.89	27.70	40.00	-12.30	46.70	12.13	0.99	32.12	0.00	---	Peak	3	95.96	23.32	43.50	-20.18	38.72	15.39	1.41	32.20	0.00	---	Peak	4	170.65	24.90	43.50	-18.60	40.62	14.49	1.89	32.10	0.00	---	Peak	5	250.19	25.66	46.00	-20.34	37.19	18.37	2.30	32.20	0.00	---	Peak	6	334.58	27.72	46.00	-18.28	37.28	19.94	2.67	32.17	0.00	---	Peak
		Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1	30.00	21.92	40.00	-18.08	28.54	25.08	0.50	32.20	0.00	---	Peak																																																																																																																																																																																																	
2	95.96	23.54	43.50	-19.96	38.94	15.39	1.41	32.20	0.00	---	Peak																																																																																																																																																																																																	
3	186.17	26.01	43.50	-17.49	41.44	14.68	1.99	32.10	0.00	---	Peak																																																																																																																																																																																																	
4	208.48	24.68	43.50	-18.82	39.76	14.93	2.11	32.12	0.00	---	Peak																																																																																																																																																																																																	
5	334.58	27.16	46.00	-18.84	36.72	19.94	2.67	32.17	0.00	---	Peak																																																																																																																																																																																																	
6	442.25	32.40	46.00	-13.60	38.96	22.60	3.06	32.22	0.00	---	Peak																																																																																																																																																																																																	
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1	48.43	31.50	40.00	-8.50	47.78	15.17	0.75	32.20	0.00	---	Peak																																																																																																																																																																																																	
2	65.89	27.70	40.00	-12.30	46.70	12.13	0.99	32.12	0.00	---	Peak																																																																																																																																																																																																	
3	95.96	23.32	43.50	-20.18	38.72	15.39	1.41	32.20	0.00	---	Peak																																																																																																																																																																																																	
4	170.65	24.90	43.50	-18.60	40.62	14.49	1.89	32.10	0.00	---	Peak																																																																																																																																																																																																	
5	250.19	25.66	46.00	-20.34	37.19	18.37	2.30	32.20	0.00	---	Peak																																																																																																																																																																																																	
6	334.58	27.72	46.00	-18.28	37.28	19.94	2.67	32.17	0.00	---	Peak																																																																																																																																																																																																	



<U-NII-3>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 32	U-NII-3	5.725-5.85	CDD 1+2	802.11a	149	5745	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	CDD 1+2	802.11a	157	5785	6Mbps	-	-
Mode 34	U-NII-3	5.725-5.85	CDD 1+2	802.11a	165	5825	6Mbps	-	-
Mode 35	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT20	149	5745	MCS0	Full RU	-
Mode 36	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT20	157	5785	MCS0	Full RU	-
Mode 37	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT20	165	5825	MCS0	Full RU	-
Mode 38	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT40	151	5755	MCS0	Full RU	-
Mode 39	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT40	159	5795	MCS0	Full RU	-
Mode 40	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT80	155	5775	MCS0	Full RU	-



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 49	U-NII-3	5.15-5.25	CDD 1+2	802.11be EHT20	149	5745	MCS0	Single RU	26/0
Mode 50	U-NII-3	5.15-5.25	CDD 1+2	802.11be EHT20	165	5825	MCS0	Single RU	106/54
Mode 55	U-NII-3	5.15-5.25	CDD 1+2	802.11be EHT20	149	5745	MCS0	Small RU	Index 53+4
Mode 56	U-NII-3	5.15-5.25	CDD 1+2	802.11be EHT20	165	5825	MCS0	Small RU	Index 54+4
Mode 66	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT80	155	5775	MCS0	Puncturing 20M	③
Mode 74	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT80	155	5775	MCS0	Large RU 484+242	④
Mode 78	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT80	155	5775	MCS0	Large RU 484+242	LF



Summary of each worse mode




Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
32	802.11a	149	5647.20	56.95	68.30	-11.35	V	PEAK	Pass	Band Edge
33	802.11a	157	11570.00	45.61	74.00	-28.39	V	PEAK	Pass	Harmonic
34	802.11a	165	5925.57	57.35	68.30	-10.95	H	PEAK	Pass	Band Edge
35	802.11be EHT20	149	5627.05	57.00	68.30	-11.30	V	PEAK	Pass	Band Edge
36	802.11be EHT20	157	11570.00	45.70	74.00	-28.30	H	PEAK	Pass	Harmonic
37	802.11be EHT20	165	5932.69	58.80	68.30	-9.50	H	PEAK	Pass	Band Edge
38	802.11be EHT40	151	5607.37	58.27	68.30	-10.03	H	PEAK	Pass	Band Edge
39	802.11be EHT40	159	5940.63	57.71	68.30	-10.59	H	PEAK	Pass	Band Edge
40	802.11be EHT80	155	5619.17	58.52	68.30	-9.78	V	PEAK	Pass	Band Edge







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
49	802.11be EHT20	149	5614.72	56.86	68.3	-11.44	H	PEAK	Pass	Band Edge
50	802.11be EHT20	165	5942.69	58.05	68.3	-10.25	H	PEAK	Pass	Band Edge
55	802.11be EHT20	149	5613.20	54.92	68.30	-13.38	V	Peak	Pass	Band Edge
56	802.11be EHT20	165	5947.60	55.87	68.30	-12.43	V	Peak	Pass	Band Edge
66	802.11be EHT80	155	5646.64	58.81	68.30	-9.49	H	PEAK	Pass	Band Edge
74	802.11be EHT80	155	5640.96	61.29	68.30	-7.01	H	PEAK	Pass	Band Edge
78	802.11be EHT80	155	48.43	32.50	40.00	-7.50	V	PEAK	Pass	LF





Mode	32																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	CDD 1+2																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5615.45</td><td>55.96</td><td>68.30</td><td>-12.34</td><td>40.11</td><td>34.42</td><td>11.20</td><td>29.77</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>5650.68</td><td>55.09</td><td>68.81</td><td>-13.72</td><td>39.18</td><td>34.45</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>3</td><td>5712.60</td><td>61.47</td><td>108.83</td><td>-47.36</td><td>45.44</td><td>34.54</td><td>11.29</td><td>29.80</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>4</td><td>5721.15</td><td>62.78</td><td>113.53</td><td>-50.75</td><td>46.71</td><td>34.56</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5615.45	55.96	68.30	-12.34	40.11	34.42	11.20	29.77	0.00	100	115	PEAK	2	5650.68	55.09	68.81	-13.72	39.18	34.45	11.24	29.78	0.00	100	115	PEAK	3	5712.60	61.47	108.83	-47.36	45.44	34.54	11.29	29.80	0.00	100	115	PEAK	4	5721.15	62.78	113.53	-50.75	46.71	34.56	11.30	29.79	0.00	100	115	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.18</td><td>-----</td><td>-----</td><td>93.01</td><td>34.63</td><td>11.33</td><td>29.79</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.18	-----	-----	93.01	34.63	11.33	29.79	0.00	100	115	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5615.45	55.96	68.30	-12.34	40.11	34.42	11.20	29.77	0.00	100	115	PEAK																																																																																																																															
2	5650.68	55.09	68.81	-13.72	39.18	34.45	11.24	29.78	0.00	100	115	PEAK																																																																																																																															
3	5712.60	61.47	108.83	-47.36	45.44	34.54	11.29	29.80	0.00	100	115	PEAK																																																																																																																															
4	5721.15	62.78	113.53	-50.75	46.71	34.56	11.30	29.79	0.00	100	115	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	109.18	-----	-----	93.01	34.63	11.33	29.79	0.00	100	115	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.40</td><td>-----</td><td>-----</td><td>85.26</td><td>34.61</td><td>11.32</td><td>29.79</td><td>0.00</td><td>100</td><td>115</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.40	-----	-----	85.26	34.61	11.32	29.79	0.00	100	115	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	101.40	-----	-----	85.26	34.61	11.32	29.79	0.00	100	115	AVERAGE																																																																																																																															



		32																																																																																																																														
Mode		Band Edge																																																																																																																														
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																														
ANT		CDD 1+2																																																																																																																														
Pol.		Fundamental																																																																																																																														
Peak	Vertical	Fundamental																																																																																																																														
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.20</td><td>56.95</td><td>68.30</td><td>-11.35</td><td>41.05</td><td>34.45</td><td>11.23</td><td>29.78</td><td>0.00</td><td>293</td><td>65</td><td>PEAK</td></tr><tr><td>2</td><td>5650.10</td><td>55.46</td><td>68.30</td><td>-12.92</td><td>39.55</td><td>34.45</td><td>11.24</td><td>29.78</td><td>0.00</td><td>293</td><td>65</td><td>PEAK</td></tr><tr><td>3</td><td>5702.59</td><td>55.76</td><td>106.03</td><td>-50.27</td><td>39.77</td><td>34.51</td><td>11.28</td><td>29.80</td><td>0.00</td><td>293</td><td>65</td><td>PEAK</td></tr><tr><td>4</td><td>5723.04</td><td>63.96</td><td>117.83</td><td>-53.87</td><td>47.87</td><td>34.57</td><td>11.31</td><td>29.79</td><td>0.00</td><td>293</td><td>65</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.20	56.95	68.30	-11.35	41.05	34.45	11.23	29.78	0.00	293	65	PEAK	2	5650.10	55.46	68.30	-12.92	39.55	34.45	11.24	29.78	0.00	293	65	PEAK	3	5702.59	55.76	106.03	-50.27	39.77	34.51	11.28	29.80	0.00	293	65	PEAK	4	5723.04	63.96	117.83	-53.87	47.87	34.57	11.31	29.79	0.00	293	65	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.89</td><td>-----</td><td>-----</td><td>91.75</td><td>34.61</td><td>11.32</td><td>29.79</td><td>0.00</td><td>293</td><td>65</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.89	-----	-----	91.75	34.61	11.32	29.79	0.00	293	65
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5647.20	56.95	68.30	-11.35	41.05	34.45	11.23	29.78	0.00	293	65	PEAK																																																																																																																				
2	5650.10	55.46	68.30	-12.92	39.55	34.45	11.24	29.78	0.00	293	65	PEAK																																																																																																																				
3	5702.59	55.76	106.03	-50.27	39.77	34.51	11.28	29.80	0.00	293	65	PEAK																																																																																																																				
4	5723.04	63.96	117.83	-53.87	47.87	34.57	11.31	29.79	0.00	293	65	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5745.00	107.89	-----	-----	91.75	34.61	11.32	29.79	0.00	293	65	PEAK																																																																																																																				
Avg	Blank	Fundamental																																																																																																																														
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.67</td><td>-----</td><td>-----</td><td>82.50</td><td>34.63</td><td>11.33</td><td>29.79</td><td>0.00</td><td>293</td><td>65</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.67	-----	-----	82.50	34.63	11.33	29.79	0.00	293	65	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.67</td><td>-----</td><td>-----</td><td>82.50</td><td>34.63</td><td>11.33</td><td>29.79</td><td>0.00</td><td>293</td><td>65</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.67	-----	-----	82.50	34.63	11.33	29.79	0.00	293	65	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5745.00	98.67	-----	-----	82.50	34.63	11.33	29.79	0.00	293	65	AVERAGE																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5745.00	98.67	-----	-----	82.50	34.63	11.33	29.79	0.00	293	65	AVERAGE																																																																																																																				





Mode	32																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																							
ANT	CDD 1+2																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>56.48</td><td>38.24</td><td>16.15</td><td>65.46</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	45.41	74.00	-28.59	56.48	38.24	16.15	65.46	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.06</td><td>74.00</td><td>-28.94</td><td>56.13</td><td>38.24</td><td>16.15</td><td>65.46</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	45.06	74.00	-28.94	56.13	38.24	16.15	65.46	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11490.00	45.41	74.00	-28.59	56.48	38.24	16.15	65.46	0.00	100	360	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11490.00	45.06	74.00	-28.94	56.13	38.24	16.15	65.46	0.00	100	0	PEAK																																																																																												





Mode	33																																																									
	Harmonic																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																									
ANT	CDD 1+2																																																									
Pol.	Horizontal						Vertical																																																			
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>55.74</td><td>38.31</td><td>16.18</td><td>65.41</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.82	74.00	-29.18	55.74	38.31	16.18	65.41	0.00	100	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	11570.00	44.82	74.00	-29.18	55.74	38.31	16.18	65.41	0.00	100	360	PEAK																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>56.53</td><td>38.31</td><td>16.18</td><td>65.41</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.61	74.00	-28.39	56.53	38.31	16.18	65.41	0.00	100	0	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	11570.00	45.61	74.00	-28.39	56.53	38.31	16.18	65.41	0.00	100	0	PEAK																																														



Mode	34																																																																																									
	Band Edge																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal																																																																																									
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5855.00</td><td>56.45</td><td>110.90</td><td>-54.45</td><td>39.84</td><td>34.97</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>2 5873.69</td><td>56.62</td><td>105.67</td><td>-49.05</td><td>39.95</td><td>35.02</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>3 5925.00</td><td>56.41</td><td>68.30</td><td>-11.89</td><td>39.60</td><td>35.15</td><td>11.48</td><td>29.82</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>4 5925.57</td><td>57.35</td><td>68.30</td><td>-10.95</td><td>40.54</td><td>35.15</td><td>11.48</td><td>29.82</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5855.00	56.45	110.90	-54.45	39.84	34.97	11.43	29.79	0.00	100	115	PEAK	2 5873.69	56.62	105.67	-49.05	39.95	35.02	11.44	29.79	0.00	100	115	PEAK	3 5925.00	56.41	68.30	-11.89	39.60	35.15	11.48	29.82	0.00	100	115	PEAK	4 5925.57	57.35	68.30	-10.95	40.54	35.15	11.48	29.82	0.00	100	115	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5855.00	56.45	110.90	-54.45	39.84	34.97	11.43	29.79	0.00	100	115	PEAK																																																																															
2 5873.69	56.62	105.67	-49.05	39.95	35.02	11.44	29.79	0.00	100	115	PEAK																																																																															
3 5925.00	56.41	68.30	-11.89	39.60	35.15	11.48	29.82	0.00	100	115	PEAK																																																																															
4 5925.57	57.35	68.30	-10.95	40.54	35.15	11.48	29.82	0.00	100	115	PEAK																																																																															
Avg	Blank																																																																																									
																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>108.41</td><td>-----</td><td>-----</td><td>91.93</td><td>34.86</td><td>11.40</td><td>29.78</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	108.41	-----	-----	91.93	34.86	11.40	29.78	0.00	100	115	PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5825.00	108.41	-----	-----	91.93	34.86	11.40	29.78	0.00	100	115	PEAK																																																																															






Mode	34																																																																																										
	Band Edge																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																										
ANT	CDD 1+2																																																																																										
Pol.	Vertical																																																																																										
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.82</td><td>55.60</td><td>111.32</td><td>-55.72</td><td>39.00</td><td>34.96</td><td>11.43</td><td>29.79</td><td>0.00</td><td>315</td><td>68 PEAK</td></tr><tr><td>2</td><td>5872.44</td><td>56.70</td><td>106.02</td><td>-49.32</td><td>40.03</td><td>35.02</td><td>11.44</td><td>29.79</td><td>0.00</td><td>315</td><td>68 PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>56.70</td><td>68.99</td><td>-12.29</td><td>39.90</td><td>35.15</td><td>11.47</td><td>29.82</td><td>0.00</td><td>315</td><td>68 PEAK</td></tr><tr><td>4</td><td>5937.19</td><td>56.42</td><td>68.30</td><td>-11.88</td><td>39.60</td><td>35.17</td><td>11.48</td><td>29.83</td><td>0.00</td><td>315</td><td>68 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.82	55.60	111.32	-55.72	39.00	34.96	11.43	29.79	0.00	315	68 PEAK	2	5872.44	56.70	106.02	-49.32	40.03	35.02	11.44	29.79	0.00	315	68 PEAK	3	5924.07	56.70	68.99	-12.29	39.90	35.15	11.47	29.82	0.00	315	68 PEAK	4	5937.19	56.42	68.30	-11.88	39.60	35.17	11.48	29.83	0.00	315	68 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5854.82	55.60	111.32	-55.72	39.00	34.96	11.43	29.79	0.00	315	68 PEAK																																																																																
2	5872.44	56.70	106.02	-49.32	40.03	35.02	11.44	29.79	0.00	315	68 PEAK																																																																																
3	5924.07	56.70	68.99	-12.29	39.90	35.15	11.47	29.82	0.00	315	68 PEAK																																																																																
4	5937.19	56.42	68.30	-11.88	39.60	35.17	11.48	29.83	0.00	315	68 PEAK																																																																																
Avg	Blank																																																																																										
																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5825.00</td><td>98.58</td><td>-----</td><td>-----</td><td>82.07</td><td>34.88</td><td>11.41</td><td>29.78</td><td>0.00</td><td>315</td><td>68 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	98.58	-----	-----	82.07	34.88	11.41	29.78	0.00	315	68 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5825.00	98.58	-----	-----	82.07	34.88	11.41	29.78	0.00	315	68 AVERAGE																																																																																






Mode	34																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>55.66</td><td>38.39</td><td>16.23</td><td>65.37</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	44.91	74.00	-29.09	55.66	38.39	16.23	65.37	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>56.46</td><td>38.39</td><td>16.23</td><td>65.37</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.71	74.00	-28.29	56.46	38.39	16.23	65.37	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	44.91	74.00	-29.09	55.66	38.39	16.23	65.37	0.00	100	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	45.71	74.00	-28.29	56.46	38.39	16.23	65.37	0.00	100	0	PEAK																																																																																								





Mode	35																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full RU_5745MHz																																																																																																																																			
ANT	CDD 1+2																																																																																																																																			
Pol.	Horizontal					Fundamental																																																																																																																														
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5685.44</td><td>56.69</td><td>68.30</td><td>-11.61</td><td>40.85</td><td>34.41</td><td>11.19</td><td>29.76</td><td>0.00</td><td>104</td><td>117 PEAK</td></tr><tr><td>2</td><td>5650.83</td><td>54.67</td><td>68.91</td><td>-14.24</td><td>38.76</td><td>34.45</td><td>11.24</td><td>29.78</td><td>0.00</td><td>104</td><td>117 PEAK</td></tr><tr><td>3</td><td>5719.12</td><td>62.52</td><td>110.65</td><td>-48.13</td><td>46.45</td><td>34.56</td><td>11.30</td><td>29.79</td><td>0.00</td><td>104</td><td>117 PEAK</td></tr><tr><td>4</td><td>5720.86</td><td>65.07</td><td>112.87</td><td>-47.80</td><td>49.00</td><td>34.56</td><td>11.30</td><td>29.79</td><td>0.00</td><td>104</td><td>117 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5685.44	56.69	68.30	-11.61	40.85	34.41	11.19	29.76	0.00	104	117 PEAK	2	5650.83	54.67	68.91	-14.24	38.76	34.45	11.24	29.78	0.00	104	117 PEAK	3	5719.12	62.52	110.65	-48.13	46.45	34.56	11.30	29.79	0.00	104	117 PEAK	4	5720.86	65.07	112.87	-47.80	49.00	34.56	11.30	29.79	0.00	104	117 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.47</td><td>-----</td><td>-----</td><td>93.36</td><td>34.59</td><td>11.31</td><td>29.79</td><td>0.00</td><td>104</td><td>117 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.47	-----	-----	93.36	34.59	11.31	29.79	0.00	104	117 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5685.44	56.69	68.30	-11.61	40.85	34.41	11.19	29.76	0.00	104	117 PEAK																																																																																																																									
2	5650.83	54.67	68.91	-14.24	38.76	34.45	11.24	29.78	0.00	104	117 PEAK																																																																																																																									
3	5719.12	62.52	110.65	-48.13	46.45	34.56	11.30	29.79	0.00	104	117 PEAK																																																																																																																									
4	5720.86	65.07	112.87	-47.80	49.00	34.56	11.30	29.79	0.00	104	117 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5745.00	109.47	-----	-----	93.36	34.59	11.31	29.79	0.00	104	117 PEAK																																																																																																																									
Avg	Blank																																																																																																																																			
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.42</td><td>-----</td><td>-----</td><td>84.23</td><td>34.65</td><td>11.33</td><td>29.79</td><td>0.00</td><td>104</td><td>117 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.42	-----	-----	84.23	34.65	11.33	29.79	0.00	104	117 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5745.00	100.42	-----	-----	84.23	34.65	11.33	29.79	0.00	104	117 AVERAGE																																																																																																																									





	35																																																																																																																																				
Mode	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full RU_5745MHz																																																																																																																																				
ANT	CDD 1+2																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5627.05</td><td>57.00</td><td>68.30</td><td>-11.30</td><td>41.13</td><td>34.43</td><td>11.21</td><td>29.77</td><td>0.00</td><td>295</td><td>67 PEAK</td></tr><tr><td>2</td><td>5650.25</td><td>54.89</td><td>68.48</td><td>-13.59</td><td>38.98</td><td>34.45</td><td>11.24</td><td>29.78</td><td>0.00</td><td>295</td><td>67 PEAK</td></tr><tr><td>3</td><td>5707.38</td><td>56.64</td><td>107.37</td><td>-50.73</td><td>40.63</td><td>34.52</td><td>11.29</td><td>29.80</td><td>0.00</td><td>295</td><td>67 PEAK</td></tr><tr><td>4</td><td>5720.14</td><td>61.26</td><td>111.21</td><td>-49.95</td><td>45.19</td><td>34.56</td><td>11.30</td><td>29.79</td><td>0.00</td><td>295</td><td>67 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5627.05	57.00	68.30	-11.30	41.13	34.43	11.21	29.77	0.00	295	67 PEAK	2	5650.25	54.89	68.48	-13.59	38.98	34.45	11.24	29.78	0.00	295	67 PEAK	3	5707.38	56.64	107.37	-50.73	40.63	34.52	11.29	29.80	0.00	295	67 PEAK	4	5720.14	61.26	111.21	-49.95	45.19	34.56	11.30	29.79	0.00	295	67 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.23</td><td>-----</td><td>-----</td><td>90.12</td><td>34.59</td><td>11.31</td><td>29.79</td><td>0.00</td><td>295</td><td>67 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.23	-----	-----	90.12	34.59	11.31	29.79	0.00	295	67 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5627.05	57.00	68.30	-11.30	41.13	34.43	11.21	29.77	0.00	295	67 PEAK																																																																																																																										
2	5650.25	54.89	68.48	-13.59	38.98	34.45	11.24	29.78	0.00	295	67 PEAK																																																																																																																										
3	5707.38	56.64	107.37	-50.73	40.63	34.52	11.29	29.80	0.00	295	67 PEAK																																																																																																																										
4	5720.14	61.26	111.21	-49.95	45.19	34.56	11.30	29.79	0.00	295	67 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5745.00	106.23	-----	-----	90.12	34.59	11.31	29.79	0.00	295	67 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.80</td><td>-----</td><td>-----</td><td>81.69</td><td>34.59</td><td>11.31</td><td>29.79</td><td>0.00</td><td>295</td><td>67 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.80	-----	-----	81.69	34.59	11.31	29.79	0.00	295	67 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5745.00	97.80	-----	-----	81.69	34.59	11.31	29.79	0.00	295	67 AVERAGE																																																																																																																										






Mode	35																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full RU_5745MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.00</td><td>74.00</td><td>-29.00</td><td>56.07</td><td>38.24</td><td>16.15</td><td>65.46</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.00	74.00	-29.00	56.07	38.24	16.15	65.46	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.02</td><td>74.00</td><td>-28.98</td><td>56.09</td><td>38.24</td><td>16.15</td><td>65.46</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.02	74.00	-28.98	56.09	38.24	16.15	65.46	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	45.00	74.00	-29.00	56.07	38.24	16.15	65.46	0.00	100	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	45.02	74.00	-28.98	56.09	38.24	16.15	65.46	0.00	100	0	PEAK																																																																																								






		36																																																							
Mode		Harmonic																																																							
		U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full RU_5785MHz																																																							
ANT		CDD 1+2																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>56.62</td><td>38.31</td><td>16.18</td><td>65.41</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.70	74.00	-28.30	56.62	38.31	16.18	65.41	0.00	100	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11570.00	45.70	74.00	-28.30	56.62	38.31	16.18	65.41	0.00	100	360	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>56.33</td><td>38.31</td><td>16.18</td><td>65.41</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.41	74.00	-28.59	56.33	38.31	16.18	65.41	0.00	100	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11570.00	45.41	74.00	-28.59	56.33	38.31	16.18	65.41	0.00	100	0	PEAK																																													





	37																																																																																															
Mode	Band Edge																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full RU_5825MHz																																																																																															
ANT	CDD 1+2																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.94</td><td>57.88</td><td>111.03</td><td>-53.15</td><td>41.28</td><td>34.96</td><td>11.43</td><td>29.79</td><td>0.00</td><td>107</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>5873.00</td><td>57.19</td><td>105.86</td><td>-48.67</td><td>40.52</td><td>35.02</td><td>11.44</td><td>29.79</td><td>0.00</td><td>107</td><td>115</td><td>PEAK</td></tr><tr><td>3</td><td>5924.94</td><td>55.93</td><td>68.34</td><td>-12.41</td><td>39.13</td><td>35.15</td><td>11.47</td><td>29.82</td><td>0.00</td><td>107</td><td>115</td><td>PEAK</td></tr><tr><td>4</td><td>5932.69</td><td>58.80</td><td>68.30</td><td>-9.50</td><td>41.98</td><td>35.17</td><td>11.48</td><td>29.83</td><td>0.00</td><td>107</td><td>115</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.94	57.88	111.03	-53.15	41.28	34.96	11.43	29.79	0.00	107	115	PEAK	2	5873.00	57.19	105.86	-48.67	40.52	35.02	11.44	29.79	0.00	107	115	PEAK	3	5924.94	55.93	68.34	-12.41	39.13	35.15	11.47	29.82	0.00	107	115	PEAK	4	5932.69	58.80	68.30	-9.50	41.98	35.17	11.48	29.83	0.00	107	115	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.94	57.88	111.03	-53.15	41.28	34.96	11.43	29.79	0.00	107	115	PEAK																																																																																				
2	5873.00	57.19	105.86	-48.67	40.52	35.02	11.44	29.79	0.00	107	115	PEAK																																																																																				
3	5924.94	55.93	68.34	-12.41	39.13	35.15	11.47	29.82	0.00	107	115	PEAK																																																																																				
4	5932.69	58.80	68.30	-9.50	41.98	35.17	11.48	29.83	0.00	107	115	PEAK																																																																																				
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>109.96</td><td>-----</td><td>-----</td><td>93.48</td><td>34.85</td><td>11.40</td><td>29.77</td><td>0.00</td><td>107</td><td>115</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.96	-----	-----	93.48	34.85	11.40	29.77	0.00	107	115	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5825.00	109.96	-----	-----	93.48	34.85	11.40	29.77	0.00	107	115	PEAK																																																																																				
Avg	Blank																																																																																															
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.18</td><td>-----</td><td>-----</td><td>83.65</td><td>34.90</td><td>11.41</td><td>29.78</td><td>0.00</td><td>107</td><td>115</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.18	-----	-----	83.65	34.90	11.41	29.78	0.00	107	115	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5825.00	100.18	-----	-----	83.65	34.90	11.41	29.78	0.00	107	115	AVERAGE																																																																																				






Mode	37																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full RU_5825MHz																																																																																																																														
ANT	CDD 1+2																																																																																																																														
Pol.	Vertical					Fundamental																																																																																																																									
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.69</td><td>57.58</td><td>111.60</td><td>-54.02</td><td>40.98</td><td>34.96</td><td>11.43</td><td>29.79</td><td>0.00</td><td>300</td><td>69 PEAK</td></tr><tr><td>2 5870.69</td><td>57.44</td><td>106.50</td><td>-49.06</td><td>40.78</td><td>35.01</td><td>11.44</td><td>29.79</td><td>0.00</td><td>300</td><td>69 PEAK</td></tr><tr><td>3 5923.32</td><td>57.00</td><td>69.54</td><td>-12.54</td><td>40.20</td><td>35.15</td><td>11.47</td><td>29.82</td><td>0.00</td><td>300</td><td>69 PEAK</td></tr><tr><td>4 5925.94</td><td>57.45</td><td>68.30</td><td>-10.85</td><td>40.64</td><td>35.15</td><td>11.48</td><td>29.82</td><td>0.00</td><td>300</td><td>69 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.69	57.58	111.60	-54.02	40.98	34.96	11.43	29.79	0.00	300	69 PEAK	2 5870.69	57.44	106.50	-49.06	40.78	35.01	11.44	29.79	0.00	300	69 PEAK	3 5923.32	57.00	69.54	-12.54	40.20	35.15	11.47	29.82	0.00	300	69 PEAK	4 5925.94	57.45	68.30	-10.85	40.64	35.15	11.48	29.82	0.00	300	69 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>105.99</td><td>-----</td><td>-----</td><td>89.51</td><td>34.85</td><td>11.40</td><td>29.77</td><td>0.00</td><td>300</td><td>69 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.99	-----	-----	89.51	34.85	11.40	29.77	0.00	300	69 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5854.69	57.58	111.60	-54.02	40.98	34.96	11.43	29.79	0.00	300	69 PEAK																																																																																																																					
2 5870.69	57.44	106.50	-49.06	40.78	35.01	11.44	29.79	0.00	300	69 PEAK																																																																																																																					
3 5923.32	57.00	69.54	-12.54	40.20	35.15	11.47	29.82	0.00	300	69 PEAK																																																																																																																					
4 5925.94	57.45	68.30	-10.85	40.64	35.15	11.48	29.82	0.00	300	69 PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5825.00	105.99	-----	-----	89.51	34.85	11.40	29.77	0.00	300	69 PEAK																																																																																																																					
Avg	Blank																																																																																																																														
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.58</td><td>-----</td><td>-----</td><td>81.10</td><td>34.85</td><td>11.40</td><td>29.77</td><td>0.00</td><td>300</td><td>69 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.58	-----	-----	81.10	34.85	11.40	29.77	0.00	300	69 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5825.00	97.58	-----	-----	81.10	34.85	11.40	29.77	0.00	300	69 AVERAGE																																																																																																																					




Mode	37																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full RU_5825MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>56.78</td><td>38.39</td><td>16.23</td><td>65.37</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.03	74.00	-27.97	56.78	38.39	16.23	65.37	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>56.12</td><td>38.39</td><td>16.23</td><td>65.37</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.37	74.00	-28.63	56.12	38.39	16.23	65.37	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	46.03	74.00	-27.97	56.78	38.39	16.23	65.37	0.00	100	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	45.37	74.00	-28.63	56.12	38.39	16.23	65.37	0.00	100	0	PEAK																																																																																								





Mode	38																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																																																																										
ANT	CDD 1+2																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5607.37</td><td>58.27</td><td>68.30</td><td>-10.03</td><td>42.42</td><td>34.41</td><td>11.20</td><td>29.76</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5650.15</td><td>57.66</td><td>68.41</td><td>-10.75</td><td>41.75</td><td>34.45</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>5711.37</td><td>67.39</td><td>108.49</td><td>-41.10</td><td>51.37</td><td>34.53</td><td>11.29</td><td>29.80</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>4</td><td>5720.52</td><td>69.17</td><td>112.08</td><td>-42.91</td><td>53.10</td><td>34.56</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5607.37	58.27	68.30	-10.03	42.42	34.41	11.20	29.76	0.00	100	117	PEAK	2	5650.15	57.66	68.41	-10.75	41.75	34.45	11.24	29.78	0.00	100	117	PEAK	3	5711.37	67.39	108.49	-41.10	51.37	34.53	11.29	29.80	0.00	100	117	PEAK	4	5720.52	69.17	112.08	-42.91	53.10	34.56	11.30	29.79	0.00	100	117	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>107.76</td><td>-----</td><td>-----</td><td>91.51</td><td>34.68</td><td>11.35</td><td>29.78</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	107.76	-----	-----	91.51	34.68	11.35	29.78	0.00	100	117	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5607.37	58.27	68.30	-10.03	42.42	34.41	11.20	29.76	0.00	100	117	PEAK																																																																																																																															
2	5650.15	57.66	68.41	-10.75	41.75	34.45	11.24	29.78	0.00	100	117	PEAK																																																																																																																															
3	5711.37	67.39	108.49	-41.10	51.37	34.53	11.29	29.80	0.00	100	117	PEAK																																																																																																																															
4	5720.52	69.17	112.08	-42.91	53.10	34.56	11.30	29.79	0.00	100	117	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	107.76	-----	-----	91.51	34.68	11.35	29.78	0.00	100	117	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>98.32</td><td>-----</td><td>-----</td><td>82.07</td><td>34.68</td><td>11.35</td><td>29.78</td><td>0.00</td><td>100</td><td>117</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	98.32	-----	-----	82.07	34.68	11.35	29.78	0.00	100	117	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	98.32	-----	-----	82.07	34.68	11.35	29.78	0.00	100	117	AVERAGE																																																																																																																															




Mode	38																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																				
ANT	CDD 1+2																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.16</td><td>56.96</td><td>112.81</td><td>-55.85</td><td>40.36</td><td>34.96</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5868.59</td><td>57.49</td><td>107.09</td><td>-49.60</td><td>40.83</td><td>35.01</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>55.95</td><td>68.48</td><td>-12.53</td><td>39.15</td><td>35.15</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>4</td><td>5937.04</td><td>56.89</td><td>68.30</td><td>-11.41</td><td>40.07</td><td>35.17</td><td>11.48</td><td>29.83</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.16	56.96	112.81	-55.85	40.36	34.96	11.43	29.79	0.00	100	117	PEAK	2	5868.59	57.49	107.09	-49.60	40.83	35.01	11.44	29.79	0.00	100	117	PEAK	3	5924.75	55.95	68.48	-12.53	39.15	35.15	11.47	29.82	0.00	100	117	PEAK	4	5937.04	56.89	68.30	-11.41	40.07	35.17	11.48	29.83	0.00	100	117	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.16	56.96	112.81	-55.85	40.36	34.96	11.43	29.79	0.00	100	117	PEAK																																																																									
2	5868.59	57.49	107.09	-49.60	40.83	35.01	11.44	29.79	0.00	100	117	PEAK																																																																									
3	5924.75	55.95	68.48	-12.53	39.15	35.15	11.47	29.82	0.00	100	117	PEAK																																																																									
4	5937.04	56.89	68.30	-11.41	40.07	35.17	11.48	29.83	0.00	100	117	PEAK																																																																									





Mode	38																																																																																														
	Band Edge - L																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																														
ANT	CDD 1+2																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5617.44</td><td>58.21</td><td>68.30</td><td>-10.09</td><td>42.35</td><td>34.42</td><td>11.21</td><td>29.77</td><td>0.00</td><td>307</td><td>71 PEAK</td></tr><tr><td>2</td><td>5650.15</td><td>56.86</td><td>68.41</td><td>-11.55</td><td>40.95</td><td>34.45</td><td>11.24</td><td>29.78</td><td>0.00</td><td>307</td><td>71 PEAK</td></tr><tr><td>3</td><td>5709.82</td><td>62.84</td><td>108.05</td><td>-45.21</td><td>46.82</td><td>34.53</td><td>11.29</td><td>29.80</td><td>0.00</td><td>307</td><td>71 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>65.67</td><td>110.90</td><td>-45.23</td><td>49.60</td><td>34.56</td><td>11.30</td><td>29.79</td><td>0.00</td><td>307</td><td>71 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5617.44	58.21	68.30	-10.09	42.35	34.42	11.21	29.77	0.00	307	71 PEAK	2	5650.15	56.86	68.41	-11.55	40.95	34.45	11.24	29.78	0.00	307	71 PEAK	3	5709.82	62.84	108.05	-45.21	46.82	34.53	11.29	29.80	0.00	307	71 PEAK	4	5720.00	65.67	110.90	-45.23	49.60	34.56	11.30	29.79	0.00	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5617.44	58.21	68.30	-10.09	42.35	34.42	11.21	29.77	0.00	307	71 PEAK																																																																																				
2	5650.15	56.86	68.41	-11.55	40.95	34.45	11.24	29.78	0.00	307	71 PEAK																																																																																				
3	5709.82	62.84	108.05	-45.21	46.82	34.53	11.29	29.80	0.00	307	71 PEAK																																																																																				
4	5720.00	65.67	110.90	-45.23	49.60	34.56	11.30	29.79	0.00	307	71 PEAK																																																																																				
Avg	Blank																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>95.24</td><td>-----</td><td>-----</td><td>79.07</td><td>34.63</td><td>11.33</td><td>29.79</td><td>0.00</td><td>307</td><td>71 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	95.24	-----	-----	79.07	34.63	11.33	29.79	0.00	307	71 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5755.00	95.24	-----	-----	79.07	34.63	11.33	29.79	0.00	307	71 AVERAGE																																																																																				






Mode	38																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																
ANT	CDD 1+2																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.75</td><td>55.97</td><td>111.47</td><td>-55.50</td><td>39.37</td><td>34.96</td><td>11.43</td><td>29.79</td><td>0.00</td><td>307</td><td>71 PEAK</td></tr><tr><td>2</td><td>5872.49</td><td>56.25</td><td>106.00</td><td>-49.75</td><td>39.58</td><td>35.02</td><td>11.44</td><td>29.79</td><td>0.00</td><td>307</td><td>71 PEAK</td></tr><tr><td>3</td><td>5924.56</td><td>55.96</td><td>68.62</td><td>-12.66</td><td>39.16</td><td>35.15</td><td>11.47</td><td>29.82</td><td>0.00</td><td>307</td><td>71 PEAK</td></tr><tr><td>4</td><td>5948.54</td><td>57.53</td><td>68.30</td><td>-10.77</td><td>40.68</td><td>35.20</td><td>11.49</td><td>29.84</td><td>0.00</td><td>307</td><td>71 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.75	55.97	111.47	-55.50	39.37	34.96	11.43	29.79	0.00	307	71 PEAK	2	5872.49	56.25	106.00	-49.75	39.58	35.02	11.44	29.79	0.00	307	71 PEAK	3	5924.56	55.96	68.62	-12.66	39.16	35.15	11.47	29.82	0.00	307	71 PEAK	4	5948.54	57.53	68.30	-10.77	40.68	35.20	11.49	29.84	0.00	307	71 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.75	55.97	111.47	-55.50	39.37	34.96	11.43	29.79	0.00	307	71 PEAK																																																																						
2	5872.49	56.25	106.00	-49.75	39.58	35.02	11.44	29.79	0.00	307	71 PEAK																																																																						
3	5924.56	55.96	68.62	-12.66	39.16	35.15	11.47	29.82	0.00	307	71 PEAK																																																																						
4	5948.54	57.53	68.30	-10.77	40.68	35.20	11.49	29.84	0.00	307	71 PEAK																																																																						




Mode	38																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>56.61</td><td>38.26</td><td>16.15</td><td>65.44</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.58	74.00	-28.42	56.61	38.26	16.15	65.44	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>56.44</td><td>38.26</td><td>16.15</td><td>65.44</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.41	74.00	-28.59	56.44	38.26	16.15	65.44	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11510.00	45.58	74.00	-28.42	56.61	38.26	16.15	65.44	0.00	100	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11510.00	45.41	74.00	-28.59	56.44	38.26	16.15	65.44	0.00	100	0	PEAK																																																																																								






Mode	39																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																																																						
ANT	CDD 1+2																																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5631.11</td><td>57.39</td><td>68.30</td><td>-10.91</td><td>41.51</td><td>34.43</td><td>11.22</td><td>29.77</td><td>0.00</td><td>100 116 PEAK</td></tr><tr><td>2 5650.22</td><td>55.52</td><td>68.46</td><td>-12.94</td><td>39.61</td><td>34.45</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100 116 PEAK</td></tr><tr><td>3 5701.89</td><td>55.06</td><td>105.83</td><td>-50.77</td><td>39.07</td><td>34.51</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100 116 PEAK</td></tr><tr><td>4 5720.42</td><td>57.85</td><td>111.86</td><td>-54.01</td><td>41.78</td><td>34.56</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100 116 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5631.11	57.39	68.30	-10.91	41.51	34.43	11.22	29.77	0.00	100 116 PEAK	2 5650.22	55.52	68.46	-12.94	39.61	34.45	11.24	29.78	0.00	100 116 PEAK	3 5701.89	55.06	105.83	-50.77	39.07	34.51	11.28	29.80	0.00	100 116 PEAK	4 5720.42	57.85	111.86	-54.01	41.78	34.56	11.30	29.79	0.00	100 116 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>108.27</td><td>-----</td><td>-----</td><td>91.94</td><td>34.74</td><td>11.37</td><td>29.78</td><td>0.00</td><td>100 116 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5795.00	108.27	-----	-----	91.94	34.74	11.37	29.78	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5631.11	57.39	68.30	-10.91	41.51	34.43	11.22	29.77	0.00	100 116 PEAK																																																																																																														
2 5650.22	55.52	68.46	-12.94	39.61	34.45	11.24	29.78	0.00	100 116 PEAK																																																																																																														
3 5701.89	55.06	105.83	-50.77	39.07	34.51	11.28	29.80	0.00	100 116 PEAK																																																																																																														
4 5720.42	57.85	111.86	-54.01	41.78	34.56	11.30	29.79	0.00	100 116 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5795.00	108.27	-----	-----	91.94	34.74	11.37	29.78	0.00	100 116 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>97.30</td><td>-----</td><td>-----</td><td>80.87</td><td>34.81</td><td>11.39</td><td>29.77</td><td>0.00</td><td>100 116 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5795.00	97.30	-----	-----	80.87	34.81	11.39	29.77	0.00	100 116 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5795.00	97.30	-----	-----	80.87	34.81	11.39	29.77	0.00	100 116 AVERAGE																																																																																																														




Mode	39																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																				
ANT	CDD 1+2																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.60</td><td>56.34</td><td>111.81</td><td>-55.47</td><td>39.74</td><td>34.96</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5874.91</td><td>56.01</td><td>105.33</td><td>-49.32</td><td>39.34</td><td>35.02</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>5924.51</td><td>56.51</td><td>68.66</td><td>-12.15</td><td>39.71</td><td>35.15</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>4</td><td>5940.63</td><td>57.71</td><td>68.30</td><td>-10.59</td><td>40.89</td><td>35.18</td><td>11.48</td><td>29.84</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.60	56.34	111.81	-55.47	39.74	34.96	11.43	29.79	0.00	100	116	PEAK	2	5874.91	56.01	105.33	-49.32	39.34	35.02	11.44	29.79	0.00	100	116	PEAK	3	5924.51	56.51	68.66	-12.15	39.71	35.15	11.47	29.82	0.00	100	116	PEAK	4	5940.63	57.71	68.30	-10.59	40.89	35.18	11.48	29.84	0.00	100	116	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.60	56.34	111.81	-55.47	39.74	34.96	11.43	29.79	0.00	100	116	PEAK																																																																									
2	5874.91	56.01	105.33	-49.32	39.34	35.02	11.44	29.79	0.00	100	116	PEAK																																																																									
3	5924.51	56.51	68.66	-12.15	39.71	35.15	11.47	29.82	0.00	100	116	PEAK																																																																									
4	5940.63	57.71	68.30	-10.59	40.89	35.18	11.48	29.84	0.00	100	116	PEAK																																																																									





		39																																																																																																																																																									
Mode	Band Edge - L																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																																																																																										
ANT	CDD 1+2																																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																																				
Peak																																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5649.05</td><td>57.19</td><td>68.30</td><td>-11.11</td><td>41.29</td><td>34.45</td><td>11.23</td><td>29.78</td><td>0.00</td><td>306</td><td>69 PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>56.02</td><td>68.46</td><td>-12.44</td><td>40.11</td><td>34.45</td><td>11.24</td><td>29.78</td><td>0.00</td><td>306</td><td>69 PEAK</td></tr><tr><td>3</td><td>5700.33</td><td>56.54</td><td>105.39</td><td>-48.85</td><td>40.56</td><td>34.50</td><td>11.28</td><td>29.80</td><td>0.00</td><td>306</td><td>69 PEAK</td></tr><tr><td>4</td><td>5720.03</td><td>55.97</td><td>110.97</td><td>-55.00</td><td>39.90</td><td>34.56</td><td>11.30</td><td>29.79</td><td>0.00</td><td>306</td><td>69 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5649.05	57.19	68.30	-11.11	41.29	34.45	11.23	29.78	0.00	306	69 PEAK	2	5650.22	56.02	68.46	-12.44	40.11	34.45	11.24	29.78	0.00	306	69 PEAK	3	5700.33	56.54	105.39	-48.85	40.56	34.50	11.28	29.80	0.00	306	69 PEAK	4	5720.03	55.97	110.97	-55.00	39.90	34.56	11.30	29.79	0.00	306	69 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>103.14</td><td>-----</td><td>-----</td><td>86.81</td><td>34.74</td><td>11.37</td><td>29.78</td><td>0.00</td><td>306</td><td>69 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5795.00	103.14	-----	-----	86.81	34.74	11.37	29.78	0.00	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	5649.05	57.19	68.30	-11.11	41.29	34.45	11.23	29.78	0.00	306	69 PEAK																																																																																																																																																
2	5650.22	56.02	68.46	-12.44	40.11	34.45	11.24	29.78	0.00	306	69 PEAK																																																																																																																																																
3	5700.33	56.54	105.39	-48.85	40.56	34.50	11.28	29.80	0.00	306	69 PEAK																																																																																																																																																
4	5720.03	55.97	110.97	-55.00	39.90	34.56	11.30	29.79	0.00	306	69 PEAK																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	5795.00	103.14	-----	-----	86.81	34.74	11.37	29.78	0.00	306	69 PEAK																																																																																																																																																
Avg	Blank																																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>94.28</td><td>-----</td><td>-----</td><td>77.92</td><td>34.76</td><td>11.37</td><td>29.77</td><td>0.00</td><td>306</td><td>69 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5795.00	94.28	-----	-----	77.92	34.76	11.37	29.77	0.00	306	69 AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	5795.00	94.28	-----	-----	77.92	34.76	11.37	29.77	0.00	306	69 AVERAGE																																																																																																																																																






Mode	39																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.29</td><td>56.54</td><td>112.51</td><td>-55.97</td><td>39.94</td><td>34.96</td><td>11.43</td><td>29.79</td><td>0.00</td><td>306</td><td>69 PEAK</td></tr><tr><td>2</td><td>5873.51</td><td>55.99</td><td>105.72</td><td>-49.73</td><td>39.32</td><td>35.02</td><td>11.44</td><td>29.79</td><td>0.00</td><td>306</td><td>69 PEAK</td></tr><tr><td>3</td><td>5923.73</td><td>57.59</td><td>69.23</td><td>-11.64</td><td>40.79</td><td>35.15</td><td>11.47</td><td>29.82</td><td>0.00</td><td>306</td><td>69 PEAK</td></tr><tr><td>4</td><td>5931.79</td><td>57.44</td><td>68.30</td><td>-10.86</td><td>40.63</td><td>35.16</td><td>11.48</td><td>29.83</td><td>0.00</td><td>306</td><td>69 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.29	56.54	112.51	-55.97	39.94	34.96	11.43	29.79	0.00	306	69 PEAK	2	5873.51	55.99	105.72	-49.73	39.32	35.02	11.44	29.79	0.00	306	69 PEAK	3	5923.73	57.59	69.23	-11.64	40.79	35.15	11.47	29.82	0.00	306	69 PEAK	4	5931.79	57.44	68.30	-10.86	40.63	35.16	11.48	29.83	0.00	306	69 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5854.29	56.54	112.51	-55.97	39.94	34.96	11.43	29.79	0.00	306	69 PEAK																																																																															
2	5873.51	55.99	105.72	-49.73	39.32	35.02	11.44	29.79	0.00	306	69 PEAK																																																																															
3	5923.73	57.59	69.23	-11.64	40.79	35.15	11.47	29.82	0.00	306	69 PEAK																																																																															
4	5931.79	57.44	68.30	-10.86	40.63	35.16	11.48	29.83	0.00	306	69 PEAK																																																																															




Mode	39																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>56.26</td><td>38.33</td><td>16.19</td><td>65.40</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	45.38	74.00	-28.62	56.26	38.33	16.19	65.40	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>55.68</td><td>38.33</td><td>16.19</td><td>65.40</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	44.80	74.00	-29.20	55.68	38.33	16.19	65.40	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11590.00	45.38	74.00	-28.62	56.26	38.33	16.19	65.40	0.00	100	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11590.00	44.80	74.00	-29.20	55.68	38.33	16.19	65.40	0.00	100	0	PEAK																																																																																								






Mode	40																																																																																																																																					
	Band Edge - L																																																																																																																																					
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																																																					
ANT	CDD 1+2																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5604.64</td><td>56.99</td><td>68.30</td><td>-11.31</td><td>41.16</td><td>34.40</td><td>11.19</td><td>29.76</td><td>0.00</td><td>100</td><td>120 PEAK</td></tr><tr><td>2</td><td>5653.29</td><td>57.21</td><td>70.75</td><td>-13.54</td><td>41.30</td><td>34.45</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>120 PEAK</td></tr><tr><td>3</td><td>5704.03</td><td>65.10</td><td>106.43</td><td>-41.33</td><td>49.11</td><td>34.51</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100</td><td>120 PEAK</td></tr><tr><td>4</td><td>5720.14</td><td>64.79</td><td>111.23</td><td>-46.44</td><td>48.72</td><td>34.56</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>120 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5604.64	56.99	68.30	-11.31	41.16	34.40	11.19	29.76	0.00	100	120 PEAK	2	5653.29	57.21	70.75	-13.54	41.30	34.45	11.24	29.78	0.00	100	120 PEAK	3	5704.03	65.10	106.43	-41.33	49.11	34.51	11.28	29.80	0.00	100	120 PEAK	4	5720.14	64.79	111.23	-46.44	48.72	34.56	11.30	29.79	0.00	100	120 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>102.69</td><td>-----</td><td>-----</td><td>86.52</td><td>34.63</td><td>11.33</td><td>29.79</td><td>0.00</td><td>100</td><td>120 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	102.69	-----	-----	86.52	34.63	11.33	29.79	0.00	100	120 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5604.64	56.99	68.30	-11.31	41.16	34.40	11.19	29.76	0.00	100	120 PEAK																																																																																																																											
2	5653.29	57.21	70.75	-13.54	41.30	34.45	11.24	29.78	0.00	100	120 PEAK																																																																																																																											
3	5704.03	65.10	106.43	-41.33	49.11	34.51	11.28	29.80	0.00	100	120 PEAK																																																																																																																											
4	5720.14	64.79	111.23	-46.44	48.72	34.56	11.30	29.79	0.00	100	120 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5775.00	102.69	-----	-----	86.52	34.63	11.33	29.79	0.00	100	120 PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>93.88</td><td>-----</td><td>-----</td><td>77.63</td><td>34.68</td><td>11.35</td><td>29.78</td><td>0.00</td><td>100</td><td>120 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	93.88	-----	-----	77.63	34.68	11.35	29.78	0.00	100	120 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5775.00	93.88	-----	-----	77.63	34.68	11.35	29.78	0.00	100	120 AVERAGE																																																																																																																											




Mode	40																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																													
ANT	CDD 1+2																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>60.09</td><td>110.90</td><td>-50.81</td><td>43.49</td><td>34.96</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr><tr><td>2</td><td>5865.92</td><td>64.23</td><td>107.84</td><td>-43.61</td><td>47.58</td><td>35.00</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr><tr><td>3</td><td>5924.49</td><td>55.77</td><td>68.68</td><td>-12.91</td><td>38.97</td><td>35.15</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr><tr><td>4</td><td>5947.64</td><td>57.39</td><td>68.30</td><td>-10.91</td><td>40.54</td><td>35.20</td><td>11.49</td><td>29.84</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	60.09	110.90	-50.81	43.49	34.96	11.43	29.79	0.00	100	120	PEAK	2	5865.92	64.23	107.84	-43.61	47.58	35.00	11.44	29.79	0.00	100	120	PEAK	3	5924.49	55.77	68.68	-12.91	38.97	35.15	11.47	29.82	0.00	100	120	PEAK	4	5947.64	57.39	68.30	-10.91	40.54	35.20	11.49	29.84	0.00	100	120	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5855.00	60.09	110.90	-50.81	43.49	34.96	11.43	29.79	0.00	100	120	PEAK																																																																																		
2	5865.92	64.23	107.84	-43.61	47.58	35.00	11.44	29.79	0.00	100	120	PEAK																																																																																		
3	5924.49	55.77	68.68	-12.91	38.97	35.15	11.47	29.82	0.00	100	120	PEAK																																																																																		
4	5947.64	57.39	68.30	-10.91	40.54	35.20	11.49	29.84	0.00	100	120	PEAK																																																																																		




Mode	40																																																																																									
	Band Edge - L																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Vertical																																																																																									
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5619.17</td><td>58.52</td><td>68.30</td><td>-9.78</td><td>42.66</td><td>34.42</td><td>11.21</td><td>29.77</td><td>0.00</td><td>348</td><td>0 PEAK</td></tr><tr><td>2</td><td>5651.02</td><td>54.73</td><td>69.06</td><td>-14.33</td><td>38.82</td><td>34.45</td><td>11.24</td><td>29.78</td><td>0.00</td><td>348</td><td>0 PEAK</td></tr><tr><td>3</td><td>5700.72</td><td>58.13</td><td>105.50</td><td>-47.37</td><td>42.15</td><td>34.50</td><td>11.28</td><td>29.80</td><td>0.00</td><td>348</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.49</td><td>59.62</td><td>112.02</td><td>-52.40</td><td>43.55</td><td>34.56</td><td>11.30</td><td>29.79</td><td>0.00</td><td>348</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5619.17	58.52	68.30	-9.78	42.66	34.42	11.21	29.77	0.00	348	0 PEAK	2	5651.02	54.73	69.06	-14.33	38.82	34.45	11.24	29.78	0.00	348	0 PEAK	3	5700.72	58.13	105.50	-47.37	42.15	34.50	11.28	29.80	0.00	348	0 PEAK	4	5720.49	59.62	112.02	-52.40	43.55	34.56	11.30	29.79	0.00	348	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5619.17	58.52	68.30	-9.78	42.66	34.42	11.21	29.77	0.00	348	0 PEAK																																																																															
2	5651.02	54.73	69.06	-14.33	38.82	34.45	11.24	29.78	0.00	348	0 PEAK																																																																															
3	5700.72	58.13	105.50	-47.37	42.15	34.50	11.28	29.80	0.00	348	0 PEAK																																																																															
4	5720.49	59.62	112.02	-52.40	43.55	34.56	11.30	29.79	0.00	348	0 PEAK																																																																															
Avg	Blank																																																																																									
																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>96.46</td><td>-----</td><td>-----</td><td>80.32</td><td>34.61</td><td>11.32</td><td>29.79</td><td>0.00</td><td>348</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	96.46	-----	-----	80.32	34.61	11.32	29.79	0.00	348	0 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5775.00	96.46	-----	-----	80.32	34.61	11.32	29.79	0.00	348	0 PEAK																																																																															
Avg	Blank																																																																																									
																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>87.44</td><td>-----</td><td>-----</td><td>71.21</td><td>34.67</td><td>11.34</td><td>29.78</td><td>0.00</td><td>348</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	87.44	-----	-----	71.21	34.67	11.34	29.78	0.00	348	0 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5775.00	87.44	-----	-----	71.21	34.67	11.34	29.78	0.00	348	0 AVERAGE																																																																															






Mode	40																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>56.37</td><td>110.90</td><td>-54.53</td><td>39.77</td><td>34.96</td><td>11.43</td><td>29.79</td><td>0.00</td><td>348</td><td>0 PEAK</td></tr><tr><td>2</td><td>5862.42</td><td>60.91</td><td>108.82</td><td>-47.91</td><td>44.28</td><td>34.99</td><td>11.43</td><td>29.79</td><td>0.00</td><td>348</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.37</td><td>54.49</td><td>68.77</td><td>-14.28</td><td>37.69</td><td>35.15</td><td>11.47</td><td>29.82</td><td>0.00</td><td>348</td><td>0 PEAK</td></tr><tr><td>4</td><td>5926.63</td><td>57.26</td><td>68.30</td><td>-11.04</td><td>40.45</td><td>35.15</td><td>11.48</td><td>29.82</td><td>0.00</td><td>348</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	56.37	110.90	-54.53	39.77	34.96	11.43	29.79	0.00	348	0 PEAK	2	5862.42	60.91	108.82	-47.91	44.28	34.99	11.43	29.79	0.00	348	0 PEAK	3	5924.37	54.49	68.77	-14.28	37.69	35.15	11.47	29.82	0.00	348	0 PEAK	4	5926.63	57.26	68.30	-11.04	40.45	35.15	11.48	29.82	0.00	348	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5855.00	56.37	110.90	-54.53	39.77	34.96	11.43	29.79	0.00	348	0 PEAK																																																																															
2	5862.42	60.91	108.82	-47.91	44.28	34.99	11.43	29.79	0.00	348	0 PEAK																																																																															
3	5924.37	54.49	68.77	-14.28	37.69	35.15	11.47	29.82	0.00	348	0 PEAK																																																																															
4	5926.63	57.26	68.30	-11.04	40.45	35.15	11.48	29.82	0.00	348	0 PEAK																																																																															






Mode	40																																																							
	Harmonic																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>56.21</td><td>38.29</td><td>16.17</td><td>65.42</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.25	74.00	-28.75	56.21	38.29	16.17	65.42	0.00	100	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11550.00	45.25	74.00	-28.75	56.21	38.29	16.17	65.42	0.00	100	360	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>56.67</td><td>38.29</td><td>16.17</td><td>65.42</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.71	74.00	-28.29	56.67	38.29	16.17	65.42	0.00	100	0	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11550.00	45.71	74.00	-28.29	56.67	38.29	16.17	65.42	0.00	100	0	PEAK																																												






Mode	49																																																																																																																																																						
	Band Edge																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU_5745MHz																																																																																																																																																						
ANT	CDD 1+2																																																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																																																
Peak	 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5614.72</td><td>56.86</td><td>68.30</td><td>-11.44</td><td>41.02</td><td>34.41</td><td>11.20</td><td>29.77</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr><tr><td>2</td><td>5652.13</td><td>56.83</td><td>69.88</td><td>-13.05</td><td>40.92</td><td>34.45</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr><tr><td>3</td><td>5718.40</td><td>57.14</td><td>110.45</td><td>-53.31</td><td>41.07</td><td>34.56</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr><tr><td>4</td><td>5723.47</td><td>60.40</td><td>118.82</td><td>-58.42</td><td>44.31</td><td>34.57</td><td>11.31</td><td>29.79</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5614.72	56.86	68.30	-11.44	41.02	34.41	11.20	29.77	0.00	100	233	PEAK	2	5652.13	56.83	69.88	-13.05	40.92	34.45	11.24	29.78	0.00	100	233	PEAK	3	5718.40	57.14	110.45	-53.31	41.07	34.56	11.30	29.79	0.00	100	233	PEAK	4	5723.47	60.40	118.82	-58.42	44.31	34.57	11.31	29.79	0.00	100	233	PEAK	 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>112.03</td><td>122.30</td><td>-10.27</td><td>95.86</td><td>34.63</td><td>11.33</td><td>29.79</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.03	122.30	-10.27	95.86	34.63	11.33	29.79	0.00	100	233	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	5614.72	56.86	68.30	-11.44	41.02	34.41	11.20	29.77	0.00	100	233	PEAK																																																																																																																																											
2	5652.13	56.83	69.88	-13.05	40.92	34.45	11.24	29.78	0.00	100	233	PEAK																																																																																																																																											
3	5718.40	57.14	110.45	-53.31	41.07	34.56	11.30	29.79	0.00	100	233	PEAK																																																																																																																																											
4	5723.47	60.40	118.82	-58.42	44.31	34.57	11.31	29.79	0.00	100	233	PEAK																																																																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	5745.00	112.03	122.30	-10.27	95.86	34.63	11.33	29.79	0.00	100	233	PEAK																																																																																																																																											
Avg	 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>101.96</td><td>122.30</td><td>-20.34</td><td>85.79</td><td>34.63</td><td>11.33</td><td>29.79</td><td>0.00</td><td>100</td><td>233</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.96	122.30	-20.34	85.79	34.63	11.33	29.79	0.00	100	233	AVERAGE	 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>101.96</td><td>122.30</td><td>-20.34</td><td>85.79</td><td>34.63</td><td>11.33</td><td>29.79</td><td>0.00</td><td>100</td><td>233</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.96	122.30	-20.34	85.79	34.63	11.33	29.79	0.00	100	233	AVERAGE																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	5745.00	101.96	122.30	-20.34	85.79	34.63	11.33	29.79	0.00	100	233	AVERAGE																																																																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	5745.00	101.96	122.30	-20.34	85.79	34.63	11.33	29.79	0.00	100	233	AVERAGE																																																																																																																																											






Mode	49																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU_5745MHz																																																																																											
ANT	CDD 1+2																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.44</td><td>56.32</td><td>68.30</td><td>-11.98</td><td>40.46</td><td>34.42</td><td>11.21</td><td>29.77</td><td>0.00</td><td>296</td><td>71 PEAK</td></tr><tr><td>2</td><td>5698.10</td><td>57.04</td><td>103.90</td><td>-46.86</td><td>41.06</td><td>34.50</td><td>11.28</td><td>29.80</td><td>0.00</td><td>296</td><td>71 PEAK</td></tr><tr><td>3</td><td>5712.31</td><td>55.40</td><td>108.75</td><td>-53.35</td><td>39.37</td><td>34.54</td><td>11.29</td><td>29.80</td><td>0.00</td><td>296</td><td>71 PEAK</td></tr><tr><td>4</td><td>5723.76</td><td>56.11</td><td>119.48</td><td>-63.37</td><td>40.02</td><td>34.57</td><td>11.31</td><td>29.79</td><td>0.00</td><td>296</td><td>71 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5624.44	56.32	68.30	-11.98	40.46	34.42	11.21	29.77	0.00	296	71 PEAK	2	5698.10	57.04	103.90	-46.86	41.06	34.50	11.28	29.80	0.00	296	71 PEAK	3	5712.31	55.40	108.75	-53.35	39.37	34.54	11.29	29.80	0.00	296	71 PEAK	4	5723.76	56.11	119.48	-63.37	40.02	34.57	11.31	29.79	0.00	296	71 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5624.44	56.32	68.30	-11.98	40.46	34.42	11.21	29.77	0.00	296	71 PEAK																																																																																	
2	5698.10	57.04	103.90	-46.86	41.06	34.50	11.28	29.80	0.00	296	71 PEAK																																																																																	
3	5712.31	55.40	108.75	-53.35	39.37	34.54	11.29	29.80	0.00	296	71 PEAK																																																																																	
4	5723.76	56.11	119.48	-63.37	40.02	34.57	11.31	29.79	0.00	296	71 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>108.91</td><td>122.30</td><td>-13.39</td><td>92.74</td><td>34.63</td><td>11.33</td><td>29.79</td><td>0.00</td><td>296</td><td>71 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.91	122.30	-13.39	92.74	34.63	11.33	29.79	0.00	296	71 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	108.91	122.30	-13.39	92.74	34.63	11.33	29.79	0.00	296	71 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>99.65</td><td>122.30</td><td>-22.65</td><td>83.48</td><td>34.63</td><td>11.33</td><td>29.79</td><td>0.00</td><td>296</td><td>71 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.65	122.30	-22.65	83.48	34.63	11.33	29.79	0.00	296	71 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	99.65	122.30	-22.65	83.48	34.63	11.33	29.79	0.00	296	71 AVERAGE																																																																																	





		50																																																																																	
Mode		Band Edge																																																																																	
		U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU_5825MHz																																																																																	
ANT		CDD 1+2																																																																																	
Pol.		Horizontal																																																																																	
Peak																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5852.32</td><td>56.64</td><td>117.02</td><td>-60.38</td><td>40.04</td><td>34.96</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>2</td><td>5864.29</td><td>57.29</td><td>108.30</td><td>-51.01</td><td>40.65</td><td>34.99</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>3</td><td>5882.32</td><td>59.34</td><td>99.87</td><td>-40.53</td><td>42.63</td><td>35.05</td><td>11.45</td><td>29.79</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>4</td><td>5942.69</td><td>58.05</td><td>68.30</td><td>-10.25</td><td>41.21</td><td>35.19</td><td>11.49</td><td>29.84</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5852.32	56.64	117.02	-60.38	40.04	34.96	11.43	29.79	0.00	100	116 PEAK	2	5864.29	57.29	108.30	-51.01	40.65	34.99	11.44	29.79	0.00	100	116 PEAK	3	5882.32	59.34	99.87	-40.53	42.63	35.05	11.45	29.79	0.00	100	116 PEAK	4	5942.69	58.05	68.30	-10.25	41.21	35.19	11.49	29.84	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																								
1	5852.32	56.64	117.02	-60.38	40.04	34.96	11.43	29.79	0.00	100	116 PEAK																																																																								
2	5864.29	57.29	108.30	-51.01	40.65	34.99	11.44	29.79	0.00	100	116 PEAK																																																																								
3	5882.32	59.34	99.87	-40.53	42.63	35.05	11.45	29.79	0.00	100	116 PEAK																																																																								
4	5942.69	58.05	68.30	-10.25	41.21	35.19	11.49	29.84	0.00	100	116 PEAK																																																																								
																																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.30</td><td>122.30</td><td>-11.00</td><td>94.79</td><td>34.88</td><td>11.41</td><td>29.78</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	111.30	122.30	-11.00	94.79	34.88	11.41	29.78	0.00	100	116 PEAK																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																								
1	5825.00	111.30	122.30	-11.00	94.79	34.88	11.41	29.78	0.00	100	116 PEAK																																																																								
Avg																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.75</td><td>122.30</td><td>-19.55</td><td>86.24</td><td>34.88</td><td>11.41</td><td>29.78</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	102.75	122.30	-19.55	86.24	34.88	11.41	29.78	0.00	100	116 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																								
1	5825.00	102.75	122.30	-19.55	86.24	34.88	11.41	29.78	0.00	100	116 AVERAGE																																																																								





Mode	50																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU_5825MHz																																																																																																																																		
ANT	CDD 1+2																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.19	56.22	115.02	-58.80	39.62	34.96	11.43	29.79	0.00	278	72 PEAK	2	5864.32	57.74	108.29	-50.55	41.10	34.99	11.44	29.79	0.00	278	72 PEAK	3	5914.44	58.05	76.09	-18.04	41.26	35.13	11.47	29.81	0.00	278	72 PEAK	4	5927.07	57.27	68.30	-11.03	40.46	35.15	11.48	29.82	0.00	278	72 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.43</td><td>122.30</td><td>-15.87</td><td>89.92</td><td>34.88</td><td>11.41</td><td>29.78</td><td>0.00</td><td>278</td><td>72 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.43	122.30	-15.87	89.92	34.88	11.41	29.78	0.00	278
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5853.19	56.22	115.02	-58.80	39.62	34.96	11.43	29.79	0.00	278	72 PEAK																																																																																																																								
2	5864.32	57.74	108.29	-50.55	41.10	34.99	11.44	29.79	0.00	278	72 PEAK																																																																																																																								
3	5914.44	58.05	76.09	-18.04	41.26	35.13	11.47	29.81	0.00	278	72 PEAK																																																																																																																								
4	5927.07	57.27	68.30	-11.03	40.46	35.15	11.48	29.82	0.00	278	72 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5825.00	106.43	122.30	-15.87	89.92	34.88	11.41	29.78	0.00	278	72 PEAK																																																																																																																								
Avg							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.03</td><td>122.30</td><td>-24.27</td><td>81.52</td><td>34.88</td><td>11.41</td><td>29.78</td><td>0.00</td><td>278</td><td>72 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.03	122.30	-24.27	81.52	34.88	11.41	29.78	0.00	278	72 AVERAGE																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5825.00	98.03	122.30	-24.27	81.52	34.88	11.41	29.78	0.00	278	72 AVERAGE																																																																																																																								





Mode	55																																																																																																																																																						
	Band Edge																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU_5745MHz																																																																																																																																																						
ANT	CDD 1+2																																																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																																																
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.80</td><td>54.81</td><td>68.30</td><td>-13.49</td><td>38.96</td><td>34.41</td><td>11.20</td><td>29.76</td><td>0.00</td><td>100</td><td>230</td><td>Peak</td></tr><tr><td>2</td><td>5699.60</td><td>55.38</td><td>105.01</td><td>-49.63</td><td>39.50</td><td>34.52</td><td>11.29</td><td>29.93</td><td>0.00</td><td>100</td><td>230</td><td>Peak</td></tr><tr><td>3</td><td>5714.80</td><td>55.42</td><td>109.45</td><td>-54.03</td><td>39.51</td><td>34.57</td><td>11.31</td><td>29.97</td><td>0.00</td><td>100</td><td>230</td><td>Peak</td></tr><tr><td>4</td><td>5722.40</td><td>56.53</td><td>116.37</td><td>-59.84</td><td>40.62</td><td>34.59</td><td>11.31</td><td>29.99</td><td>0.00</td><td>100</td><td>230</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5618.80	54.81	68.30	-13.49	38.96	34.41	11.20	29.76	0.00	100	230	Peak	2	5699.60	55.38	105.01	-49.63	39.50	34.52	11.29	29.93	0.00	100	230	Peak	3	5714.80	55.42	109.45	-54.03	39.51	34.57	11.31	29.97	0.00	100	230	Peak	4	5722.40	56.53	116.37	-59.84	40.62	34.59	11.31	29.99	0.00	100	230	Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5740.00</td><td>107.64</td><td>-----</td><td>-----</td><td>91.70</td><td>34.64</td><td>11.33</td><td>30.03</td><td>0.00</td><td>100</td><td>230</td><td>Peak</td></tr><tr><td>2</td><td>5740.00</td><td>98.31</td><td>-----</td><td>-----</td><td>82.37</td><td>34.64</td><td>11.33</td><td>30.03</td><td>0.00</td><td>100</td><td>230</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5740.00	107.64	-----	-----	91.70	34.64	11.33	30.03	0.00	100	230	Peak	2	5740.00	98.31	-----	-----	82.37	34.64	11.33	30.03	0.00	100	230	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	5618.80	54.81	68.30	-13.49	38.96	34.41	11.20	29.76	0.00	100	230	Peak																																																																																																																																											
2	5699.60	55.38	105.01	-49.63	39.50	34.52	11.29	29.93	0.00	100	230	Peak																																																																																																																																											
3	5714.80	55.42	109.45	-54.03	39.51	34.57	11.31	29.97	0.00	100	230	Peak																																																																																																																																											
4	5722.40	56.53	116.37	-59.84	40.62	34.59	11.31	29.99	0.00	100	230	Peak																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	5740.00	107.64	-----	-----	91.70	34.64	11.33	30.03	0.00	100	230	Peak																																																																																																																																											
2	5740.00	98.31	-----	-----	82.37	34.64	11.33	30.03	0.00	100	230	Average																																																																																																																																											





		55																																																																																													
Mode	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU_5745MHz																																																																																														
ANT	CDD 1+2																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5613.20</td><td>54.92</td><td>68.30</td><td>-13.38</td><td>39.07</td><td>34.41</td><td>11.20</td><td>29.76</td><td>0.00</td><td>290</td><td>75</td><td>Peak</td></tr><tr><td>2</td><td>5688.00</td><td>55.51</td><td>97.04</td><td>-41.53</td><td>39.63</td><td>34.50</td><td>11.28</td><td>29.90</td><td>0.00</td><td>290</td><td>75</td><td>Peak</td></tr><tr><td>3</td><td>5712.80</td><td>54.60</td><td>108.89</td><td>-54.29</td><td>38.70</td><td>34.56</td><td>11.30</td><td>29.96</td><td>0.00</td><td>290</td><td>75</td><td>Peak</td></tr><tr><td>4</td><td>5722.00</td><td>55.11</td><td>115.46</td><td>-60.35</td><td>39.20</td><td>34.59</td><td>11.31</td><td>29.99</td><td>0.00</td><td>290</td><td>75</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5613.20	54.92	68.30	-13.38	39.07	34.41	11.20	29.76	0.00	290	75	Peak	2	5688.00	55.51	97.04	-41.53	39.63	34.50	11.28	29.90	0.00	290	75	Peak	3	5712.80	54.60	108.89	-54.29	38.70	34.56	11.30	29.96	0.00	290	75	Peak	4	5722.00	55.11	115.46	-60.35	39.20	34.59	11.31	29.99	0.00	290	75	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5613.20	54.92	68.30	-13.38	39.07	34.41	11.20	29.76	0.00	290	75	Peak																																																																																			
2	5688.00	55.51	97.04	-41.53	39.63	34.50	11.28	29.90	0.00	290	75	Peak																																																																																			
3	5712.80	54.60	108.89	-54.29	38.70	34.56	11.30	29.96	0.00	290	75	Peak																																																																																			
4	5722.00	55.11	115.46	-60.35	39.20	34.59	11.31	29.99	0.00	290	75	Peak																																																																																			
																																																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5740.00</td><td>104.93</td><td>-----</td><td>-----</td><td>88.99</td><td>34.64</td><td>11.33</td><td>30.03</td><td>0.00</td><td>290</td><td>75</td><td>Peak</td></tr><tr><td>2</td><td>5740.00</td><td>95.10</td><td>-----</td><td>-----</td><td>79.16</td><td>34.64</td><td>11.33</td><td>30.03</td><td>0.00</td><td>290</td><td>75</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5740.00	104.93	-----	-----	88.99	34.64	11.33	30.03	0.00	290	75	Peak	2	5740.00	95.10	-----	-----	79.16	34.64	11.33	30.03	0.00	290	75	Average																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5740.00	104.93	-----	-----	88.99	34.64	11.33	30.03	0.00	290	75	Peak																																																																																			
2	5740.00	95.10	-----	-----	79.16	34.64	11.33	30.03	0.00	290	75	Average																																																																																			






Mode	56																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU_5825MHz																																																																																																																									
ANT	CDD 1+2																																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>54.61</td><td>113.18</td><td>-58.57</td><td>38.50</td><td>34.98</td><td>11.43</td><td>30.30</td><td>0.00</td><td>100 113 Peak</td></tr><tr><td>2 5872.00</td><td>56.77</td><td>106.14</td><td>-49.37</td><td>40.60</td><td>35.03</td><td>11.44</td><td>30.30</td><td>0.00</td><td>100 113 Peak</td></tr><tr><td>3 5891.60</td><td>56.46</td><td>92.98</td><td>-36.52</td><td>40.22</td><td>35.09</td><td>11.45</td><td>30.30</td><td>0.00</td><td>100 113 Peak</td></tr><tr><td>4 5938.00</td><td>55.67</td><td>68.30</td><td>-12.63</td><td>39.31</td><td>35.18</td><td>11.48</td><td>30.30</td><td>0.00</td><td>100 113 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.00	54.61	113.18	-58.57	38.50	34.98	11.43	30.30	0.00	100 113 Peak	2 5872.00	56.77	106.14	-49.37	40.60	35.03	11.44	30.30	0.00	100 113 Peak	3 5891.60	56.46	92.98	-36.52	40.22	35.09	11.45	30.30	0.00	100 113 Peak	4 5938.00	55.67	68.30	-12.63	39.31	35.18	11.48	30.30	0.00	100 113 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5836.00</td><td>108.39</td><td>-----</td><td>-----</td><td>92.33</td><td>34.92</td><td>11.42</td><td>30.28</td><td>0.00</td><td>100 113 Peak</td></tr><tr><td>2 5836.00</td><td>99.61</td><td>-----</td><td>-----</td><td>83.55</td><td>34.92</td><td>11.42</td><td>30.28</td><td>0.00</td><td>100 113 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5836.00	108.39	-----	-----	92.33	34.92	11.42	30.28	0.00	100 113 Peak	2 5836.00	99.61	-----	-----	83.55	34.92	11.42	30.28	0.00	100 113 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 5854.00	54.61	113.18	-58.57	38.50	34.98	11.43	30.30	0.00	100 113 Peak																																																																																																																	
2 5872.00	56.77	106.14	-49.37	40.60	35.03	11.44	30.30	0.00	100 113 Peak																																																																																																																	
3 5891.60	56.46	92.98	-36.52	40.22	35.09	11.45	30.30	0.00	100 113 Peak																																																																																																																	
4 5938.00	55.67	68.30	-12.63	39.31	35.18	11.48	30.30	0.00	100 113 Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 5836.00	108.39	-----	-----	92.33	34.92	11.42	30.28	0.00	100 113 Peak																																																																																																																	
2 5836.00	99.61	-----	-----	83.55	34.92	11.42	30.28	0.00	100 113 Average																																																																																																																	




Mode	56																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU_5825MHz																																																																																																																																							
ANT	CDD 1+2																																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																																		
Peak																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.00</td><td>54.52</td><td>111.36</td><td>-56.84</td><td>38.41</td><td>34.98</td><td>11.43</td><td>30.30</td><td>0.00</td><td>303 72 Peak</td></tr><tr><td>2 5867.60</td><td>56.09</td><td>107.37</td><td>-51.28</td><td>39.93</td><td>35.02</td><td>11.44</td><td>30.30</td><td>0.00</td><td>303 72 Peak</td></tr><tr><td>3 5890.80</td><td>55.36</td><td>93.57</td><td>-38.21</td><td>39.13</td><td>35.08</td><td>11.45</td><td>30.30</td><td>0.00</td><td>303 72 Peak</td></tr><tr><td>4 5947.60</td><td>55.87</td><td>68.30</td><td>-12.43</td><td>39.48</td><td>35.20</td><td>11.49</td><td>30.30</td><td>0.00</td><td>303 72 Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.00	54.52	111.36	-56.84	38.41	34.98	11.43	30.30	0.00	303 72 Peak	2 5867.60	56.09	107.37	-51.28	39.93	35.02	11.44	30.30	0.00	303 72 Peak	3 5890.80	55.36	93.57	-38.21	39.13	35.08	11.45	30.30	0.00	303 72 Peak	4 5947.60	55.87	68.30	-12.43	39.48	35.20	11.49	30.30	0.00	303 72 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5836.00</td><td>104.74</td><td>-----</td><td>-----</td><td>88.68</td><td>34.92</td><td>11.42</td><td>30.28</td><td>0.00</td><td>303 72 Peak</td></tr><tr><td>2 5836.00</td><td>96.01</td><td>-----</td><td>-----</td><td>79.95</td><td>34.92</td><td>11.42</td><td>30.28</td><td>0.00</td><td>303 72 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5836.00	104.74	-----	-----	88.68	34.92	11.42	30.28	0.00	303 72 Peak	2 5836.00	96.01	-----	-----	79.95	34.92	11.42	30.28	0.00	303 72 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1 5854.00	54.52	111.36	-56.84	38.41	34.98	11.43	30.30	0.00	303 72 Peak																																																																																																																															
2 5867.60	56.09	107.37	-51.28	39.93	35.02	11.44	30.30	0.00	303 72 Peak																																																																																																																															
3 5890.80	55.36	93.57	-38.21	39.13	35.08	11.45	30.30	0.00	303 72 Peak																																																																																																																															
4 5947.60	55.87	68.30	-12.43	39.48	35.20	11.49	30.30	0.00	303 72 Peak																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 5836.00	104.74	-----	-----	88.68	34.92	11.42	30.28	0.00	303 72 Peak																																																																																																																															
2 5836.00	96.01	-----	-----	79.95	34.92	11.42	30.28	0.00	303 72 Average																																																																																																																															



		66																																																																																																																																			
Mode	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M_5775MHz																																																																																																																																				
ANT	CDD 1+2																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5646.64</td><td>58.81</td><td>68.30</td><td>-9.49</td><td>42.68</td><td>34.68</td><td>11.23</td><td>29.78</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>57.12</td><td>68.30</td><td>-11.18</td><td>40.98</td><td>34.69</td><td>11.23</td><td>29.78</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>3</td><td>5702.29</td><td>64.59</td><td>105.94</td><td>-41.35</td><td>48.32</td><td>34.79</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>62.95</td><td>110.91</td><td>-47.96</td><td>46.62</td><td>34.82</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.64	58.81	68.30	-9.49	42.68	34.68	11.23	29.78	0.00	100	114 PEAK	2	5650.00	57.12	68.30	-11.18	40.98	34.69	11.23	29.78	0.00	100	114 PEAK	3	5702.29	64.59	105.94	-41.35	48.32	34.79	11.28	29.80	0.00	100	114 PEAK	4	5720.00	62.95	110.91	-47.96	46.62	34.82	11.30	29.79	0.00	100	114 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>103.69</td><td>-----</td><td>-----</td><td>87.27</td><td>34.88</td><td>11.33</td><td>29.79</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	103.69	-----	-----	87.27	34.88	11.33	29.79	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5646.64	58.81	68.30	-9.49	42.68	34.68	11.23	29.78	0.00	100	114 PEAK																																																																																																																										
2	5650.00	57.12	68.30	-11.18	40.98	34.69	11.23	29.78	0.00	100	114 PEAK																																																																																																																										
3	5702.29	64.59	105.94	-41.35	48.32	34.79	11.28	29.80	0.00	100	114 PEAK																																																																																																																										
4	5720.00	62.95	110.91	-47.96	46.62	34.82	11.30	29.79	0.00	100	114 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5775.00	103.69	-----	-----	87.27	34.88	11.33	29.79	0.00	100	114 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>93.59</td><td>-----</td><td>-----</td><td>77.11</td><td>34.91</td><td>11.35</td><td>29.78</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	93.59	-----	-----	77.11	34.91	11.35	29.78	0.00	100	114 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5775.00	93.59	-----	-----	77.11	34.91	11.35	29.78	0.00	100	114 AVERAGE																																																																																																																										




Mode	66																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M_5775MHz																																																																																				
ANT	CDD 1+2																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.72</td><td>60.04</td><td>111.54</td><td>-51.50</td><td>43.32</td><td>35.00</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>5864.52</td><td>65.92</td><td>108.23</td><td>-42.31</td><td>49.17</td><td>35.10</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>3</td><td>5923.67</td><td>55.90</td><td>69.28</td><td>-13.38</td><td>39.06</td><td>35.19</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>4</td><td>5946.42</td><td>57.04</td><td>68.30</td><td>-11.26</td><td>40.17</td><td>35.22</td><td>11.49</td><td>29.84</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.72	60.04	111.54	-51.50	43.32	35.00	11.43	29.79	0.00	100	114	PEAK	2	5864.52	65.92	108.23	-42.31	49.17	35.10	11.44	29.79	0.00	100	114	PEAK	3	5923.67	55.90	69.28	-13.38	39.06	35.19	11.47	29.82	0.00	100	114	PEAK	4	5946.42	57.04	68.30	-11.26	40.17	35.22	11.49	29.84	0.00	100	114	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.72	60.04	111.54	-51.50	43.32	35.00	11.43	29.79	0.00	100	114	PEAK																																																																									
2	5864.52	65.92	108.23	-42.31	49.17	35.10	11.44	29.79	0.00	100	114	PEAK																																																																									
3	5923.67	55.90	69.28	-13.38	39.06	35.19	11.47	29.82	0.00	100	114	PEAK																																																																									
4	5946.42	57.04	68.30	-11.26	40.17	35.22	11.49	29.84	0.00	100	114	PEAK																																																																									





Mode	66																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M_5775MHz																																																																																																																																		
ANT	CDD 1+2																																																																																																																																		
Pol.	Vertical					Fundamental																																																																																																																													
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5612.52</td><td>56.14</td><td>68.30</td><td>-12.16</td><td>40.09</td><td>34.62</td><td>11.20</td><td>29.77</td><td>0.00</td><td>300</td><td>159</td><td>PEAK</td></tr><tr><td>2 5650.32</td><td>54.91</td><td>68.54</td><td>-13.63</td><td>38.76</td><td>34.69</td><td>11.24</td><td>29.78</td><td>0.00</td><td>300</td><td>159</td><td>PEAK</td></tr><tr><td>3 5700.89</td><td>55.29</td><td>105.55</td><td>-50.26</td><td>39.03</td><td>34.78</td><td>11.28</td><td>29.80</td><td>0.00</td><td>300</td><td>159</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>54.33</td><td>110.91</td><td>-56.58</td><td>38.00</td><td>34.82</td><td>11.30</td><td>29.79</td><td>0.00</td><td>300</td><td>159</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5612.52	56.14	68.30	-12.16	40.09	34.62	11.20	29.77	0.00	300	159	PEAK	2 5650.32	54.91	68.54	-13.63	38.76	34.69	11.24	29.78	0.00	300	159	PEAK	3 5700.89	55.29	105.55	-50.26	39.03	34.78	11.28	29.80	0.00	300	159	PEAK	4 5720.00	54.33	110.91	-56.58	38.00	34.82	11.30	29.79	0.00	300	159	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>90.07</td><td>-----</td><td>-----</td><td>73.57</td><td>34.93</td><td>11.35</td><td>29.78</td><td>0.00</td><td>300</td><td>159</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	90.07	-----	-----	73.57	34.93	11.35	29.78	0.00	300	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5612.52	56.14	68.30	-12.16	40.09	34.62	11.20	29.77	0.00	300	159	PEAK																																																																																																																								
2 5650.32	54.91	68.54	-13.63	38.76	34.69	11.24	29.78	0.00	300	159	PEAK																																																																																																																								
3 5700.89	55.29	105.55	-50.26	39.03	34.78	11.28	29.80	0.00	300	159	PEAK																																																																																																																								
4 5720.00	54.33	110.91	-56.58	38.00	34.82	11.30	29.79	0.00	300	159	PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	90.07	-----	-----	73.57	34.93	11.35	29.78	0.00	300	159	PEAK																																																																																																																								
Avg	Blank																																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>80.26</td><td>-----</td><td>-----</td><td>63.76</td><td>34.93</td><td>11.35</td><td>29.78</td><td>0.00</td><td>300</td><td>159</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	80.26	-----	-----	63.76	34.93	11.35	29.78	0.00	300	159	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	80.26	-----	-----	63.76	34.93	11.35	29.78	0.00	300	159	AVERAGE																																																																																																																								




Mode	66																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M_5775MHz																																																																																				
ANT	CDD 1+2																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.19</td><td>56.48</td><td>112.74</td><td>-56.26</td><td>39.76</td><td>35.08</td><td>11.43</td><td>29.79</td><td>0.00</td><td>300</td><td>159</td><td>PEAK</td></tr><tr><td>2</td><td>5873.79</td><td>56.10</td><td>105.64</td><td>-49.54</td><td>39.34</td><td>35.11</td><td>11.44</td><td>29.79</td><td>0.00</td><td>300</td><td>159</td><td>PEAK</td></tr><tr><td>3</td><td>5924.19</td><td>56.54</td><td>68.89</td><td>-12.35</td><td>39.70</td><td>35.19</td><td>11.47</td><td>29.82</td><td>0.00</td><td>300</td><td>159</td><td>PEAK</td></tr><tr><td>4</td><td>5946.59</td><td>58.48</td><td>68.30</td><td>-9.82</td><td>41.61</td><td>35.22</td><td>11.49</td><td>29.84</td><td>0.00</td><td>300</td><td>159</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.19	56.48	112.74	-56.26	39.76	35.08	11.43	29.79	0.00	300	159	PEAK	2	5873.79	56.10	105.64	-49.54	39.34	35.11	11.44	29.79	0.00	300	159	PEAK	3	5924.19	56.54	68.89	-12.35	39.70	35.19	11.47	29.82	0.00	300	159	PEAK	4	5946.59	58.48	68.30	-9.82	41.61	35.22	11.49	29.84	0.00	300	159	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.19	56.48	112.74	-56.26	39.76	35.08	11.43	29.79	0.00	300	159	PEAK																																																																									
2	5873.79	56.10	105.64	-49.54	39.34	35.11	11.44	29.79	0.00	300	159	PEAK																																																																									
3	5924.19	56.54	68.89	-12.35	39.70	35.19	11.47	29.82	0.00	300	159	PEAK																																																																									
4	5946.59	58.48	68.30	-9.82	41.61	35.22	11.49	29.84	0.00	300	159	PEAK																																																																									








	74																																																																																			
Mode	Band Edge - L																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_5775MHz																																																																																			
ANT	CDD 1+2																																																																																			
Pol.	Horizontal					Fundamental																																																																														
Peak																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.96</td><td>61.29</td><td>68.30</td><td>-7.01</td><td>45.17</td><td>34.67</td><td>11.23</td><td>29.78</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>2 5650.25</td><td>59.33</td><td>68.48</td><td>-9.15</td><td>43.18</td><td>34.69</td><td>11.24</td><td>29.78</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>3 5703.76</td><td>82.69</td><td>106.36</td><td>-23.67</td><td>66.42</td><td>34.79</td><td>11.28</td><td>29.80</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>4 5720.16</td><td>81.76</td><td>111.25</td><td>-29.49</td><td>65.43</td><td>34.82</td><td>11.30</td><td>29.79</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5640.96	61.29	68.30	-7.01	45.17	34.67	11.23	29.78	0.00	100	115 PEAK	2 5650.25	59.33	68.48	-9.15	43.18	34.69	11.24	29.78	0.00	100	115 PEAK	3 5703.76	82.69	106.36	-23.67	66.42	34.79	11.28	29.80	0.00	100	115 PEAK	4 5720.16	81.76	111.25	-29.49	65.43	34.82	11.30	29.79	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5640.96	61.29	68.30	-7.01	45.17	34.67	11.23	29.78	0.00	100	115 PEAK																																																																										
2 5650.25	59.33	68.48	-9.15	43.18	34.69	11.24	29.78	0.00	100	115 PEAK																																																																										
3 5703.76	82.69	106.36	-23.67	66.42	34.79	11.28	29.80	0.00	100	115 PEAK																																																																										
4 5720.16	81.76	111.25	-29.49	65.43	34.82	11.30	29.79	0.00	100	115 PEAK																																																																										
Avg	Blank																																																																																			
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>100.30</td><td>-----</td><td>-----</td><td>83.89</td><td>34.87</td><td>11.33</td><td>29.79</td><td>0.00</td><td>100</td><td>115 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	100.30	-----	-----	83.89	34.87	11.33	29.79	0.00	100	115 AVERAGE																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5775.00	100.30	-----	-----	83.89	34.87	11.33	29.79	0.00	100	115 AVERAGE																																																																										




Mode	74																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_5775MHz																																																																																				
ANT	CDD 1+2																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.72</td><td>66.33</td><td>116.09</td><td>-49.76</td><td>49.61</td><td>35.08</td><td>11.43</td><td>29.79</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>5866.75</td><td>64.60</td><td>107.61</td><td>-43.01</td><td>47.85</td><td>35.10</td><td>11.44</td><td>29.79</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>3</td><td>5923.53</td><td>58.15</td><td>69.38</td><td>-11.23</td><td>41.31</td><td>35.19</td><td>11.47</td><td>29.82</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>4</td><td>5928.08</td><td>57.97</td><td>68.30</td><td>-10.33</td><td>41.13</td><td>35.19</td><td>11.48</td><td>29.83</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5852.72	66.33	116.09	-49.76	49.61	35.08	11.43	29.79	0.00	100	115	PEAK	2	5866.75	64.60	107.61	-43.01	47.85	35.10	11.44	29.79	0.00	100	115	PEAK	3	5923.53	58.15	69.38	-11.23	41.31	35.19	11.47	29.82	0.00	100	115	PEAK	4	5928.08	57.97	68.30	-10.33	41.13	35.19	11.48	29.83	0.00	100	115	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5852.72	66.33	116.09	-49.76	49.61	35.08	11.43	29.79	0.00	100	115	PEAK																																																																									
2	5866.75	64.60	107.61	-43.01	47.85	35.10	11.44	29.79	0.00	100	115	PEAK																																																																									
3	5923.53	58.15	69.38	-11.23	41.31	35.19	11.47	29.82	0.00	100	115	PEAK																																																																									
4	5928.08	57.97	68.30	-10.33	41.13	35.19	11.48	29.83	0.00	100	115	PEAK																																																																									





Mode	74																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_5775MHz																																																																																												
ANT	CDD 1+2																																																																																												
Pol.	Vertical						Fundamental																																																																																						
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.79</td><td>58.41</td><td>68.30</td><td>-9.89</td><td>42.30</td><td>34.66</td><td>11.22</td><td>29.77</td><td>0.00</td><td>346</td><td>70</td><td>PEAK</td></tr><tr><td>2</td><td>5650.95</td><td>55.81</td><td>69.00</td><td>-13.19</td><td>39.66</td><td>34.69</td><td>11.24</td><td>29.78</td><td>0.00</td><td>346</td><td>70</td><td>PEAK</td></tr><tr><td>3</td><td>5701.93</td><td>77.33</td><td>105.84</td><td>-28.51</td><td>61.07</td><td>34.78</td><td>11.28</td><td>29.80</td><td>0.00</td><td>346</td><td>70</td><td>PEAK</td></tr><tr><td>4</td><td>5720.74</td><td>78.39</td><td>112.58</td><td>-34.19</td><td>62.05</td><td>34.83</td><td>11.30</td><td>29.79</td><td>0.00</td><td>346</td><td>70</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.79	58.41	68.30	-9.89	42.30	34.66	11.22	29.77	0.00	346	70	PEAK	2	5650.95	55.81	69.00	-13.19	39.66	34.69	11.24	29.78	0.00	346	70	PEAK	3	5701.93	77.33	105.84	-28.51	61.07	34.78	11.28	29.80	0.00	346	70	PEAK	4	5720.74	78.39	112.58	-34.19	62.05	34.83	11.30	29.79	0.00	346	70
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5634.79	58.41	68.30	-9.89	42.30	34.66	11.22	29.77	0.00	346	70	PEAK																																																																																	
2	5650.95	55.81	69.00	-13.19	39.66	34.69	11.24	29.78	0.00	346	70	PEAK																																																																																	
3	5701.93	77.33	105.84	-28.51	61.07	34.78	11.28	29.80	0.00	346	70	PEAK																																																																																	
4	5720.74	78.39	112.58	-34.19	62.05	34.83	11.30	29.79	0.00	346	70	PEAK																																																																																	
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>105.46</td><td>-----</td><td>-----</td><td>88.97</td><td>34.92</td><td>11.35</td><td>29.78</td><td>0.00</td><td>346</td><td>70</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	105.46	-----	-----	88.97	34.92	11.35	29.78	0.00	346	70	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5775.00	105.46	-----	-----	88.97	34.92	11.35	29.78	0.00	346	70	PEAK																																																																																	
Blank																																																																																													
																																																																																													
																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.00</td><td>-----</td><td>-----</td><td>79.58</td><td>34.88</td><td>11.33</td><td>29.79</td><td>0.00</td><td>346</td><td>70</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	96.00	-----	-----	79.58	34.88	11.33	29.79	0.00	346	70	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5775.00	96.00	-----	-----	79.58	34.88	11.33	29.79	0.00	346	70	AVERAGE																																																																																	



Mode	74																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_5775MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.72</td><td>59.72</td><td>111.54</td><td>-51.82</td><td>43.00</td><td>35.08</td><td>11.43</td><td>29.79</td><td>0.00</td><td>346</td><td>70 PEAK</td></tr><tr><td>2</td><td>5874.17</td><td>59.28</td><td>105.53</td><td>-46.25</td><td>42.52</td><td>35.11</td><td>11.44</td><td>29.79</td><td>0.00</td><td>346</td><td>70 PEAK</td></tr><tr><td>3</td><td>5924.82</td><td>55.51</td><td>68.43</td><td>-12.92</td><td>38.67</td><td>35.19</td><td>11.47</td><td>29.82</td><td>0.00</td><td>346</td><td>70 PEAK</td></tr><tr><td>4</td><td>5947.73</td><td>57.38</td><td>68.30</td><td>-10.92</td><td>40.51</td><td>35.22</td><td>11.49</td><td>29.84</td><td>0.00</td><td>346</td><td>70 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.72	59.72	111.54	-51.82	43.00	35.08	11.43	29.79	0.00	346	70 PEAK	2	5874.17	59.28	105.53	-46.25	42.52	35.11	11.44	29.79	0.00	346	70 PEAK	3	5924.82	55.51	68.43	-12.92	38.67	35.19	11.47	29.82	0.00	346	70 PEAK	4	5947.73	57.38	68.30	-10.92	40.51	35.22	11.49	29.84	0.00	346	70 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5854.72	59.72	111.54	-51.82	43.00	35.08	11.43	29.79	0.00	346	70 PEAK																																																																															
2	5874.17	59.28	105.53	-46.25	42.52	35.11	11.44	29.79	0.00	346	70 PEAK																																																																															
3	5924.82	55.51	68.43	-12.92	38.67	35.19	11.47	29.82	0.00	346	70 PEAK																																																																															
4	5947.73	57.38	68.30	-10.92	40.51	35.22	11.49	29.84	0.00	346	70 PEAK																																																																															




		78											
Mode	Emission below 1GHz												
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_5775MHz												
ANT	CDD 1+2												
Pol.	Vertical												
Peak													
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		
1	30.00	23.92	40.00	-16.08	30.54	25.08	0.50	32.20	0.00	---	---	---	Peak
2	70.74	23.59	40.00	-16.41	42.35	12.38	1.06	32.20	0.00	---	---	---	Peak
3	115.36	24.44	43.50	-19.06	37.85	17.20	1.56	32.17	0.00	---	---	---	Peak
4	186.17	26.01	43.50	-17.49	41.44	14.68	1.99	32.10	0.00	---	---	---	Peak
5	208.48	24.68	43.50	-18.82	39.76	14.93	2.11	32.12	0.00	---	---	---	Peak
6	430.61	27.93	46.00	-18.07	34.79	22.36	3.02	32.24	0.00	---	---	---	Peak

		Fundamental											
Peak													
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		
1	48.43	32.50	40.00	-7.50	48.78	15.17	0.75	32.20	0.00	---	---	---	Peak
2	67.83	28.36	40.00	-11.64	47.30	12.20	1.02	32.16	0.00	---	---	---	Peak
3	95.96	25.32	43.50	-18.18	40.72	15.39	1.41	32.20	0.00	---	---	---	Peak
4	170.65	26.90	43.50	-16.60	42.62	14.49	1.89	32.10	0.00	---	---	---	Peak
5	212.36	24.45	43.50	-19.05	39.44	15.00	2.13	32.12	0.00	---	---	---	Peak
6	334.58	28.72	46.00	-17.28	38.28	19.94	2.67	32.17	0.00	---	---	---	Peak


Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11a	98.63	-	-	10Hz
1+2	802.11be EHT20	100	-	-	10Hz
1+2	802.11be EHT20- Single RU26	96.17	5.1014	0.1960	0.2kHz
1+2	802.11be EHT20- Single RU52	96.15	5.0725	0.1971	0.2kHz
1+2	802.11be EHT20- Single RU106	95.35	4.7536	0.2104	0.22kHz
1+2	802.11be EHT20- Small RU52+26	95.15	4.5507	0.2197	0.22kHz
1+2	802.11be EHT20- Small RU106+26	97.09	4.3478	0.2300	0.24kHz
1+2	802.11be EHT40	100	-	-	10Hz
1+2	802.11be EHT80	100	-	-	10Hz
1+2	802.11be EHT80- Large RU484+242	96.84	1.1087	0.9020	1kHz
1+2	802.11be EHT80 Puncturing 20M	100	-	-	10Hz
1+2	802.11be EHT160	100	-	-	10Hz
1+2	802.11be EHT160- Large RU996+484	94.82	0.9275	1.0781	1.1kHz
1+2	802.11be EHT160- Large RU996+996	95.83	2.1667	0.4615	0.51kHz
1+2	802.11be EHT160 Puncturing 40M	100	-	-	10Hz


802.11a




802.11be EHT20




802.11be EHT20-Single RU26




802.11be EHT20-Single RU52




802.11be EHT20-Single RU106




802.11be EHT20-Small RU52+26




802.11be EHT20-Small RU106+26




802.11be EHT40




802.11be EHT80




802.11be EHT80-Large RU484+242




802.11be EHT80-Puncturing 20M




802.11be EHT160



802.11be EHT160-Large RU996+484



802.11be EHT160-Large RU996+996





802.11be EHT160-Puncturing 40M

