

惠州启泰电子科技有限公司

Huizhou Qitai Electronic Technology Co., LTD



SPECIFICATIONS SHEET

规格图面

CUSTOMER :	
客户	中利冠达
DESCRIPTION :	
品名描述	手表线圈 Watch coil
CUSTOMER P/N :	
客户品名	
PART NUMBER :	
制造商料号	96QTS610RB01
DATE OF APPLICATION :	
提出日期	2022-06-06

CLASSIFICATION OF SPEC. PRESENTATION. (Tick the relevant box "√")

规格图面提出区分

- ☐ New application 新规格
- ☒ New part is added to accepted specification 新产品规格追加记录
- ☐ Revision of accepted specification 既存规格图面变更

ACCEPTANCE STAMP (客户受领印)

APPROVAL BY 承认	CHECK BY 审查	PREPARE BY 制作
昆奇		冯欣

ADDRESS : 3rd Floor, No. 101, Mingyue 2nd Road, Shiwang Town, Boluo County, Huizhou city

TELEPHONE : 0752-6668681

E-MAIL : 839689578@qq.com

惠州启泰电子科技有限公司					
Huizhou Qitai Electronic Technology Co., LTD					
History For Revised Specification 规格修订记录		CUSTOMER P/N : 客 户 品 名		中利冠达	
		PART NUMBER : 制 造 商 料 号		96QTS610RB01	
Item 项次	DESCRIPTION (Content Or Reason For Changed) 变 更 内 容	Rev. 版本	Cust Rev. 客户版本	Date 日期	Revisor 修订者
1	Initial Release (初版发行)	A0		2022-06-06	冯欣
APPROVED BY 承 认		CHECKED BY 审 查	PREPARED BY 制 作	DATE 日 期	PAGE 页 码
昆子奇			冯欣	2022-06-06	1 of 3

惠州启泰电子科技有限公司

Huizhou Qitai Electronic Technology Co., LTD

Specification

规格内容

CUSTOMER P/N :
客户品名


中利冠达

PART NUMBER :
制造商料号

96QTS610RB01

1. DIMENSIONS (外形尺寸) : (Unit: mm)

单位 (Unit) : 毫米 (mm)



A	B	C	D	E	F	G	
21Max	14 ± 0.5	7.5 ± 0.5	11 ± 1	1.5 ± 0.5	2.2Max	$2.8 \pm \text{Max}$	

- 背胶为3M背胶。The adhesive backing is 3M adhesive backing.
- 线圈1.05H。Coil 1.05H
- 磁铁尺寸: 2.2*7.5。(磁场 2900-3200GS) Magnet size: 2.2*7.5. (Magnetic field 2900-3200GS)
- 软磁出线处开线槽。Open a wire slot at the outlet of the soft magnetic wire.

APPROVED BY 承认	CHECKED BY 审查	PREPARED BY 制作	DATE 日期	PAGE 页码
昆子奇		冯欣	2022-06-06	2 of 3

Huizhou Qitai Electronic Technology Co., LTD

2. WINDING DETAILS(绕线详细说明)	
Coil1	

3. 电气特性 (ELECTRICAL CHARACTERISTICS) :
温度 TEMPERATURE:25±10℃,湿度 RELATIVE HUMIDITY:65±10%

[illegible]

APPROVED BY 承 认	CHECKED BY 审 查	PREPARED BY 制 作	DATE 日期	PAGE 页 码
晁子奇		冯欣	2022-06-06	3 of 3