





Mode	28																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	Level (dBuV/m) Frequency (MHz) 5G BAND 1 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.37</td><td>54.06</td><td>68.30</td><td>-14.24</td><td>41.14</td><td>34.56</td><td>10.37</td><td>32.01</td><td>0.00</td><td>353</td><td>243</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.37	54.06	68.30	-14.24	41.14	34.56	10.37	32.01	0.00	353	243	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5751.37	54.06	68.30	-14.24	41.14	34.56	10.37	32.01	0.00	353	243	PEAK																																		




Mode	28																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>55.85</td><td>38.04</td><td>14.61</td><td>61.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	46.81	74.00	-27.19	55.85	38.04	14.61	61.69	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>54.65</td><td>38.04</td><td>14.61</td><td>61.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.61	74.00	-28.39	54.65	38.04	14.61	61.69	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	46.81	74.00	-27.19	55.85	38.04	14.61	61.69	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	45.61	74.00	-28.39	54.65	38.04	14.61	61.69	0.00	---	---	PEAK																																																																																								



Mode	29																																																																						
	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																						
Pol.	Horizontal						Fundamental																																																																
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5364.04</td><td>54.78</td><td>74.00</td><td>-19.22</td><td>42.10</td><td>34.69</td><td>9.92</td><td>31.93</td><td>0.00</td><td>100</td><td>227 PEAK</td></tr><tr><td>2</td><td>5464.30</td><td>54.73</td><td>68.30</td><td>-13.57</td><td>41.89</td><td>34.80</td><td>10.03</td><td>31.99</td><td>0.00</td><td>100</td><td>227 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5364.04	54.78	74.00	-19.22	42.10	34.69	9.92	31.93	0.00	100	227 PEAK	2	5464.30	54.73	68.30	-13.57	41.89	34.80	10.03	31.99	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5364.04	54.78	74.00	-19.22	42.10	34.69	9.92	31.93	0.00	100	227 PEAK																																																												
2	5464.30	54.73	68.30	-13.57	41.89	34.80	10.03	31.99	0.00	100	227 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.00</td><td>44.31</td><td>54.00</td><td>-9.69</td><td>31.47</td><td>34.00</td><td>10.03</td><td>31.99</td><td>0.00</td><td>100</td><td>227 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.00	44.31	54.00	-9.69	31.47	34.00	10.03	31.99	0.00	100	227 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5459.00	44.31	54.00	-9.69	31.47	34.00	10.03	31.99	0.00	100	227 AVERAGE																																																												
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>102.82</td><td>-----</td><td>-----</td><td>90.05</td><td>34.61</td><td>10.24</td><td>32.00</td><td>0.00</td><td>100</td><td>227 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	102.82	-----	-----	90.05	34.61	10.24	32.00	0.00	100	227 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5610.00	102.82	-----	-----	90.05	34.61	10.24	32.00	0.00	100	227 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>94.14</td><td>-----</td><td>-----</td><td>81.37</td><td>34.59</td><td>10.26</td><td>32.00</td><td>0.00</td><td>100</td><td>227 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	94.14	-----	-----	81.37	34.59	10.26	32.00	0.00	100	227 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5610.00	94.14	-----	-----	81.37	34.59	10.26	32.00	0.00	100	227 AVERAGE																																																												




Mode	29																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.28</td><td>54.49</td><td>68.30</td><td>-13.81</td><td>41.63</td><td>34.54</td><td>10.35</td><td>32.03</td><td>0.00</td><td>100</td><td>227</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.28	54.49	68.30	-13.81	41.63	34.54	10.35	32.03	0.00	100	227	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5729.28	54.49	68.30	-13.81	41.63	34.54	10.35	32.03	0.00	100	227	PEAK																																		

Note: The higher Signals which are no mark are within frequency band can be ignored.





		29																																																																																																																											
Mode		Band Edge - L																																																																																																																											
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																											
Pol.		Vertical					Fundamental																																																																																																																						
Peak																																																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5442.34</td><td>54.17</td><td>74.00</td><td>-19.83</td><td>41.35</td><td>34.00</td><td>10.00</td><td>31.98</td><td>0.00</td><td>342</td><td>261</td><td>PEAK</td></tr><tr><td>2</td><td>5469.16</td><td>53.17</td><td>68.30</td><td>-15.13</td><td>40.33</td><td>34.00</td><td>10.04</td><td>32.00</td><td>0.00</td><td>342</td><td>261</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.34	54.17	74.00	-19.83	41.35	34.00	10.00	31.98	0.00	342	261	PEAK	2	5469.16	53.17	68.30	-15.13	40.33	34.00	10.04	32.00	0.00	342	261	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.46</td><td>-----</td><td>-----</td><td>84.69</td><td>34.60</td><td>10.25</td><td>32.00</td><td>0.00</td><td>342</td><td>261</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.46	-----	-----	84.69	34.60	10.25	32.00	0.00	342	261
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5442.34	54.17	74.00	-19.83	41.35	34.00	10.00	31.98	0.00	342	261	PEAK																																																																																																																	
2	5469.16	53.17	68.30	-15.13	40.33	34.00	10.04	32.00	0.00	342	261	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5610.00	97.46	-----	-----	84.69	34.60	10.25	32.00	0.00	342	261	PEAK																																																																																																																	
Avg																																																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.94</td><td>43.62</td><td>54.00</td><td>-10.38</td><td>30.79</td><td>34.00</td><td>10.02</td><td>31.99</td><td>0.00</td><td>342</td><td>261</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.94	43.62	54.00	-10.38	30.79	34.00	10.02	31.99	0.00	342	261	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>88.99</td><td>-----</td><td>-----</td><td>76.22</td><td>34.61</td><td>10.24</td><td>32.00</td><td>0.00</td><td>342</td><td>261</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	88.99	-----	-----	76.22	34.61	10.24	32.00	0.00	342	261	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5454.94	43.62	54.00	-10.38	30.79	34.00	10.02	31.99	0.00	342	261	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5610.00	88.99	-----	-----	76.22	34.61	10.24	32.00	0.00	342	261	AVERAGE																																																																																																																	






Mode	29																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.93</td><td>56.08</td><td>68.30</td><td>-12.22</td><td>43.22</td><td>34.54</td><td>10.35</td><td>32.03</td><td>0.00</td><td>342</td><td>261</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.93	56.08	68.30	-12.22	43.22	34.54	10.35	32.03	0.00	342	261	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5730.93	56.08	68.30	-12.22	43.22	34.54	10.35	32.03	0.00	342	261	PEAK																																		






Mode	29																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>46.12</td><td>74.00</td><td>-27.88</td><td>54.90</td><td>38.13</td><td>14.72</td><td>61.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	46.12	74.00	-27.88	54.90	38.13	14.72	61.63	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>55.03</td><td>38.13</td><td>14.72</td><td>61.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	46.25	74.00	-27.75	55.03	38.13	14.72	61.63	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11220.00	46.12	74.00	-27.88	54.90	38.13	14.72	61.63	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11220.00	46.25	74.00	-27.75	55.03	38.13	14.72	61.63	0.00	---	---	PEAK																																																																																							





		30																																																																																																																																												
Mode		Band Edge																																																																																																																																												
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																												
Pol.	Horizontal										Fundamental																																																																																																																																			
Peak																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5619.72</td><td>53.51</td><td>68.30</td><td>-14.79</td><td>40.75</td><td>34.59</td><td>10.26</td><td>32.09</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr><tr><td>2</td><td>5650.61</td><td>52.87</td><td>68.75</td><td>-15.88</td><td>40.13</td><td>34.55</td><td>10.28</td><td>32.09</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr><tr><td>3</td><td>5703.68</td><td>55.34</td><td>106.33</td><td>-50.99</td><td>42.55</td><td>34.51</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr><tr><td>4</td><td>5720.79</td><td>58.00</td><td>112.69</td><td>-54.69</td><td>45.16</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5619.72	53.51	68.30	-14.79	40.75	34.59	10.26	32.09	0.00	100	179 PEAK	2	5650.61	52.87	68.75	-15.88	40.13	34.55	10.28	32.09	0.00	100	179 PEAK	3	5703.68	55.34	106.33	-50.99	42.55	34.51	10.33	32.05	0.00	100	179 PEAK	4	5720.79	58.00	112.69	-54.69	45.16	34.53	10.34	32.03	0.00	100	179 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>107.80</td><td>-----</td><td>-----</td><td>94.88</td><td>34.56</td><td>10.37</td><td>32.01</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.80	-----	-----	94.88	34.56	10.37	32.01	0.00	100	179 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5619.72	53.51	68.30	-14.79	40.75	34.59	10.26	32.09	0.00	100	179 PEAK																																																																																																																																			
2	5650.61	52.87	68.75	-15.88	40.13	34.55	10.28	32.09	0.00	100	179 PEAK																																																																																																																																			
3	5703.68	55.34	106.33	-50.99	42.55	34.51	10.33	32.05	0.00	100	179 PEAK																																																																																																																																			
4	5720.79	58.00	112.69	-54.69	45.16	34.53	10.34	32.03	0.00	100	179 PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	107.80	-----	-----	94.88	34.56	10.37	32.01	0.00	100	179 PEAK																																																																																																																																			
Avg	Blank																																																																																																																																													
											<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>101.13</td><td>-----</td><td>-----</td><td>88.23</td><td>34.55</td><td>10.36</td><td>32.01</td><td>0.00</td><td>100</td><td>179 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.13	-----	-----	88.23	34.55	10.36	32.01	0.00	100	179 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	101.13	-----	-----	88.23	34.55	10.36	32.01	0.00	100	179 AVERAGE																																																																																																																																			



		30																																																																																																																																																					
Mode	Band Edge																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																																																
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5745 MHz. The plot shows a rising red line for the 5G BAND4 limit and a blue line for the measured signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.06</td><td>54.34</td><td>68.30</td><td>-13.96</td><td>41.56</td><td>34.61</td><td>10.25</td><td>32.08</td><td>0.00</td><td>325</td><td>263</td><td>PEAK</td></tr><tr><td>2</td><td>5650.17</td><td>53.33</td><td>68.43</td><td>-15.10</td><td>40.59</td><td>34.55</td><td>10.28</td><td>32.09</td><td>0.00</td><td>325</td><td>263</td><td>PEAK</td></tr><tr><td>3</td><td>5700.34</td><td>53.18</td><td>105.40</td><td>-52.22</td><td>40.40</td><td>34.51</td><td>10.32</td><td>32.05</td><td>0.00</td><td>325</td><td>263</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>53.31</td><td>111.04</td><td>-57.73</td><td>40.47</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>325</td><td>263</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5604.06	54.34	68.30	-13.96	41.56	34.61	10.25	32.08	0.00	325	263	PEAK	2	5650.17	53.33	68.43	-15.10	40.59	34.55	10.28	32.09	0.00	325	263	PEAK	3	5700.34	53.18	105.40	-52.22	40.40	34.51	10.32	32.05	0.00	325	263	PEAK	4	5720.06	53.31	111.04	-57.73	40.47	34.53	10.34	32.03	0.00	325	263	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for the 5G BAND4 limit and a blue line for the measured signal. A single sharp peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.54</td><td>-----</td><td>-----</td><td>91.64</td><td>34.55</td><td>10.36</td><td>32.01</td><td>0.00</td><td>325</td><td>263</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.54	-----	-----	91.64	34.55	10.36	32.01	0.00	325	263	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	5604.06	54.34	68.30	-13.96	41.56	34.61	10.25	32.08	0.00	325	263	PEAK																																																																																																																																											
2	5650.17	53.33	68.43	-15.10	40.59	34.55	10.28	32.09	0.00	325	263	PEAK																																																																																																																																											
3	5700.34	53.18	105.40	-52.22	40.40	34.51	10.32	32.05	0.00	325	263	PEAK																																																																																																																																											
4	5720.06	53.31	111.04	-57.73	40.47	34.53	10.34	32.03	0.00	325	263	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	5745.00	104.54	-----	-----	91.64	34.55	10.36	32.01	0.00	325	263	PEAK																																																																																																																																											
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for the 5G BAND4 (AVG) limit and a blue line for the measured signal. A single sharp peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.28</td><td>-----</td><td>-----</td><td>84.38</td><td>34.55</td><td>10.36</td><td>32.01</td><td>0.00</td><td>325</td><td>263</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.28	-----	-----	84.38	34.55	10.36	32.01	0.00	325	263	AVERAGE																																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	5745.00	97.28	-----	-----	84.38	34.55	10.36	32.01	0.00	325	263	AVERAGE																																																																																																																																											






Mode	30																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>54.48</td><td>38.29</td><td>14.91</td><td>61.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	46.16	74.00	-27.84	54.48	38.29	14.91	61.52	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>54.35</td><td>38.29</td><td>14.91</td><td>61.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	46.03	74.00	-27.97	54.35	38.29	14.91	61.52	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11490.00	46.16	74.00	-27.84	54.48	38.29	14.91	61.52	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11490.00	46.03	74.00	-27.97	54.35	38.29	14.91	61.52	0.00	---	---	PEAK																																																																																							






Mode	31																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>55.24</td><td>38.36</td><td>14.97</td><td>61.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.08	74.00	-26.92	55.24	38.36	14.97	61.49	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.94</td><td>74.00</td><td>-28.06</td><td>54.10</td><td>38.36</td><td>14.97</td><td>61.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.94	74.00	-28.06	54.10	38.36	14.97	61.49	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	47.08	74.00	-26.92	55.24	38.36	14.97	61.49	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	45.94	74.00	-28.06	54.10	38.36	14.97	61.49	0.00	---	---	PEAK																																																																																								





		32																																																																																																																																						
Mode		Band Edge																																																																																																																																						
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																						
Pol.	Horizontal										Fundamental																																																																																																																													
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5855.00</td><td>55.23</td><td>110.90</td><td>-55.67</td><td>41.88</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr><tr><td>2 5873.38</td><td>56.36</td><td>105.75</td><td>-49.39</td><td>42.93</td><td>34.91</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr><tr><td>3 5924.38</td><td>54.32</td><td>68.76</td><td>-14.44</td><td>40.68</td><td>35.11</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr><tr><td>4 5928.00</td><td>56.35</td><td>68.30</td><td>-11.95</td><td>42.69</td><td>35.13</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5855.00	55.23	110.90	-55.67	41.88	34.84	10.45	31.94	0.00	100	177 PEAK	2 5873.38	56.36	105.75	-49.39	42.93	34.91	10.47	31.95	0.00	100	177 PEAK	3 5924.38	54.32	68.76	-14.44	40.68	35.11	10.52	31.99	0.00	100	177 PEAK	4 5928.00	56.35	68.30	-11.95	42.69	35.13	10.52	31.99	0.00	100	177 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.87</td><td>-----</td><td>-----</td><td>96.64</td><td>34.74</td><td>10.43</td><td>31.94</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	109.87	-----	-----	96.64	34.74	10.43	31.94	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 5855.00	55.23	110.90	-55.67	41.88	34.84	10.45	31.94	0.00	100	177 PEAK																																																																																																																														
2 5873.38	56.36	105.75	-49.39	42.93	34.91	10.47	31.95	0.00	100	177 PEAK																																																																																																																														
3 5924.38	54.32	68.76	-14.44	40.68	35.11	10.52	31.99	0.00	100	177 PEAK																																																																																																																														
4 5928.00	56.35	68.30	-11.95	42.69	35.13	10.52	31.99	0.00	100	177 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 5825.00	109.87	-----	-----	96.64	34.74	10.43	31.94	0.00	100	177 PEAK																																																																																																																														
Avg	Blank																																																																																																																																							
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>101.91</td><td>-----</td><td>-----</td><td>88.71</td><td>34.72</td><td>10.43</td><td>31.95</td><td>0.00</td><td>100</td><td>177 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	101.91	-----	-----	88.71	34.72	10.43	31.95	0.00	100	177 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 5825.00	101.91	-----	-----	88.71	34.72	10.43	31.95	0.00	100	177 AVERAGE																																																																																																																														






		32																																																																																																																																		
Mode	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
Pol.	Vertical					Fundamental																																																																																																																														
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.63</td><td>54.94</td><td>111.75</td><td>-56.81</td><td>41.59</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr><tr><td>2 5874.68</td><td>55.75</td><td>105.33</td><td>-49.58</td><td>42.31</td><td>34.92</td><td>10.47</td><td>31.95</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr><tr><td>3 5924.25</td><td>54.16</td><td>68.85</td><td>-14.69</td><td>40.53</td><td>35.11</td><td>10.51</td><td>31.99</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr><tr><td>4 5936.13</td><td>55.74</td><td>68.30</td><td>-12.56</td><td>42.05</td><td>35.16</td><td>10.53</td><td>32.00</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.63	54.94	111.75	-56.81	41.59	34.84	10.45	31.94	0.00	300	243	PEAK	2 5874.68	55.75	105.33	-49.58	42.31	34.92	10.47	31.95	0.00	300	243	PEAK	3 5924.25	54.16	68.85	-14.69	40.53	35.11	10.51	31.99	0.00	300	243	PEAK	4 5936.13	55.74	68.30	-12.56	42.05	35.16	10.53	32.00	0.00	300	243	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>101.97</td><td>-----</td><td>-----</td><td>88.77</td><td>34.72</td><td>10.43</td><td>31.95</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	101.97	-----	-----	88.77	34.72	10.43	31.95	0.00	300	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.63	54.94	111.75	-56.81	41.59	34.84	10.45	31.94	0.00	300	243	PEAK																																																																																																																									
2 5874.68	55.75	105.33	-49.58	42.31	34.92	10.47	31.95	0.00	300	243	PEAK																																																																																																																									
3 5924.25	54.16	68.85	-14.69	40.53	35.11	10.51	31.99	0.00	300	243	PEAK																																																																																																																									
4 5936.13	55.74	68.30	-12.56	42.05	35.16	10.53	32.00	0.00	300	243	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	101.97	-----	-----	88.77	34.72	10.43	31.95	0.00	300	243	PEAK																																																																																																																									
Avg	Blank																																																																																																																																			
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>94.26</td><td>-----</td><td>-----</td><td>81.06</td><td>34.72</td><td>10.43</td><td>31.95</td><td>0.00</td><td>300</td><td>243</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	94.26	-----	-----	81.06	34.72	10.43	31.95	0.00	300	243	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	94.26	-----	-----	81.06	34.72	10.43	31.95	0.00	300	243	AVERAGE																																																																																																																									



Mode	32																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>46.91</td><td>74.00</td><td>-27.09</td><td>54.91</td><td>38.45</td><td>15.02</td><td>61.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11650.00	46.91	74.00	-27.09	54.91	38.45	15.02	61.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>46.38</td><td>74.00</td><td>-27.62</td><td>54.38</td><td>38.45</td><td>15.02</td><td>61.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11650.00	46.38	74.00	-27.62	54.38	38.45	15.02	61.47	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11650.00	46.91	74.00	-27.09	54.91	38.45	15.02	61.47	0.00	---	---	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11650.00	46.38	74.00	-27.62	54.38	38.45	15.02	61.47	0.00	---	---	PEAK																																																																																						





		33																																																																																																																													
Mode	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																														
Pol.	Horizontal										Fundamental																																																																																																																				
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5625.52</td><td>54.47</td><td>68.30</td><td>-13.83</td><td>41.72</td><td>34.58</td><td>10.26</td><td>32.09</td><td>0.00</td><td>100</td><td>178 PEAK</td></tr><tr><td>2 5650.46</td><td>52.37</td><td>68.64</td><td>-16.27</td><td>39.63</td><td>34.55</td><td>10.28</td><td>32.09</td><td>0.00</td><td>100</td><td>178 PEAK</td></tr><tr><td>3 5702.81</td><td>54.47</td><td>106.09</td><td>-51.62</td><td>41.68</td><td>34.51</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100</td><td>178 PEAK</td></tr><tr><td>4 5721.22</td><td>57.98</td><td>113.68</td><td>-55.70</td><td>45.14</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>178 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5625.52	54.47	68.30	-13.83	41.72	34.58	10.26	32.09	0.00	100	178 PEAK	2 5650.46	52.37	68.64	-16.27	39.63	34.55	10.28	32.09	0.00	100	178 PEAK	3 5702.81	54.47	106.09	-51.62	41.68	34.51	10.33	32.05	0.00	100	178 PEAK	4 5721.22	57.98	113.68	-55.70	45.14	34.53	10.34	32.03	0.00	100	178 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>107.66</td><td>-----</td><td>-----</td><td>94.76</td><td>34.55</td><td>10.36</td><td>32.01</td><td>0.00</td><td>100</td><td>178 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	107.66	-----	-----	94.76	34.55	10.36	32.01	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5625.52	54.47	68.30	-13.83	41.72	34.58	10.26	32.09	0.00	100	178 PEAK																																																																																																																					
2 5650.46	52.37	68.64	-16.27	39.63	34.55	10.28	32.09	0.00	100	178 PEAK																																																																																																																					
3 5702.81	54.47	106.09	-51.62	41.68	34.51	10.33	32.05	0.00	100	178 PEAK																																																																																																																					
4 5721.22	57.98	113.68	-55.70	45.14	34.53	10.34	32.03	0.00	100	178 PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5745.00	107.66	-----	-----	94.76	34.55	10.36	32.01	0.00	100	178 PEAK																																																																																																																					
Avg	Blank																																																																																																																														
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>100.06</td><td>-----</td><td>-----</td><td>87.16</td><td>34.55</td><td>10.36</td><td>32.01</td><td>0.00</td><td>100</td><td>178 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	100.06	-----	-----	87.16	34.55	10.36	32.01	0.00	100	178 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5745.00	100.06	-----	-----	87.16	34.55	10.36	32.01	0.00	100	178 AVERAGE																																																																																																																					





		33																																																																																						
Mode	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																							
Pol.	Vertical																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.30</td><td>54.86</td><td>68.30</td><td>-13.44</td><td>42.09</td><td>34.60</td><td>10.25</td><td>32.08</td><td>0.00</td><td>321 253 PEAK</td></tr><tr><td>2</td><td>5650.46</td><td>54.27</td><td>68.64</td><td>-14.37</td><td>41.53</td><td>34.55</td><td>10.28</td><td>32.09</td><td>0.00</td><td>321 253 PEAK</td></tr><tr><td>3</td><td>5701.07</td><td>53.52</td><td>105.60</td><td>-52.08</td><td>40.73</td><td>34.51</td><td>10.33</td><td>32.05</td><td>0.00</td><td>321 253 PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>53.43</td><td>111.37</td><td>-57.94</td><td>40.59</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>321 253 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.30	54.86	68.30	-13.44	42.09	34.60	10.25	32.08	0.00	321 253 PEAK	2	5650.46	54.27	68.64	-14.37	41.53	34.55	10.28	32.09	0.00	321 253 PEAK	3	5701.07	53.52	105.60	-52.08	40.73	34.51	10.33	32.05	0.00	321 253 PEAK	4	5720.21	53.43	111.37	-57.94	40.59	34.53	10.34	32.03	0.00	321 253 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5610.30	54.86	68.30	-13.44	42.09	34.60	10.25	32.08	0.00	321 253 PEAK																																																																														
2	5650.46	54.27	68.64	-14.37	41.53	34.55	10.28	32.09	0.00	321 253 PEAK																																																																														
3	5701.07	53.52	105.60	-52.08	40.73	34.51	10.33	32.05	0.00	321 253 PEAK																																																																														
4	5720.21	53.43	111.37	-57.94	40.59	34.53	10.34	32.03	0.00	321 253 PEAK																																																																														
Fundamental	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.30</td><td>-----</td><td>-----</td><td>90.40</td><td>34.55</td><td>10.36</td><td>32.01</td><td>0.00</td><td>321 253 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.30	-----	-----	90.40	34.55	10.36	32.01	0.00	321 253 PEAK																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5745.00	103.30	-----	-----	90.40	34.55	10.36	32.01	0.00	321 253 PEAK																																																																														
Avg	Blank																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>95.39</td><td>-----</td><td>-----</td><td>82.49</td><td>34.55</td><td>10.36</td><td>32.01</td><td>0.00</td><td>321 253 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.39	-----	-----	82.49	34.55	10.36	32.01	0.00	321 253 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5745.00	95.39	-----	-----	82.49	34.55	10.36	32.01	0.00	321 253 AVERAGE																																																																														






Mode	33																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>55.01</td><td>38.29</td><td>14.91</td><td>61.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	46.69	74.00	-27.31	55.01	38.29	14.91	61.52	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>54.48</td><td>38.29</td><td>14.91</td><td>61.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	46.16	74.00	-27.84	54.48	38.29	14.91	61.52	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11490.00	46.69	74.00	-27.31	55.01	38.29	14.91	61.52	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11490.00	46.16	74.00	-27.84	54.48	38.29	14.91	61.52	0.00	---	---	PEAK																																																																																							






Mode	34																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>55.17</td><td>38.36</td><td>14.97</td><td>61.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.01	74.00	-26.99	55.17	38.36	14.97	61.49	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>54.37</td><td>38.36</td><td>14.97</td><td>61.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.21	74.00	-27.79	54.37	38.36	14.97	61.49	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11570.00	47.01	74.00	-26.99	55.17	38.36	14.97	61.49	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11570.00	46.21	74.00	-27.79	54.37	38.36	14.97	61.49	0.00	---	---	PEAK																																																																																							





		35																																																																																									
Mode	Band Edge																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																										
Pol.	Horizontal																																																																																										
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>55.58</td><td>111.18</td><td>-55.60</td><td>42.23</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr><tr><td>2</td><td>5868.63</td><td>58.70</td><td>107.08</td><td>-48.38</td><td>45.29</td><td>34.89</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr><tr><td>3</td><td>5924.50</td><td>53.89</td><td>68.67</td><td>-14.78</td><td>40.25</td><td>35.11</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr><tr><td>4</td><td>5933.13</td><td>55.63</td><td>68.30</td><td>-12.67</td><td>41.96</td><td>35.15</td><td>10.52</td><td>32.00</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.88	55.58	111.18	-55.60	42.23	34.84	10.45	31.94	0.00	100	179 PEAK	2	5868.63	58.70	107.08	-48.38	45.29	34.89	10.47	31.95	0.00	100	179 PEAK	3	5924.50	53.89	68.67	-14.78	40.25	35.11	10.52	31.99	0.00	100	179 PEAK	4	5933.13	55.63	68.30	-12.67	41.96	35.15	10.52	32.00	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5854.88	55.58	111.18	-55.60	42.23	34.84	10.45	31.94	0.00	100	179 PEAK																																																																																
2	5868.63	58.70	107.08	-48.38	45.29	34.89	10.47	31.95	0.00	100	179 PEAK																																																																																
3	5924.50	53.89	68.67	-14.78	40.25	35.11	10.52	31.99	0.00	100	179 PEAK																																																																																
4	5933.13	55.63	68.30	-12.67	41.96	35.15	10.52	32.00	0.00	100	179 PEAK																																																																																
Fundamental																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.53</td><td>-----</td><td>-----</td><td>94.37</td><td>34.69</td><td>10.42</td><td>31.95</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.53	-----	-----	94.37	34.69	10.42	31.95	0.00	100	179 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5825.00	107.53	-----	-----	94.37	34.69	10.42	31.95	0.00	100	179 PEAK																																																																																
Avg	Blank																																																																																										
																																																																																											
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.29</td><td>-----</td><td>-----</td><td>86.09</td><td>34.72</td><td>10.43</td><td>31.95</td><td>0.00</td><td>100</td><td>179 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.29	-----	-----	86.09	34.72	10.43	31.95	0.00	100	179 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5825.00	99.29	-----	-----	86.09	34.72	10.43	31.95	0.00	100	179 AVERAGE																																																																																






		35																																																																																																																																		
Mode	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																			
Pol.	Vertical					Fundamental																																																																																																																														
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.38</td><td>55.08</td><td>112.32</td><td>-57.24</td><td>41.73</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>326</td><td>245</td><td>PEAK</td></tr><tr><td>2 5874.68</td><td>54.66</td><td>105.33</td><td>-50.67</td><td>41.22</td><td>34.92</td><td>10.47</td><td>31.95</td><td>0.00</td><td>326</td><td>245</td><td>PEAK</td></tr><tr><td>3 5924.13</td><td>54.73</td><td>68.94</td><td>-14.21</td><td>41.10</td><td>35.11</td><td>10.51</td><td>31.99</td><td>0.00</td><td>326</td><td>245</td><td>PEAK</td></tr><tr><td>4 5930.88</td><td>56.25</td><td>68.30</td><td>-12.05</td><td>42.59</td><td>35.14</td><td>10.52</td><td>32.00</td><td>0.00</td><td>326</td><td>245</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.38	55.08	112.32	-57.24	41.73	34.84	10.45	31.94	0.00	326	245	PEAK	2 5874.68	54.66	105.33	-50.67	41.22	34.92	10.47	31.95	0.00	326	245	PEAK	3 5924.13	54.73	68.94	-14.21	41.10	35.11	10.51	31.99	0.00	326	245	PEAK	4 5930.88	56.25	68.30	-12.05	42.59	35.14	10.52	32.00	0.00	326	245	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>101.99</td><td>-----</td><td>-----</td><td>88.79</td><td>34.72</td><td>10.43</td><td>31.95</td><td>0.00</td><td>326</td><td>245</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	101.99	-----	-----	88.79	34.72	10.43	31.95	0.00	326	245
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.38	55.08	112.32	-57.24	41.73	34.84	10.45	31.94	0.00	326	245	PEAK																																																																																																																									
2 5874.68	54.66	105.33	-50.67	41.22	34.92	10.47	31.95	0.00	326	245	PEAK																																																																																																																									
3 5924.13	54.73	68.94	-14.21	41.10	35.11	10.51	31.99	0.00	326	245	PEAK																																																																																																																									
4 5930.88	56.25	68.30	-12.05	42.59	35.14	10.52	32.00	0.00	326	245	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	101.99	-----	-----	88.79	34.72	10.43	31.95	0.00	326	245	PEAK																																																																																																																									
Avg	Blank																																																																																																																																			
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>94.15</td><td>-----</td><td>-----</td><td>80.95</td><td>34.72</td><td>10.43</td><td>31.95</td><td>0.00</td><td>326</td><td>245</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	94.15	-----	-----	80.95	34.72	10.43	31.95	0.00	326	245	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	94.15	-----	-----	80.95	34.72	10.43	31.95	0.00	326	245	AVERAGE																																																																																																																									




Mode	35																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>47.59</td><td>74.00</td><td>-26.41</td><td>55.59</td><td>38.45</td><td>15.02</td><td>61.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11650.00	47.59	74.00	-26.41	55.59	38.45	15.02	61.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>46.31</td><td>74.00</td><td>-27.69</td><td>54.31</td><td>38.45</td><td>15.02</td><td>61.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11650.00	46.31	74.00	-27.69	54.31	38.45	15.02	61.47	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11650.00	47.59	74.00	-26.41	55.59	38.45	15.02	61.47	0.00	---	---	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11650.00	46.31	74.00	-27.69	54.31	38.45	15.02	61.47	0.00	---	---	PEAK																																																																																						






		36																																																																																																																																																			
Mode		Band Edge - L																																																																																																																																																			
		U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																																			
Pol.	Horizontal											Fundamental																																																																																																																																									
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue trace with several peaks labeled 1, 2, 3, and 4. A red line indicates the 5G BAND4 limit. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5600 to 5755 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5629.61</td><td>55.64</td><td>68.30</td><td>-12.66</td><td>42.89</td><td>34.57</td><td>10.27</td><td>32.09</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5650.69</td><td>53.47</td><td>68.81</td><td>-15.34</td><td>40.72</td><td>34.55</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5715.01</td><td>66.13</td><td>109.50</td><td>-43.37</td><td>53.31</td><td>34.52</td><td>10.34</td><td>32.04</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5720.75</td><td>66.76</td><td>112.60</td><td>-45.84</td><td>53.92</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5629.61	55.64	68.30	-12.66	42.89	34.57	10.27	32.09	0.00	100	177	PEAK	2	5650.69	53.47	68.81	-15.34	40.72	34.55	10.29	32.09	0.00	100	177	PEAK	3	5715.01	66.13	109.50	-43.37	53.31	34.52	10.34	32.04	0.00	100	177	PEAK	4	5720.75	66.76	112.60	-45.84	53.92	34.53	10.34	32.03	0.00	100	177	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue trace with a prominent peak at 5755 MHz. A red line indicates the 5G BAND4 limit. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>108.21</td><td>-----</td><td>-----</td><td>95.28</td><td>34.56</td><td>10.37</td><td>32.00</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	108.21	-----	-----	95.28	34.56	10.37	32.00	0.00	100	177	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5629.61	55.64	68.30	-12.66	42.89	34.57	10.27	32.09	0.00	100	177	PEAK																																																																																																																																									
2	5650.69	53.47	68.81	-15.34	40.72	34.55	10.29	32.09	0.00	100	177	PEAK																																																																																																																																									
3	5715.01	66.13	109.50	-43.37	53.31	34.52	10.34	32.04	0.00	100	177	PEAK																																																																																																																																									
4	5720.75	66.76	112.60	-45.84	53.92	34.53	10.34	32.03	0.00	100	177	PEAK																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5755.00	108.21	-----	-----	95.28	34.56	10.37	32.00	0.00	100	177	PEAK																																																																																																																																									
Avg	Blank											 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue trace with a peak at 5755 MHz. A red line indicates the 5G BAND4 (AVG) limit. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>99.01</td><td>-----</td><td>-----</td><td>86.09</td><td>34.56</td><td>10.37</td><td>32.01</td><td>0.00</td><td>100</td><td>177</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	99.01	-----	-----	86.09	34.56	10.37	32.01	0.00	100	177	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5755.00	99.01	-----	-----	86.09	34.56	10.37	32.01	0.00	100	177	AVERAGE																																																																																																																																									




Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>53.12</td><td>111.26</td><td>-58.14</td><td>39.77</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5872.39</td><td>55.70</td><td>106.03</td><td>-50.33</td><td>42.27</td><td>34.91</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>53.45</td><td>68.56</td><td>-15.11</td><td>39.81</td><td>35.11</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5927.97</td><td>55.39</td><td>68.30</td><td>-12.91</td><td>41.73</td><td>35.13</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	53.12	111.26	-58.14	39.77	34.84	10.45	31.94	0.00	100	177	PEAK	2	5872.39	55.70	106.03	-50.33	42.27	34.91	10.47	31.95	0.00	100	177	PEAK	3	5924.65	53.45	68.56	-15.11	39.81	35.11	10.52	31.99	0.00	100	177	PEAK	4	5927.97	55.39	68.30	-12.91	41.73	35.13	10.52	31.99	0.00	100	177	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.84	53.12	111.26	-58.14	39.77	34.84	10.45	31.94	0.00	100	177	PEAK																																																																									
2	5872.39	55.70	106.03	-50.33	42.27	34.91	10.47	31.95	0.00	100	177	PEAK																																																																									
3	5924.65	53.45	68.56	-15.11	39.81	35.11	10.52	31.99	0.00	100	177	PEAK																																																																									
4	5927.97	55.39	68.30	-12.91	41.73	35.13	10.52	31.99	0.00	100	177	PEAK																																																																									





		36																																																																																																																																						
Mode	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																																		
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5614.73</td><td>55.57</td><td>68.30</td><td>-12.73</td><td>42.80</td><td>34.59</td><td>10.26</td><td>32.08</td><td>0.00</td><td>300</td><td>281</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>53.25</td><td>68.46</td><td>-15.21</td><td>40.51</td><td>34.55</td><td>10.28</td><td>32.09</td><td>0.00</td><td>300</td><td>281</td><td>PEAK</td></tr><tr><td>3</td><td>5717.96</td><td>61.23</td><td>110.33</td><td>-49.10</td><td>48.40</td><td>34.53</td><td>10.34</td><td>32.04</td><td>0.00</td><td>300</td><td>281</td><td>PEAK</td></tr><tr><td>4</td><td>5720.59</td><td>61.37</td><td>112.25</td><td>-50.88</td><td>48.53</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>300</td><td>281</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5614.73	55.57	68.30	-12.73	42.80	34.59	10.26	32.08	0.00	300	281	PEAK	2	5650.22	53.25	68.46	-15.21	40.51	34.55	10.28	32.09	0.00	300	281	PEAK	3	5717.96	61.23	110.33	-49.10	48.40	34.53	10.34	32.04	0.00	300	281	PEAK	4	5720.59	61.37	112.25	-50.88	48.53	34.53	10.34	32.03	0.00	300	281	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.04</td><td>-----</td><td>-----</td><td>88.14</td><td>34.55</td><td>10.36</td><td>32.01</td><td>0.00</td><td>300</td><td>281</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.04	-----	-----	88.14	34.55	10.36	32.01	0.00	300	281
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5614.73	55.57	68.30	-12.73	42.80	34.59	10.26	32.08	0.00	300	281	PEAK																																																																																																																												
2	5650.22	53.25	68.46	-15.21	40.51	34.55	10.28	32.09	0.00	300	281	PEAK																																																																																																																												
3	5717.96	61.23	110.33	-49.10	48.40	34.53	10.34	32.04	0.00	300	281	PEAK																																																																																																																												
4	5720.59	61.37	112.25	-50.88	48.53	34.53	10.34	32.03	0.00	300	281	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	101.04	-----	-----	88.14	34.55	10.36	32.01	0.00	300	281	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>93.31</td><td>-----</td><td>-----</td><td>80.39</td><td>34.56</td><td>10.37</td><td>32.01</td><td>0.00</td><td>300</td><td>281</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	93.31	-----	-----	80.39	34.56	10.37	32.01	0.00	300	281	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	93.31	-----	-----	80.39	34.56	10.37	32.01	0.00	300	281	AVERAGE																																																																																																																												






Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>53.35</td><td>111.71</td><td>-58.36</td><td>40.00</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>281</td><td>PEAK</td></tr><tr><td>2</td><td>5873.95</td><td>54.37</td><td>105.59</td><td>-51.22</td><td>40.94</td><td>34.91</td><td>10.47</td><td>31.95</td><td>0.00</td><td>300</td><td>281</td><td>PEAK</td></tr><tr><td>3</td><td>5922.70</td><td>54.77</td><td>70.00</td><td>-15.23</td><td>41.15</td><td>35.10</td><td>10.51</td><td>31.99</td><td>0.00</td><td>300</td><td>281</td><td>PEAK</td></tr><tr><td>4</td><td>5939.67</td><td>55.11</td><td>68.30</td><td>-13.19</td><td>41.41</td><td>35.17</td><td>10.53</td><td>32.00</td><td>0.00</td><td>300</td><td>281</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	53.35	111.71	-58.36	40.00	34.84	10.45	31.94	0.00	300	281	PEAK	2	5873.95	54.37	105.59	-51.22	40.94	34.91	10.47	31.95	0.00	300	281	PEAK	3	5922.70	54.77	70.00	-15.23	41.15	35.10	10.51	31.99	0.00	300	281	PEAK	4	5939.67	55.11	68.30	-13.19	41.41	35.17	10.53	32.00	0.00	300	281	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.65	53.35	111.71	-58.36	40.00	34.84	10.45	31.94	0.00	300	281	PEAK																																																																									
2	5873.95	54.37	105.59	-51.22	40.94	34.91	10.47	31.95	0.00	300	281	PEAK																																																																									
3	5922.70	54.77	70.00	-15.23	41.15	35.10	10.51	31.99	0.00	300	281	PEAK																																																																									
4	5939.67	55.11	68.30	-13.19	41.41	35.17	10.53	32.00	0.00	300	281	PEAK																																																																									




Mode	36																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>54.70</td><td>38.30</td><td>14.92</td><td>61.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	46.41	74.00	-27.59	54.70	38.30	14.92	61.51	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>54.53</td><td>38.30</td><td>14.92</td><td>61.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	46.24	74.00	-27.76	54.53	38.30	14.92	61.51	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11510.00	46.41	74.00	-27.59	54.70	38.30	14.92	61.51	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11510.00	46.24	74.00	-27.76	54.53	38.30	14.92	61.51	0.00	---	---	PEAK																																																																																							






		37																																																																																											
Mode	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																												
Pol.	Horizontal																																																																																												
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.51</td><td>54.25</td><td>68.30</td><td>-14.05</td><td>41.51</td><td>34.56</td><td>10.28</td><td>32.10</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>5650.70</td><td>52.05</td><td>68.82</td><td>-16.77</td><td>39.30</td><td>34.55</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>3</td><td>5700.04</td><td>54.43</td><td>105.31</td><td>-50.88</td><td>41.65</td><td>34.51</td><td>10.32</td><td>32.05</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>4</td><td>5720.90</td><td>54.19</td><td>112.95</td><td>-58.76</td><td>41.35</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5642.51	54.25	68.30	-14.05	41.51	34.56	10.28	32.10	0.00	100	178	PEAK	2	5650.70	52.05	68.82	-16.77	39.30	34.55	10.29	32.09	0.00	100	178	PEAK	3	5700.04	54.43	105.31	-50.88	41.65	34.51	10.32	32.05	0.00	100	178	PEAK	4	5720.90	54.19	112.95	-58.76	41.35	34.53	10.34	32.03	0.00	100	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5642.51	54.25	68.30	-14.05	41.51	34.56	10.28	32.10	0.00	100	178	PEAK																																																																																	
2	5650.70	52.05	68.82	-16.77	39.30	34.55	10.29	32.09	0.00	100	178	PEAK																																																																																	
3	5700.04	54.43	105.31	-50.88	41.65	34.51	10.32	32.05	0.00	100	178	PEAK																																																																																	
4	5720.90	54.19	112.95	-58.76	41.35	34.53	10.34	32.03	0.00	100	178	PEAK																																																																																	
Fundamental																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.65</td><td>-----</td><td>-----</td><td>92.62</td><td>34.60</td><td>10.40</td><td>31.97</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	105.65	-----	-----	92.62	34.60	10.40	31.97	0.00	100	178	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5795.00	105.65	-----	-----	92.62	34.60	10.40	31.97	0.00	100	178	PEAK																																																																																	
Avg	Blank																																																																																												
																																																																																													
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.59</td><td>-----</td><td>-----</td><td>84.53</td><td>34.62</td><td>10.41</td><td>31.97</td><td>0.00</td><td>100</td><td>178</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	97.59	-----	-----	84.53	34.62	10.41	31.97	0.00	100	178	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5795.00	97.59	-----	-----	84.53	34.62	10.41	31.97	0.00	100	178	AVERAGE																																																																																	



Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.83</td><td>52.95</td><td>111.29</td><td>-58.34</td><td>39.60</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>5871.88</td><td>54.81</td><td>106.17</td><td>-51.36</td><td>41.30</td><td>34.91</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>3</td><td>5924.43</td><td>54.14</td><td>68.72</td><td>-14.58</td><td>40.50</td><td>35.11</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>4</td><td>5941.79</td><td>55.44</td><td>68.30</td><td>-12.86</td><td>41.73</td><td>35.18</td><td>10.53</td><td>32.00</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.83	52.95	111.29	-58.34	39.60	34.84	10.45	31.94	0.00	100	178	PEAK	2	5871.88	54.81	106.17	-51.36	41.30	34.91	10.47	31.95	0.00	100	178	PEAK	3	5924.43	54.14	68.72	-14.58	40.50	35.11	10.52	31.99	0.00	100	178	PEAK	4	5941.79	55.44	68.30	-12.86	41.73	35.18	10.53	32.00	0.00	100	178	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.83	52.95	111.29	-58.34	39.60	34.84	10.45	31.94	0.00	100	178	PEAK																																																																									
2	5871.88	54.81	106.17	-51.36	41.30	34.91	10.47	31.95	0.00	100	178	PEAK																																																																									
3	5924.43	54.14	68.72	-14.58	40.50	35.11	10.52	31.99	0.00	100	178	PEAK																																																																									
4	5941.79	55.44	68.30	-12.86	41.73	35.18	10.53	32.00	0.00	100	178	PEAK																																																																									





		37																																																																																																																							
Mode	Band Edge - L																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																								
Pol.	Vertical										Fundamental																																																																																																														
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5631.59</td><td>54.26</td><td>68.30</td><td>-14.04</td><td>41.51</td><td>34.57</td><td>10.27</td><td>32.09</td><td>0.00</td><td>100 89 PEAK</td></tr><tr><td>2 5652.85</td><td>54.33</td><td>70.41</td><td>-16.08</td><td>41.58</td><td>34.55</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100 89 PEAK</td></tr><tr><td>3 5701.21</td><td>53.29</td><td>105.64</td><td>-52.35</td><td>40.50</td><td>34.51</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100 89 PEAK</td></tr><tr><td>4 5720.12</td><td>52.12</td><td>111.17</td><td>-59.05</td><td>39.28</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100 89 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5631.59	54.26	68.30	-14.04	41.51	34.57	10.27	32.09	0.00	100 89 PEAK	2 5652.85	54.33	70.41	-16.08	41.58	34.55	10.29	32.09	0.00	100 89 PEAK	3 5701.21	53.29	105.64	-52.35	40.50	34.51	10.33	32.05	0.00	100 89 PEAK	4 5720.12	52.12	111.17	-59.05	39.28	34.53	10.34	32.03	0.00	100 89 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>100.50</td><td>-----</td><td>-----</td><td>87.44</td><td>34.62</td><td>10.41</td><td>31.97</td><td>0.00</td><td>100 89 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	100.50	-----	-----	87.44	34.62	10.41	31.97	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 5631.59	54.26	68.30	-14.04	41.51	34.57	10.27	32.09	0.00	100 89 PEAK																																																																																																																
2 5652.85	54.33	70.41	-16.08	41.58	34.55	10.29	32.09	0.00	100 89 PEAK																																																																																																																
3 5701.21	53.29	105.64	-52.35	40.50	34.51	10.33	32.05	0.00	100 89 PEAK																																																																																																																
4 5720.12	52.12	111.17	-59.05	39.28	34.53	10.34	32.03	0.00	100 89 PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5795.00	100.50	-----	-----	87.44	34.62	10.41	31.97	0.00	100 89 PEAK																																																																																																																
Avg	Blank																																																																																																																								
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>92.27</td><td>-----</td><td>-----</td><td>79.24</td><td>34.60</td><td>10.40</td><td>31.97</td><td>0.00</td><td>100 89 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	92.27	-----	-----	79.24	34.60	10.40	31.97	0.00	100 89 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5795.00	92.27	-----	-----	79.24	34.60	10.40	31.97	0.00	100 89 AVERAGE																																																																																																																






Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>52.17</td><td>110.93</td><td>-58.76</td><td>38.82</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>89</td><td>PEAK</td></tr><tr><td>2</td><td>5872.81</td><td>54.72</td><td>105.91</td><td>-51.19</td><td>41.29</td><td>34.91</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>89</td><td>PEAK</td></tr><tr><td>3</td><td>5924.12</td><td>53.55</td><td>68.95</td><td>-15.40</td><td>39.92</td><td>35.11</td><td>10.51</td><td>31.99</td><td>0.00</td><td>100</td><td>89</td><td>PEAK</td></tr><tr><td>4</td><td>5933.42</td><td>56.01</td><td>68.30</td><td>-12.29</td><td>42.34</td><td>35.15</td><td>10.52</td><td>32.00</td><td>0.00</td><td>100</td><td>89</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	52.17	110.93	-58.76	38.82	34.84	10.45	31.94	0.00	100	89	PEAK	2	5872.81	54.72	105.91	-51.19	41.29	34.91	10.47	31.95	0.00	100	89	PEAK	3	5924.12	53.55	68.95	-15.40	39.92	35.11	10.51	31.99	0.00	100	89	PEAK	4	5933.42	56.01	68.30	-12.29	42.34	35.15	10.52	32.00	0.00	100	89	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.99	52.17	110.93	-58.76	38.82	34.84	10.45	31.94	0.00	100	89	PEAK																																																																									
2	5872.81	54.72	105.91	-51.19	41.29	34.91	10.47	31.95	0.00	100	89	PEAK																																																																									
3	5924.12	53.55	68.95	-15.40	39.92	35.11	10.51	31.99	0.00	100	89	PEAK																																																																									
4	5933.42	56.01	68.30	-12.29	42.34	35.15	10.52	32.00	0.00	100	89	PEAK																																																																									




Mode	37																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>55.16</td><td>38.39</td><td>14.98</td><td>61.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.04	74.00	-26.96	55.16	38.39	14.98	61.49	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>54.58</td><td>38.39</td><td>14.98</td><td>61.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	46.46	74.00	-27.54	54.58	38.39	14.98	61.49	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11590.00	47.04	74.00	-26.96	55.16	38.39	14.98	61.49	0.00	---	---	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11590.00	46.46	74.00	-27.54	54.58	38.39	14.98	61.49	0.00	---	---	PEAK																																																																																						





		38																																																																																					
Mode	Band Edge - L																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																						
Pol.	Horizontal																																																																																						
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5622.05</td><td>55.22</td><td>68.30</td><td>-13.08</td><td>42.47</td><td>34.58</td><td>10.26</td><td>32.09</td><td>0.00</td><td>105</td><td>176 PEAK</td></tr><tr><td>2 5653.38</td><td>56.71</td><td>70.81</td><td>-14.10</td><td>43.96</td><td>34.55</td><td>10.29</td><td>32.09</td><td>0.00</td><td>105</td><td>176 PEAK</td></tr><tr><td>3 5700.45</td><td>63.25</td><td>105.43</td><td>-42.18</td><td>50.47</td><td>34.51</td><td>10.32</td><td>32.05</td><td>0.00</td><td>105</td><td>176 PEAK</td></tr><tr><td>4 5720.05</td><td>64.54</td><td>111.01</td><td>-46.47</td><td>51.70</td><td>34.53</td><td>10.34</td><td>32.03</td><td>0.00</td><td>105</td><td>176 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5622.05	55.22	68.30	-13.08	42.47	34.58	10.26	32.09	0.00	105	176 PEAK	2 5653.38	56.71	70.81	-14.10	43.96	34.55	10.29	32.09	0.00	105	176 PEAK	3 5700.45	63.25	105.43	-42.18	50.47	34.51	10.32	32.05	0.00	105	176 PEAK	4 5720.05	64.54	111.01	-46.47	51.70	34.53	10.34	32.03	0.00	105
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5622.05	55.22	68.30	-13.08	42.47	34.58	10.26	32.09	0.00	105	176 PEAK																																																																													
2 5653.38	56.71	70.81	-14.10	43.96	34.55	10.29	32.09	0.00	105	176 PEAK																																																																													
3 5700.45	63.25	105.43	-42.18	50.47	34.51	10.32	32.05	0.00	105	176 PEAK																																																																													
4 5720.05	64.54	111.01	-46.47	51.70	34.53	10.34	32.03	0.00	105	176 PEAK																																																																													
Fundamental																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>103.71</td><td>-----</td><td>-----</td><td>90.68</td><td>34.60</td><td>10.40</td><td>31.97</td><td>0.00</td><td>105</td><td>176 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	103.71	-----	-----	90.68	34.60	10.40	31.97	0.00	105	176 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5775.00	103.71	-----	-----	90.68	34.60	10.40	31.97	0.00	105	176 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>95.27</td><td>-----</td><td>-----</td><td>82.27</td><td>34.59</td><td>10.39</td><td>31.98</td><td>0.00</td><td>105</td><td>176 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	95.27	-----	-----	82.27	34.59	10.39	31.98	0.00	105	176 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5775.00	95.27	-----	-----	82.27	34.59	10.39	31.98	0.00	105	176 AVERAGE																																																																													




Mode	38																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>61.44</td><td>111.75</td><td>-50.31</td><td>48.09</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>105</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5867.23</td><td>60.28</td><td>107.47</td><td>-47.19</td><td>46.00</td><td>34.09</td><td>10.46</td><td>31.95</td><td>0.00</td><td>105</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5923.58</td><td>54.77</td><td>69.35</td><td>-14.58</td><td>41.14</td><td>35.11</td><td>10.51</td><td>31.99</td><td>0.00</td><td>105</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5925.33</td><td>55.13</td><td>68.30</td><td>-13.17</td><td>41.48</td><td>35.12</td><td>10.52</td><td>31.99</td><td>0.00</td><td>105</td><td>176</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	61.44	111.75	-50.31	48.09	34.84	10.45	31.94	0.00	105	176	PEAK	2	5867.23	60.28	107.47	-47.19	46.00	34.09	10.46	31.95	0.00	105	176	PEAK	3	5923.58	54.77	69.35	-14.58	41.14	35.11	10.51	31.99	0.00	105	176	PEAK	4	5925.33	55.13	68.30	-13.17	41.48	35.12	10.52	31.99	0.00	105	176	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.63	61.44	111.75	-50.31	48.09	34.84	10.45	31.94	0.00	105	176	PEAK																																																																									
2	5867.23	60.28	107.47	-47.19	46.00	34.09	10.46	31.95	0.00	105	176	PEAK																																																																									
3	5923.58	54.77	69.35	-14.58	41.14	35.11	10.51	31.99	0.00	105	176	PEAK																																																																									
4	5925.33	55.13	68.30	-13.17	41.48	35.12	10.52	31.99	0.00	105	176	PEAK																																																																									





		38																																																																															
Mode		Band Edge - L																																																																															
		U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																															
Pol.		Fundamental																																																																															
Peak	Vertical																																																																																
																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5617.15	54.94	68.30	-13.36	42.18	34.59	10.26	32.09	0.00	100	100	PEAK	2	5651.00	54.21	69.64	-15.43	41.46	34.55	10.29	32.09	0.00	100	100	PEAK	3	5701.33	58.51	105.67	-47.16	45.72	34.51	10.33	32.05	0.00	100	100	PEAK	4	5720.05	62.00	111.01	-49.01	49.16	34.53	10.34	32.03	0.00	100	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5617.15	54.94	68.30	-13.36	42.18	34.59	10.26	32.09	0.00	100	100	PEAK																																																																					
2	5651.00	54.21	69.64	-15.43	41.46	34.55	10.29	32.09	0.00	100	100	PEAK																																																																					
3	5701.33	58.51	105.67	-47.16	45.72	34.51	10.33	32.05	0.00	100	100	PEAK																																																																					
4	5720.05	62.00	111.01	-49.01	49.16	34.53	10.34	32.03	0.00	100	100	PEAK																																																																					
Avg	Blank																																																																																
																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	88.74	-----	-----	75.77	34.58	10.38	31.99	0.00	100	100	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5775.00	88.74	-----	-----	75.77	34.58	10.38	31.99	0.00	100	100	AVERAGE																																																																					





Mode	38																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>54.88</td><td>111.36</td><td>-56.48</td><td>41.53</td><td>34.84</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5870.55</td><td>56.35</td><td>106.54</td><td>-50.19</td><td>42.93</td><td>34.90</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5924.45</td><td>52.82</td><td>68.71</td><td>-15.89</td><td>39.18</td><td>35.11</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5941.43</td><td>56.60</td><td>68.30</td><td>-11.70</td><td>42.89</td><td>35.18</td><td>10.53</td><td>32.00</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	54.88	111.36	-56.48	41.53	34.84	10.45	31.94	0.00	100	100	PEAK	2	5870.55	56.35	106.54	-50.19	42.93	34.90	10.47	31.95	0.00	100	100	PEAK	3	5924.45	52.82	68.71	-15.89	39.18	35.11	10.52	31.99	0.00	100	100	PEAK	4	5941.43	56.60	68.30	-11.70	42.89	35.18	10.53	32.00	0.00	100	100	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	54.88	111.36	-56.48	41.53	34.84	10.45	31.94	0.00	100	100	PEAK																																																																									
2	5870.55	56.35	106.54	-50.19	42.93	34.90	10.47	31.95	0.00	100	100	PEAK																																																																									
3	5924.45	52.82	68.71	-15.89	39.18	35.11	10.52	31.99	0.00	100	100	PEAK																																																																									
4	5941.43	56.60	68.30	-11.70	42.89	35.18	10.53	32.00	0.00	100	100	PEAK																																																																									





Mode	38																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11550.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>54.84</td><td>38.34</td><td>14.95</td><td>61.50</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11550.00	46.63	74.00	-27.37	54.84	38.34	14.95	61.50	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11550.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>54.88</td><td>38.34</td><td>14.95</td><td>61.50</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11550.00	46.67	74.00	-27.33	54.88	38.34	14.95	61.50	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11550.00	46.63	74.00	-27.37	54.84	38.34	14.95	61.50	0.00	---	---	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11550.00	46.67	74.00	-27.33	54.88	38.34	14.95	61.50	0.00	---	---	PEAK																																																																																						





Mode	38	
	Harmonic above 18GHz	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
Pol.	Horizontal	Vertical
Peak		
Avg		





Mode	39																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11440.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>54.55</td><td>38.26</td><td>14.87</td><td>61.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	46.14	74.00	-27.86	54.55	38.26	14.87	61.54	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11440.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>54.20</td><td>38.26</td><td>14.87</td><td>61.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	45.79	74.00	-28.21	54.20	38.26	14.87	61.54	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11440.00	46.14	74.00	-27.86	54.55	38.26	14.87	61.54	0.00	---	---	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11440.00	45.79	74.00	-28.21	54.20	38.26	14.87	61.54	0.00	---	---	PEAK																																																																																						





Mode	40																																																																																																						
	Harmonic																																																																																																						
	U-NII-2C_5.47-5.85_802.11ac VHT20_CH144_5720MHz																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>56.13</td><td>38.26</td><td>14.87</td><td>61.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11440.00	47.72	74.00	-26.28	56.13	38.26	14.87	61.54	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>54.60</td><td>38.26</td><td>14.87</td><td>61.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11440.00	46.19	74.00	-27.81	54.60	38.26	14.87	61.54	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11440.00	47.72	74.00	-26.28	56.13	38.26	14.87	61.54	0.00	---	---	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11440.00	46.19	74.00	-27.81	54.60	38.26	14.87	61.54	0.00	---	---	PEAK																																																																																											



Mode	41																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.85_802.11ac VHT40_CH142_5710MHz																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>54.29</td><td>38.25</td><td>14.86</td><td>61.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.86	74.00	-28.14	54.29	38.25	14.86	61.54	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.01</td><td>74.00</td><td>-27.99</td><td>54.44</td><td>38.25</td><td>14.86</td><td>61.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	46.01	74.00	-27.99	54.44	38.25	14.86	61.54	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11420.00	45.86	74.00	-28.14	54.29	38.25	14.86	61.54	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	11420.00	46.01	74.00	-27.99	54.44	38.25	14.86	61.54	0.00	---	---	PEAK																																																																																								



Mode	42																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11380.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>55.31</td><td>38.23</td><td>14.83</td><td>61.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11380.00	46.81	74.00	-27.19	55.31	38.23	14.83	61.56	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11380.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>54.91</td><td>38.23</td><td>14.83</td><td>61.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11380.00	46.41	74.00	-27.59	54.91	38.23	14.83	61.56	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11380.00	46.81	74.00	-27.19	55.31	38.23	14.83	61.56	0.00	---	---	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11380.00	46.41	74.00	-27.59	54.91	38.23	14.83	61.56	0.00	---	---	PEAK																																																																																						




Mode	43																																																																																																																																																																																											
	LF																																																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																										
Peak Avg	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>140.58</td><td>17.91</td><td>-25.59</td><td>43.50</td><td>31.38</td><td>17.07</td><td>1.58</td><td>32.12</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>190.05</td><td>19.45</td><td>-24.05</td><td>43.50</td><td>34.24</td><td>15.45</td><td>1.86</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>216.24</td><td>20.36</td><td>-25.64</td><td>46.00</td><td>34.36</td><td>16.14</td><td>1.99</td><td>32.13</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>350.10</td><td>20.16</td><td>-25.84</td><td>46.00</td><td>29.34</td><td>20.50</td><td>2.52</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>429.64</td><td>22.44</td><td>-23.56</td><td>46.00</td><td>29.26</td><td>22.62</td><td>2.80</td><td>32.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>607.15</td><td>26.54</td><td>-19.46</td><td>46.00</td><td>29.49</td><td>26.01</td><td>3.33</td><td>32.29</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	140.58	17.91	-25.59	43.50	31.38	17.07	1.58	32.12	---	---	Peak	2	190.05	19.45	-24.05	43.50	34.24	15.45	1.86	32.10	---	---	Peak	3	216.24	20.36	-25.64	46.00	34.36	16.14	1.99	32.13	---	---	Peak	4	350.10	20.16	-25.84	46.00	29.34	20.50	2.52	32.20	---	---	Peak	5	429.64	22.44	-23.56	46.00	29.26	22.62	2.80	32.24	---	---	Peak	6	607.15	26.54	-19.46	46.00	29.49	26.01	3.33	32.29	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>46.49</td><td>30.59</td><td>-9.41</td><td>40.00</td><td>45.99</td><td>16.13</td><td>0.67</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>133.79</td><td>24.36</td><td>-19.14</td><td>43.50</td><td>38.04</td><td>16.91</td><td>1.54</td><td>32.13</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>169.68</td><td>19.34</td><td>-24.16</td><td>43.50</td><td>33.30</td><td>16.40</td><td>1.74</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>326.82</td><td>21.53</td><td>-24.47</td><td>46.00</td><td>31.29</td><td>19.95</td><td>2.44</td><td>32.15</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>471.35</td><td>25.23</td><td>-20.77</td><td>46.00</td><td>31.06</td><td>23.52</td><td>2.93</td><td>32.28</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>666.32</td><td>27.20</td><td>-18.80</td><td>46.00</td><td>29.21</td><td>26.70</td><td>3.49</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	46.49	30.59	-9.41	40.00	45.99	16.13	0.67	32.20	---	---	Peak	2	133.79	24.36	-19.14	43.50	38.04	16.91	1.54	32.13	---	---	Peak	3	169.68	19.34	-24.16	43.50	33.30	16.40	1.74	32.10	---	---	Peak	4	326.82	21.53	-24.47	46.00	31.29	19.95	2.44	32.15	---	---	Peak	5	471.35	25.23	-20.77	46.00	31.06	23.52	2.93	32.28	---	---	Peak	6	666.32	27.20	-18.80	46.00	29.21	26.70	3.49	32.20	---	---	Peak
		Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																																																																																																																																																																		
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
1	140.58	17.91	-25.59	43.50	31.38	17.07	1.58	32.12	---	---	Peak																																																																																																																																																																																	
2	190.05	19.45	-24.05	43.50	34.24	15.45	1.86	32.10	---	---	Peak																																																																																																																																																																																	
3	216.24	20.36	-25.64	46.00	34.36	16.14	1.99	32.13	---	---	Peak																																																																																																																																																																																	
4	350.10	20.16	-25.84	46.00	29.34	20.50	2.52	32.20	---	---	Peak																																																																																																																																																																																	
5	429.64	22.44	-23.56	46.00	29.26	22.62	2.80	32.24	---	---	Peak																																																																																																																																																																																	
6	607.15	26.54	-19.46	46.00	29.49	26.01	3.33	32.29	---	---	Peak																																																																																																																																																																																	
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																																																																																																																																																																			
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
1	46.49	30.59	-9.41	40.00	45.99	16.13	0.67	32.20	---	---	Peak																																																																																																																																																																																	
2	133.79	24.36	-19.14	43.50	38.04	16.91	1.54	32.13	---	---	Peak																																																																																																																																																																																	
3	169.68	19.34	-24.16	43.50	33.30	16.40	1.74	32.10	---	---	Peak																																																																																																																																																																																	
4	326.82	21.53	-24.47	46.00	31.29	19.95	2.44	32.15	---	---	Peak																																																																																																																																																																																	
5	471.35	25.23	-20.77	46.00	31.06	23.52	2.93	32.28	---	---	Peak																																																																																																																																																																																	
6	666.32	27.20	-18.80	46.00	29.21	26.70	3.49	32.20	---	---	Peak																																																																																																																																																																																	

Appendix D. Duty Cycle Plots

Band	Delta 1 (ms)	Delta 2 (ms)	T_on time (ms)	T_on+off time (ms)	Duty Cycle(%)	1/T(KHz)	VBW Setting
11a	2.0507	2.0507	4.1014	4.2754	95.93021	0.24	0.27 KHZ
11ac20	1.9348	1.9348	3.8696	4.0145	96.39058	0.26	0.27 KHZ
11ac40	0.95652	0.94928	1.9058	2.05072	92.93321	0.52	0.56 KHZ
11ac80	0.46377	0.46377	0.92754	1.06812	86.83856	1.08	1.1 KHZ


Note: Every two TX-on + Tx-off slots consist a complete duration, thus T-on = Delta 1 (D2-M1) + Delta 2 (D4-M3), T_on+off = D5-M1.

802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

